

Jolanta Lissowska

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8471662/jolanta-lissowska-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

411
papers

37,188
citations

89
h-index

180
g-index

450
ext. papers

44,000
ext. citations

9.3
avg, IF

6.42
L-index

#	Paper	IF	Citations
411	Common variants in breast cancer risk loci predispose to distinct tumor subtypes.. <i>Breast Cancer Research</i> , 2022 , 24, 2	8.3	3
410	Sex-Dependent Shared and Nonshared Genetic Architecture Across Mood and Psychotic Disorders. <i>Biological Psychiatry</i> , 2022 , 91, 102-117	7.9	11
409	Cross-Cancer Genome-Wide Association Study of Endometrial Cancer and Epithelial Ovarian Cancer Identifies Genetic Risk Regions Associated with Risk of Both Cancers. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 217-228	4	7
408	Identification of anti-Epstein-Barr virus (EBV) antibody signature in EBV-associated gastric carcinoma. <i>Gastric Cancer</i> , 2021 , 24, 858-867	7.6	10
407	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021 , 53, 817-829	36.3	83
406	Tumor-Associated Stromal Cellular Density as a Predictor of Recurrence and Mortality in Breast Cancer: Results from Ethnically Diverse Study Populations. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 1397-1407	4	2
405	Application of two job indices for general occupational demands in a pooled analysis of case-control studies on lung cancer. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021 , 47, 475-481	4.3	
404	Combined Associations of a Polygenic Risk Score and Classical Risk Factors With Breast Cancer Risk. <i>Journal of the National Cancer Institute</i> , 2021 , 113, 329-337	9.7	14
403	Lessons learned from the INHANCE consortium: An overview of recent results on head and neck cancer. <i>Oral Diseases</i> , 2021 , 27, 73-93	3.5	9
402	Shared genetic risk between eating disorder- and substance-use-related phenotypes: Evidence from genome-wide association studies. <i>Addiction Biology</i> , 2021 , 26, e12880	4.6	12
401	Lung cancer risk in painters: results from the SYNERGY pooled case-control study consortium. <i>Occupational and Environmental Medicine</i> , 2021 , 78, 269-278	2.1	5
400	Mendelian randomization analyses suggest a role for cholesterol in the development of endometrial cancer. <i>International Journal of Cancer</i> , 2021 , 148, 307-319	7.5	13
399	Immunoproteomic Profiles in Gastric Cancer. <i>Journal of Proteome Research</i> , 2021 , 20, 409-419	5.6	4
398	Bipolar multiplex families have an increased burden of common risk variants for psychiatric disorders. <i>Molecular Psychiatry</i> , 2021 , 26, 1286-1298	15.1	17
397	Rare deleterious germline variants and risk of lung cancer. <i>Npj Precision Oncology</i> , 2021 , 5, 12	9.8	0
396	Genetic analyses of gynecological disease identify genetic relationships between uterine fibroids and endometrial cancer, and a novel endometrial cancer genetic risk region at the WNT4 1p36.12 locus. <i>Human Genetics</i> , 2021 , 140, 1353-1365	6.3	5
395	Common Genetic Variation And Age at Onset Of Anorexia Nervosa. <i>Biological Psychiatry Global Open Science</i> , 2021 ,		3

394	Dissecting the Shared Genetic Architecture of Suicide Attempt, Psychiatric Disorders, and Known Risk Factors. <i>Biological Psychiatry</i> , 2021 ,	7.9	11
393	Genome-wide association study identifies 32 novel breast cancer susceptibility loci from overall and subtype-specific analyses. <i>Nature Genetics</i> , 2020 , 52, 572-581	36.3	76
392	Diesel Engine Exhaust Exposure, Smoking, and Lung Cancer Subtype Risks. A Pooled Exposure-Response Analysis of 14 Case-Control Studies. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020 , 202, 402-411	10.2	12
391	Respirable Crystalline Silica Exposure, Smoking, and Lung Cancer Subtype Risks. A Pooled Analysis of Case-Control Studies. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020 , 202, 412-421	10.2	11
390	Protein-altering germline mutations implicate novel genes related to lung cancer development. <i>Nature Communications</i> , 2020 , 11, 2220	17.4	6
389	Prognostic gene expression signature for high-grade serous ovarian cancer. <i>Annals of Oncology</i> , 2020 , 31, 1240-1250	10.3	37
388	Development and Validation of the Gene Expression Predictor of High-grade Serous Ovarian Carcinoma Molecular SubTYPE (ProTYPE). <i>Clinical Cancer Research</i> , 2020 , 26, 5411-5423	12.9	21
387	Circulating Antibodies against Epstein-Barr Virus (EBV) and p53 in EBV-Positive and -Negative Gastric Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 414-419	4	5
386	Genetic identification of cell types underlying brain complex traits yields insights into the etiology of Parkinson's disease. <i>Nature Genetics</i> , 2020 , 52, 482-493	36.3	79
385	The Genetics of the Mood Disorder Spectrum: Genome-wide Association Analyses of More Than 185,000 Cases and 439,000 Controls. <i>Biological Psychiatry</i> , 2020 , 88, 169-184	7.9	57
384	Assessment of interactions between 205 breast cancer susceptibility loci and 13 established risk factors in relation to breast cancer risk, in the Breast Cancer Association Consortium. <i>International Journal of Epidemiology</i> , 2020 , 49, 216-232	7.8	13
383	Association of Polygenic Liabilities for Major Depression, Bipolar Disorder, and Schizophrenia With Risk for Depression in the Danish Population. <i>JAMA Psychiatry</i> , 2019 , 76, 516-525	14.5	51
382	Joint effects of intensity and duration of cigarette smoking on the risk of head and neck cancer: A bivariate spline model approach. <i>Oral Oncology</i> , 2019 , 94, 47-57	4.4	18
381	Molecular Classification of Epithelial Ovarian Cancer Based on Methylation Profiling: Evidence for Survival Heterogeneity. <i>Clinical Cancer Research</i> , 2019 , 25, 5937-5946	12.9	21
380	GWAS of Suicide Attempt in Psychiatric Disorders and Association With Major Depression Polygenic Risk Scores. <i>American Journal of Psychiatry</i> , 2019 , 176, 651-660	11.9	103
379	Genetic interaction analysis among oncogenesis-related genes revealed novel genes and networks in lung cancer development. <i>Oncotarget</i> , 2019 , 10, 1760-1774	3.3	12
378	Associations Between Attention-Deficit/Hyperactivity Disorder and Various Eating Disorders: A Swedish Nationwide Population Study Using Multiple Genetically Informative Approaches. <i>Biological Psychiatry</i> , 2019 , 86, 577-586	7.9	24
377	Genome-wide association study identifies 30 loci associated with bipolar disorder. <i>Nature Genetics</i> , 2019 , 51, 793-803	36.3	662

376	Genetic Overlap Between Alzheimer's Disease and Bipolar Disorder Implicates the MARK2 and VAC14 Genes. <i>Frontiers in Neuroscience</i> , 2019 , 13, 220	5.1	20
375	Combined quantitative measures of ER, PR, HER2, and KI67 provide more prognostic information than categorical combinations in luminal breast cancer. <i>Modern Pathology</i> , 2019 , 32, 1244-1256	9.8	24
374	Genome-wide association study of germline variants and breast cancer-specific mortality. <i>British Journal of Cancer</i> , 2019 , 120, 647-657	8.7	28
373	Antibodies Against Chlamydia trachomatis and Ovarian Cancer Risk in Two Independent Populations. <i>Journal of the National Cancer Institute</i> , 2019 , 111, 129-136	9.7	38
372	Genome-wide association study identifies eight risk loci and implicates metabo-psychiatric origins for anorexia nervosa. <i>Nature Genetics</i> , 2019 , 51, 1207-1214	36.3	303
371	Sex specific associations in genome wide association analysis of renal cell carcinoma. <i>European Journal of Human Genetics</i> , 2019 , 27, 1589-1598	5.3	15
370	Age at start of using tobacco on the risk of head and neck cancer: Pooled analysis in the International Head and Neck Cancer Epidemiology Consortium (INHANCE). <i>Cancer Epidemiology</i> , 2019 , 63, 101615	2.8	10
369	Genomic Relationships, Novel Loci, and Pleiotropic Mechanisms across Eight Psychiatric Disorders. <i>Cell</i> , 2019 , 179, 1469-1482.e11	56.2	402
368	Polygenic Risk Scores for Prediction of Breast Cancer and Breast Cancer Subtypes. <i>American Journal of Human Genetics</i> , 2019 , 104, 21-34	11	363
367	The influence of obesity-related factors in the etiology of renal cell carcinoma-A mendelian randomization study. <i>PLoS Medicine</i> , 2019 , 16, e1002724	11.6	38
366	Mendelian Randomization and mediation analysis of leukocyte telomere length and risk of lung and head and neck cancers. <i>International Journal of Epidemiology</i> , 2019 , 48, 751-766	7.8	14
365	Exploration of Shared Genetic Architecture Between Subcortical Brain Volumes and Anorexia Nervosa. <i>Molecular Neurobiology</i> , 2019 , 56, 5146-5156	6.2	6
364	Functional Analysis and Fine Mapping of the 9p22.2 Ovarian Cancer Susceptibility Locus. <i>Cancer Research</i> , 2019 , 79, 467-481	10.1	11
363	Associations of obesity and circulating insulin and glucose with breast cancer risk: a Mendelian randomization analysis. <i>International Journal of Epidemiology</i> , 2019 , 48, 795-806	7.8	52
362	Improving genetic prediction by leveraging genetic correlations among human diseases and traits. <i>Nature Communications</i> , 2018 , 9, 989	17.4	76
361	Etiology of hormone receptor positive breast cancer differs by levels of histologic grade and proliferation. <i>International Journal of Cancer</i> , 2018 , 143, 746-757	7.5	9
360	Adult height is associated with increased risk of ovarian cancer: a Mendelian randomisation study. <i>British Journal of Cancer</i> , 2018 , 118, 1123-1129	8.7	10
359	Genome-wide interaction study of smoking behavior and non-small cell lung cancer risk in Caucasian population. <i>Carcinogenesis</i> , 2018 , 39, 336-346	4.6	11

358	Assessment of moderate coffee consumption and risk of epithelial ovarian cancer: a Mendelian randomization study. <i>International Journal of Epidemiology</i> , 2018 , 47, 450-459	7.8	8
357	Genetic Contributions to The Association Between Adult Height and Head and Neck Cancer: A Mendelian Randomization Analysis. <i>Scientific Reports</i> , 2018 , 8, 4534	4.9	3
356	No association between global DNA methylation in peripheral blood and lung cancer risk in nonsmoking women: results from a multicenter study in Eastern and Central Europe. <i>European Journal of Cancer Prevention</i> , 2018 , 27, 1-5	2	8
355	Analysis of shared heritability in common disorders of the brain. <i>Science</i> , 2018 , 360,	33.3	666
354	Variants in genes encoding small GTPases and association with epithelial ovarian cancer susceptibility. <i>PLoS ONE</i> , 2018 , 13, e0197561	3.7	9
353	Identification of nine new susceptibility loci for endometrial cancer. <i>Nature Communications</i> , 2018 , 9, 3166	17.4	70
352	Rare Variants in Known Susceptibility Loci and Their Contribution to Risk of Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2018 , 13, 1483-1495	8.9	12
351	rs495139 in the TYMS-ENOSF1 Region and Risk of Ovarian Carcinoma of Mucinous Histology. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	3
350	Identification of susceptibility pathways for the role of chromosome 15q25.1 in modifying lung cancer risk. <i>Nature Communications</i> , 2018 , 9, 3221	17.4	29
349	Genomic Dissection of Bipolar Disorder and Schizophrenia, Including 28 Subphenotypes. <i>Cell</i> , 2018 , 173, 1705-1715.e16	56.2	360
348	Multi-Omics Analysis Reveals a HIF Network and Hub Gene EPAS1 Associated with Lung Adenocarcinoma. <i>EBioMedicine</i> , 2018 , 32, 93-101	8.8	23
347	A transcriptome-wide association study of 229,000 women identifies new candidate susceptibility genes for breast cancer. <i>Nature Genetics</i> , 2018 , 50, 968-978	36.3	101
346	Lung cancer and socioeconomic status in a pooled analysis of case-control studies. <i>PLoS ONE</i> , 2018 , 13, e0192999	3.7	54
345	Gene set enrichment analysis and expression pattern exploration implicate an involvement of neurodevelopmental processes in bipolar disorder. <i>Journal of Affective Disorders</i> , 2018 , 228, 20-25	6.6	9
344	Investigation of common, low-frequency and rare genome-wide variation in anorexia nervosa. <i>Molecular Psychiatry</i> , 2018 , 23, 1169-1180	15.1	24
343	Fine mapping of MHC region in lung cancer highlights independent susceptibility loci by ethnicity. <i>Nature Communications</i> , 2018 , 9, 3927	17.4	24
342	Applying polygenic risk scoring for psychiatric disorders to a large family with bipolar disorder and major depressive disorder. <i>Communications Biology</i> , 2018 , 1, 163	6.7	11
341	Evidence for three genetic loci involved in both anorexia nervosa risk and variation of body mass index. <i>Molecular Psychiatry</i> , 2017 , 22, 192-201	15.1	31

340	Enrichment of putative PAX8 target genes at serous epithelial ovarian cancer susceptibility loci. <i>British Journal of Cancer</i> , 2017 , 116, 524-535	8.7	18
339	Alcohol and lung cancer risk among never smokers: A pooled analysis from the international lung cancer consortium and the SYNERGY study. <i>International Journal of Cancer</i> , 2017 , 140, 1976-1984	7.5	24
338	Relationship between crown-like structures and sex-steroid hormones in breast adipose tissue and serum among postmenopausal breast cancer patients. <i>Breast Cancer Research</i> , 2017 , 19, 8	8.3	41
337	Significant Locus and Metabolic Genetic Correlations Revealed in Genome-Wide Association Study of Anorexia Nervosa. <i>American Journal of Psychiatry</i> , 2017 , 174, 850-858	11.9	276
336	A genome-wide association study of anorexia nervosa suggests a risk locus implicated in dysregulated leptin signaling. <i>Scientific Reports</i> , 2017 , 7, 3847	4.9	16
335	Genome-wide association study of borderline personality disorder reveals genetic overlap with bipolar disorder, major depression and schizophrenia. <i>Translational Psychiatry</i> , 2017 , 7, e1155	8.6	100
334	Genome-wide association study identifies multiple risk loci for renal cell carcinoma. <i>Nature Communications</i> , 2017 , 8, 15724	17.4	50
333	Exposure-Response Analyses of Asbestos and Lung Cancer Subtypes in a Pooled Analysis of Case-Control Studies. <i>Epidemiology</i> , 2017 , 28, 288-299	3.1	41
332	Large-scale association analysis identifies new lung cancer susceptibility loci and heterogeneity in genetic susceptibility across histological subtypes. <i>Nature Genetics</i> , 2017 , 49, 1126-1132	36.3	246
331	Identification of 12 new susceptibility loci for different histotypes of epithelial ovarian cancer. <i>Nature Genetics</i> , 2017 , 49, 680-691	36.3	190
330	Association analysis identifies 65 new breast cancer risk loci. <i>Nature</i> , 2017 , 551, 92-94	50.4	643
329	Identification of ten variants associated with risk of estrogen-receptor-negative breast cancer. <i>Nature Genetics</i> , 2017 , 49, 1767-1778	36.3	186
328	Identification of shared risk loci and pathways for bipolar disorder and schizophrenia. <i>PLoS ONE</i> , 2017 , 12, e0171595	3.7	53
327	Genetic Variants Related to Longer Telomere Length are Associated with Increased Risk of Renal Cell Carcinoma. <i>European Urology</i> , 2017 , 72, 747-754	10.2	27
326	Body mass index and breast cancer survival: a Mendelian randomization analysis. <i>International Journal of Epidemiology</i> , 2017 , 46, 1814-1822	7.8	27
325	Obesity, metabolic factors and risk of different histological types of lung cancer: A Mendelian randomization study. <i>PLoS ONE</i> , 2017 , 12, e0177875	3.7	56
324	Low frequency of cigarette smoking and the risk of head and neck cancer in the INHANCE consortium pooled analysis. <i>International Journal of Epidemiology</i> , 2016 , 45, 835-45	7.8	33
323	No clinical utility of KRAS variant rs61764370 for ovarian or breast cancer. <i>Gynecologic Oncology</i> , 2016 , 141, 386-401	4.9	15

322	Occupational prestige, social mobility and the association with lung cancer in men. <i>BMC Cancer</i> , 2016 , 16, 395	4.8	12
321	Genome-wide association analyses identify new susceptibility loci for oral cavity and pharyngeal cancer. <i>Nature Genetics</i> , 2016 , 48, 1544-1550	36.3	92
320	Female chromosome X mosaicism is age-related and preferentially affects the inactivated X chromosome. <i>Nature Communications</i> , 2016 , 7, 11843	17.4	59
319	Prognostic value of automated KI67 scoring in breast cancer: a centralised evaluation of 8088 patients from 10 study groups. <i>Breast Cancer Research</i> , 2016 , 18, 104	8.3	44
318	The role of oral hygiene in head and neck cancer: results from International Head and Neck Cancer Epidemiology (INHANCE) consortium. <i>Annals of Oncology</i> , 2016 , 27, 1619-25	10.3	62
317	High-throughput automated scoring of Ki67 in breast cancer tissue microarrays from the Breast Cancer Association Consortium. <i>Journal of Pathology: Clinical Research</i> , 2016 , 2, 138-53	5.3	16
316	GWAS meta-analysis of 16 852 women identifies new susceptibility locus for endometrial cancer. <i>Human Molecular Genetics</i> , 2016 , 25, 2612-2620	5.6	15
315	Investigation of Exomic Variants Associated with Overall Survival in Ovarian Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016 , 25, 446-54	4	6
314	Evidence of a genetic link between endometriosis and ovarian cancer. <i>Fertility and Sterility</i> , 2016 , 105, 35-43.e1-10	4.8	26
313	Assessment of variation in immunosuppressive pathway genes reveals TGFBR2 to be associated with risk of clear cell ovarian cancer. <i>Oncotarget</i> , 2016 , 7, 69097-69110	3.3	4
312	Inherited variants affecting RNA editing may contribute to ovarian cancer susceptibility: results from a large-scale collaboration. <i>Oncotarget</i> , 2016 , 7, 72381-72394	3.3	11
311	A targeted genetic association study of epithelial ovarian cancer susceptibility. <i>Oncotarget</i> , 2016 , 7, 73811-9	3.9	7
310	Adult body mass index and risk of ovarian cancer by subtype: a Mendelian randomization study. <i>International Journal of Epidemiology</i> , 2016 , 45, 884-95	7.8	45
309	Association of Active and Sedentary Behaviors with Postmenopausal Estrogen Metabolism. <i>Medicine and Science in Sports and Exercise</i> , 2016 , 48, 439-48	1.2	19
308	Exome genotyping arrays to identify rare and low frequency variants associated with epithelial ovarian cancer risk. <i>Human Molecular Genetics</i> , 2016 , 25, 3600-3612	5.6	9
307	PALB2, CHEK2 and ATM rare variants and cancer risk: data from COGS. <i>Journal of Medical Genetics</i> , 2016 , 53, 800-811	5.8	121
306	Lung Cancer Among Firefighters: Smoking-Adjusted Risk Estimates in a Pooled Analysis of Case-Control Studies. <i>Journal of Occupational and Environmental Medicine</i> , 2016 , 58, 1137-1143	2	11
305	Anti-Helicobacter pylori Antibody Profiles in Epstein-Barr virus (EBV)-Positive and EBV-Negative Gastric Cancer. <i>Helicobacter</i> , 2016 , 21, 153-7	4.9	22

304	Assessing the genetic architecture of epithelial ovarian cancer histological subtypes. <i>Human Genetics</i> , 2016 , 135, 741-56	6.3	18
303	Lifetime Number of Ovulatory Cycles and Risks of Ovarian and Endometrial Cancer Among Postmenopausal Women. <i>American Journal of Epidemiology</i> , 2016 , 183, 800-14	3.8	29
302	Association of vitamin D levels and risk of ovarian cancer: a Mendelian randomization study. <i>International Journal of Epidemiology</i> , 2016 , 45, 1619-1630	7.8	77
301	Inherited variants in the inner centromere protein (INCENP) gene of the chromosomal passenger complex contribute to the susceptibility of ER-negative breast cancer. <i>Carcinogenesis</i> , 2015 , 36, 256-71	4.6	12
300	Identification of six new susceptibility loci for invasive epithelial ovarian cancer. <i>Nature Genetics</i> , 2015 , 47, 164-71	36.3	177
299	Effect of occupational exposures on lung cancer susceptibility: a study of gene-environment interaction analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 570-9	4	10
298	Infertility and incident endometrial cancer risk: a pooled analysis from the epidemiology of endometrial cancer consortium (E2C2). <i>British Journal of Cancer</i> , 2015 , 112, 925-33	8.7	25
297	Cell-cycle protein expression in a population-based study of ovarian and endometrial cancers. <i>Frontiers in Oncology</i> , 2015 , 5, 25	5.3	14
296	Genome-wide significant risk associations for mucinous ovarian carcinoma. <i>Nature Genetics</i> , 2015 , 47, 888-97	36.3	60
295	Network-Based Integration of GWAS and Gene Expression Identifies a HOX-Centric Network Associated with Serous Ovarian Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 1574-84	4	24
294	Obesity and survival among women with ovarian cancer: results from the Ovarian Cancer Association Consortium. <i>British Journal of Cancer</i> , 2015 , 113, 817-26	8.7	80
293	Genome-wide Analysis Identifies Novel Loci Associated with Ovarian Cancer Outcomes: Findings from the Ovarian Cancer Association Consortium. <i>Clinical Cancer Research</i> , 2015 , 21, 5264-76	12.9	24
292	Identification of novel genetic markers of breast cancer survival. <i>Journal of the National Cancer Institute</i> , 2015 , 107,	9.7	38
291	Evaluating the ovarian cancer gonadotropin hypothesis: a candidate gene study. <i>Gynecologic Oncology</i> , 2015 , 136, 542-8	4.9	12
290	Risk factors for head and neck cancer in young adults: a pooled analysis in the INHANCE consortium. <i>International Journal of Epidemiology</i> , 2015 , 44, 169-85	7.8	98
289	Assessment of variation in immunosuppressive pathway genes reveals TGFBR2 to be associated with prognosis of estrogen receptor-negative breast cancer after chemotherapy. <i>Breast Cancer Research</i> , 2015 , 17, 18	8.3	17
288	Lung cancer risk among cooks when accounting for tobacco smoking: a pooled analysis of case-control studies from Europe, Canada, New Zealand, and China. <i>Journal of Occupational and Environmental Medicine</i> , 2015 , 57, 202-9	2	8
287	Integrated analysis of DNA methylation, immunohistochemistry and mRNA expression, data identifies a methylation expression index (MEI) robustly associated with survival of ER-positive breast cancer patients. <i>Breast Cancer Research and Treatment</i> , 2015 , 150, 457-466	4.4	6

286	Cis-eQTL analysis and functional validation of candidate susceptibility genes for high-grade serous ovarian cancer. <i>Nature Communications</i> , 2015 , 6, 8234	17.4	40
285	Identification of lung cancer histology-specific variants applying Bayesian framework variant prioritization approaches within the TRICL and ILCCO consortia. <i>Carcinogenesis</i> , 2015 , 36, 1314-26	4.6	8
284	Common variants at the CHEK2 gene locus and risk of epithelial ovarian cancer. <i>Carcinogenesis</i> , 2015 , 36, 1341-53	4.6	20
283	Annexin A1 expression in a pooled breast cancer series: association with tumor subtypes and prognosis. <i>BMC Medicine</i> , 2015 , 13, 156	11.4	37
282	Shared genetics underlying epidemiological association between endometriosis and ovarian cancer. <i>Human Molecular Genetics</i> , 2015 , 24, 5955-64	5.6	48
281	Height and Breast Cancer Risk: Evidence From Prospective Studies and Mendelian Randomization. <i>Journal of the National Cancer Institute</i> , 2015 , 107,	9.7	74
280	Genome-wide analysis implicates microRNAs and their target genes in the development of bipolar disorder. <i>Translational Psychiatry</i> , 2015 , 5, e678	8.6	52
279	Lung cancer risk among bricklayers in a pooled analysis of case-control studies. <i>International Journal of Cancer</i> , 2015 , 136, 360-71	7.5	22
278	Identification and characterization of novel associations in the CASP8/ALS2CR12 region on chromosome 2 with breast cancer risk. <i>Human Molecular Genetics</i> , 2015 , 24, 285-98	5.6	35
277	Common colorectal cancer risk alleles contribute to the multiple colorectal adenoma phenotype, but do not influence colonic polyposis in FAP. <i>European Journal of Human Genetics</i> , 2015 , 23, 260-3	5.3	14
276	Investigation of gene-environment interactions between 47 newly identified breast cancer susceptibility loci and environmental risk factors. <i>International Journal of Cancer</i> , 2015 , 136, E685-96	7.5	26
275	Epithelial-Mesenchymal Transition (EMT) Gene Variants and Epithelial Ovarian Cancer (EOC) Risk. <i>Genetic Epidemiology</i> , 2015 , 39, 689-97	2.6	18
274	Relation of allium vegetables intake with head and neck cancers: evidence from the INHANCE consortium. <i>Molecular Nutrition and Food Research</i> , 2015 , 59, 1641-50	5.9	11
273	Common germline polymorphisms associated with breast cancer-specific survival. <i>Breast Cancer Research</i> , 2015 , 17, 58	8.3	24
272	The INHANCE consortium: toward a better understanding of the causes and mechanisms of head and neck cancer. <i>Oral Diseases</i> , 2015 , 21, 685-93	3.5	66
271	The 12p13.33/RAD52 locus and genetic susceptibility to squamous cell cancers of upper aerodigestive tract. <i>PLoS ONE</i> , 2015 , 10, e0117639	3.7	10
270	Common Genetic Variation In Cellular Transport Genes and Epithelial Ovarian Cancer (EOC) Risk. <i>PLoS ONE</i> , 2015 , 10, e0128106	3.7	15
269	Body Mass Index Genetic Risk Score and Endometrial Cancer Risk. <i>PLoS ONE</i> , 2015 , 10, e0143256	3.7	8

268	Prediction of breast cancer risk based on profiling with common genetic variants. <i>Journal of the National Cancer Institute</i> , 2015 , 107,	9.7	324
267	Estimating and explaining the effect of education and income on head and neck cancer risk: INHANCE consortium pooled analysis of 31 case-control studies from 27 countries. <i>International Journal of Cancer</i> , 2015 , 136, 1125-39	7.5	86
266	Characterization of large structural genetic mosaicism in human autosomes. <i>American Journal of Human Genetics</i> , 2015 , 96, 487-97	11	77
265	A rare truncating BRCA2 variant and genetic susceptibility to upper aerodigestive tract cancer. <i>Journal of the National Cancer Institute</i> , 2015 , 107,	9.7	27
264	Cell-type-specific enrichment of risk-associated regulatory elements at ovarian cancer susceptibility loci. <i>Human Molecular Genetics</i> , 2015 , 24, 3595-607	5.6	32
263	Performance of automated scoring of ER, PR, HER2, CK5/6 and EGFR in breast cancer tissue microarrays in the Breast Cancer Association Consortium. <i>Journal of Pathology: Clinical Research</i> , 2015 , 1, 18-32	5.3	18
262	Plasma Autoantibodies Associated with Basal-like Breast Cancers. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 1332-40	4	36
261	Fine-mapping identifies two additional breast cancer susceptibility loci at 9q31.2. <i>Human Molecular Genetics</i> , 2015 , 24, 2966-84	5.6	36
260	Menopausal hormone use and ovarian cancer risk: individual participant meta-analysis of 52 epidemiological studies. <i>Lancet, The</i> , 2015 , 385, 1835-42	40	267
259	A systematic investigation of the contribution of genetic variation within the MHC region to HPV seropositivity. <i>Human Molecular Genetics</i> , 2015 , 24, 2681-8	5.6	8
258	Fine-scale mapping of the 5q11.2 breast cancer locus reveals at least three independent risk variants regulating MAP3K1. <i>American Journal of Human Genetics</i> , 2015 , 96, 5-20	11	59
257	Common Genetic Variation in Circadian Rhythm Genes and Risk of Epithelial Ovarian Cancer (EOC). <i>Journal of Genetics and Genome Research</i> , 2015 , 2,		22
256	Lung cancer among coal miners, ore miners and quarrymen: smoking-adjusted risk estimates from the synergy pooled analysis of case-control studies. <i>Scandinavian Journal of Work, Environment and Health</i> , 2015 , 41, 467-77	4.3	26
255	A large-scale assessment of two-way SNP interactions in breast cancer susceptibility using 46,450 cases and 42,461 controls from the breast cancer association consortium. <i>Human Molecular Genetics</i> , 2014 , 23, 1934-46	5.6	28
254	Adult height and head and neck cancer: a pooled analysis within the INHANCE Consortium. <i>European Journal of Epidemiology</i> , 2014 , 29, 35-48	12.1	36
253	Genome-wide association study of subtype-specific epithelial ovarian cancer risk alleles using pooled DNA. <i>Human Genetics</i> , 2014 , 133, 481-97	6.3	21
252	No causal association identified for human papillomavirus infections in lung cancer. <i>Cancer Research</i> , 2014 , 74, 3525-34	10.1	27
251	Genome-wide association study reveals two new risk loci for bipolar disorder. <i>Nature Communications</i> , 2014 , 5, 3339	17.4	248

250	Discovery and validation of methylation markers for endometrial cancer. <i>International Journal of Cancer</i> , 2014 , 135, 1860-8	7.5	43
249	Cross-cancer pleiotropic analysis of endometrial cancer: PAGE and E2C2 consortia. <i>Carcinogenesis</i> , 2014 , 35, 2068-73	4.6	17
248	Identification of new genetic susceptibility loci for breast cancer through consideration of gene-environment interactions. <i>Genetic Epidemiology</i> , 2014 , 38, 84-93	2.6	24
247	Effect modification of the association of cumulative exposure and cancer risk by intensity of exposure and time since exposure cessation: a flexible method applied to cigarette smoking and lung cancer in the SYNERGY Study. <i>American Journal of Epidemiology</i> , 2014 , 179, 290-8	3.8	33
246	Prolactin receptor expression and breast cancer: relationships with tumor characteristics among pre- and post-menopausal women in a population-based case-control study from Poland. <i>Hormones and Cancer</i> , 2014 , 5, 42-50	5	26
245	Case-case comparison of smoking and alcohol risk associations with Epstein-Barr virus-positive gastric cancer. <i>International Journal of Cancer</i> , 2014 , 134, 948-53	7.5	29
244	Consortium analysis of gene and gene-folate interactions in purine and pyrimidine metabolism pathways with ovarian carcinoma risk. <i>Molecular Nutrition and Food Research</i> , 2014 , 58, 2023-35	5.9	8
243	Alcohol consumption and survival after a breast cancer diagnosis: a literature-based meta-analysis and collaborative analysis of data for 29,239 cases. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 934-45	4	29
242	Urinary bisphenol A-glucuronide and postmenopausal breast cancer in Poland. <i>Cancer Causes and Control</i> , 2014 , 25, 1587-93	2.8	26
241	FGF receptor genes and breast cancer susceptibility: results from the Breast Cancer Association Consortium. <i>British Journal of Cancer</i> , 2014 , 110, 1088-100	8.7	20
240	Evidence that breast cancer risk at the 2q35 locus is mediated through IGFBP5 regulation. <i>Nature Communications</i> , 2014 , 4, 4999	17.4	87
239	A genome-wide association study of anorexia nervosa. <i>Molecular Psychiatry</i> , 2014 , 19, 1085-94	15.1	224
238	Genetic variation in mitotic regulatory pathway genes is associated with breast tumor grade. <i>Human Molecular Genetics</i> , 2014 , 23, 6034-46	5.6	11
237	Rare variants of large effect in BRCA2 and CHEK2 affect risk of lung cancer. <i>Nature Genetics</i> , 2014 , 46, 736-41	36.3	228
236	Genetic variation at CYP3A is associated with age at menarche and breast cancer risk: a case-control study. <i>Breast Cancer Research</i> , 2014 , 16, R51	8.3	12
235	Exome-wide association study of endometrial cancer in a multiethnic population. <i>PLoS ONE</i> , 2014 , 9, e97045	3.7	8
234	MicroRNA related polymorphisms and breast cancer risk. <i>PLoS ONE</i> , 2014 , 9, e109973	3.7	37
233	Indoor air pollution from solid fuels and peripheral blood DNA methylation: findings from a population study in Warsaw, Poland. <i>Environmental Research</i> , 2014 , 134, 325-30	7.9	14

232	Improved survival of gastric cancer with tumour Epstein-Barr virus positivity: an international pooled analysis. <i>Gut</i> , 2014 , 63, 236-43	19.2	238
231	Using ancestry-informative markers to identify fine structure across 15 populations of European origin. <i>European Journal of Human Genetics</i> , 2014 , 22, 1190-200	5.3	30
230	Is previous respiratory disease a risk factor for lung cancer?. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2014 , 190, 549-59	10.2	73
229	Imputation and subset-based association analysis across different cancer types identifies multiple independent risk loci in the TERT-CLPTM1L region on chromosome 5p15.33. <i>Human Molecular Genetics</i> , 2014 , 23, 6616-33	5.6	77
228	Common non-synonymous SNPs associated with breast cancer susceptibility: findings from the Breast Cancer Association Consortium. <i>Human Molecular Genetics</i> , 2014 , 23, 6096-111	5.6	48
227	Exposure to secondhand tobacco smoke and lung cancer by histological type: a pooled analysis of the International Lung Cancer Consortium (ILCCO). <i>International Journal of Cancer</i> , 2014 , 135, 1918-30	7.5	69
226	Refined histopathological predictors of BRCA1 and BRCA2 mutation status: a large-scale analysis of breast cancer characteristics from the BCAC, CIMBA, and ENIGMA consortia. <i>Breast Cancer Research</i> , 2014 , 16, 3419	8.3	82
225	Genome-wide association study of endometrial cancer in E2C2. <i>Human Genetics</i> , 2014 , 133, 211-24	6.3	33
224	Breast cancer susceptibility risk associations and heterogeneity by E-cadherin tumor tissue expression. <i>Breast Cancer Research and Treatment</i> , 2014 , 143, 181-7	4.4	15
223	Recent alcohol consumption and risk of incident ovarian carcinoma: a pooled analysis of 5,342 cases and 10,358 controls from the Ovarian Cancer Association Consortium. <i>BMC Cancer</i> , 2013 , 13, 28	4.8	23
222	Hormone-receptor expression and ovarian cancer survival: an Ovarian Tumor Tissue Analysis consortium study. <i>Lancet Oncology</i> , 2013 , 14, 853-62	21.7	248
221	GWAS meta-analysis and replication identifies three new susceptibility loci for ovarian cancer. <i>Nature Genetics</i> , 2013 , 45, 362-70, 370e1-2	36.3	267
220	Fine-scale mapping of the FGFR2 breast cancer risk locus: putative functional variants differentially bind FOXA1 and E2F1. <i>American Journal of Human Genetics</i> , 2013 , 93, 1046-60	11	80
219	Type I and II endometrial cancers: have they different risk factors?. <i>Journal of Clinical Oncology</i> , 2013 , 31, 2607-18	2.2	458
218	Multiple independent variants at the TERT locus are associated with telomere length and risks of breast and ovarian cancer. <i>Nature Genetics</i> , 2013 , 45, 371-84, 384e1-2	36.3	422
217	Common genetic variants in the 9p21 region and their associations with multiple tumours. <i>British Journal of Cancer</i> , 2013 , 108, 1378-86	8.7	40
216	Cigarette smoking and risk of ovarian cancer: a pooled analysis of 21 case-control studies. <i>Cancer Causes and Control</i> , 2013 , 24, 989-1004	2.8	69
215	Estrogen receptor and progesterone receptor expression in normal terminal duct lobular units surrounding invasive breast cancer. <i>Breast Cancer Research and Treatment</i> , 2013 , 137, 837-47	4.4	16

214	Functional variants at the 11q13 risk locus for breast cancer regulate cyclin D1 expression through long-range enhancers. <i>American Journal of Human Genetics</i> , 2013 , 92, 489-503	11	167
213	Germline variation in TP53 regulatory network genes associates with breast cancer survival and treatment outcome. <i>International Journal of Cancer</i> , 2013 , 132, 2044-55	7.5	9
212	Genome-wide association studies identify four ER negative-specific breast cancer risk loci. <i>Nature Genetics</i> , 2013 , 45, 392-8, 398e1-2	36.3	327
211	Large-scale genotyping identifies 41 new loci associated with breast cancer risk. <i>Nature Genetics</i> , 2013 , 45, 353-61, 361e1-2	36.3	813
210	Genetic modifiers of menopausal hormone replacement therapy and breast cancer risk: a genome-wide interaction study. <i>Endocrine-Related Cancer</i> , 2013 , 20, 875-87	5.7	19
209	Plasma carotenoid- and retinol-weighted multi-SNP scores and risk of breast cancer in the National Cancer Institute Breast and Prostate Cancer Cohort Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013 , 22, 927-36	4	14
208	Welding and lung cancer in a pooled analysis of case-control studies. <i>American Journal of Epidemiology</i> , 2013 , 178, 1513-25	3.8	35
207	Lung cancer risk among hairdressers: a pooled analysis of case-control studies conducted between 1985 and 2010. <i>American Journal of Epidemiology</i> , 2013 , 178, 1355-65	3.8	8
206	Evidence of gene-environment interactions between common breast cancer susceptibility loci and established environmental risk factors. <i>PLoS Genetics</i> , 2013 , 9, e1003284	6	112
205	Relationship of mammographic density and gene expression: analysis of normal breast tissue surrounding breast cancer. <i>Clinical Cancer Research</i> , 2013 , 19, 4972-4982	12.9	48
204	Combined and interactive effects of environmental and GWAS-identified risk factors in ovarian cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013 , 22, 880-90	4	37
203	Lung cancer risk among bakers, pastry cooks and confectionary makers: the SYNERGY study. <i>Occupational and Environmental Medicine</i> , 2013 , 70, 810-4	2.1	10
202	Cigarette, cigar, and pipe smoking and the risk of head and neck cancers: pooled analysis in the International Head and Neck Cancer Epidemiology Consortium. <i>American Journal of Epidemiology</i> , 2013 , 178, 679-90	3.8	152
201	Obesity and risk of ovarian cancer subtypes: evidence from the Ovarian Cancer Association Consortium. <i>Endocrine-Related Cancer</i> , 2013 , 20, 251-62	5.7	135
200	Epigenetic analysis leads to identification of HNF1B as a subtype-specific susceptibility gene for ovarian cancer. <i>Nature Communications</i> , 2013 , 4, 1628	17.4	124
199	A common biological basis of obesity and nicotine addiction. <i>Translational Psychiatry</i> , 2013 , 3, e308	8.6	37
198	The etiology of uterine sarcomas: a pooled analysis of the epidemiology of endometrial cancer consortium. <i>British Journal of Cancer</i> , 2013 , 108, 727-34	8.7	60
197	Identification and molecular characterization of a new ovarian cancer susceptibility locus at 17q21.31. <i>Nature Communications</i> , 2013 , 4, 1627	17.4	85

196	Peripheral blood immunologic phenotype of population-based breast cancer cases and matched controls. <i>European Journal of Clinical Investigation</i> , 2012 , 42, 572-4	4.6	2
195	Sex steroid hormone levels in breast adipose tissue and serum in postmenopausal women. <i>Breast Cancer Research and Treatment</i> , 2012 , 131, 287-94	4.4	31
194	Fine mapping of 14q24.1 breast cancer susceptibility locus. <i>Human Genetics</i> , 2012 , 131, 479-90	6.3	5
193	Analysis of terminal duct lobular unit involution in luminal A and basal breast cancers. <i>Breast Cancer Research</i> , 2012 , 14, R64	8.3	31
192	Accelerometer-based measures of active and sedentary behavior in relation to breast cancer risk. <i>Breast Cancer Research and Treatment</i> , 2012 , 134, 1279-90	4.4	32
191	ABO blood group and risk of epithelial ovarian cancer within the Ovarian Cancer Association Consortium. <i>Cancer Causes and Control</i> , 2012 , 23, 1805-10	2.8	27
190	Genome-wide association analysis identifies three new breast cancer susceptibility loci. <i>Nature Genetics</i> , 2012 , 44, 312-8	36.3	237
189	Previous lung diseases and lung cancer risk: a pooled analysis from the International Lung Cancer Consortium. <i>American Journal of Epidemiology</i> , 2012 , 176, 573-85	3.8	123
188	Increased risk of lung cancer in individuals with a family history of the disease: a pooled analysis from the International Lung Cancer Consortium. <i>European Journal of Cancer</i> , 2012 , 48, 1957-68	7.5	98
187	Menarche, menopause, and breast cancer risk: individual participant meta-analysis, including 118 964 women with breast cancer from 117 epidemiological studies. <i>Lancet Oncology</i> , 2012 , 13, 1141-51	21.7	529
186	A genome-wide association study identifies a novel susceptibility locus for renal cell carcinoma on 12p11.23. <i>Human Molecular Genetics</i> , 2012 , 21, 456-62	5.6	74
185	Detectable clonal mosaicism and its relationship to aging and cancer. <i>Nature Genetics</i> , 2012 , 44, 651-8	36.3	409
184	11q13 is a susceptibility locus for hormone receptor positive breast cancer. <i>Human Mutation</i> , 2012 , 33, 1123-32	4.7	33
183	Cigarette smoking and lung cancer--relative risk estimates for the major histological types from a pooled analysis of case-control studies. <i>International Journal of Cancer</i> , 2012 , 131, 1210-9	7.5	275
182	Genome-wide association study identifies a possible susceptibility locus for endometrial cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 980-7	4	30
181	Predictors of global methylation levels in blood DNA of healthy subjects: a combined analysis. <i>International Journal of Epidemiology</i> , 2012 , 41, 126-39	7.8	177
180	Common breast cancer susceptibility variants in LSP1 and RAD51L1 are associated with mammographic density measures that predict breast cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 1156-66	4	92
179	Influence of common genetic variation on lung cancer risk: meta-analysis of 14 900 cases and 29 485 controls. <i>Human Molecular Genetics</i> , 2012 , 21, 4980-95	5.6	159

178	Genetic variation in C20orf54, PLCE1 and MUC1 and the risk of upper gastrointestinal cancers in Caucasian populations. <i>European Journal of Cancer Prevention</i> , 2012 , 21, 541-4	2	64
177	Asthma and lung cancer risk: a systematic investigation by the International Lung Cancer Consortium. <i>Carcinogenesis</i> , 2012 , 33, 587-97	4.6	54
176	19p13.1 is a triple-negative-specific breast cancer susceptibility locus. <i>Cancer Research</i> , 2012 , 72, 1795-803	3.1	93
175	Occupational exposure to organic dust increases lung cancer risk in the general population. <i>Thorax</i> , 2012 , 67, 111-6	7.3	39
174	Age at last birth in relation to risk of endometrial cancer: pooled analysis in the epidemiology of endometrial cancer consortium. <i>American Journal of Epidemiology</i> , 2012 , 176, 269-78	3.8	55
173	Welding and lung cancer in Central and Eastern Europe and the United Kingdom. <i>American Journal of Epidemiology</i> , 2012 , 175, 706-14	3.8	41
172	The role of genetic breast cancer susceptibility variants as prognostic factors. <i>Human Molecular Genetics</i> , 2012 , 21, 3926-39	5.6	75
171	Analysis of serum metabolic profiles in women with endometrial cancer and controls in a population-based case-control study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, 3216-23	5.6	33
170	Using prior information from the medical literature in GWAS of oral cancer identifies novel susceptibility variant on chromosome 4--the AdAPT method. <i>PLoS ONE</i> , 2012 , 7, e36888	3.7	14
169	Comparison of 6q25 breast cancer hits from Asian and European Genome Wide Association Studies in the Breast Cancer Association Consortium (BCAC). <i>PLoS ONE</i> , 2012 , 7, e42380	3.7	49
168	Genetic variation in the prostate stem cell antigen gene and upper gastrointestinal cancer in white individuals. <i>Gastroenterology</i> , 2011 , 140, 435-41	13.3	65
167	Genetic variation in PRL and PRLR, and relationships with serum prolactin levels and breast cancer risk: results from a population-based case-control study in Poland. <i>Breast Cancer Research</i> , 2011 , 13, R42	8.3	16
166	A genome-wide association study of upper aerodigestive tract cancers conducted within the INHANCE consortium. <i>PLoS Genetics</i> , 2011 , 7, e1001333	6	136
165	Possible association between a genetic polymorphism at 8q24 and risk of upper gastrointestinal cancer. <i>European Journal of Cancer Prevention</i> , 2011 , 20, 54-7	2	14
164	Acetaldehyde level in spirits from central European countries. <i>European Journal of Cancer Prevention</i> , 2011 , 20, 526-9	2	22
163	Lung cancer risk attributable to occupational exposures in a multicenter case-control study in Central and Eastern Europe. <i>Journal of Occupational and Environmental Medicine</i> , 2011 , 53, 1262-7	2	13
162	Genome-wide association study of renal cell carcinoma identifies two susceptibility loci on 2p21 and 11q13.3. <i>Nature Genetics</i> , 2011 , 43, 60-5	36.3	199
161	Endometrial cancer and genetic variation in PTEN, PIK3CA, AKT1, MLH1, and MSH2 within a population-based case-control study. <i>Gynecologic Oncology</i> , 2011 , 120, 167-73	4.9	19

160	A role for XRCC2 gene polymorphisms in breast cancer risk and survival. <i>Journal of Medical Genetics</i> , 2011 , 48, 477-84	5.8	42
159	An examination of male and female odds ratios by BMI, cigarette smoking, and alcohol consumption for cancers of the oral cavity, pharynx, and larynx in pooled data from 15 case-control studies. <i>Cancer Causes and Control</i> , 2011 , 22, 1217-31	2.8	33
158	Occupational exposure to metal compounds and lung cancer. Results from a multi-center case-control study in Central/Eastern Europe and UK. <i>Cancer Causes and Control</i> , 2011 , 22, 1669-80	2.8	17
157	Confirmation of 5p12 as a susceptibility locus for progesterone-receptor-positive, lower grade breast cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 2222-31	4	27
156	Associations of breast cancer risk factors with tumor subtypes: a pooled analysis from the Breast Cancer Association Consortium studies. <i>Journal of the National Cancer Institute</i> , 2011 , 103, 250-63	9.7	513
155	Low penetrance breast cancer susceptibility loci are associated with specific breast tumor subtypes: findings from the Breast Cancer Association Consortium. <i>Human Molecular Genetics</i> , 2011 , 20, 3289-303	5.6	140
154	Exposure to diesel motor exhaust and lung cancer risk in a pooled analysis from case-control studies in Europe and Canada. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2011 , 183, 941-8	10.2	116
153	Genome-wide association study of HPV seropositivity. <i>Human Molecular Genetics</i> , 2011 , 20, 4714-23	5.6	20
152	A sex-specific association between a 15q25 variant and upper aerodigestive tract cancers. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 658-64	4	14
151	Associations of common variants at 1p11.2 and 14q24.1 (RAD51L1) with breast cancer risk and heterogeneity by tumor subtype: findings from the Breast Cancer Association Consortium. <i>Human Molecular Genetics</i> , 2011 , 20, 4693-706	5.6	66
150	TGF- β signaling pathway and breast cancer susceptibility. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 1112-9	4	40
149	Prostate cancer susceptibility polymorphism rs2660753 is not associated with invasive ovarian cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 1028-31	4	
148	7q21-rs6964587 and breast cancer risk: an extended case-control study by the Breast Cancer Association Consortium. <i>Journal of Medical Genetics</i> , 2011 , 48, 698-702	5.8	5
147	CHEK2, MGMT, SULT1E1 and SULT1A1 polymorphisms and endometrial cancer risk. <i>Twin Research and Human Genetics</i> , 2011 , 14, 328-32	2.2	12
146	Low human papillomavirus prevalence in head and neck cancer: results from two large case-control studies in high-incidence regions. <i>International Journal of Epidemiology</i> , 2011 , 40, 489-502	7.8	148
145	Evaluation of variation in the phosphoinositide-3-kinase catalytic subunit alpha oncogene and breast cancer risk. <i>British Journal of Cancer</i> , 2011 , 105, 1934-9	8.7	4
144	Polymorphisms in chemokine and receptor genes and gastric cancer risk and survival in a high risk Polish population. <i>Scandinavian Journal of Gastroenterology</i> , 2011 , 46, 333-40	2.4	17
143	Breast cancer susceptibility polymorphisms and endometrial cancer risk: a Collaborative Endometrial Cancer Study. <i>Carcinogenesis</i> , 2011 , 32, 1862-6	4.6	4

142	Detection of somatic mutations by high-resolution DNA melting (HRM) analysis in multiple cancers. <i>PLoS ONE</i> , 2011 , 6, e14522	3.7	41
141	The obesity-associated polymorphisms FTO rs9939609 and MC4R rs17782313 and endometrial cancer risk in non-Hispanic white women. <i>PLoS ONE</i> , 2011 , 6, e16756	3.7	46
140	Prolactin serum levels and breast cancer: relationships with risk factors and tumour characteristics among pre- and postmenopausal women in a population-based case-control study from Poland. <i>British Journal of Cancer</i> , 2010 , 103, 1097-102	8.7	24
139	Genome-wide meta-analyses identify multiple loci associated with smoking behavior. <i>Nature Genetics</i> , 2010 , 42, 441-7	36.3	927
138	Common variants at 19p13 are associated with susceptibility to ovarian cancer. <i>Nature Genetics</i> , 2010 , 42, 880-4	36.3	210
137	A genome-wide association study identifies susceptibility loci for ovarian cancer at 2q31 and 8q24. <i>Nature Genetics</i> , 2010 , 42, 874-9	36.3	277
136	Occupational exposure to polycyclic aromatic hydrocarbons and lung cancer risk: a multicenter study in Europe. <i>Occupational and Environmental Medicine</i> , 2010 , 67, 98-103	2.1	68
135	Cessation of alcohol drinking, tobacco smoking and the reversal of head and neck cancer risk. <i>International Journal of Epidemiology</i> , 2010 , 39, 182-96	7.8	163
134	International Lung Cancer Consortium: coordinated association study of 10 potential lung cancer susceptibility variants. <i>Carcinogenesis</i> , 2010 , 31, 625-33	4.6	46
133	Can lactase persistence genotype be used to reassess the relationship between renal cell carcinoma and milk drinking? Potentials and problems in the application of Mendelian randomization. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 1341-8	4	17
132	No association between FTO or HHEX and endometrial cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 2106-9	4	22
131	Body mass index and risk of head and neck cancer in a pooled analysis of case-control studies in the International Head and Neck Cancer Epidemiology (INHANCE) Consortium. <i>International Journal of Epidemiology</i> , 2010 , 39, 1091-102	7.8	70
130	Polymorphism in the GALNT1 gene and epithelial ovarian cancer in non-Hispanic white women: the Ovarian Cancer Association Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 600-4 [†]		20
129	Occupation and renal cell cancer in Central and Eastern Europe. <i>Occupational and Environmental Medicine</i> , 2010 , 67, 47-53	2.1	19
128	Occupational exposure to organic solvents and breast cancer in women. <i>Occupational and Environmental Medicine</i> , 2010 , 67, 722-9	2.1	26
127	Body mass index, cigarette smoking, and alcohol consumption and cancers of the oral cavity, pharynx, and larynx: modeling odds ratios in pooled case-control data. <i>American Journal of Epidemiology</i> , 2010 , 171, 1250-61	3.8	50
126	Missense variants in ATM in 26,101 breast cancer cases and 29,842 controls. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 2143-51	4	31
125	Common genetic variation in the sex hormone metabolic pathway and endometrial cancer risk: pathway-based evaluation of candidate genes. <i>Carcinogenesis</i> , 2010 , 31, 827-33	4.6	35

124	Evaluation of candidate stromal epithelial cross-talk genes identifies association between risk of serous ovarian cancer and TERT, a cancer susceptibility "hot-spot". <i>PLoS Genetics</i> , 2010 , 6, e1001016	6	42
123	Subtyping of breast cancer by immunohistochemistry to investigate a relationship between subtype and short and long term survival: a collaborative analysis of data for 10,159 cases from 12 studies. <i>PLoS Medicine</i> , 2010 , 7, e1000279	11.6	616
122	In-home coal and wood use and lung cancer risk: a pooled analysis of the International Lung Cancer Consortium. <i>Environmental Health Perspectives</i> , 2010 , 118, 1743-7	8.4	91
121	ESR1/SYNE1 polymorphism and invasive epithelial ovarian cancer risk: an Ovarian Cancer Association Consortium study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 245-50	4	64
120	Association between a germline OCA2 polymorphism at chromosome 15q13.1 and estrogen receptor-negative breast cancer survival. <i>Journal of the National Cancer Institute</i> , 2010 , 102, 650-62	9.7	45
119	Association between a 15q25 gene variant, smoking quantity and tobacco-related cancers among 17 000 individuals. <i>International Journal of Epidemiology</i> , 2010 , 39, 563-77	7.8	110
118	Active and passive cigarette smoking and the risk of endometrial cancer in Poland. <i>European Journal of Cancer</i> , 2010 , 46, 690-6	7.5	20
117	Performance of common genetic variants in breast-cancer risk models. <i>New England Journal of Medicine</i> , 2010 , 362, 986-93	59.2	334
116	OC-052 Assessment of novel genetic polymorphisms and risk of upper gastrointestinal carcinoma. <i>Gut</i> , 2010 , 59, A21.2-A22	19.2	
115	Assessing interactions between the associations of common genetic susceptibility variants, reproductive history and body mass index with breast cancer risk in the breast cancer association consortium: a combined case-control study. <i>Breast Cancer Research</i> , 2010 , 12, R110	8.3	74
114	Expression of TGF-beta signaling factors in invasive breast cancers: relationships with age at diagnosis and tumor characteristics. <i>Breast Cancer Research and Treatment</i> , 2010 , 121, 727-35	4.4	45
113	Leukocyte telomere length in a population-based case-control study of ovarian cancer: a pilot study. <i>Cancer Causes and Control</i> , 2010 , 21, 77-82	2.8	55
112	A comprehensive analysis of common genetic variation in MUC1, MUC5AC, MUC6 genes and risk of stomach cancer. <i>Cancer Causes and Control</i> , 2010 , 21, 313-21	2.8	68
111	Family history and lung cancer risk: international multicentre case-control study in Eastern and Central Europe and meta-analyses. <i>Cancer Causes and Control</i> , 2010 , 21, 1091-104	2.8	50
110	Blood leukocyte DNA hypomethylation and gastric cancer risk in a high-risk Polish population. <i>International Journal of Cancer</i> , 2010 , 127, 1866-74	7.5	94
109	DNA hypermethylation of ESR1 and PGR in breast cancer: pathologic and epidemiologic associations. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 3036-43	4	56
108	Association between invasive ovarian cancer susceptibility and 11 best candidate SNPs from breast cancer genome-wide association study. <i>Human Molecular Genetics</i> , 2009 , 18, 2297-304	5.6	37
107	Polymorphisms in estrogen- and androgen-metabolizing genes and the risk of gastric cancer. <i>Carcinogenesis</i> , 2009 , 30, 71-7	4.6	24

106	Association of ESR1 gene tagging SNPs with breast cancer risk. <i>Human Molecular Genetics</i> , 2009 , 18, 1133-9	3.9	75
105	Risk of estrogen receptor-positive and -negative breast cancer and single-nucleotide polymorphism 2q35-rs13387042. <i>Journal of the National Cancer Institute</i> , 2009 , 101, 1012-8	9.7	90
104	Obesity and cancer: Mendelian randomization approach utilizing the FTO genotype. <i>International Journal of Epidemiology</i> , 2009 , 38, 971-5	7.8	82
103	Two estrogen-related variants in CYP19A1 and endometrial cancer risk: a pooled analysis in the Epidemiology of Endometrial Cancer Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 242-7	4	55
102	Single nucleotide polymorphisms in the TP53 region and susceptibility to invasive epithelial ovarian cancer. <i>Cancer Research</i> , 2009 , 69, 2349-57	10.1	52
101	Total exposure and exposure rate effects for alcohol and smoking and risk of head and neck cancer: a pooled analysis of case-control studies. <i>American Journal of Epidemiology</i> , 2009 , 170, 937-47	3.8	114
100	Telomere length in peripheral leukocyte DNA and gastric cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 3103-9	4	96
99	Family history of cancer: pooled analysis in the International Head and Neck Cancer Epidemiology Consortium. <i>International Journal of Cancer</i> , 2009 , 124, 394-401	7.5	101
98	Genetic variation in SIPA1 in relation to breast cancer risk and survival after breast cancer diagnosis. <i>International Journal of Cancer</i> , 2009 , 124, 1716-20	7.5	17
97	A multistage genome-wide association study in breast cancer identifies two new risk alleles at 1p11.2 and 14q24.1 (RAD51L1). <i>Nature Genetics</i> , 2009 , 41, 579-84	36.3	452
96	Newly discovered breast cancer susceptibility loci on 3p24 and 17q23.2. <i>Nature Genetics</i> , 2009 , 41, 585-96	36.3	393
95	A genome-wide association study identifies a new ovarian cancer susceptibility locus on 9p22.2. <i>Nature Genetics</i> , 2009 , 41, 996-1000	36.3	240
94	Genetic variation in a4GnT in relation to Helicobacter pylori serology and gastric cancer risk. <i>Helicobacter</i> , 2009 , 14, 120-5	4.9	6
93	Genetic variation in sodium-dependent ascorbic acid transporters and risk of gastric cancer in Poland. <i>European Journal of Cancer</i> , 2009 , 45, 1824-30	7.5	50
92	Five polymorphisms and breast cancer risk: results from the Breast Cancer Association Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 1610-6	4	53
91	CD14-159C/T and TLR9-1237T/C polymorphisms are not associated with gastric cancer risk in Caucasian populations. <i>European Journal of Cancer Prevention</i> , 2009 , 18, 117-9	2	44
90	Genetic variation in the androgen receptor gene and endometrial cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 585-9	4	11
89	Socioeconomic indicators and risk of lung cancer in Central and Eastern Europe. <i>Central European Journal of Public Health</i> , 2009 , 17, 115-21	1.2	15

88	Investigation of the fine structure of European populations with applications to disease association studies. <i>European Journal of Human Genetics</i> , 2008 , 16, 1413-29	5.3	137
87	A susceptibility locus for lung cancer maps to nicotinic acetylcholine receptor subunit genes on 15q25. <i>Nature</i> , 2008 , 452, 633-7	50.4	1003
86	Progesterone receptor variation and risk of ovarian cancer is limited to the invasive endometrioid subtype: results from the Ovarian Cancer Association Consortium pooled analysis. <i>British Journal of Cancer</i> , 2008 , 98, 282-8	8.7	42
85	Multiple ADH genes are associated with upper aerodigestive cancers. <i>Nature Genetics</i> , 2008 , 40, 707-9	36.3	140
84	Lung cancer susceptibility locus at 5p15.33. <i>Nature Genetics</i> , 2008 , 40, 1404-6	36.3	466
83	Human papillomavirus infection in women with and without cervical cancer in Warsaw, Poland. <i>European Journal of Cancer</i> , 2008 , 44, 557-64	7.5	45
82	Adulthood lifetime physical activity and breast cancer. <i>Epidemiology</i> , 2008 , 19, 226-36	3.1	48
81	Heterogeneity of breast cancer associations with five susceptibility loci by clinical and pathological characteristics. <i>PLoS Genetics</i> , 2008 , 4, e1000054	6	280
80	International Lung Cancer Consortium: pooled analysis of sequence variants in DNA repair and cell cycle pathways. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 3081-9	4	86
79	HSD17B1 genetic variants and hormone receptor-defined breast cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 2766-72	4	9
78	Genetic variants in T helper cell type 1, 2 and 3 pathways and gastric cancer risk in a Polish population. <i>Japanese Journal of Clinical Oncology</i> , 2008 , 38, 626-33	2.8	28
77	Sequence variants of NAT1 and NAT2 and other xenometabolic genes and risk of lung and aerodigestive tract cancers in Central Europe. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 141-7	4	23
76	Intake of fruits, and vegetables in relation to breast cancer risk by hormone receptor status. <i>Breast Cancer Research and Treatment</i> , 2008 , 107, 113-7	4.4	18
75	Genetic variation in CYP17 and endometrial cancer risk. <i>Human Genetics</i> , 2008 , 123, 155-62	6.3	23
74	Consortium analysis of 7 candidate SNPs for ovarian cancer. <i>International Journal of Cancer</i> , 2008 , 123, 380-388	7.5	66
73	A functional polymorphism of toll-like receptor 4 gene increases risk of gastric carcinoma and its precursors. <i>Gastroenterology</i> , 2007 , 132, 905-12	13.3	225
72	Occupation and breast cancer risk in Polish women: a population-based case-control study. <i>American Journal of Industrial Medicine</i> , 2007 , 50, 97-111	2.7	13
71	Genetic polymorphisms in the one-carbon metabolism pathway and breast cancer risk: a population-based case-control study and meta-analyses. <i>International Journal of Cancer</i> , 2007 , 120, 2696-703	7.5	102

70	Re: more data regarding the effects of passive smoking on breast cancer risk among younger women. <i>International Journal of Cancer</i> , 2007 , 120, 2517-8	7.5	3
69	Variation in breast cancer hormone receptor and HER2 levels by etiologic factors: a population-based analysis. <i>International Journal of Cancer</i> , 2007 , 121, 1079-85	7.5	41
68	Genetic polymorphisms in alcohol metabolism, alcohol intake and the risk of stomach cancer in Warsaw, Poland. <i>International Journal of Cancer</i> , 2007 , 121, 2060-4	7.5	32
67	Common genetic variation in TP53 and its flanking genes, WDR79 and ATP1B2, and susceptibility to breast cancer. <i>International Journal of Cancer</i> , 2007 , 121, 2532-8	7.5	42
66	A common coding variant in CASP8 is associated with breast cancer risk. <i>Nature Genetics</i> , 2007 , 39, 352-8	6.3	557
65	Genome-wide association study identifies novel breast cancer susceptibility loci. <i>Nature</i> , 2007 , 447, 1087-93	7.34	1957
64	Estimating age-specific breast cancer risks: a descriptive tool to identify age interactions. <i>Cancer Causes and Control</i> , 2007 , 18, 439-47	2.8	45
63	Occupation and risk of lung cancer in Central and Eastern Europe: the IARC multi-center case-control study. <i>Cancer Causes and Control</i> , 2007 , 18, 645-54	2.8	26
62	Genetic variation in tumor necrosis factor and lymphotoxin-alpha (TNF-LTA) and breast cancer risk. <i>Human Genetics</i> , 2007 , 121, 483-90	6.3	60
61	Genetic variation in five genes important in telomere biology and risk for breast cancer. <i>British Journal of Cancer</i> , 2007 , 97, 832-6	8.7	65
60	Reproductive risk factors for endometrial cancer among Polish women. <i>British Journal of Cancer</i> , 2007 , 96, 1450-6	8.7	37
59	Hormonal markers in breast cancer: coexpression, relationship with pathologic characteristics, and risk factor associations in a population-based study. <i>Cancer Research</i> , 2007 , 67, 10608-17	10.1	46
58	Uncommon CHEK2 mis-sense variant and reduced risk of tobacco-related cancers: case control study. <i>Human Molecular Genetics</i> , 2007 , 16, 1794-801	5.6	55
57	Polymorphisms in Th1-type cell-mediated response genes and risk of gastric cancer. <i>Carcinogenesis</i> , 2007 , 28, 118-23	4.6	89
56	Differences in risk factors for breast cancer molecular subtypes in a population-based study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 439-43	4	349
55	Genetic polymorphisms in folate metabolism and the risk of stomach cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 115-21	4	41
54	Common genetic variation in GATA-binding protein 3 and differential susceptibility to breast cancer by estrogen receptor alpha tumor status. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 2269-75	4.75	15
53	Inherited predisposition of lung cancer: a hierarchical modeling approach to DNA repair and cell cycle control pathways. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 2736-44	4	36

52	Development of lung cancer before the age of 50: the role of xenobiotic metabolizing genes. <i>Carcinogenesis</i> , 2007 , 28, 1287-93	4.6	82
51	Occupational exposure to asbestos and man-made vitreous fibres and risk of lung cancer: a multicentre case-control study in Europe. <i>Occupational and Environmental Medicine</i> , 2007 , 64, 502-8	2.1	27
50	Tagging single nucleotide polymorphisms in cell cycle control genes and susceptibility to invasive epithelial ovarian cancer. <i>Cancer Research</i> , 2007 , 67, 3027-35	10.1	75
49	Folate-related genes and the risk of tobacco-related cancers in Central Europe. <i>Carcinogenesis</i> , 2007 , 28, 1334-40	4.6	44
48	Occupational exposure to crystalline silica and risk of lung cancer: a multicenter case-control study in Europe. <i>Epidemiology</i> , 2007 , 18, 36-43	3.1	79
47	Ovarian cancer risk and common variation in the sex hormone-binding globulin gene: a population-based case-control study. <i>BMC Cancer</i> , 2007 , 7, 60	4.8	34
46	Oral health and risk of squamous cell carcinoma of the head and neck and esophagus: results of two multicentric case-control studies. <i>American Journal of Epidemiology</i> , 2007 , 166, 1159-73	3.8	261
45	The ATM missense mutation p.Ser49Cys (c.146C>G) and the risk of breast cancer. <i>Human Mutation</i> , 2006 , 27, 538-44	4.7	52
44	Lung cancer risk and occupational exposure to meat and live animals. <i>International Journal of Cancer</i> , 2006 , 118, 2543-7	7.5	21
43	Intrauterine environment and breast cancer risk in a population-based case-control study in Poland. <i>International Journal of Cancer</i> , 2006 , 119, 2136-41	7.5	12
42	Tobacco smoking, NAT2 acetylation genotype and breast cancer risk. <i>International Journal of Cancer</i> , 2006 , 119, 1961-9	7.5	37
41	Mannose-binding lectin-2 genetic variation and stomach cancer risk. <i>International Journal of Cancer</i> , 2006 , 119, 1970-5	7.5	41
40	Lung cancer and occupation in nonsmokers: a multicenter case-control study in Europe. <i>Epidemiology</i> , 2006 , 17, 615-23	3.1	37
39	Sequence variants in cell cycle control pathway, X-ray exposure, and lung cancer risk: a multicenter case-control study in Central Europe. <i>Cancer Research</i> , 2006 , 66, 8280-6	10.1	21
38	High cumulative risk of lung cancer death among smokers and nonsmokers in Central and Eastern Europe. <i>American Journal of Epidemiology</i> , 2006 , 164, 1233-41	3.8	60
37	DNA repair and cell cycle control genes and the risk of young-onset lung cancer. <i>Cancer Research</i> , 2006 , 66, 11062-9	10.1	82
36	Interleukin-8 polymorphisms are not associated with gastric cancer risk in a Polish population. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 589-91	4	54
35	Genetic polymorphisms in base-excision repair pathway genes and risk of breast cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 353-8	4	122

34	Genetic variation of Cytochrome P450 1B1 (CYP1B1) and risk of breast cancer among Polish women. <i>Pharmacogenetics and Genomics</i> , 2006 , 16, 547-53	1.9	21
33	Construction and validation of tissue microarrays of ductal carcinoma in situ and terminal duct lobular units associated with invasive breast carcinoma. <i>Diagnostic Molecular Pathology</i> , 2006 , 15, 157-61		15
32	Established breast cancer risk factors by clinically important tumour characteristics. <i>British Journal of Cancer</i> , 2006 , 95, 123-9	8.7	112
31	Comprehensive assessment of genetic variation of catechol-O-methyltransferase and breast cancer risk. <i>Cancer Research</i> , 2006 , 66, 9781-5	10.1	18
30	Polymorphisms in DNA double-strand break repair genes and risk of breast cancer: two population-based studies in USA and Poland, and meta-analyses. <i>Human Genetics</i> , 2006 , 119, 376-88	6.3	133
29	Skewed X chromosome inactivation and early-onset breast cancer. <i>Journal of Medical Genetics</i> , 2006 , 43, 48-53	5.8	13
28	Effect of cruciferous vegetables on lung cancer in patients stratified by genetic status: a mendelian randomisation approach. <i>Lancet, The</i> , 2005 , 366, 1558-60	4.0	114
27	Large-scale investigation of base excision repair genetic polymorphisms and lung cancer risk in a multicenter study. <i>Journal of the National Cancer Institute</i> , 2005 , 97, 567-76	9.7	152
26	No apparent association between genetic polymorphisms (-102 C>T) and (-9 T>C) in the human manganese superoxide dismutase gene and gastric cancer(1). <i>Journal of Surgical Research</i> , 2005 , 124, 92-7	2.5	24
25	Occupational X-ray examinations and lung cancer risk. <i>International Journal of Cancer</i> , 2005 , 115, 263-7	7.5	11
24	Lung cancer and indoor pollution from heating and cooking with solid fuels: the IARC international multicentre case-control study in Eastern/Central Europe and the United Kingdom. <i>American Journal of Epidemiology</i> , 2005 , 162, 326-33	3.8	93
23	Is the risk of lung cancer reduced among eczema patients?. <i>American Journal of Epidemiology</i> , 2005 , 162, 542-7	3.8	32
22	Occupation and risk of stomach cancer in Poland. <i>Occupational and Environmental Medicine</i> , 2005 , 62, 318-24	2.1	23
21	Selected DNA repair polymorphisms and gastric cancer in Poland. <i>Carcinogenesis</i> , 2005 , 26, 1354-9	4.6	59
20	Lack of association between polymorphisms in inflammatory genes and lung cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005 , 14, 538-9	4	40
19	Lack of association between -251 T>A polymorphism of IL8 and lung cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005 , 14, 2457-8	4	28
18	Diet and stomach cancer risk in Warsaw, Poland. <i>Nutrition and Cancer</i> , 2004 , 48, 149-59	2.8	75
17	Occupational exposure to vinyl chloride, acrylonitrile and styrene and lung cancer risk (europe). <i>Cancer Causes and Control</i> , 2004 , 15, 445-52	2.8	55

16	Method for determination of (-102C>T) single nucleotide polymorphism in the human manganese superoxide dismutase promoter. <i>BMC Genetics</i> , 2004 , 5, 33	2.6	6
15	Human papillomavirus and oral cancer: the International Agency for Research on Cancer multicenter study. <i>Journal of the National Cancer Institute</i> , 2003 , 95, 1772-83	9.7	864
14	Smoking, alcohol, diet, dentition and sexual practices in the epidemiology of oral cancer in Poland. <i>European Journal of Cancer Prevention</i> , 2003 , 12, 25-33	2	139
13	The role of interleukin-1 polymorphisms in the pathogenesis of gastric cancer. <i>Nature</i> , 2001 , 412, 99	50.4	157
12	Glutathione S-transferase genotypes and stomach cancer in a population-based case-control study in Warsaw, Poland. <i>Pharmacogenetics and Genomics</i> , 2001 , 11, 655-61		47
11	Interleukin-1 polymorphisms associated with increased risk of gastric cancer. <i>Nature</i> , 2000 , 404, 398-402	50.4	1924
10	Risk of stomach cancer in relation to consumption of cigarettes, alcohol, tea and coffee in Warsaw, Poland. <i>International Journal of Cancer</i> , 1999 , 81, 871-6	7.5	85
9	Family history and risk of stomach cancer in Warsaw, Poland. <i>European Journal of Cancer Prevention</i> , 1999 , 8, 223-7	2	51
8	Tobacco, alcohol, and diet in the etiology of laryngeal cancer: a population-based case-control study. <i>Cancer Causes and Control</i> , 1991 , 2, 3-10	2.8	78
7	Smoking cessation: intermediate nonsmoking periods and reduction of laryngeal cancer risk. <i>Journal of the National Cancer Institute</i> , 1990 , 82, 1427-8	9.7	11
6	Common variants in breast cancer risk loci predispose to distinct tumor subtypes		1
5	Genome-wide association study identifies 30 Loci Associated with Bipolar Disorder		28
4	Genome-wide association study of over 40,000 bipolar disorder cases provides new insights into the underlying biology		11
3	Dissecting the shared genetic architecture of suicide attempt, psychiatric disorders and known risk factors		2
2	Identifying tissues implicated in Anorexia Nervosa using Transcriptomic Imputation		1
1	Genome-wide association study identifies 32 novel breast cancer susceptibility loci from overall and subtype-specific analyses		2