## Felicia A Huppert

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8471980/publications.pdf

Version: 2024-02-01

| 135      | 13,068         | 61 h-index   | 109                  |
|----------|----------------|--------------|----------------------|
| papers   | citations      |              | g-index              |
| 141      | 141            | 141          | 12171 citing authors |
| all docs | docs citations | times ranked |                      |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | The Virtue of Self-Compassion. Ethical Theory and Moral Practice, 2021, 24, 443-458.  | 0.6 | 1         |
| 2  | Well-being is more than happiness and life satisfaction: a multidimensional analysis of 21 countries. Health and Quality of Life Outcomes, 2020, 18, 192.   | 2.4 | 226       |
| 3  | The well-being profile (WB-Pro): Creating a theoretically based multidimensional measure of well-being to advance theory, research, policy, and practice Psychological Assessment, 2020, 32, 294-313. | 1.5 | 67        |
| 4  | Policy challenges. , 2018, , 131-140.   |     | 2         |
| 5  | Lively Social Space, Well-Being Activity, and Urban Design: Findings From a Low-Cost Community-Led Public Space Intervention. Environment and Behavior, 2017, 49, 685-716.                            | 4.7 | 62        |
| 6  | Challenges in Defining and Measuring Well-Being and Their Implications for Policy. , $2017$ , , $163$ - $167$ .   |     | 17        |
| 7  | Mindfulness and Compassion as Foundations for Well-Being. , 2017, , 225-233.  |     | 6         |
| 8  | How Does the Economic Crisis Influence Adolescents' Happiness? Population-Based Surveys in Iceland in 2000–2010. Journal of Happiness Studies, 2016, 17, 1219-1234.                                   | 3.2 | 23        |
| 9  | A framework for collecting inclusive design data for the UK population. Applied Ergonomics, 2015, 46, 318-324.  | 3.1 | 18        |
| 10 | Flourishing Across Europe: Application of a New Conceptual Framework for Defining Well-Being. Social Indicators Research, 2013, 110, 837-861.   | 2.7 | 1,021     |
| 11 | The efficacy of mindfulnessâ€based stress reduction on mental health of breast cancer patients: a<br>metaâ€analysis. Psycho-Oncology, 2013, 22, 1457-1465.  | 2.3 | 206       |
| 12 | Effectiveness of the Mindfulness in Schools Programme: non-randomised controlled feasibility study. British Journal of Psychiatry, 2013, 203, 126-131.  | 2.8 | 284       |
| 13 | Cytomegalovirus infection is associated with increased mortality in the older population. Aging Cell, 2013, 12, 381-387.  | 6.7 | 174       |
| 14 | Design and delivery of a national pilot survey of capabilities. International Journal of Human Factors and Ergonomics, 2013, 2, 281.  | 0.3 | 6         |
| 15 | Towards a capabilities database to inform inclusive design: Experimental investigation of effective survey-based predictors of human-product interaction. Applied Ergonomics, 2012, 43, 713-726.      | 3.1 | 28        |
| 16 | Do positive children become positive adults? Evidence from a longitudinal birth cohort study. Journal of Positive Psychology, 2011, 6, 75-87.   | 4.0 | 88        |
| 17 | Happy to Help? Exploring the Factors Associated with Variations in Rates of Volunteering Across Europe. Social Indicators Research, 2010, 97, 157-176.  | 2.7 | 121       |
| 18 | An Evaluation of the Precision of Measurement of Ryff's Psychological Well-Being Scales in a Population Sample. Social Indicators Research, 2010, 97, 357-373.  | 2.7 | 93        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Theoretical exploration of the neural bases of behavioural disinhibition, apathy and executive dysfunction in preclinical Alzheimer's disease in people with Down's syndrome: potential involvement of multiple frontalâ€subcortical neuronal circuits. Journal of Intellectual Disability Research, 2010, 54, 320-336. | 2.0 | 43        |
| 20 | Memory Encoding and Dopamine in the Aging Brain: A Psychopharmacological Neuroimaging Study. Cerebral Cortex, 2010, 20, 743-757.  | 2.9 | 54        |
| 21 | Neuroticism in Adolescence and Cognitive Function in Midlife in the British 1946 Birth Cohort: The HALCyon Program. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2010, 65B, 50-56.  | 3.9 | 11        |
| 22 | Parental practices predict psychological well-being in midlife: life-course associations among women in the 1946 British birth cohort. Psychological Medicine, 2010, 40, 1507-1518.   | 4.5 | 63        |
| 23 | Development of a Disease-Specific Quality of Life Questionnaire in Addison's Disease. Journal of Clinical Endocrinology and Metabolism, 2010, 95, 545-551.  | 3.6 | 62        |
| 24 | A controlled trial of mindfulness training in schools: The importance of practice for an impact on well-being. Journal of Positive Psychology, 2010, 5, 264-274.  | 4.0 | 281       |
| 25 | Polymorphisms in LMNA and near a SERPINA gene cluster are associated with cognitive function in older people. Neurobiology of Aging, 2010, 31, 1563-1568.   | 3.1 | 10        |
| 26 | Capability measurement for Inclusive Design. Journal of Engineering Design, 2010, 21, 275-288.  | 2.3 | 33        |
| 27 | Lewy Body Variant of Alzheimer's Disease: Selective Neocortical Loss of t-SNARE Proteins and Loss of MAP2 and α-Synuclein in Medial Temporal Lobe. Scientific World Journal, The, 2009, 9, 1463-1475.   | 2.1 | 30        |
| 28 | A New Approach to Reducing Disorder and Improving Well-Being. Perspectives on Psychological Science, 2009, 4, 108-111.  | 9.0 | 87        |
| 29 | Measuring Well-being Across Europe: Description of the ESS Well-being Module and Preliminary Findings. Social Indicators Research, 2009, 91, 301-315.   | 2.7 | 243       |
| 30 | A brief selfâ€administered psychological intervention to improve wellâ€being in patients with cancer: results from a feasibility study. Psycho-Oncology, 2009, 18, 1323-1326.   | 2.3 | 43        |
| 31 | Cognitive health among older adults in the United States and in England. BMC Geriatrics, 2009, 9, 23.   | 2.7 | 70        |
| 32 | Psychological Wellâ€being: Evidence Regarding its Causes and Consequencesâ€. Applied Psychology: Health and Well-Being, 2009, 1, 137-164.   | 3.0 | 663       |
| 33 | Neuropathological Correlates of Dementia in Over-80-Year-Old Brain Donors from the Population-Based Cambridge City over-75s Cohort (CC75C) Study. Journal of Alzheimer's Disease, 2009, 18, 645-658.  | 2.6 | 157       |
| 34 | The relationship between early personality and midlife psychological well-being: evidence from a UK birth cohort study. Social Psychiatry and Psychiatric Epidemiology, 2008, 43, 679-687.  | 3.1 | 62        |
| 35 | Ascertaining lateâ€ife depressive symptoms in Europe: an evaluation of the survey version of the EUROâ€D scale in 10 nations. The SHARE project. International Journal of Methods in Psychiatric Research, 2008, 17, 12-29.   | 2.1 | 125       |
| 36 | Executive dysfunction and its association with personality and behaviour changes in the development of Alzheimer's disease in adults with Down syndrome and mild to moderate learning disabilities. British Journal of Clinical Psychology, 2008, 47, 1-29.   | 3.5 | 160       |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 37 | The mental wealth of nations. Nature, 2008, 455, 1057-1060.  | 27.8 | 425       |
| 38 | Neighborhood Deprivation, Individual Socioeconomic Status, and Cognitive Function in Older People: Analyses from the English Longitudinal Study of Ageing. Journal of the American Geriatrics Society, 2008, 56, 191-198.  | 2.6  | 162       |
| 39 | Framingham Stroke Risk Profile and poor cognitive function: a population-based study. BMC Neurology, 2008, 8, 12.  | 1.8  | 75        |
| 40 | Thyroid function and cognitive decline in the MRC Cognitive Function and Ageing Study. Psychoneuroendocrinology, 2008, 33, 1013-1022.  | 2.7  | 121       |
| 41 | Education and trajectories of cognitive decline over 9 years in very old people: methods and risk analysis. Age and Ageing, 2008, 38, 277-282.   | 1.6  | 56        |
| 42 | Long-Term DHEA Replacement in Primary Adrenal Insufficiency: A Randomized, Controlled Trial. Journal of Clinical Endocrinology and Metabolism, 2008, 93, 400-409.  | 3.6  | 170       |
| 43 | Cognitive function and psychological well-being: findings from a population-based cohort. Age and Ageing, 2008, 37, 685-689.   | 1.6  | 105       |
| 44 | Prevalence of depressive symptoms and syndromes in later life in ten European countries. British Journal of Psychiatry, 2007, 191, 393-401.  | 2.8  | 215       |
| 45 | Was John Reid right? Smoking, class, and pleasure: A population-based cohort study in England. Public Health, 2007, 121, 518-524.  | 2.9  | 12        |
| 46 | Moderate alcohol consumption in older adults is associated with better cognition and well-being than abstinence. Age and Ageing, 2007, 36, 256-261.  | 1.6  | 159       |
| 47 | Cohort differences in disease and disability in the young-old: findings from the MRC Cognitive Function and Ageing Study (MRC-CFAS). BMC Public Health, 2007, 7, 156.  | 2.9  | 47        |
| 48 | Improvements in social functioning reported by a birth cohort in mid-adult life: A person-centred analysis of GHQ-28 social dysfunction items using latent class analysis. Personality and Individual Differences, 2007, 42, 305-316.  | 2.9  | 18        |
| 49 | A Life Course Approach to Well-Being. , 2007, , 187-205.   |      | 6         |
| 50 | A randomised controlled trial investigating the effect of n-3 long-chain polyunsaturated fatty acid supplementation on cognitive and retinal function in cognitively healthy older people: the Older People And n-3 Long-chain polyunsaturated fatty acids (OPAL) study protocol [ISRCTN72331636]. Nutrition Journal, 2006, 5, 20. | 3.4  | 39        |
| 51 | Psychometric evaluation and predictive validity of Ryff's psychological well-being items in a UK birth cohort sample of women. Health and Quality of Life Outcomes, 2006, 4, 76.   | 2.4  | 169       |
| 52 | Middle-aged and mobility-limited prevalence of disability and symptom attributions in a national survey. Journal of General Internal Medicine, 2006, 21, 1091-1096.  | 2.6  | 55        |
| 53 | Personality and behaviour changes mark the early stages of Alzheimer's disease in adults with Down's syndrome: findings from a prospective population-based study. International Journal of Geriatric Psychiatry, 2006, 21, 661-673.   | 2.7  | 155       |
| 54 | Low prevalence of depression and anxiety is linked to statutory retirement ages rather than personal work exit: a national survey. Psychological Medicine, 2006, 36, 999.  | 4.5  | 40        |

| #  | Article  | IF           | CITATIONS |
|----|--|--------------|-----------|
| 55 | * Positive mental health in individuals and populations. , 2005, , 306-340.  |              | 35        |
| 56 | Brief cognitive assessment in a UK population sample $\hat{a}\in$ distributional properties and the relationship between the MMSE and an extended mental state examination. BMC Geriatrics, 2005, 5, 7.  | 2.7          | 50        |
| 57 | The Development of New Tests of Source Memory and a New Approach to the Testing of Equivalence of Parallel Versions. Aging, Neuropsychology, and Cognition, 2004, 11, 416-427.   | 1.3          | 7         |
| 58 | Introduction: why do we need a science of well–being?. Philosophical Transactions of the Royal Society B: Biological Sciences, 2004, 359, 1331-1332.   | 4.0          | 37        |
| 59 | Well–being: towards an integration of psychology, neurobiology and social science. Philosophical Transactions of the Royal Society B: Biological Sciences, 2004, 359, 1447-1451.   | 4.0          | 43        |
| 60 | The modified CAMDEX informant interview is a valid and reliable tool for use in the diagnosis of dementia in adults with Down's syndrome. Journal of Intellectual Disability Research, 2004, 48, 611-620.  | 2.0          | 129       |
| 61 | Neutrophil counts, monocyte counts and cardiovascular disease in the elderly. Experimental Gerontology, 2004, 39, 615-619.   | 2.8          | 26        |
| 62 | Crossâ€national comparison and validation of the Alzheimer's Disease Assessment Scale: results from the European Harmonization Project for Instruments in Dementia (EUROâ€HARPID). International Journal of Geriatric Psychiatry, 2004, 19, 41-50. | 2.7          | 46        |
| 63 | Evidence for the independence of positive and negative well-being: Implications for quality of life assessment. British Journal of Health Psychology, 2003, 8, 107-122.  | 3 <b>.</b> 5 | 384       |
| 64 | Survival in a population sample is predicted by proportions of lymphocyte subsets. Mechanisms of Ageing and Development, 2003, 124, 449-451.   | 4.6          | 75        |
| 65 | Performance and normative values of a concise neuropsychological test (CAMCOG) in an elderly population sample. International Journal of Geriatric Psychiatry, 2003, 18, 631-644.  | 2.7          | 56        |
| 66 | Cross-national comparisons of the Cambridge Cognitive Examination-revised: the CAMCOG-R: Results from the European Harmonization Project for Instruments in Dementia. Age and Ageing, 2003, 32, 534-540.   | 1.6          | 40        |
| 67 | Immune measures which predict 9-year survival in an elderly population sample. Advances in Cell Aging and Gerontology, 2002, 13, 17-28.  | 0.1          | 4         |
| 68 | Guidelines for Assessing the Predictive Value of Neuropsychological Measures. Cortex, 2002, 38, 414-416.   | 2.4          | 7         |
| 69 | Cross-cultural comparison of the Mini-Mental State Examination in United Kingdom and United States participants with Alzheimer's disease. International Journal of Geriatric Psychiatry, 2002, 17, 723-728.  | 2.7          | 14        |
| 70 | The GPCOG: A New Screening Test for Dementia Designed for General Practice. Journal of the American Geriatrics Society, 2002, 50, 530-534.   | 2.6          | 390       |
| 71 | Salivary cortisol and DHEA: association with measures of cognition and well-being in normal older men, and effects of three months of DHEA supplementation. Psychoneuroendocrinology, 2001, 26, 591-612.   | 2.7          | 156       |
| 72 | Longitudinal studies of ageing: a key role in the evidence base for improving health and quality of life in older adults. Age and Ageing, 2000, 29, 485-486.   | 1.6          | 8         |

| #  | Article   | IF           | CITATIONS |
|----|---|--------------|-----------|
| 73 | Improvement in Mood and Fatigue after Dehydroepiandrosterone Replacement in Addison's Disease in a<br>Randomized, Double Blind Trial. Journal of Clinical Endocrinology and Metabolism, 2000, 85,<br>4650-4656. | 3.6          | 257       |
| 74 | High prevalence of prospective memory impairment in the elderly and in earlyâ€stage dementia: Findings from a populationâ€based study. Applied Cognitive Psychology, 2000, 14, S63.                             | 1.6          | 151       |
| 75 | Decline across different domains of cognitive function in normal ageing: results of a longitudinal population-based study using CAMCOG. International Journal of Geriatric Psychiatry, 2000, 15, 853-862.       | 2.7          | 106       |
| 76 | Very old drivers: findings from a population cohort of people aged 84 and over. International Journal of Epidemiology, 2000, 29, 704-707.   | 1.9          | 83        |
| 77 | Staging of Cytoskeletal and β-Amyloid Changes in Human Isocortex Reveals Biphasic Synaptic Protein<br>Response during Progression of Alzheimer's Disease. American Journal of Pathology, 2000, 157, 623-636.    | 3.8          | 176       |
| 78 | Improvement in Mood and Fatigue after Dehydroepiandrosterone Replacement in Addison's Disease in a Randomized, Double Blind Trial. Journal of Clinical Endocrinology and Metabolism, 2000, 85, 4650-4656.       | 3.6          | 255       |
| 79 | α-2 macroglobulin polymorphism and Alzheimer disease risk in the UK. Nature Genetics, 1999, 22, 16-17.  | 21.4         | 93        |
| 80 | Cognitive function in the Caerphilly study: associations with age social class, education and mood. European Journal of Epidemiology, 1999, 15, 161-169.  | 5.7          | 47        |
| 81 | Neuropsychological assessment of older adults with Down's Syndrome: An epidemiological study using the Cambridge Cognitive Examination (CAMCOG). British Journal of Clinical Psychology, 1999, 38, 155-165.     | 3 <b>.</b> 5 | 65        |
| 82 | Estimating the True Extent of Cognitive Decline in the Old Old. Journal of the American Geriatrics Society, 1999, 47, 1283-1288.  | 2.6          | 70        |
| 83 | Creating invariant subscales of the GHQ-30. Social Science and Medicine, 1998, 46, 1429-1440.   | 3.8          | 22        |
| 84 | Examination of the validity of the hierarchical model of neuropathological staging in normal aging and Alzheimer's disease. Acta Neuropathologica, 1998, 95, 154-158.   | 7.7          | 66        |
| 85 | Incidence of dementia and cognitive decline in over-75s in Cambridge: overview of cohort study. Social Psychiatry and Psychiatric Epidemiology, 1998, 33, 387-392.  | 3.1          | 24        |
| 86 | Neuroticism, psychiatric symptoms and life events. Personality and Individual Differences, 1998, 24, 97-107.  | 2.9          | 11        |
| 87 | The value of the Rivermead Behavioural Memory Test (Children's Version) in an epidemiological study of older adults with Down syndrome. British Journal of Clinical Psychology, 1998, 37, 15-29.                | 3.5          | 29        |
| 88 | Vascular Risks and Incident Dementia: Results from a Cohort Study of the Very Old. Dementia and Geriatric Cognitive Disorders, 1998, 9, 175-180.  | 1.5          | 141       |
| 89 | Population-based study of the prevalence and presentation of dementia in adults with Down's syndrome. British Journal of Psychiatry, 1998, 172, 493-498.  | 2.8          | 233       |
| 90 | Changes in self-rated health, disability and contact with services in a very elderly cohort: a 6-year follow-up study. Age and Ageing, 1998, 27, 23-33.   | 1.6          | 78        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Apo E and Apo CI Loci Are Associated with Dementia in Younger But Not Older Late-Onset Cases. Dementia and Geriatric Cognitive Disorders, 1998, 9, 191-198.   | 1.5 | 16        |
| 92  | Cognitive impairment: a challenge for community care. A comparison of the domiciliary service receipt of cognitively impaired and equally dependent physically impaired elderly women. Age and Ageing, 1997, 26, 301-308. | 1.6 | 20        |
| 93  | Do pulmonary function and smoking behavior predict cognitive function? findings from a british sample. Psychology and Health, 1997, 12, 265-275.  | 2.2 | 18        |
| 94  | Attitudes Toward Death: A Community Study of Octoagenarians and Nonagenarians. International Psychogeriatrics, 1997, 9, 213-221.  | 1.0 | 17        |
| 95  | Analysis of the apo E/apo C-I, angiotensin converting enzyme and methylenetetrahydrofolate reductase genes as candidates affecting human longevity. Atherosclerosis, 1997, 129, 177-183.                                  | 0.8 | 91        |
| 96  | Short NART, CCRT and Spot-the-Word: Comparisons in older and demented persons. British Journal of Clinical Psychology, 1997, 36, 619-622.   | 3.5 | 21        |
| 97  | Smoking and cognitive decline. , 1997, 12, 467-480.   |     | 8         |
| 98  | SUICIDAL THINKING IN COMMUNITY RESIDENTS OVER EIGHTY., 1997, 12, 337-343.   |     | 43        |
| 99  | Analysis of alpha-1 antichymotrypsin, presenilin-1, angiotensin-converting enzyme, and methylenetetrahydrofolate reductase loci as candidates for dementia., 1997, 74, 207-212.   |     | 45        |
| 100 | SUICIDAL THINKING IN COMMUNITY RESIDENTS OVER EIGHTY. International Journal of Geriatric Psychiatry, 1997, 12, 337-343.   | 2.7 | 2         |
| 101 | Health and personality predictors of psychological functioning in a 7-year longitudinal study. Personality and Individual Differences, 1996, 20, 567-573.   | 2.9 | 18        |
| 102 | Changes in the prevalence of psychiatric disorder in a community are related to changes in the mean level of psychiatric symptoms. Psychological Medicine, 1996, 26, 1253-1260.   | 4.5 | 41        |
| 103 | Psychometric properties of the CAMCOG and its efficacy in the diagnosis of dementia. Aging, Neuropsychology, and Cognition, 1996, 3, 201-214.   | 1.3 | 72        |
| 104 | Symptoms of psychological distress predict 7-year mortality. Psychological Medicine, 1995, 25, 1073-1086.   | 4.5 | 142       |
| 105 | Depressive symptoms in the very elderly?their prevalence and significance. International Journal of Geriatric Psychiatry, 1995, 10, 497-504.  | 2.7 | 38        |
| 106 | CAMCOGâ€"A concise neuropsychological test to assist dementia diagnosis: Socioâ€demographic determinants in an elderly population sample. British Journal of Clinical Psychology, 1995, 34, 529-541.                      | 3.5 | 222       |
| 107 | Examination of phosphorylated tau protein as a PHF-precursor at early stage alzheimer's disease.<br>Neurobiology of Aging, 1995, 16, 433-445.   | 3.1 | 36        |
| 108 | The prevalence of depression in a cohort of the very elderly. Journal of Affective Disorders, 1995, 34, 319-329.  | 4.1 | 43        |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 109 | Quantitative analysis of tau protein in paired helical filament preparations: Implications for the role of tau protein phosphorylation in PHF assembly in Alzheimer's disease. Neurobiology of Aging, 1995, 16, 409-417. | 3.1 | 61        |
| 110 | Improvement in NART word reading in demented and normal older persons using the Cambridge Contextual Reading Test. Journal of Clinical and Experimental Neuropsychology, 1994, 16, 232-242.                              | 1.3 | 41        |
| 111 | Something in the heir: Royal succession and the elderly. International Journal of Geriatric Psychiatry, 1994, 9, 675-678.  | 2.7 | 0         |
| 112 | Amnesia, Aging and Alzheimer's Disease. Critical Issues in Neuropsychology, 1994, , 95-101.  | 0.4 | 0         |
| 113 | Computerized cognitive examination of the elderly (ECO): The development of a neuropsychological examination for clinic and population use. International Journal of Geriatric Psychiatry, 1993, 8, 899-914.             | 2.7 | 40        |
| 114 | Prospective memory impairment as an early indicator of dementia. Neuropsychology, Development and Cognition Section A: Journal of Clinical and Experimental Neuropsychology, 1993, 15, 805-821.                          | 1.1 | 138       |
| 115 | Normality, deviance and minor psychiatric morbidity in the community. Psychological Medicine, 1993, 23, 475-485.   | 4.5 | 107       |
| 116 | In sickness and in health: associations between physical and mental well-being, employment and parental status in a British nationwide sample of married women. Psychological Medicine, 1991, 21, 515-524.               | 4.5 | 51        |
| 117 | A comparison of clinical, psychometric and behavioural memory tests: Findings from a community study of the early detection of dementia. International Journal of Geriatric Psychiatry, 1991, 6, 295-306.                | 2.7 | 31        |
| 118 | Qualitative differences in psychiatric symptoms between high risk groups assessed on a screening test (GHQ-30). Social Psychiatry and Psychiatric Epidemiology, 1991, 26, 252-258.                                       | 3.1 | 14        |
| 119 | Neuropsychological assessment of dementia. Reviews in Clinical Gerontology, 1991, 1, 159-169.  | 0.5 | 5         |
| 120 | The Factor Structure of the General Health Questionnaire (GHQ-30). British Journal of Psychiatry, 1989, 155, 178-185.  | 2.8 | 131       |
| 121 | Rates of forgetting in normal ageing: A comparison with dementia. Neuropsychologia, 1989, 27, 849-860.   | 1.6 | 61        |
| 122 | The value of an improved scoring system (CGHQ) for the General Health Questionnaire in a representative community sample. Psychological Medicine, 1988, 18, 1001-1006.   | 4.5 | 32        |
| 123 | CLINICAL AND NEUROPSYCHOLOGICAL ASSESSMENT OF DEMENTIA. British Medical Bulletin, 1986, 42, 11-18.   | 6.9 | 74        |
| 124 | The problem of mild dementia. Psychological Medicine, 1984, 14, 5-11.  | 4.5 | 134       |
| 125 | Memory impairment associated with chronic hypoxia Thorax, 1982, 37, 858-860.   | 5.6 | 38        |
| 126 | Memory in Split-Brain Patients: A Comparison with Organic Amnesic Syndromes. Cortex, 1981, 17, 303-311.  | 2.4 | 6         |

| #   | Article   | IF   | Citations |
|-----|---|------|-----------|
| 127 | Phenytoin and cognitive function: Effects on normal volunteers and implications for epilepsy. British Journal of Clinical Psychology, 1981, 20, 155-162.  | 3.5  | 116       |
| 128 | Normal and Abnormal Forgetting in Organic Amnesia: Effect of Locus of Lesion. Cortex, 1979, 15, 385-390.  | 2.4  | 192       |
| 129 | Dissociation between learning and remembering in organic amnesia. Nature, 1978, 275, 317-318.   | 27.8 | 160       |
| 130 | The Role of Trace Strength in Recency and Frequency Judgements by Amnesic and Control Subjects. The Quarterly Journal of Experimental Psychology, 1978, 30, 347-354.                            | 1.2  | 119       |
| 131 | Recognition memory in amnesic patients: A defect of acquisition?. Neuropsychologia, 1977, 15, 643-652.  | 1.6  | 68        |
| 132 | Recognition Memory in Amnesic Patients: Effect of Temporal Context and Familiarity of Material. Cortex, 1976, 12, 3-20.   | 2.4  | 322       |
| 133 | Response suppression in rats: A comparison of response-contingent and noncontingent punishment and the effect of the minor tranquilizer, chlordiazepoxide. Psychopharmacology, 1975, 44, 67-75. | 3.1  | 29        |
| 134 | Efficient Recognition of Pictures in Organic Amnesia. Nature, 1972, 240, 564-564.   | 27.8 | 18        |
| 135 | An aftereffect in judgment of auditory duration. Perception & Psychophysics, 1967, 2, 544-546.  | 2.3  | 12        |