Elisa Brietzke

List of Publications by Citations

Source: https://exaly.com/author-pdf/8472413/elisa-brietzke-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

275 8,342 47 79 g-index

293 10,480 5.2 6.27 ext. papers ext. citations avg, IF L-index

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 275 | Cytokine alterations in bipolar disorder: a meta-analysis of 30 studies. <i>Biological Psychiatry</i> , 2013 , 74, 15-25 | 7.9 | 406 |
| 274 | Inflammatory markers in post-traumatic stress disorder: a systematic review, meta-analysis, and meta-regression. <i>Lancet Psychiatry,the</i> , 2015 , 2, 1002-12 | 23.3 | 367 |
| 273 | Comparison of cytokine levels in depressed, manic and euthymic patients with bipolar disorder. Journal of Affective Disorders, 2009 , 116, 214-7 | 6.6 | 309 |
| 272 | Childhood maltreatment and inflammatory markers: a systematic review. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 129, 180-92 | 6.5 | 253 |
| 271 | Identifying gene-environment interactions in schizophrenia: contemporary challenges for integrated, large-scale investigations. <i>Schizophrenia Bulletin</i> , 2014 , 40, 729-36 | 1.3 | 186 |
| 270 | Is there a "metabolic-mood syndrome"? A review of the relationship between obesity and mood disorders. <i>Neuroscience and Biobehavioral Reviews</i> , 2015 , 52, 89-104 | 9 | 185 |
| 269 | Childhood maltreatment and clinical outcomes of bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2011 , 124, 427-34 | 6.5 | 161 |
| 268 | Novel therapeutic targets in depression: minocycline as a candidate treatment. <i>Behavioural Brain Research</i> , 2012 , 235, 302-17 | 3.4 | 135 |
| 267 | Anti-inflammatory agents in the treatment of bipolar depression: a systematic review and meta-analysis. <i>Bipolar Disorders</i> , 2016 , 18, 89-101 | 3.8 | 125 |
| 266 | Bipolar disorders. <i>Lancet, The</i> , 2020 , 396, 1841-1856 | 40 | 124 |
| 265 | The role of oxidative and nitrosative stress in accelerated aging and major depressive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016 , 65, 134-44 | 5.5 | 121 |
| 264 | TNF-alpha as a molecular target in bipolar disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008 , 32, 1355-61 | 5.5 | 120 |
| 263 | The potential use of biomarkers as an adjunctive tool for staging bipolar disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009 , 33, 1366-71 | 5.5 | 116 |
| 262 | Stress, epigenetics and depression: A systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2019 , 102, 139-152 | 9 | 114 |
| 261 | Abnormalities in serum chemokine levels in euthymic patients with bipolar disorder. <i>Brain, Behavior, and Immunity,</i> 2009 , 23, 1079-82 | 16.6 | 110 |
| 260 | The theory of bipolar disorder as an illness of accelerated aging: implications for clinical care and research. <i>Neuroscience and Biobehavioral Reviews</i> , 2014 , 42, 157-69 | 9 | 105 |
| 259 | Determinants of adherence to treatment in bipolar disorder: a comprehensive review. <i>Journal of Affective Disorders</i> , 2013 , 149, 247-52 | 6.6 | 104 |

(2012-2015)

| 258 | High risk cohort study for psychiatric disorders in childhood: rationale, design, methods and preliminary results. <i>International Journal of Methods in Psychiatric Research</i> , 2015 , 24, 58-73 | 4.3 | 100 |
|-----|---|------|-----|
| 257 | Applications of machine learning algorithms to predict therapeutic outcomes in depression: A meta-analysis and systematic review. <i>Journal of Affective Disorders</i> , 2018 , 241, 519-532 | 6.6 | 95 |
| 256 | Inflammation as a neurobiological substrate of cognitive impairment in bipolar disorder: Evidence, pathophysiology and treatment implications. <i>Journal of Affective Disorders</i> , 2015 , 188, 149-59 | 6.6 | 94 |
| 255 | Childhood Trauma Questionnaire (CTQ) in Brazilian samples of different age groups: findings from confirmatory factor analysis. <i>PLoS ONE</i> , 2014 , 9, e87118 | 3.7 | 89 |
| 254 | Recognition and Treatment of Cognitive Dysfunction in Major Depressive Disorder. <i>Frontiers in Psychiatry</i> , 2018 , 9, 655 | 5 | 87 |
| 253 | Efficacy of Adjunctive Infliximab vs Placebo in the Treatment of Adults With Bipolar I/II Depression: A Randomized Clinical Trial. <i>JAMA Psychiatry</i> , 2019 , 76, 783-790 | 14.5 | 83 |
| 252 | The effect of overweight/obesity on cognitive function in euthymic individuals with bipolar disorder. <i>European Psychiatry</i> , 2012 , 27, 223-8 | 6 | 79 |
| 251 | Towards a multifactorial approach for prediction of bipolar disorder in at risk populations. <i>Journal of Affective Disorders</i> , 2012 , 140, 82-91 | 6.6 | 77 |
| 250 | Liraglutide promotes improvements in objective measures of cognitive dysfunction in individuals with mood disorders: A pilot, open-label study. <i>Journal of Affective Disorders</i> , 2017 , 207, 114-120 | 6.6 | 75 |
| 249 | Increased soluble tumor necrosis factor-alpha receptors in patients with major depressive disorder. <i>Psychiatry and Clinical Neurosciences</i> , 2009 , 63, 202-8 | 6.2 | 69 |
| 248 | Impact of peripheral levels of chemokines, BDNF and oxidative markers on cognition in individuals with schizophrenia. <i>Journal of Psychiatric Research</i> , 2013 , 47, 1376-82 | 5.2 | 67 |
| 247 | Synthesizing the Evidence for Ketamine and Esketamine in Treatment-Resistant Depression: An International Expert Opinion on the Available Evidence and Implementation. <i>American Journal of Psychiatry</i> , 2021 , 178, 383-399 | 11.9 | 67 |
| 246 | Efficacy of antidepressants on measures of workplace functioning in major depressive disorder: A systematic review. <i>Journal of Affective Disorders</i> , 2018 , 227, 406-415 | 6.6 | 66 |
| 245 | Omics-Based Biomarkers: Application of Metabolomics in Neuropsychiatric Disorders. <i>International Journal of Neuropsychopharmacology</i> , 2015 , 19, pyv096 | 5.8 | 64 |
| 244 | Impact of childhood stress on psychopathology. Revista Brasileira De Psiquiatria, 2012, 34, 480-8 | 2.6 | 61 |
| 243 | Effects of risperidone on cytokine profile in drug-nalle first-episode psychosis. <i>International Journal of Neuropsychopharmacology</i> , 2014 , 18, | 5.8 | 60 |
| 242 | Medical comorbidity in bipolar disorder: The link with metabolic-inflammatory systems. <i>Journal of Affective Disorders</i> , 2017 , 211, 99-106 | 6.6 | 55 |
| 241 | The association between childhood adversity and components of metabolic syndrome in adults with mood disorders: results from the international mood disorders collaborative project. International Journal of Psychiatry in Medicine, 2012, 43, 165-77 | 1 | 55 |

| 24 0 | Recent advances in lipidomics: Analytical and clinical perspectives. <i>Prostaglandins and Other Lipid Mediators</i> , 2017 , 128-129, 8-16 | 3.7 | 54 |
|-------------|---|-------------------|----|
| 239 | Ketogenic diet as a metabolic therapy for mood disorders: Evidence and developments. <i>Neuroscience and Biobehavioral Reviews</i> , 2018 , 94, 11-16 | 9 | 53 |
| 238 | Probiotics for the treatment of depressive symptoms: An anti-inflammatory mechanism?. <i>Brain, Behavior, and Immunity,</i> 2018 , 73, 115-124 | 16.6 | 53 |
| 237 | Government response moderates the mental health impact of COVID-19: A systematic review and meta-analysis of depression outcomes across countries. <i>Journal of Affective Disorders</i> , 2021 , 290, 364-3 | 7 6 .6 | 53 |
| 236 | Machine learning and big data analytics in bipolar disorder: A position paper from the International Society for Bipolar Disorders Big Data Task Force. <i>Bipolar Disorders</i> , 2019 , 21, 582-594 | 3.8 | 52 |
| 235 | Bipolar disorder and metabolic syndrome: a systematic review. <i>Revista Brasileira De Psiquiatria</i> , 2013 , 35, 88-93 | 2.6 | 52 |
| 234 | The long-term effect of bariatric surgery on depression and anxiety. <i>Journal of Affective Disorders</i> , 2019 , 246, 886-894 | 6.6 | 51 |
| 233 | Systematic review of N-acetylcysteine in the treatment of addictions. <i>Revista Brasileira De Psiquiatria</i> , 2014 , 36, 168-75 | 2.6 | 50 |
| 232 | Comparative efficacy and acceptability of antidiabetic agents for Alzheimer's disease and mild cognitive impairment: A systematic review and network meta-analysis. <i>Diabetes, Obesity and Metabolism</i> , 2018 , 20, 2467-2471 | 6.7 | 50 |
| 231 | High predictive value of immune-inflammatory biomarkers for schizophrenia diagnosis and association with treatment resistance. <i>World Journal of Biological Psychiatry</i> , 2015 , 16, 422-429 | 3.8 | 48 |
| 230 | Stress, trauma, and posttraumatic stress disorder in migrants: a comprehensive review. <i>Revista Brasileira De Psiquiatria</i> , 2018 , 40, 220-225 | 2.6 | 48 |
| 229 | Predictors of Response to Ketamine in Treatment Resistant Major Depressive Disorder and Bipolar Disorder. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15, | 4.6 | 47 |
| 228 | Advancing biomarker research: utilizing 'Big Data' approaches for the characterization and prevention of bipolar disorder. <i>Bipolar Disorders</i> , 2014 , 16, 531-47 | 3.8 | 47 |
| 227 | Non-invasive brain stimulation for negative symptoms in schizophrenia: An updated systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2018 , 197, 34-44 | 3.6 | 46 |
| 226 | Depression, Cytokine, and Cytokine by Treatment Interactions Modulate Gene Expression in Antipsychotic NaWe First Episode Psychosis. <i>Molecular Neurobiology</i> , 2016 , 53, 5701-9 | 6.2 | 44 |
| 225 | Cytokines in schizophrenia: possible role of anti-inflammatory medications in clinical and preclinical stages. <i>Psychiatry and Clinical Neurosciences</i> , 2012 , 66, 247-60 | 6.2 | 44 |
| 224 | Do sleep abnormalities and misaligned sleep/circadian rhythm patterns represent early clinical characteristics for developing psychosis in high risk populations?. <i>Neuroscience and Biobehavioral Reviews</i> , 2013 , 37, 2631-7 | 9 | 44 |
| 223 | N-acetylcysteine in the treatment of craving in substance use disorders: Systematic review and meta-analysis. <i>American Journal on Addictions</i> , 2017 , 26, 660-666 | 3.7 | 44 |

| 222 | Pharmacological interventions targeting anhedonia in patients with major depressive disorder: A systematic review. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 92, 109-117 | 5.5 | 44 | |
|-----|--|-----|----|--|
| 221 | Peripheral interleukin-2 level is associated with negative symptoms and cognitive performance in schizophrenia. <i>Physiology and Behavior</i> , 2014 , 129, 194-8 | 3.5 | 43 | |
| 220 | Cytokines in bipolar disorder: recent findings, deleterious effects but promise for future therapeutics. <i>CNS Spectrums</i> , 2011 , 16, 157-68 | 1.8 | 43 | |
| 219 | Targeting cytokines in reduction of depressive symptoms: A comprehensive review. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018 , 83, 86-91 | 5.5 | 42 | |
| 218 | Adolescents at clinical-high risk for psychosis: Circadian rhythm disturbances predict worsened prognosis at 1-year follow-up. <i>Schizophrenia Research</i> , 2017 , 189, 37-42 | 3.6 | 41 | |
| 217 | Circadian rest-activity rhythm in individuals at risk for psychosis and bipolar disorder. <i>Schizophrenia Research</i> , 2015 , 168, 50-5 | 3.6 | 41 | |
| 216 | Insulin dysfunction and allostatic load in bipolar disorder. <i>Expert Review of Neurotherapeutics</i> , 2011 , 11, 1017-28 | 4.3 | 41 | |
| 215 | A randomized controlled trial of cognitive behavioral group therapy for bipolar disorder. <i>Psychotherapy and Psychosomatics</i> , 2011 , 80, 144-50 | 9.4 | 41 | |
| 214 | Cognitive impairment in major depressive disorder. CNS Spectrums, 2019, 24, 22-29 | 1.8 | 40 | |
| 213 | Oxidative stress in drug nawe first episode psychosis and antioxidant effects of risperidone. <i>Journal of Psychiatric Research</i> , 2015 , 68, 210-6 | 5.2 | 39 | |
| 212 | Effects of depression on the cytokine profile in drug naWe first-episode psychosis. <i>Schizophrenia Research</i> , 2015 , 164, 53-8 | 3.6 | 39 | |
| 211 | Abnormalities in sleep patterns in individuals at risk for psychosis and bipolar disorder. <i>Schizophrenia Research</i> , 2015 , 169, 262-267 | 3.6 | 39 | |
| 210 | Determinants of adherence to treatment in first-episode psychosis: a comprehensive review. <i>Revista Brasileira De Psiquiatria</i> , 2015 , 37, 168-76 | 2.6 | 39 | |
| 209 | Adipokines, metabolic dysfunction and illness course in bipolar disorder. <i>Journal of Psychiatric Research</i> , 2016 , 74, 63-9 | 5.2 | 38 | |
| 208 | Leptin and adiponectin levels in major depressive disorder: A systematic review and meta-analysis. Journal of Affective Disorders, 2018 , 238, 101-110 | 6.6 | 38 | |
| 207 | The effectiveness of repeated intravenous ketamine on depressive symptoms, suicidal ideation and functional disability in adults with major depressive disorder and bipolar disorder: Results from the Canadian Rapid Treatment Center of Excellence. <i>Journal of Affective Disorders</i> , 2020 , 274, 903-910 | 6.6 | 37 | |
| 206 | Peripheral immuno-inflammatory abnormalities in ultra-high risk of developing psychosis. <i>Schizophrenia Research</i> , 2016 , 176, 191-195 | 3.6 | 37 | |
| 205 | The glycine site of NMDA receptors: A target for cognitive enhancement in psychiatric disorders. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2019, 92, 387-404 | 5.5 | 35 | |

| 204 | Polygenic Risk Score for Alzheimer's Disease: Implications for Memory Performance and Hippocampal Volumes in Early Life. <i>American Journal of Psychiatry</i> , 2018 , 175, 555-563 | 11.9 | 35 |
|-------------|---|---------------|----|
| 203 | A pilot, open-label, 8-week study evaluating the efficacy, safety and tolerability of adjunctive minocycline for the treatment of bipolar I/II depression. <i>Bipolar Disorders</i> , 2017 , 19, 198-213 | 3.8 | 34 |
| 202 | Targeting the inflammatory pathway as a therapeutic tool for major depression. NeuroImmunoModulation, 2014 , 21, 131-9 | 2.5 | 34 |
| 2 01 | A theoretical framework informing research about the role of stress in the pathophysiology of bipolar disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012 , 39, 1-8 | 5.5 | 33 |
| 200 | Association of biomarkers and depressive symptoms in schizophrenia. <i>Neuroscience Letters</i> , 2011 , 505, 282-5 | 3.3 | 33 |
| 199 | Anti-cytokine agents for anhedonia: targeting inflammation and the immune system to treat dimensional disturbances in depression. <i>Therapeutic Advances in Psychopharmacology</i> , 2018 , 8, 337-348 | 4.9 | 32 |
| 198 | Reduced dorso-lateral prefrontal cortex in treatment resistant schizophrenia. <i>Schizophrenia Research</i> , 2013 , 148, 81-6 | 3.6 | 31 |
| 197 | Clinical correlates of eating disorder comorbidity in women with bipolar disorder type I. <i>Journal of Affective Disorders</i> , 2011 , 130, 162-5 | 6.6 | 31 |
| 196 | Lowered paraoxonase 1 (PON1) activity is associated with increased cytokine levels in drug nawe first episode psychosis. <i>Schizophrenia Research</i> , 2015 , 166, 225-30 | 3.6 | 30 |
| 195 | Circulating levels of sTNFR1 as a marker of severe clinical course in schizophrenia. <i>Journal of Psychiatric Research</i> , 2013 , 47, 467-71 | 5.2 | 30 |
| 194 | Interleukin-6 and verbal memory in recurrent major depressive disorder. <i>Neuroendocrinology Letters</i> , 2011 , 32, 540-4 | 0.3 | 29 |
| 193 | Treatment with a GLP-1R agonist over four weeks promotes weight loss-moderated changes in frontal-striatal brain structures in individuals with mood disorders. <i>European Neuropsychopharmacology</i> , 2017 , 27, 1153-1162 | 1.2 | 28 |
| 192 | Characterizing acyl-carnitine biosignatures for schizophrenia: a longitudinal pre- and post-treatment study. <i>Translational Psychiatry</i> , 2019 , 9, 19 | 8.6 | 27 |
| 191 | Hair cortisol and stressful life events retrospective assessment in crack cocaine users. <i>American Journal of Drug and Alcohol Abuse</i> , 2012 , 38, 535-8 | 3.7 | 27 |
| 190 | Metabolomics and lipidomics analyses by H nuclear magnetic resonance of schizophrenia patient serum reveal potential peripheral biomarkers for diagnosis. <i>Schizophrenia Research</i> , 2017 , 185, 182-189 | 3.6 | 26 |
| 189 | Therapeutic potential of interleukin-6 antagonism in bipolar disorder. <i>Medical Hypotheses</i> , 2011 , 76, 21- | -3 3.8 | 26 |
| 188 | Characterizing amino-acid biosignatures amongst individuals with schizophrenia: a case-control study. <i>Amino Acids</i> , 2018 , 50, 1013-1023 | 3.5 | 26 |
| 187 | Crack cocaine addiction, early life stress and accelerated cellular aging among women. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016 , 71, 83-9 | 5.5 | 25 |

(2018-2017)

| 186 | Microbiota abnormalities and the therapeutic potential of probiotics in the treatment of mood disorders. <i>Reviews in the Neurosciences</i> , 2017 , 28, 739-749 | 4.7 | 24 |
|-----|---|-----|----|
| 185 | Evidence supporting a mechanistic role of sirtuins in mood and metabolic disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018 , 86, 95-101 | 5.5 | 24 |
| 184 | Diabetes mellitus and disturbances in brain connectivity: a bidirectional relationship?. <i>NeuroMolecular Medicine</i> , 2014 , 16, 658-68 | 4.6 | 23 |
| 183 | Early life stress and tumor necrosis factor superfamily in crack cocaine withdrawal. <i>Journal of Psychiatric Research</i> , 2014 , 53, 180-6 | 5.2 | 23 |
| 182 | Impact of comorbid migraine on the clinical course of bipolar disorder. <i>Comprehensive Psychiatry</i> , 2012 , 53, 809-12 | 7.3 | 23 |
| 181 | Determinants of cognitive function in individuals with type 2 diabetes mellitus: A meta-analysis. <i>Annals of Clinical Psychiatry</i> , 2018 , 30, 38-50 | 1.4 | 23 |
| 180 | Analytical approaches for lipidomics and its potential applications in neuropsychiatric disorders. <i>World Journal of Biological Psychiatry</i> , 2017 , 18, 506-520 | 3.8 | 22 |
| 179 | Distinct behavioral and immunoendocrine parameters during crack cocaine abstinence in women reporting childhood abuse and neglect. <i>Drug and Alcohol Dependence</i> , 2016 , 167, 140-8 | 4.9 | 22 |
| 178 | Comparison of serum essential trace metals between patients with schizophrenia and healthy controls. <i>Journal of Trace Elements in Medicine and Biology</i> , 2019 , 51, 79-85 | 4.1 | 22 |
| 177 | The effect of caloric restriction on working memory in healthy non-obese adults. <i>CNS Spectrums</i> , 2020 , 25, 2-8 | 1.8 | 22 |
| 176 | Peripheral biomarkers allow differential diagnosis between schizophrenia and bipolar disorder. Journal of Psychiatric Research, 2019 , 119, 67-75 | 5.2 | 21 |
| 175 | Increased expression of NDEL1 and MBP genes in the peripheral blood of antipsychotic-nalle patients with first-episode psychosis. <i>European Neuropsychopharmacology</i> , 2015 , 25, 2416-25 | 1.2 | 21 |
| 174 | Association between diabetes and mood disorders and the potential use of anti-hyperglycemic agents as antidepressants. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 95, 109720 | 5.5 | 21 |
| 173 | Selfish brain and neuroprogression in bipolar disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013 , 43, 66-71 | 5.5 | 21 |
| 172 | Selfish brain and selfish immune system interplay: A theoretical framework for metabolic comorbidities of mood disorders. <i>Neuroscience and Biobehavioral Reviews</i> , 2017 , 72, 43-49 | 9 | 21 |
| 171 | Inflammatory cytokines as an underlying mechanism of the comorbidity between bipolar disorder and migraine. <i>Medical Hypotheses</i> , 2012 , 78, 601-5 | 3.8 | 21 |
| 170 | Shorter leukocyte telomere length in patients at ultra high risk for psychosis. <i>European Neuropsychopharmacology</i> , 2017 , 27, 538-542 | 1.2 | 20 |
| 169 | Leukocyte telomere length variation in different stages of schizophrenia. <i>Journal of Psychiatric Research</i> , 2018 , 96, 218-223 | 5.2 | 20 |

| 168 | Adipokines during early abstinence of crack cocaine in dependent women reporting childhood maltreatment. <i>Psychiatry Research</i> , 2013 , 210, 536-40 | 9.9 | 20 |
|-----|---|------|----|
| 167 | Early intervention in psychosis: a map of clinical and research initiatives in Latin America. <i>Revista Brasileira De Psiquiatria</i> , 2011 , 33 Suppl 2, s213-24 | 2.6 | 20 |
| 166 | Efficacy of adjunctive infliximab vs. placebo in the treatment of anhedonia in bipolar I/II depression. <i>Brain, Behavior, and Immunity,</i> 2020 , 88, 631-639 | 16.6 | 20 |
| 165 | Impaired glucose metabolism moderates the course of illness in bipolar disorder. <i>Journal of Affective Disorders</i> , 2016 , 195, 57-62 | 6.6 | 19 |
| 164 | Therapeutic potential of JAK/STAT pathway modulation in mood disorders. <i>Reviews in the Neurosciences</i> , 2018 , 30, 1-7 | 4.7 | 19 |
| 163 | Is there a role for curcumin in the treatment of bipolar disorder?. <i>Medical Hypotheses</i> , 2013 , 80, 606-12 | 3.8 | 19 |
| 162 | Gene expression alterations related to mania and psychosis in peripheral blood of patients with a first episode of psychosis. <i>Translational Psychiatry</i> , 2016 , 6, e908 | 8.6 | 19 |
| 161 | Characterizing the gut microbiota in adults with bipolar disorder: a pilot study. <i>Nutritional Neuroscience</i> , 2021 , 24, 173-180 | 3.6 | 19 |
| 160 | Vitex agnus castus for premenstrual syndrome and premenstrual dysphoric disorder: a systematic review. <i>Archives of Womenos Mental Health</i> , 2017 , 20, 713-719 | 5 | 18 |
| 159 | Is religiosity a protective factor against suicidal behavior in bipolar I outpatients?. <i>Journal of Affective Disorders</i> , 2015 , 186, 156-61 | 6.6 | 18 |
| 158 | A preliminary study of bipolar disorder type I by mass spectrometry-based serum lipidomics. <i>Psychiatry Research</i> , 2017 , 258, 268-273 | 9.9 | 18 |
| 157 | N-acetylcysteine as a potentially useful medication to prevent conversion to schizophrenia in at-risk individuals. <i>Reviews in the Neurosciences</i> , 2012 , 23, 353-62 | 4.7 | 18 |
| 156 | Gene expression in blood of children and adolescents: Mediation between childhood maltreatment and major depressive disorder. <i>Journal of Psychiatric Research</i> , 2017 , 92, 24-30 | 5.2 | 17 |
| 155 | Advances and challenges in development of precision psychiatry through clinical metabolomics on mood and psychotic disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 93, 182-188 | 5.5 | 17 |
| 154 | Accessing Gene Expression in Treatment-Resistant Schizophrenia. <i>Molecular Neurobiology</i> , 2018 , 55, 7000-7008 | 6.2 | 17 |
| 153 | Is semantic verbal fluency impairment explained by executive function deficits in schizophrenia?. <i>Revista Brasileira De Psiquiatria</i> , 2016 , 38, 121-6 | 2.6 | 17 |
| 152 | Brain-derived neurotrophic factor, impaired glucose metabolism, and bipolar disorder course. <i>Bipolar Disorders</i> , 2016 , 18, 373-8 | 3.8 | 17 |
| 151 | Suicidal behavior among substance users: data from the Second Brazilian National Alcohol and Drug Survey (II BNADS). <i>Revista Brasileira De Psiquiatria</i> , 2019 , 41, 437-440 | 2.6 | 16 |

(2017-2015)

| 150 | Angiotensin converting enzyme activity is positively associated with IL-17a levels in patients with schizophrenia. <i>Psychiatry Research</i> , 2015 , 229, 702-7 | 9.9 | 16 | |
|-----|---|---------------|----|--|
| 149 | The differential association between history of childhood sexual abuse and body mass index in early and late stages of bipolar disorder. <i>Journal of Affective Disorders</i> , 2018 , 227, 214-218 | 6.6 | 16 | |
| 148 | Predicting antidepressant response using early changes in cognition: A systematic review. <i>Behavioural Brain Research</i> , 2018 , 353, 154-160 | 3.4 | 16 | |
| 147 | Reported calcium intake is reduced in women with preeclampsia. <i>Hypertension in Pregnancy</i> , 2006 , 25, 229-39 | 2 | 16 | |
| 146 | The effect of the severity of obstructive sleep apnea syndrome on telomere length. <i>Oncotarget</i> , 2016 , 7, 69216-69224 | 3.3 | 16 | |
| 145 | H-NMR, H-NMR T-edited, and 2D-NMR in bipolar disorder metabolic profiling. <i>International Journal of Bipolar Disorders</i> , 2017 , 5, 23 | 5.4 | 15 | |
| 144 | Gender differences of patients at-risk for psychosis regarding symptomatology, drug use, comorbidity and functioning - Results from the EU-GEI study. <i>European Psychiatry</i> , 2019 , 59, 52-59 | 6 | 15 | |
| 143 | Serum brain-derived neurotrophic factor and cortical thickness are differently related in patients with schizophrenia and controls. <i>Psychiatry Research - Neuroimaging</i> , 2015 , 234, 84-9 | 2.9 | 15 | |
| 142 | Cognitive dysfunction and metabolic comorbidities in mood disorders: A repurposing opportunity for glucagon-like peptide 1 receptor agonists?. <i>Neuropharmacology</i> , 2018 , 136, 335-342 | 5.5 | 15 | |
| 141 | Gluten related illnesses and severe mental disorders: a comprehensive review. <i>Neuroscience and Biobehavioral Reviews</i> , 2018 , 84, 368-375 | 9 | 15 | |
| 140 | Integrating digital phenotyping in clinical characterization of individuals with mood disorders. <i>Neuroscience and Biobehavioral Reviews</i> , 2019 , 104, 223-230 | 9 | 15 | |
| 139 | Theory of Mind in Substance Users: A Systematic Minireview. Substance Use and Misuse, 2017, 52, 127-1 | 3 3 .2 | 15 | |
| 138 | Development and implementation of guidelines for the management of depression: a systematic review. <i>Bulletin of the World Health Organization</i> , 2020 , 98, 683-697H | 8.2 | 15 | |
| 137 | Evaluating the role of orexins in the pathophysiology and treatment of depression: A comprehensive review. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 92, 1-7 | 5.5 | 15 | |
| 136 | Hypersomnia and Bipolar Disorder: A systematic review and meta-analysis of proportion. <i>Journal of Affective Disorders</i> , 2019 , 246, 659-666 | 6.6 | 15 | |
| 135 | The effect of body mass index on glucagon-like peptide receptor gene expression in the post mortem brain from individuals with mood and psychotic disorders. <i>European Neuropsychopharmacology</i> , 2019 , 29, 137-146 | 1.2 | 15 | |
| 134 | Heterotypic trajectories of dimensional psychopathology across the lifespan: the case of youth-onset attention deficit/hyperactivity disorder. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2019 , 60, 533-544 | 7.9 | 15 | |
| 133 | BDNF and BMI effects on brain structures of bipolar offspring: results from the global mood and brain science initiative. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 136, 607-614 | 6.5 | 14 | |

| 132 | Manic symptoms in youth: dimensions, latent classes, and associations with parental psychopathology. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2014 , 53, 625-63 | 4.e2 | 14 |
|-----|---|-------------------|----|
| 131 | Clinical characteristics and influence of childhood trauma on the prodrome of bipolar disorder. <i>Revista Brasileira De Psiquiatria</i> , 2015 , 37, 280-8 | 2.6 | 14 |
| 130 | The role of Wnt signaling and its interaction with diverse mechanisms of cellular apoptosis in the pathophysiology of bipolar disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011 , 35, 11-7 | 5.5 | 14 |
| 129 | Early intervention for bipolar disorder: current imperatives, future directions. <i>Revista Brasileira De Psiquiatria</i> , 2011 , 33 Suppl 2, s197-212 | 2.6 | 14 |
| 128 | Extracellular Vesicle Biomarkers Reveal Inhibition of Neuroinflammation by Infliximab in Association with Antidepressant Response in Adults with Bipolar Depression. <i>Cells</i> , 2020 , 9, | 7.9 | 14 |
| 127 | Insights into the Effects of Crack Abuse on the Human Metabolome Using a NMR Approach. <i>Journal of Proteome Research</i> , 2019 , 18, 341-348 | 5.6 | 14 |
| 126 | Gene expression analysis in blood of ultra-high risk subjects compared to first-episode of psychosis patients and controls. <i>World Journal of Biological Psychiatry</i> , 2015 , 16, 441-446 | 3.8 | 13 |
| 125 | Evaluation of neurotransmitter receptor gene expression identifies GABA receptor changes: a follow-up study in antipsychotic-nalle patients with first-episode psychosis. <i>Journal of Psychiatric Research</i> , 2014 , 56, 130-6 | 5.2 | 13 |
| 124 | Early stages of bipolar disorder: characterization and strategies for early intervention. <i>Revista Brasileira De Psiquiatria</i> , 2015 , 37, 343-9 | 2.6 | 13 |
| 123 | The putative impact of metabolic health on default mode network activity and functional connectivity in neuropsychiatric disorders. <i>CNS and Neurological Disorders - Drug Targets</i> , 2014 , 13, 175 | 0 -8 6 | 13 |
| 122 | Serum metabolic profiling using small molecular water-soluble metabolites in individuals with schizophrenia: A longitudinal study using a pre-post-treatment design. <i>Psychiatry and Clinical Neurosciences</i> , 2019 , 73, 100-108 | 6.2 | 13 |
| 121 | Three insights on psychoneuroimmunology of mood disorders to be taken from the COVID-19 pandemic. <i>Brain, Behavior, & Immunity - Health</i> , 2020 , 5, 100076 | 5.1 | 12 |
| 120 | Bipolar disorder course, impaired glucose metabolism and antioxidant enzymes activities: A preliminary report. <i>Journal of Psychiatric Research</i> , 2016 , 80, 38-44 | 5.2 | 12 |
| 119 | Similar immune profile in bipolar disorder and schizophrenia: selective increase in soluble tumor necrosis factor receptor I and von Willebrand factor. <i>Bipolar Disorders</i> , 2010 , 12, 453-4 | 3.8 | 12 |
| 118 | Screening for placental insufficiency by transvaginal uterine artery Doppler at 22-24 weeks of gestation. <i>Fetal Diagnosis and Therapy</i> , 2008 , 24, 462-9 | 2.4 | 12 |
| 117 | Socioeconomic Disadvantage Moderates the Association between Peripheral Biomarkers and Childhood Psychopathology. <i>PLoS ONE</i> , 2016 , 11, e0160455 | 3.7 | 12 |
| 116 | Neuropeptides and oligopeptidases in schizophrenia. <i>Neuroscience and Biobehavioral Reviews</i> , 2020 , 108, 679-693 | 9 | 12 |
| 115 | Antisuicidal and antidepressant effects of ketamine and esketamine in patients with baseline suicidality: A systematic review. <i>Journal of Psychiatric Research</i> , 2021 , 137, 426-436 | 5.2 | 12 |

| 114 | Hair cortisol in drug-nalle first-episode individuals with psychosis. <i>Revista Brasileira De Psiquiatria</i> , 2016 , 38, 11-6 | 2.6 | 12 |
|-----|---|----------------------|-----------------|
| 113 | Long Sleep Duration, Insomnia, and Insomnia With Short Objective Sleep Duration Are Independently Associated With Short Telomere Length. <i>Journal of Clinical Sleep Medicine</i> , 2018 , 14, 20 | 37²- 2 04 | 5 ¹² |
| 112 | Lipidomics, Biomarkers, and Schizophrenia: A Current Perspective. <i>Advances in Experimental Medicine and Biology</i> , 2017 , 965, 265-290 | 3.6 | 11 |
| 111 | Ndel1 oligopeptidase activity as a potential biomarker of early stages of schizophrenia. <i>Schizophrenia Research</i> , 2019 , 208, 202-208 | 3.6 | 11 |
| 110 | Measuring child maltreatment using multi-informant survey data: a higher-order confirmatory factor analysis. <i>Trends in Psychiatry and Psychotherapy</i> , 2016 , 38, 23-32 | 2.3 | 11 |
| 109 | Attenuated inflammatory response of monocyte-derived macrophage from patients with BD: a preliminary report. <i>International Journal of Bipolar Disorders</i> , 2019 , 7, 13 | 5.4 | 10 |
| 108 | An integrative approach to investigate the respective roles of single-nucleotide variants and copy-number variants in Attention-Deficit/Hyperactivity Disorder. <i>Scientific Reports</i> , 2016 , 6, 22851 | 4.9 | 10 |
| 107 | Lean economies and innovation in mental health systems. <i>Lancet, The</i> , 2016 , 387, 1356-1358 | 40 | 10 |
| 106 | Expression of dopamine signaling genes in the post-mortem brain of individuals with mental illnesses is moderated by body mass index and mediated by insulin signaling genes. <i>Journal of Psychiatric Research</i> , 2018 , 107, 128-135 | 5.2 | 10 |
| 105 | An immunological age index in bipolar disorder: A confirmatory factor analysis of putative immunosenescence markers and associations with clinical characteristics. <i>International Journal of Methods in Psychiatric Research</i> , 2018 , 27, e1614 | 4.3 | 9 |
| 104 | The "selfish brain" hypothesis for metabolic abnormalities in bipolar disorder and schizophrenia. <i>Trends in Psychiatry and Psychotherapy</i> , 2012 , 34, 121-8 | 2.3 | 9 |
| 103 | Serum copeptin in children exposed to maltreatment. <i>Psychiatry and Clinical Neurosciences</i> , 2016 , 70, 434-441 | 6.2 | 9 |
| 102 | Inter-relation between brain-derived neurotrophic factor and antioxidant enzymes in bipolar disorder. <i>Bipolar Disorders</i> , 2016 , 18, 433-9 | 3.8 | 9 |
| 101 | Expert Consensus on Screening and Assessment of Cognition in Psychiatry. <i>CNS Spectrums</i> , 2019 , 24, 154-162 | 1.8 | 9 |
| 100 | Inflammation, brain structure and cognition interrelations among individuals with differential risks for bipolar disorder. <i>Brain, Behavior, and Immunity</i> , 2020 , 83, 192-199 | 16.6 | 9 |
| 99 | Effort-based decision-making is affected by overweight/obesity in major depressive disorder. Journal of Affective Disorders, 2019 , 256, 221-227 | 6.6 | 8 |
| 98 | Effects of the brain-derived neurotropic factor variant Val66Met on cortical structure in late childhood and early adolescence. <i>Journal of Psychiatric Research</i> , 2018 , 98, 51-58 | 5.2 | 8 |
| 97 | Teaching how to deliver bad news: a systematic review. <i>Revista Bioetica</i> , 2019 , 27, 326-340 | 0.4 | 8 |

| 96 | Detecting multiple differentially methylated CpG sites and regions related to dimensional psychopathology in youths. <i>Clinical Epigenetics</i> , 2019 , 11, 146 | 7.7 | 8 |
|----|--|------|---|
| 95 | Long-acting injectable risperidone in a bipolar patient submitted to bariatric surgery and intolerant to conventional mood stabilizers. <i>Psychiatry and Clinical Neurosciences</i> , 2011 , 65, 205 | 6.2 | 8 |
| 94 | Exploring the mechanisms of action of the antidepressant effect of the ketogenic diet. <i>Reviews in the Neurosciences</i> , 2020 , 31, 637-648 | 4.7 | 8 |
| 93 | Using the Online Psychotherapy Tool to Address Mental Health Problems in the Context of the COVID-19 Pandemic: Protocol for an Electronically Delivered Cognitive Behavioral Therapy Program. <i>JMIR Research Protocols</i> , 2020 , 9, e24913 | 2 | 8 |
| 92 | Is Obesity A Determinant Of Success With Pharmacological Treatment For Depression? A Systematic Review, Meta-Analysis And Meta-Regression. <i>Journal of Affective Disorders</i> , 2021 , 287, 54-68 | 6.6 | 8 |
| 91 | Exploring brain insulin resistance in adults with bipolar depression using extracellular vesicles of neuronal origin. <i>Journal of Psychiatric Research</i> , 2021 , 133, 82-92 | 5.2 | 8 |
| 90 | Acute neuroinflammation elicited by TLR-3 systemic activation combined with early life stress induces working memory impairments in male adolescent mice. <i>Behavioural Brain Research</i> , 2019 , 376, 112221 | 3.4 | 7 |
| 89 | Pharmacological treatment for insomnia in patients with major depressive disorder. <i>Expert Opinion on Pharmacotherapy</i> , 2019 , 20, 1341-1349 | 4 | 7 |
| 88 | Caloric restriction, resting metabolic rate and cognitive performance in Non-obese adults: A post-hoc analysis from CALERIE study. <i>Journal of Psychiatric Research</i> , 2020 , 128, 16-22 | 5.2 | 7 |
| 87 | Genetic risk for Alzheimer's disease and functional brain connectivity in children and adolescents. <i>Neurobiology of Aging</i> , 2019 , 82, 10-17 | 5.6 | 7 |
| 86 | Recognition of bipolar disorder type I before the first manic episode: challenges and developments. <i>Expert Review of Neurotherapeutics</i> , 2013 , 13, 795-806; quiz 807 | 4.3 | 7 |
| 85 | Perinatal complications, lipid peroxidation, and mental health problems in a large community pediatric sample. <i>European Child and Adolescent Psychiatry</i> , 2017 , 26, 521-529 | 5.5 | 7 |
| 84 | Functioning in early and late stages of schizophrenia. <i>Trends in Psychiatry and Psychotherapy</i> , 2014 , 36, 209-13 | 2.3 | 7 |
| 83 | Morte materna em hospital terci li o do Rio Grande do Sul - Brasil: um estudo de 20 anos. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2003 , 25, 431-436 | 1.1 | 7 |
| 82 | Parsing metabolic heterogeneity in mood disorders: A hypothesis-driven cluster analysis of glucose and insulin abnormalities. <i>Bipolar Disorders</i> , 2020 , 22, 79-88 | 3.8 | 7 |
| 81 | Clinical, cognitive and neuroanatomical associations of serum NMDAR autoantibodies in people at clinical high risk for psychosis. <i>Molecular Psychiatry</i> , 2021 , 26, 2590-2604 | 15.1 | 7 |
| 80 | Inflammation, neurotrophism and oxidative stress and childhood psychopathology in a large community sample. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 133, 122-132 | 6.5 | 7 |
| 79 | Peripheral levels of superoxide dismutase and glutathione peroxidase in youths in ultra-high risk for psychosis: a pilot study. <i>CNS Spectrums</i> , 2019 , 24, 333-337 | 1.8 | 7 |

(2016-2020)

| 78 | Metabolic profiling for water-soluble metabolites in patients with schizophrenia and healthy controls in a Chinese population: A case-control study. <i>World Journal of Biological Psychiatry</i> , 2020 , 21, 357-367 | 3.8 | 7 |
|----|--|------|---|
| 77 | What is bipolar disorder? A disease model of dysregulated energy expenditure. <i>Neuroscience and Biobehavioral Reviews</i> , 2020 , 113, 529-545 | 9 | 7 |
| 76 | Early symptomatic improvements as a predictor of response to repeated-dose intravenous ketamine: Results from the Canadian Rapid Treatment Center of Excellence. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 105, 110126 | 5.5 | 7 |
| 75 | Effect of male-specific childhood trauma on telomere length. <i>Journal of Psychiatric Research</i> , 2018 , 107, 104-109 | 5.2 | 7 |
| 74 | Consensus on nomenclature for clinical staging models in bipolar disorder: A narrative review from the International Society for Bipolar Disorders (ISBD) Staging Task Force. <i>Bipolar Disorders</i> , 2021 , 23, 659-678 | 3.8 | 7 |
| 73 | Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. <i>Molecular Psychiatry</i> , 2021 , 26, 4529-4543 | 15.1 | 7 |
| 72 | Plasma copeptin and metabolic dysfunction in individuals with bipolar disorder. <i>Psychiatry and Clinical Neurosciences</i> , 2017 , 71, 624-636 | 6.2 | 6 |
| 71 | Leptin mediates improvements in cognitive function following treatment with infliximab in adults with bipolar depression. <i>Psychoneuroendocrinology</i> , 2020 , 120, 104779 | 5 | 6 |
| 70 | Association of serum interleukin-6 with mental health problems in children exposed to perinatal complications and social disadvantage. <i>Psychoneuroendocrinology</i> , 2016 , 71, 94-101 | 5 | 6 |
| 69 | Brain tumor in a patient with attenuated psychosis syndrome. <i>Schizophrenia Research</i> , 2013 , 144, 151-2 | 3.6 | 6 |
| 68 | Ecological momentary assessment of depressive symptoms using the mind.me application: Convergence with the Patient Health Questionnaire-9 (PHQ-9). <i>Journal of Psychiatric Research</i> , 2021 , 135, 311-317 | 5.2 | 6 |
| 67 | Mental, emotional, and behavioral effects of ketogenic diet for non-epileptic neuropsychiatric conditions. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020 , 102, 109947 | 5.5 | 6 |
| 66 | A critical literature review on emotional intelligence in addiction. <i>Trends in Psychiatry and Psychotherapy</i> , 2019 , 41, 87-93 | 2.3 | 5 |
| 65 | Allostatic load, emotional hyper-reactivity, and functioning in individuals with bipolar disorder. <i>Bipolar Disorders</i> , 2020 , 22, 711-721 | 3.8 | 5 |
| 64 | A critical review of trials of transcranial direct current stimulation and trigeminal nerve stimulation for depression: the issue of treatment-emergent mania. <i>Trends in Psychiatry and Psychotherapy</i> , 2017 , 39, 48-53 | 2.3 | 5 |
| 63 | The effect of transcranial direct current stimulation along with a hypocaloric diet on weight loss in excessive weight people: A pilot randomized clinical trial. <i>Clinical Nutrition ESPEN</i> , 2020 , 40, 68-76 | 1.3 | 5 |
| 62 | Pre-training inter-rater reliability of clinical instruments in an international psychosis research project. <i>Schizophrenia Research</i> , 2021 , 230, 104-107 | 3.6 | 5 |
| 61 | Challenges and developments in research of the early stages of bipolar disorder. <i>Revista Brasileira De Psiquiatria</i> , 2016 , 38, 329-337 | 2.6 | 5 |

| 60 | Oligopeptidases activity in bipolar disorder: Ndel1 and angiotensin I converting enzyme. <i>Journal of Affective Disorders</i> , 2019 , 244, 67-70 | 6.6 | 5 |
|----|---|----------------------|---|
| 59 | Barriers to care and psychopathology among Bolivian migrants living in SB Paulo, Brazil. <i>Transcultural Psychiatry</i> , 2020 , 57, 71-80 | 2.7 | 5 |
| 58 | Cannabis and Inflammatory Mediators. European Addiction Research, 2021, 27, 16-24 | 4.6 | 5 |
| 57 | NMR Spectroscopy Metabolomics Applied to Crack Cocaine Users and Patients with Schizophrenia: Similar Behavior but Different Molecular Causes. <i>ChemistrySelect</i> , 2017 , 2, 2927-2930 | 1.8 | 4 |
| 56 | Emotional intelligence and schizophrenia spectrum disorders: a critical review. <i>Trends in Psychiatry and Psychotherapy</i> , 2019 , 41, 94-102 | 2.3 | 4 |
| 55 | The impact of body mass index in gene expression of reelin pathway mediators in individuals with schizophrenia and mood disorders: A post-mortem study. <i>Journal of Psychiatric Research</i> , 2018 , 102, 18 | 36- ⁵ 191 | 4 |
| 54 | Peripheral interleukin-6 levels and working memory in non-obese adults: A post-hoc analysis from the CALERIE study. <i>Nutrition</i> , 2019 , 58, 18-22 | 4.8 | 4 |
| 53 | Public school ?? teachers[perceptions about mental health. <i>Revista De Saude Publica</i> , 2014 , 48, 940-8 | 2.4 | 4 |
| 52 | Adaptation of the Barriers to Access to Care Evaluation (BACE) scale to the Brazilian social and cultural context. <i>Trends in Psychiatry and Psychotherapy</i> , 2013 , 35, 287-91 | 2.3 | 4 |
| 51 | Hippocampus size does not correlate with body mass index in bipolar disorder. <i>Revista Brasileira De Psiquiatria</i> , 2016 , 38, 86-7 | 2.6 | 4 |
| 50 | It is time to prepare mental health services to attend to migrants and refugees. <i>Revista Brasileira De Psiquiatria</i> , 2016 , 38, 263-4 | 2.6 | 4 |
| 49 | Peripheral inflammatory biomarkers define biotypes of bipolar depression. <i>Molecular Psychiatry</i> , 2021 , 26, 3395-3406 | 15.1 | 4 |
| 48 | A pilot case-control study on the association between N-acetyl derivatives in serum and first-episode schizophrenia. <i>Psychiatry Research</i> , 2019 , 272, 36-41 | 9.9 | 4 |
| 47 | Socioeconomic status in children is associated with spontaneous activity in right superior temporal gyrus. <i>Brain Imaging and Behavior</i> , 2020 , 14, 961-970 | 4.1 | 4 |
| 46 | Impairments in Peripheral Blood T Effector and T Regulatory Lymphocytes in Bipolar Disorder Are Associated with Staging of Illness and Anti-cytomegalovirus IgG Levels. <i>Molecular Neurobiology</i> , 2021 , 58, 229-242 | 6.2 | 4 |
| 45 | Alice in Wonderland syndrome secondary to optical neuromyelitis caused by varicella. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018 , 52, 805-806 | 2.6 | 3 |
| 44 | Differential Impact of Obesity on CD69 Expression in Individuals with Bipolar Disorder and Healthy Controls. <i>Molecular Neuropsychiatry</i> , 2018 , 3, 192-196 | 4.9 | 3 |
| 43 | Clozapine-induced esophagitis at therapeutic dose: a case report. <i>Revista Brasileira De Psiquiatria</i> , 2016 , 38, 177 | 2.6 | 3 |

| 42 | Vitamin D, Depressive Symptoms, and Covid-19 Pandemic. Frontiers in Neuroscience, 2021, 15, 670879 | 5.1 | 3 |
|----|---|------|---|
| 41 | Psychiatric profile and quality of life of subjects with excess weight treated with transcranial direct current stimulation combined with a hypocaloric diet. <i>Nutritional Neuroscience</i> , 2021 , 24, 919-926 | 3.6 | 3 |
| 40 | Effects of infliximab on brain neurochemistry of adults with bipolar depression. <i>Journal of Affective Disorders</i> , 2021 , 281, 61-66 | 6.6 | 3 |
| 39 | Comparing mortality from covid-19 to mortality due to overdose: A micromort analysis. <i>Journal of Affective Disorders</i> , 2022 , 296, 514-521 | 6.6 | 3 |
| 38 | Continuing lack of evidence for the psychotic subtyping of PTSD. <i>British Journal of Psychiatry</i> , 2011 , 198, 156; author reply 156 | 5.4 | 2 |
| 37 | The potential anti-depressant properties of dexmedetomidine infusion: a review of mechanistic, preclinical, and clinical evidence. <i>Reviews in the Neurosciences</i> , 2020 , 31, 649-658 | 4.7 | 2 |
| 36 | From Speech Illusions to Onset of Psychotic Disorder: Applying Network Analysis to an Experimental Measure of Aberrant Experiences. <i>Schizophrenia Bulletin Open</i> , 2020 , 1, | 2.2 | 2 |
| 35 | Preliminary results from Brazil's first recovery housing program. <i>Trends in Psychiatry and Psychotherapy</i> , 2018 , 40, 285-291 | 2.3 | 2 |
| 34 | Mental Disorders, Antidepressants, and Type 2 Diabetes. <i>JAMA Pediatrics</i> , 2018 , 172, 703-704 | 8.3 | 2 |
| 33 | Impact of Comorbid Affective Disorders on Longitudinal Clinical Outcomes in Individuals at Ultra-high Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2021 , | 1.3 | 2 |
| 32 | Intra-individual variability in animal models of bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2019 , 7, 9 | 5.4 | 1 |
| 31 | Major Depression: An Immune-Inflammatory Disorder. Current Topics in Neurotoxicity, 2015 , 147-159 | | 1 |
| 30 | Effect of body anthropometrics on brain structure of offspring of parents with bipolar disorder. <i>Journal of Psychiatric Research</i> , 2020 , 124, 137-142 | 5.2 | 1 |
| 29 | Post-traumatic stress disorder and interleukin 6 - Authors' reply. <i>Lancet Psychiatry,the</i> , 2016 , 3, 202 | 23.3 | 1 |
| 28 | First manic episode in a patient with breast cancer. General Hospital Psychiatry, 2013, 35, 681.e13-4 | 5.6 | 1 |
| 27 | Sudden unexpected death in bipolar disorder. <i>Journal of Affective Disorders</i> , 2017 , 223, 8-9 | 6.6 | 1 |
| 26 | Influence of personality traits in coping skills in individuals with bipolar disorder. <i>Revista De Psiquiatria Clinica</i> , 2014 , 41, 95-100 | 0.8 | 1 |
| 25 | Translation and adaptation of the Bipolar Prodrome Symptom Scale-Retrospective: Patient Version to Brazilian portuguese. <i>Trends in Psychiatry and Psychotherapy</i> , 2013 , 35, 62-75 | 2.3 | 1 |

| 24 | A comparison of the symptomatic profile between two consecutive depressive episodes in patients with bipolar disorder type I. <i>Acta Neuropsychiatrica</i> , 2010 , 22, 280-3 | 3.9 | 1 |
|----|---|-----|---|
| 23 | New-onset psychiatric symptoms following intracranial meningioma in a patient with schizophrenia: a case study. <i>Revista Brasileira De Psiquiatria</i> , 2019 , 41, 91-92 | 2.6 | 1 |
| 22 | Coronary calcium score as an expression of multisystemic progression of bipolar disorder. <i>Revista Brasileira De Psiquiatria</i> , 2018 , 40, 459-460 | 2.6 | 1 |
| 21 | What not to use in bipolar disorders: A systematic review of non-recommended treatments in clinical practice guidelines. <i>Journal of Affective Disorders</i> , 2022 , 298, 565-576 | 6.6 | 1 |
| 20 | Are serum brain-derived neurotrophic factor concentrations related to brain structure and psychopathology in late childhood and early adolescence?. <i>CNS Spectrums</i> , 2020 , 25, 790-796 | 1.8 | 1 |
| 19 | Association between spontaneous activity of the default mode network hubs and leukocyte telomere length in late childhood and early adolescence. <i>Journal of Psychosomatic Research</i> , 2019 , 127, 109864 | 4.1 | 1 |
| 18 | Hiccups amelioration following a transcranial direct current stimulation protocol targeting central structures. <i>Australian and New Zealand Journal of Psychiatry</i> , 2019 , 53, 477-478 | 2.6 | 1 |
| 17 | Letter to the editor: Inadequate evidence to support improved patient outcomes with combinatorial pharmacogenomics. <i>Journal of Psychiatric Research</i> , 2018 , 107, 136-137 | 5.2 | 1 |
| 16 | The importance of countertransference in the clinical care of individuals during acute phases of bipolar disorder. <i>Bipolar Disorders</i> , 2021 , | 3.8 | 1 |
| 15 | Why do medications with little or no efficacy continue to be prescribed in the management of patients with bipolar disorder?. <i>Bipolar Disorders</i> , 2021 , 23, 541-543 | 3.8 | 1 |
| 14 | A call for improving lithium literacy among clinicians and patients <i>International Journal of Bipolar Disorders</i> , 2022 , 10, 5 | 5.4 | 1 |
| 13 | Gene expression changes associated with trajectories of psychopathology in a longitudinal cohort of children and adolescents. <i>Translational Psychiatry</i> , 2020 , 10, 99 | 8.6 | O |
| 12 | Association of history of adverse childhood experiences with irritable bowel syndrome (IBS) in individuals with mood disorders. <i>Psychiatry Research</i> , 2020 , 288, 112967 | 9.9 | 0 |
| 11 | Clinical effectiveness of non-TMS neurostimulation in depression: Clinical trials from 2010 to 2020. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 110, 110287 | 5.5 | O |
| 10 | Microbiome Abnormalities as a Possible Link Between Diabetes Mellitus and Mood Disorders: Pathophysiology and Implications for Treatment <i>Neuroscience and Biobehavioral Reviews</i> , 2022 , 104640 | 09 | О |
| 9 | A Possible Antidepressive Effect of Dietary Interventions: Emergent Findings and Research Challenges <i>Current Treatment Options in Psychiatry</i> , 2022 , 1-12 | 3.1 | O |
| 8 | Nutrition and bipolar disorder: a systematic review. <i>Nutritional Neuroscience</i> ,1-15 | 3.6 | 0 |
| 7 | Epidemiology and etiology of bipolar disorder 2013 , 6-17 | | |

LIST OF PUBLICATIONS

| 6 | Adiposity as a possible mediator of low testosterone salivary levels in adolescent boys in prodromal stages of psychosis. <i>Psychological Medicine</i> , 2011 , 41, 2010-1; author reply 2011-2 | 6.9 |
|---|---|------|
| 5 | Unraveiling the correlation among neurodevelopmental and inflammatory biomarkers in patients with chronic schizophrenia. <i>Nordic Journal of Psychiatry</i> ,1-6 | 2.3 |
| 4 | Attenuated Psychosis Syndromes Among Brazilian Youth and Young Adults: Early Identification and Intervention 2019 , 279-288 | |
| 3 | Clinical correlates of high burden of general medical comorbidities in patients with bipolar disorder. <i>Journal of Affective Disorders Reports</i> , 2020 , 1, 100001 | 1.4 |
| 2 | A discussion of potential clinical markers predicting anti-inflammatory treatment response in individuals with major depression. <i>Brain, Behavior, and Immunity,</i> 2020 , 83, 3-4 | 16.6 |
| 1 | Novel therapeutic approaches targeting oxidative stress in mood disorders 2022 , 1-17 | |