

# Kenneth S Waxman

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8472450/kenneth-s-waxman-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68

papers

3,879

citations

23

h-index

62

g-index

86

ext. papers

4,231

ext. citations

2.8

avg, IF

4.43

L-index

| #  | Paper  | IF  | Citations |
|----|--|-----|-----------|
| 68 | Case Report of Situs Inversus Totalis and Laparoscopic Cholecystectomy. <i>International Surgery</i> , <b>2016</b> , 101, 347-351                                  | 0.1 | 1         |
| 67 | Renal management in the critically ill patient. <i>Surgical Clinics of North America</i> , <b>2012</b> , 92, 1503-18   | 4   | 1         |
| 66 | Providing endoscopy for underserved patients benefits public health and resident education. <i>Journal of Surgical Education</i> , <b>2011</b> , 68, 32-5          | 3.4 |           |
| 65 | Management of postoperative ileus. <i>Disease-a-Month</i> , <b>2010</b> , 56, 204-14   | 4.4 | 19        |
| 64 | Management of postoperative ileus. <i>American Journal of Therapeutics</i> , <b>2007</b> , 14, 561-6   | 1   | 26        |
| 63 | Gum chewing reduces ileus after elective open sigmoid colectomy. <i>Archives of Surgery</i> , <b>2006</b> , 141, 174-6   |     | 100       |
| 62 | Shock resuscitation: have critical transcutaneous values now been defined?. <i>Critical Care Medicine</i> , <b>2000</b> , 28, 2651-2                               | 1.4 | 1         |
| 61 | Are resuscitation fluids harmful?. <i>Critical Care Medicine</i> , <b>2000</b> , 28, 264-5   | 1.4 | 7         |
| 60 | Monitoring in shock: stomach or muscle?. <i>Critical Care Medicine</i> , <b>1999</b> , 27, 2047-8  | 1.4 |           |
| 59 | Pentoxifylline preserves intestinal function (and more) following shock. <i>Critical Care Medicine</i> , <b>1998</b> , 26, 9-10                                    | 1.4 | 3         |
| 58 | The complexities of managing severe burns with associated trauma. <i>Surgical Clinics of North America</i> , <b>1996</b> , 76, 923-58                              | 4   | 29        |
| 57 | Should critical care medicine be a formal part of the undergraduate curriculum?. <i>Journal of Intensive Care Medicine</i> , <b>1996</b> , 11, 13-8                | 3.3 | 5         |
| 56 | Increasing nitric oxide production improves survival in experimental hemorrhagic shock. <i>Resuscitation</i> , <b>1996</b> , 31, 141-4                             | 4   | 37        |
| 55 | Lisofylline decreases white cell adhesiveness and improves survival after experimental hemorrhagic shock. <i>Critical Care Medicine</i> , <b>1996</b> , 24, 1724-8 | 1.4 | 15        |
| 54 | Decreasing unplanned extubations in the surgical intensive care unit. <i>American Journal of Surgery</i> , <b>1995</b> , 170, 586-9; discussion 589-90             | 2.7 | 56        |
| 53 | ATP-MgCl <sub>2</sub> added to resuscitation improves survival in an experimental model of hemorrhagic shock. <i>Resuscitation</i> , <b>1994</b> , 28, 253-7       | 4   | 4         |
| 52 | TISSUE OXIMETRY IN HEMORRHAGIC SHOCK AND RESUSCITATION. <i>Critical Care Medicine</i> , <b>1994</b> , 22, A188.4   |     | 3         |

|    |   |      |      |
|----|---|------|------|
| 51 | Absorption of insulin in the peritoneal cavity in a diabetic animal model. <i>Artificial Organs</i> , <b>1993</b> , 17, 925-8.6   |      | 7    |
| 50 | Tumor necrosis factor and monocytes are released during hemorrhagic shock. <i>Resuscitation</i> , <b>1993</b> , 25, 249-55  | 4    | 32   |
| 49 | Pentoxifylline alone versus pentoxifylline combined with superoxide dismutase prolongs survival in a rat hemorrhagic shock model. <i>Resuscitation</i> , <b>1993</b> , 26, 237-42 | 4    | 6    |
| 48 | Implantable programmable insulin pumps for the treatment of diabetes. <i>Archives of Surgery</i> , <b>1992</b> , 127, 1032-6; discussion 1036-7                                   |      | 16   |
| 47 | Regional flow during experimental hemorrhage and crystalloid resuscitation: persistence of low flow to the splanchnic organs. <i>Resuscitation</i> , <b>1992</b> , 23, 217-25     | 4    | 19   |
| 46 | Adequate resuscitation of burn patients may not be measured by urine output and vital signs. <i>Critical Care Medicine</i> , <b>1991</b> , 19, 327-9                              | 1.4  | 109  |
| 45 | Pentoxifylline in resuscitation of experimental hemorrhagic shock. <i>Critical Care Medicine</i> , <b>1991</b> , 19, 728-31   | 1.4  | 29   |
| 44 | Is early prediction of outcome in severe head injury possible?. <i>Archives of Surgery</i> , <b>1991</b> , 126, 1237-41; discussion 1242  |      | 72   |
| 43 | Diagnosis of traumatic cardiac contusion utilizing single photon-emission computed tomography. <i>Critical Care Medicine</i> , <b>1990</b> , 18, 1-3                              | 1.4  | 22   |
| 42 | Pentoxifylline in septic shock. <i>Critical Care Medicine</i> , <b>1990</b> , 18, 243-4   | 1.4  | 23   |
| 41 | Normal ventilation/perfusion lung scan in a patient with proven pulmonary embolus. <i>Critical Care Medicine</i> , <b>1990</b> , 18, 577-8  | 1.4  | 3    |
| 40 | Pentoxifylline in Resuscitation of Hemorrhagic Shock <b>1990</b> , 104-107  |      |      |
| 39 | A preliminary trial of the programmable implantable medication system for insulin delivery. <i>New England Journal of Medicine</i> , <b>1989</b> , 321, 574-9                     | 59.2 | 107  |
| 38 | Heated laser Doppler flow measurements to determine depth of burn injury. <i>American Journal of Surgery</i> , <b>1989</b> , 157, 541-3   | 2.7  | 40   |
| 37 | Hemodynamic and oxygen transport effects of pentastarch in burn resuscitation. <i>Annals of Surgery</i> , <b>1989</b> , 209, 341-5  | 7.8  | 43   |
| 36 | Pentoxifylline improves survival following hemorrhagic shock. <i>Critical Care Medicine</i> , <b>1989</b> , 17, 36-8  | 1.4  | 58   |
| 35 | Protective effect of pentoxifylline on gastric mucosa. <i>Journal of Surgical Research</i> , <b>1988</b> , 44, 727-32   | 2.5  | 6    |
| 34 | Prospective trial of supranormal values of survivors as therapeutic goals in high-risk surgical patients. <i>Chest</i> , <b>1988</b> , 94, 1176-86                                | 5.3  | 2022 |

|    |   |     |    |
|----|---|-----|----|
| 33 | Early diagnosis of shock due to pericardial tamponade using transcutaneous oxygen monitoring. <i>Critical Care Medicine</i> , <b>1987</b> , 15, 1156-7        | 1.4 | 2  |
| 32 | Pentoxifylline improves tissue oxygenation following anesthesia and operation. <i>Critical Care Medicine</i> , <b>1987</b> , 15, 93-4                         | 1.4 | 13 |
| 31 | Value of a conventional approach to the diagnosis of traumatic cardiac contusion after chest injury. <i>Critical Care Medicine</i> , <b>1987</b> , 15, 218-20 | 1.4 | 15 |
| 30 | Laser Doppler velocimetry in critically ill patients. <i>Critical Care Medicine</i> , <b>1987</b> , 15, 780-3   | 1.4 | 10 |
| 29 | Hemodynamic and Metabolic Changes During and Following Operation. <i>Critical Care Clinics</i> , <b>1987</b> , 3, 241-250                                     | 4.5 | 9  |
| 28 | Mediators of Altered Perioperative Physiology. <i>Critical Care Clinics</i> , <b>1987</b> , 3, 359-371  | 4.5 |    |
| 27 | Postoperative Multiple Organ Failure. <i>Critical Care Clinics</i> , <b>1987</b> , 3, 429-440   | 4.5 | 6  |
| 26 | Oxygen delivery and resuscitation. <i>Annals of Emergency Medicine</i> , <b>1986</b> , 15, 1420-2   | 2.1 | 6  |
| 25 | Perfluorocarbons as blood substitutes. <i>Annals of Emergency Medicine</i> , <b>1986</b> , 15, 1423-4   | 2.1 | 18 |
| 24 | Noninvasive monitoring in emergency resuscitation. <i>Annals of Emergency Medicine</i> , <b>1986</b> , 15, 1434-6   | 2.1 | 9  |
| 23 | Description of a continent jejunal gastrostomy. <i>Archives of Surgery</i> , <b>1986</b> , 121, 1121-4  |     |    |
| 22 | Diagnosis of traumatic cardiac contusion. <i>Archives of Surgery</i> , <b>1986</b> , 121, 689-92  |     | 13 |
| 21 | Invasive Cardiorespiratory Monitoring. <i>Emergency Medicine Clinics of North America</i> , <b>1986</b> , 4, 775-789  | 1.9 | 2  |
| 20 | Clinical experience with Fluosol-DA (20%) in the United States. <i>International Anesthesiology Clinics</i> , <b>1985</b> , 23, 185-97                        | 0.6 | 16 |
| 19 | Transcutaneous PO <sub>2</sub> monitoring during sodium nitroprusside infusion. <i>Critical Care Medicine</i> , <b>1985</b> , 13, 65-7                        | 1.4 | 5  |
| 18 | Pulmonary complications after Fluosol administration to patients with life-threatening blood loss. <i>Critical Care Medicine</i> , <b>1985</b> , 13, 96-8     | 1.4 | 29 |
| 17 | Calcitonin as a tumor marker for nonthyroid neoplasia. <i>Journal of Surgical Oncology</i> , <b>1985</b> , 29, 59-60  | 2.8 |    |
| 16 | Comparative Flow Rates of Intravenous Catheters. <i>Military Medicine</i> , <b>1984</b> , 149, 415-416  | 1.3 | 11 |

|    |  |     |     |
|----|--|-----|-----|
| 15 | Perfluorocarbon infusion in bleeding patients refusing blood transfusions. <i>Archives of Surgery</i> , <b>1984</b> , 119, 721-4   |     | 27  |
| 14 | Transcutaneous oxygen monitoring in the emergency department. <i>American Journal of Emergency Medicine</i> , <b>1984</b> , 2, 181-2   | 2.9 | 1   |
| 13 | Hypotensive reaction after infusion of a perfluorochemical emulsion. <i>Critical Care Medicine</i> , <b>1984</b> , 12, 609-10  | 1.4 | 13  |
| 12 | Transcutaneous oxygen monitoring of emergency department patients. <i>American Journal of Surgery</i> , <b>1983</b> , 146, 35-8  | 2.7 | 39  |
| 11 | Physiologic Determinants of Operative Survival After Portacaval Shunt. <i>Annals of Surgery</i> , <b>1983</b> , 197, 72-78   | 7.8 | 16  |
| 10 | Physiologic responses to massive intraoperative hemorrhage. <i>Archives of Surgery</i> , <b>1982</b> , 117, 470-5  |     | 14  |
| 9  | Sequential perioperative lactate determination. Physiological and clinical implications. <i>Critical Care Medicine</i> , <b>1982</b> , 10, 96-9  | 1.4 | 50  |
| 8  | Clinical trial of survivorsTcardiorespiratory patterns as therapeutic goals in critically ill postoperative patients. <i>Critical Care Medicine</i> , <b>1982</b> , 10, 398-403  | 1.4 | 189 |
| 7  | Use of transcutaneous oxygen sensors to titrate PEEP. <i>Annals of Surgery</i> , <b>1981</b> , 193, 206-9  | 7.8 | 20  |
| 6  | Management of postoperative and posttraumatic respiratory failure in the intensive care unit. <i>Surgical Clinics of North America</i> , <b>1980</b> , 60, 1413-28   | 4   | 5   |
| 5  | Hemodynamic, blood volume, and oxygen transport responses to albumin and hydroxyethyl starch infusions in critically ill postoperative patients. <i>Critical Care Medicine</i> , <b>1980</b> , 8, 302-6                                  | 1.4 | 84  |
| 4  | Continuous transcutaneous oxygen monitoring during respiratory failure, cardiac decompensation, cardiac arrest, and CPR. Transcutaneous oxygen monitoring during arrest and CPR. <i>Critical Care Medicine</i> , <b>1980</b> , 8, 377-81 | 1.4 | 93  |
| 3  | Cardiovascular Effects of Anesthetic Induction with Ketamine. <i>Anesthesia and Analgesia</i> , <b>1980</b> , 59, 355-358  | 3.9 | 96  |
| 2  | TRANSCUTANEOUS OXYGEN SENSORS FOR CONTINUOUS MONITORING IN SHOCK AND RESUSCITATION. <i>Critical Care Medicine</i> , <b>1979</b> , 7, 136   | 1.4 | 4   |
| 1  | Effects of hypoxia and shock on transcutaneous PO2 values in dogs. <i>Critical Care Medicine</i> , <b>1979</b> , 7, 526-314  |     | 139 |