

# Martin C Schiemann

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8472485/publications.pdf>

Version: 2024-02-01

68  
papers

1,451  
citations

257101

24  
h-index

344852

36  
g-index

70  
all docs

70  
docs citations

70  
times ranked

1012  
citing authors

#	ARTICLE	IF	CITATIONS
1	Carbon, sulfur and nitrogen oxide emissions from combustion of pulverized raw and torrefied biomass. <i>Fuel</i> , 2017, 188, 310-323.	3.4	163
2	Effects of oxy-fuel conditions on the products of pyrolysis in a drop tube reactor. <i>Fuel Processing Technology</i> , 2016, 150, 41-49.	3.7	72
3	A review on lithium combustion. <i>Applied Energy</i> , 2016, 162, 948-965.	5.1	66
4	On the particle sizing of torrefied biomass for co-firing with pulverized coal. <i>Combustion and Flame</i> , 2018, 194, 72-84.	2.8	58
5	Direct observations on the combustion characteristics of Miscanthus and Beechwood biomass including fusion and spherodization. <i>Fuel Processing Technology</i> , 2017, 166, 41-49.	3.7	56
6	Characterization of single coal particle combustion within oxygen-enriched environments using high-speed OH-PLIF. <i>Applied Physics B: Lasers and Optics</i> , 2015, 121, 459-464.	1.1	45
7	Devolatilization and volatiles reaction of individual coal particles in the context of FGM tabulated chemistry. <i>Combustion and Flame</i> , 2016, 169, 72-84.	2.8	43
8	Resolved simulations of single char particle combustion in a laminar flow field. <i>Fuel</i> , 2017, 201, 15-28.	3.4	43
9	Development and verification of a resolved 3D inner particle heat transfer model for the Discrete Element Method (DEM). <i>Powder Technology</i> , 2016, 291, 392-407.	2.1	42
10	Stereoscopic pyrometer for char combustion characterization. <i>Applied Optics</i> , 2015, 54, 1097.	0.9	41
11	Experimentation for char combustion kinetics measurements: Bias from char preparation. <i>Fuel Processing Technology</i> , 2016, 151, 155-165.	3.7	38
12	Separation and characterization of carbonaceous particulate (soot and char) produced from fast pyrolysis of coal in inert and CO <sub>2</sub> atmospheres. <i>Fuel</i> , 2017, 201, 118-123.	3.4	37
13	Combustion details of raw and torrefied biomass fuel particles with individually-observed size, shape and mass. <i>Combustion and Flame</i> , 2019, 207, 327-341.	2.8	37
14	Multi-parameter diagnostics for high-resolution in-situ measurements of single coal particle combustion. <i>Proceedings of the Combustion Institute</i> , 2019, 37, 2893-2900.	2.4	36
15	Char burning kinetics from imaging pyrometry: Particle shape effects. <i>Fuel</i> , 2014, 134, 53-62.	3.4	34
16	Effects of CO <sub>2</sub> on submicronic carbon particulate (soot) formed during coal pyrolysis in a drop tube reactor. <i>Combustion and Flame</i> , 2016, 172, 302-308.	2.8	34
17	Quantification of the influence of parameters determining radiative heat transfer in an oxy-fuel operated boiler. <i>Fuel Processing Technology</i> , 2017, 157, 76-89.	3.7	33
18	Particle shape and Stefan flow effects on the burning rate of torrefied biomass. <i>Fuel</i> , 2017, 210, 107-120.	3.4	33

#	ARTICLE	IF	CITATIONS
19	Determination of char combustion kinetics parameters: Comparison of point detector and imaging-based particle-sizing pyrometry. <i>Review of Scientific Instruments</i> , 2014, 85, 075114.	0.6	29
20	Char particle emissivity of two coal chars in oxy-fuel atmospheres. <i>Fuel</i> , 2016, 183, 405-413.	3.4	29
21	Optical Coal Particle Temperature Measurement under Oxy-Fuel Conditions: Measurement Methodology and Initial Results. <i>Chemical Engineering and Technology</i> , 2009, 32, 2000-2004.	0.9	28
22	Assessment of combustion rates of coal chars for oxy-combustion applications. <i>Fuel</i> , 2019, 238, 173-185.	3.4	28
23	Comparison of pyrolysis test rigs for oxy-fuel conditions. <i>Fuel Processing Technology</i> , 2017, 156, 461-472.	3.7	26
24	Pyrolysis and Thermal Annealing of Coal and Biomass in CO <sub>2</sub> -Rich Atmospheres. <i>Energy &amp; Fuels</i> , 2018, 32, 10701-10708.	2.5	25
25	Emissivity of burning bituminous coal char particles – Burnout effects. <i>Fuel</i> , 2017, 196, 336-343.	3.4	24
26	Influence of chemical composition and physical structure on normal radiant emittance characteristics of ash deposits. <i>Fuel</i> , 2014, 134, 307-314.	3.4	22
27	Experimental characterization of the combustion of single lithium particles with CO <sub>2</sub> . <i>Fuel</i> , 2015, 153, 90-101.	3.4	21
28	Experimental investigations of single particle and particle group combustion in a laminar flow reactor using simultaneous volumetric OH-LIF imaging and diffuse backlight-illumination. <i>Renewable and Sustainable Energy Reviews</i> , 2021, 136, 110377.	8.2	20
29	Effects of CO <sub>2</sub> enriched atmosphere on chars from walnut shells pyrolysis in a drop tube reactor. <i>Fuel</i> , 2018, 229, 235-240.	3.4	17
30	Evolution of coal char porosity from CO <sub>2</sub> -pyrolysis experiments. <i>Fuel</i> , 2019, 253, 1457-1464.	3.4	16
31	Investigation of the transition from single to group coal particle combustion using high-speed scanning OH-LIF and diffuse backlight-illumination. <i>Proceedings of the Combustion Institute</i> , 2021, 38, 4101-4109.	2.4	15
32	Spray roasting of iron chloride FeCl <sub>2</sub> : laboratory scale experiments and a model for numerical simulation. <i>Powder Technology</i> , 2012, 228, 301-308.	2.1	14
33	Investigations on the emissivity of burning coal char particles: Influence of particle temperature and composition of reaction atmosphere. <i>Fuel</i> , 2020, 263, 116714.	3.4	14
34	Experimental determination of walnut shell pyrolysis kinetics in N <sub>2</sub> and CO <sub>2</sub> via thermogravimetric analysis, fluidized bed and drop tube reactors. <i>Fuel</i> , 2021, 287, 119313.	3.4	14
35	Combustion of Lithium Particles: Optical Measurement Methodology and Initial Results. <i>Chemical Engineering and Technology</i> , 2014, 37, 1600-1605.	0.9	12
36	Oxidation characteristics of a cellulose-derived hydrochar in thermogravimetric and laminar flow burner experiments. <i>Fuel Processing Technology</i> , 2016, 148, 85-90.	3.7	12

#	ARTICLE	IF	CITATIONS
37	A correlation between char emissivity and temperature. <i>Fuel</i> , 2019, 256, 115889.	3.4	11
38	Reaction Products in the Combustion of the High Energy Density Storage Material Lithium with Carbon Dioxide and Nitrogen. <i>Materials Research Society Symposia Proceedings</i> , 2014, 1644, 1.	0.1	10
39	Sorption measurements for determining surface effects and structure of solid fuels. <i>Fuel Processing Technology</i> , 2016, 153, 81-86.	3.7	10
40	Extension of the Thermal Annealing Concepts Developed for Coal Combustion to Conversion of Lignocellulosic Biomass. <i>Energy &amp; Fuels</i> , 2020, 34, 3661-3670.	2.5	10
41	A numerical model of the combustion of single lithium particles with CO <sub>2</sub> . <i>Fuel</i> , 2015, 160, 87-99.	3.4	9
42	Investigation on flow dynamics and temperatures of solid fuel particles in a gas-assisted oxy-fuel combustion chamber. <i>Fuel</i> , 2021, 286, 119424.	3.4	9
43	Fragmentation of pulverized coal in a laminar drop tube reactor: Experiments and model. <i>Proceedings of the Combustion Institute</i> , 2019, 37, 2849-2855.	2.4	8
44	Determination of size and porosity of chars during combustion of biomass particles. <i>Combustion and Flame</i> , 2022, 242, 112182.	2.8	8
45	Spray roasting of iron chloride FeCl <sub>2</sub> : Numerical modelling of industrial scale reactors. <i>Powder Technology</i> , 2013, 245, 70-79.	2.1	7
46	Comprehensive Data Set of Single Particle Combustion under Oxy-fuel Conditions, Part I: Measurement Technique. <i>Combustion Science and Technology</i> , 2020, , 1-22.	1.2	7
47	Catalytic influence of mineral compounds on the reactivity of cellulose-derived char in O <sub>2</sub> -, CO <sub>2</sub> -, and H <sub>2</sub> O-containing atmospheres. <i>Fuel</i> , 2021, 287, 119584.	3.4	7
48	Calibration and validation of a comprehensive kinetic model of coal conversion in inert, air and oxy-fuel conditions using data from multiple test rigs. <i>Fuel</i> , 2021, 290, 119682.	3.4	7
49	Lithium as energy carrier: CFD simulations of LI combustion in a 100 MW slag tap furnace. <i>Applied Energy</i> , 2018, 227, 506-515.	5.1	6
50	Catalytic effects for cellulose-based model fuels under low and high heating rate in air and oxy-fuel atmosphere. <i>Fuel</i> , 2022, 324, 124437.	3.4	6
51	Combustion of Lithium Particles in N <sub>2</sub> Reaction Rates. <i>Combustion Science and Technology</i> , 2017, 189, 169-186.	1.2	5
52	Experimental investigations on the combustion of lithium particles in CO <sub>2</sub> and CO <sub>2</sub> -N <sub>2</sub> mixtures. <i>Fuel</i> , 2017, 199, 28-37.	3.4	5
53	Comparative ignition tests of coal under oxy-fuel conditions in a standardized laboratory test rig. <i>Fuel</i> , 2017, 208, 127-136.	3.4	5
54	3D CFD simulation of a 250MWel oxy-fuel boiler with evaluation of heat radiation calculation. <i>Renewable and Sustainable Energy Reviews</i> , 2021, 137, 110601.	8.2	5

#	ARTICLE	IF	CITATIONS
55	Impact of coating layers in rotary cement kilns: Numerical investigation with a blocked-off region approach for radiation and momentum. <i>Thermal Science and Engineering Progress</i> , 2020, 15, 100429.	1.3	4
56	Recent Progress in the Dynamic Nuclear Polarization of Solid Deuterated Butanol Targets. <i>Applied Magnetic Resonance</i> , 2008, 34, 461-473.	0.6	3
57	Emissivity Comparison between Chars and Demineralized Coal Chars under Oxycombustion Conditions. <i>Chemical Engineering and Technology</i> , 2018, 41, 1490-1496.	0.9	3
58	Adaptation of the Chemical Percolation Devolatilization Model for Low Temperature Pyrolysis in a Fluidized Bed Reactor. <i>Combustion Science and Technology</i> , 2022, 194, 417-434.	1.2	3
59	Investigation of Pulverized Biomass and Coal Char Emissivity. <i>Energies</i> , 2020, 13, 4620.	1.6	3
60	Comparison of scattering phase functions of reacting and non-reacting pulverised fuel particles. <i>Fuel</i> , 2021, 287, 119415.	3.4	3
61	CFD Simulation of a 100 MWth Lithium Combustion Slag Tap Furnace as a basis for an Energy Storage Process. <i>Energy Procedia</i> , 2017, 105, 3978-3983.	1.8	2
62	Influence of the Mineral Content on the Emissivity of Hydrothermal Char. <i>Chemical Engineering and Technology</i> , 2020, 43, 1016-1020.	0.9	2
63	Comprehensive Data Set of Single Particle Combustion under Oxy-fuel Conditions, Part II: Data Set. <i>Combustion Science and Technology</i> , 2020, , 1-16.	1.2	2
64	Drying of Iron Chloride Solutions: Laser Heating of Levitated Single Particles. <i>Chemical Engineering and Technology</i> , 2015, 38, 947-951.	0.9	1
65	Numerical investigation on particle swelling in spray roasting reactors. <i>International Journal of Multiphase Flow</i> , 2016, 85, 38-47.	1.6	1
66	Pulverized coal ignition testing under air-fired conditions using the Zelkowsky method: comparison of coals of different rank and provenience. <i>Energy Procedia</i> , 2017, 120, 173-180.	1.8	1
67	Einfluss der Partikelgröße auf den Partikelemissionsgrad eines Steinkohlekokeses. , 2017, , 85-96.		1
68	Adjoint-based sensitivity analysis of char combustion surface reaction kinetics. <i>Fuel</i> , 2021, 287, 119503.	3.4	0