## M F Ismail

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/847261/publications.pdf

Version: 2024-02-01

|          |                | 394421       | 477307         |
|----------|----------------|--------------|----------------|
| 90       | 1,187          | 19           | 29             |
| papers   | citations      | h-index      | g-index        |
|          |                |              |                |
|          |                |              |                |
| 91       | 91             | 91           | 760            |
| 71       | 71             | 71           | 700            |
| all docs | docs citations | times ranked | citing authors |
|          |                |              |                |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Arc-shaped fiber coated with Ta2AlC MAX phase as mode-locker for pulse laser generation in thulium/holmium doped fiber laser. Optik, 2022, 252, 168508.                              | 2.9 | 9         |
| 2  | Strain Sensor Based on Embedded Fiber Bragg Grating in Thermoplastic Polyurethane Using the 3D Printing Technology for Improved Sensitivity. Photonic Sensors, 2022, 12, 1.          | 5.0 | 13        |
| 3  | A High-Precision Extensometer System for Ground Displacement Measurement Using Fiber Bragg<br>Grating. IEEE Sensors Journal, 2022, 22, 8509-8521.                                    | 4.7 | 10        |
| 4  | Temperature-independent vibration sensor based on Fabry–Perot interferometer using a fiber Bragg grating approach. Optical Engineering, 2022, 61, .                                  | 1.0 | 2         |
| 5  | Passively Q-switched $1.3 \hat{A}^{1/4}$ m bismuth doped-fiber laser based on transition metal dichalcogenides saturable absorbers. Optical Fiber Technology, 2022, 69, 102851.      | 2.7 | 10        |
| 6  | Enhancement of four-wave mixing and supercontinuum generations aided with dual arc-shaped fiber with 2D material. IEEE Journal of Quantum Electronics, 2022, , 1-1.                  | 1.9 | 0         |
| 7  | S-band Mode-locked Thulium-doped fluoride fiber laser using FePS3 as saturable absorber. Optical Fiber Technology, 2022, 72, 102985.   | 2.7 | 8         |
| 8  | Tunable Q-switched ytterbium-doped fibre laser with Nickel Oxide saturable absorber. Indian Journal of Physics, 2021, 95, 361-366.   | 1.8 | 1         |
| 9  | 3D-Printed Tilt Sensor Based on an Embedded Two-Mode Fiber Interferometer. IEEE Sensors Journal, 2021, 21, 7565-7571.  | 4.7 | 9         |
| 10 | Generation of four-wave mixing in molybdenum ditelluride (MoTe <sub>2</sub> )-deposited side-polished fibre. Journal of Modern Optics, 2021, 68, 425-432.                            | 1.3 | 7         |
| 11 | Biaxial 3D-Printed Inclinometer Based on Fiber Bragg Grating Technology. IEEE Sensors Journal, 2021, 21, 18815-18822.  | 4.7 | 8         |
| 12 | Mode-locked thulium/holmium-doped fiber laser with vanadium carbide deposited on tapered fiber.<br>Optical Fiber Technology, 2021, 65, 102589.                                       | 2.7 | 8         |
| 13 | Novel 3D-printed biaxial tilt sensor based on fiber Bragg grating sensing approach. Sensors and Actuators A: Physical, 2021, 330, 112864.  | 4.1 | 22        |
| 14 | The performance of Ti2C MXene and Ti2AlC MAX Phase as saturable absorbers for passively mode-locked fiber laser. Optical Fiber Technology, 2021, 67, 102683.                         | 2.7 | 22        |
| 15 | Tunable Spacing Dual-Wavelength Q-Switched Fiber Laser Based on Tunable FBG Device. Photonics, 2021, 8, 524.   | 2.0 | 7         |
| 16 | Configurable triple wavelength semiconductor optical amplifier fiber laser using multiple broadband mirrors. Microwave and Optical Technology Letters, 2020, 62, 46-52.              | 1.4 | 4         |
| 17 | Q-switched Thulium-doped fiber laser at 1860†nm and 1930†nm using a Holmium-doped fiber as an amplified spontaneous emission filter. Optics and Laser Technology, 2020, 123, 105908. | 4.6 | 3         |
| 18 | Frequency switching multiwavelength Brillouin Raman fibre laser based on feedback power adjustment technique. Journal of Modern Optics, 2020, 67, 951-957.                           | 1.3 | 6         |

| #  | Article   | IF         | Citations |
|----|---|------------|-----------|
| 19 | Passively Q-switched thulium fluoride fiber laser operating in S-band region using N-doped graphene saturable absorber. Indian Journal of Physics, 2020, 95, 1837.<br>All-fiberized, mode-locked laser at <mml:math <="" td="" xmlns:mml="http://www.w3.org/1998/Math/MathML"><td>1.8</td><td>2</td></mml:math>                             | 1.8        | 2         |
| 20 | display="inline" id="d1e95" altimg="si1.svg"> <mml:mrow><mml:mn>1</mml:mn><mml:mo>.</mml:mo><mml:mn>95</mml:mn><mml:mspawidth="1em" class="nbsp"></mml:mspawidth="1em"><mml:mi></mml:mi><mml:mi mathvariant="normal">1¼</mml:mi><mml:mi mathvariant="normal">1,4</mml:mi><mml:mi< td=""><td>ace<br/>2.1</td><td>6</td></mml:mi<></mml:mrow> | ace<br>2.1 | 6         |
| 21 | evanescent field interaction. Optics Communications, 2020, 476, 126329.  Narrow bandwidth optimization using a polymer microring resonator in a thulium–holmium fiber laser cavity. Optics Communications, 2020, 466, 125574.   | 2.1        | 1         |
| 22 | Q-switched fiber laser based on CdS quantum dots as a saturable absorber. Results in Physics, 2020, 16, 103123.   | 4.1        | 24        |
| 23 | 155 nm-wideband and tunable q-switched fiber laser using an MXene<br>Ti <sub>3</sub> C <sub>2</sub> T <sub>X</sub> coated microfiber based saturable absorber. Laser<br>Physics Letters, 2020, 17, 085103.  | 1.4        | 21        |
| 24 | Passively Q-switched S+/S band fiber laser with copper telluride saturable absorber. Laser Physics Letters, 2020, 17, 095102.   | 1.4        | 8         |
| 25 | MoSSe-based passively modulated erbium doped fiber laser. Laser Physics, 2020, 30, 095104.  | 1.2        | O         |
| 26 | 1.8 Âμm passively Q-switched thulium-doped fiber laser. Optics and Laser Technology, 2019, 120, 105757.   | 4.6        | 6         |
| 27 | Investigation of structural and optoelectronic properties of n-MoS2/p-Si sandwiched heterojunction photodetector. Optik, 2019, 198, 163237.   | 2.9        | 10        |
| 28 | Generation of sub-nanosecond pulse in dual-wavelength praseodymium fluoride fibre laser. Laser Physics, 2019, 29, 105101.   | 1.2        | 2         |
| 29 | Improvement of 2-νm Thulium-Doped Fiber Lasers via ASE Suppression Using All-Solid Low-Pass Photonic Bandgap Fibers. Journal of Lightwave Technology, 2019, 37, 5686-5691.  | 4.6        | 4         |
| 30 | Molybdenum tungsten disulphide (MoWS <sub>2</sub> ) as a saturable absorber for a passively Q-switched thulium/holmium-codoped fibre laser. Journal of Modern Optics, 2019, 66, 1163-1171.  | 1.3        | 14        |
| 31 | Surface plasmonic effect of nanoparticle-like silver nanostructure on the high responsivity of visible/infrared silver-based heterojunction photodetector. Journal of Modern Optics, 2019, 66, 1329-1338.   | 1.3        | 1         |
| 32 | Soliton mode-locking in thulium-doped fibre laser by evanescent field interaction with reduced graphene oxide-titanium dioxide saturable absorber. Laser Physics Letters, 2019, 16, 075102.   | 1.4        | 6         |
| 33 | Mode-locked pulse generation in erbium-doped fiber laser by evanescent field interaction with reduced graphene oxide-titanium dioxide nanohybrid. Optics and Laser Technology, 2019, 118, 93-101.   | 4.6        | 22        |
| 34 | Mode-locked near-infrared thulium doped fibre laser using evanescent field effect with Bi <sub>2</sub> O <sub>3</sub> saturable absorber. Laser Physics, 2019, 29, 055104.  | 1,2        | 3         |
| 35 | Fabrication and characterization of tungsten disulphide/silicon heterojunction photodetector for near infrared illumination. Optik, 2019, 185, 819-826.   | 2.9        | 10        |
| 36 | Optically Modulated Tunable O-Band Praseodymium-Doped Fluoride Fiber Laser Utilizing Multi-Walled Carbon Nanotube Saturable Absorber < sup>* < /sup>. Chinese Physics Letters, 2019, 36, 104202.  | 3.3        | 7         |

| #  | Article   | IF  | Citations |
|----|---|-----|-----------|
| 37 | Mode-locked thulium doped fiber laser with zinc oxide saturable absorber for 2â€Î¼m operation. Infrared Physics and Technology, 2019, 97, 142-148.  | 2.9 | 32        |
| 38 | Compact L-band switchable dual wavelength SOA based on linear cavity fiber laser. Optik, 2019, 182, 37-41.  | 2.9 | 7         |
| 39 | Ternary MoWSe <mml:math altimg="si14.gif" display="inline" id="d1e463" overflow="scroll" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:msub><mml:mrow></mml:mrow><mml:mrow><mml:mrow></mml:mrow></mml:mrow></mml:msub></mml:math> alloy saturable absorber for passively O-switched Yb-, Er- and Tm-doped fiber laser. Optics Communications. 2019. 437. 355-362. | 2.1 | 26        |
| 40 | Tungsten-disulphide-based heterojunction photodetector. Applied Optics, 2019, 58, 4014.   | 1.8 | 10        |
| 41 | Graphene-PVA saturable absorber for generation of a wavelength-tunable passively Q-switched thulium-doped fiber laser in 2.0 <i><math>\hat{A}\mu</math></i> m. Laser Physics, 2018, 28, 055105.   | 1.2 | 17        |
| 42 | Visible Wireless Communications Using Solitonic Carriers Generated by Microring Resonators (MRRs). Iranian Journal of Science and Technology, Transaction A: Science, 2018, 42, 1595-1601.  | 1.5 | 7         |
| 43 | 70†nm, broadly tunable passively Q-switched thulium-doped fiber laser with few-layer Mo0.8W0.2S2 saturable absorber. Optical Fiber Technology, 2018, 46, 230-237.   | 2.7 | 7         |
| 44 | Ultrafast mode-locked dual-wavelength thulium-doped fiber laser using a Mach-Zehnder interferometric filter. Opto-electronics Review, 2018, 26, 312-316.  | 2.4 | 3         |
| 45 | In <sub>2</sub> Se <sub>3</sub> saturable absorber for generating tunable Q-switched outputs from a bismuth–erbium doped fiber laser. Laser Physics Letters, 2018, 15, 115105.  | 1.4 | 12        |
| 46 | Q-switched thulium/holmium fiber laser with gallium selenide. Optik, 2018, 175, 87-92.  | 2.9 | 5         |
| 47 | Passive mode-locking in erbium-doped fibre laser based on BN-GO saturable absorber. Journal of Modern Optics, 2018, 65, 2339-2349.  | 1.3 | 5         |
| 48 | Characterization of light-control-light system using graphene oxide coated optical waveguide. Laser Physics, 2018, 28, 076001.  | 1.2 | 5         |
| 49 | Tunable mode-locked soliton fibre laser based on single-walled carbon nanotubes. Quantum Electronics, 2018, 48, 930-935.  | 1.0 | 3         |
| 50 | Tunable 2.0 <i>Â<math>\mu</math></i> m Q-switched fiber laser using a silver nanoparticle based saturable absorber. Laser Physics, 2017, 27, 065110.  | 1.2 | 16        |
| 51 | 2Âμm mode-locked thulium-doped fiber laser using Mach–Zehnder interferometer tuning capability.<br>Laser Physics, 2017, 27, 065104.   | 1.2 | 16        |
| 52 | Molybdenum disulfide side-polished fiber saturable absorber Q-switched fiber laser. Optics Communications, 2017, 400, 55-60.  | 2.1 | 17        |
| 53 | Aluminized Film as Saturable Absorber for Generating Passive Q-Switched Pulses in the Two-Micron Region. Journal of Lightwave Technology, 2017, 35, 2470-2475.  | 4.6 | 17        |
| 54 | PERFORMANCE ANALYSIS OF COPPER TIN SULFIDE, Cu <sub>2</sub> SnS <sub>3</sub> (CTS) WITH VARIOUS BUFFER LAYERS BY USING SCAPS IN SOLAR CELLS. Surface Review and Letters, 2017, 24, 1750073.   | 1.1 | 5         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Fabrication and Characterization of Microbent Inline Microfiber Interferometer for Compact Temperature and Current Sensing Applications. Journal of Lightwave Technology, 2017, 35, 2150-2155. | 4.6 | 15        |
| 56 | Dual-wavelength, passively Q-switched thulium-doped fiber laser with N-doped graphene saturable absorber. Optik, 2017, 149, 391-397.   | 2.9 | 4         |
| 57 | Analysis of semiconductor InGaAsP/InP coupled microring resonators (CMRR) by time-domain travelling wave (TDTW) method. Journal of Optics (India), 2017, 46, 311-319.                          | 1.7 | 0         |
| 58 | S-band Q-switched fiber laser using MoSe 2 saturable absorber. Optics Communications, 2017, 382, 93-98.  | 2.1 | 51        |
| 59 | Tunable Q-switched thulium-doped Fiber Laser using multiwall carbon nanotube and Fabry-Perot Etalon filter. Optics Communications, 2017, 383, 359-365.   | 2.1 | 26        |
| 60 | Graphene oxide (GO)-based wideband optical polarizer using a non-adiabatic microfiber. Journal of Modern Optics, 2017, 64, 439-444.  | 1.3 | 2         |
| 61 | Application of MoS <sub>2</sub> thin film in multi-wavelength and Q-switched EDFL. Journal of Modern Optics, 2017, 64, 457-461.  | 1.3 | 8         |
| 62 | A combination of tapered fibre and polarization controller in generating highly stable and tunable dual-wavelength C-band laser. Journal of Modern Optics, 2017, 64, 709-715.                  | 1.3 | 15        |
| 63 | Evanescent field interaction of tapered fiber with graphene oxide in generation of wide-bandwidth mode-locked pulses. Optics and Laser Technology, 2017, 88, 166-171.                          | 4.6 | 23        |
| 64 | High sensitivity surface plasmon resonance (SPR) refractive index sensor in 1.5 $\hat{l}^{1}/4$ m. Materials Express, 2017, 7, 145-150.  | 0.5 | 8         |
| 65 | All-fiber multimode interferometer for the generation of a switchable multi-wavelength thulium-doped fiber laser. Applied Optics, 2017, 56, 5865.  | 1.8 | 16        |
| 66 | Investigation of ellipticity and pump power in a passively mode-locked fiber laser using the nonlinear polarization rotation technique. Chinese Optics Letters, 2017, 15, 051402-51406.        | 2.9 | 2         |
| 67 | Bidirectional-pumped tunable fiber laser using a voltage-controlled Fabry-Perot Etalon filter.<br>Malaysian Journal of Fundamental and Applied Sciences, 2017, 13, .                           | 0.8 | 0         |
| 68 | Single and Double Brillouin Frequency Spacing Multi-Wavelength Brillouin Erbium Fiber Laser With Micro-Air Gap Cavity. IEEE Journal of Quantum Electronics, 2016, 52, 1-5.                     | 1.9 | 19        |
| 69 | Silicon-based microring resonators for multi-solitons generation for THz communication. Optical and Quantum Electronics, 2016, 48, 1.  | 3.3 | 10        |
| 70 | Using a black phosphorus saturable absorber to generate dual wavelengths in a Q-switched ytterbium-doped fiber laser. Laser Physics Letters, 2016, 13, 085102.                                 | 1.4 | 70        |
| 71 | Generation of mode-locked erbium-doped fiber laser using MoSe <sub>2</sub> as saturable absorber. Optical Engineering, 2016, 55, 076115.   | 1.0 | 19        |
| 72 | Zinc oxide (ZnO) nanoparticles as saturable absorber in passively Q-switched fiber laser. Optics Communications, 2016, 381, 72-76.   | 2.1 | 85        |

| #  | Article  | IF  | Citations |
|----|--|-----|-----------|
| 73 | Passively Q-switched thulium-doped fiber laser with silver-nanoparticle film as the saturable absorber for operation at $2.0 < i > \hat{A}\mu < /i > m$ . Laser Physics Letters, 2016, 13, 126201. | 1.4 | 12        |
| 74 | Q-switched ytterbium-doped fiber laser with zinc oxide based saturable absorber. Laser Physics, 2016, 26, 115107.  | 1.2 | 25        |
| 75 | Tunable single wavelength erbium-doped fiber ring laser based on in-line Mach-Zehnder strain. Optik, 2016, 127, 8326-8332.   | 2.9 | 25        |
| 76 | Tunable passively Q-switched thulium-doped fiber laser operating at 1.9 $\hat{l}$ 4m using arrayed waveguide grating (AWG). Optics Communications, 2016, 380, 195-200.                             | 2.1 | 11        |
| 77 | Titanium dioxide-based Q-switched dual wavelength in the 1 micron region. Chinese Optics Letters, 2016, 14, 091403-91407.  | 2.9 | 18        |
| 78 | A Stable Dual-wavelength Thulium-doped Fiber Laser at 1.9 $\hat{l}$ 4m Using Photonic Crystal Fiber. Scientific Reports, 2015, 5, 14537.   | 3.3 | 73        |
| 79 | Tunable dual-wavelength thulium-doped fiber laser at $1.8 \hat{A} \hat{I} / 4$ m region using spatial-mode beating. Journal of Modern Optics, 2015, 62, 892-896.                                   | 1.3 | 20        |
| 80 | Q-switched Yb-doped fiber laser operating at 1073 nm using a carbon nanotubes saturable absorber. Microwave and Optical Technology Letters, 2014, 56, 1770-1773.                                   | 1.4 | 20        |
| 81 | Tunable single Stokes extraction from 20  GHz Brillouin fiber laser using ultranarrow bandwidth optical filter. Applied Optics, 2014, 53, 6944.  | 1.8 | 4         |
| 82 | All-incoherent wavelength conversion in highly nonlinear fiber using four-wave mixing. Optical Engineering, 2014, 53, 096112.  | 1.0 | 6         |
| 83 | Four-wave mixing analyses for future ultrafast wavelength conversion at 0.64     Tb / s in a semiconductor optical amplifier. Optical Engineering, 2014, 53, 116111.                               | 1.0 | O         |
| 84 | Multiwall carbon nanotube polyvinyl alcohol-based saturable absorber in passively Q-switched fiber laser. Applied Optics, 2014, 53, 7025.  | 1.8 | 16        |
| 85 | Supercontinuum generation from a sub-megahertz repetition rate femtosecond pulses based on nonlinear polarization rotation technique. Journal of Modern Optics, 2014, 61, 1333-1338.               | 1.3 | 1         |
| 86 | A Q-Switched Erbium-Doped Fiber Laser with a Carbon Nanotube Based Saturable Absorber. Chinese Physics Letters, 2012, 29, 114202.  | 3.3 | 67        |
| 87 | Uplink call admission control with adaptive bit rate degradation for WCDMA. , 2009, , .  |     | O         |
| 88 | Seamless handover between WiMAX and UMTS., 2009,,.   |     | 9         |
| 89 | Implementing a reconfigurable MAP decoder on a soft core processor system., 0,,.   |     | 0         |
| 90 | Isolator-free, widely tunable thulium/holmium fiber laser. Malaysian Journal of Fundamental and Applied Sciences, 0, 14, 439-442.  | 0.8 | 1         |