

Miguel Xavier

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8472883/miguel-xavier-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

90
papers

4,360
citations

29
h-index

65
g-index

95
ext. papers

5,463
ext. citations

4.8
avg, IF

4.6
L-index

| # | Paper | IF | Citations |
|----|--|-----|-----------|
| 90 | Perceived helpfulness of service sectors used for mental and substance use disorders: Findings from the WHO World Mental Health Surveys.. <i>International Journal of Mental Health Systems</i> , 2022 , 16, 6 | 3.6 | 1 |
| 89 | Perceived helpfulness of treatment for social anxiety disorder: findings from the WHO World Mental Health Surveys.. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022 , 1 | 4.5 | 1 |
| 88 | Dealing with the COVID-19 pandemic in Europe: five lessons from the European Society for Traumatic Stress Studies.. <i>European Journal of Psychotraumatology</i> , 2022 , 13, 2046330 | | 1 |
| 87 | Barriers and facilitators to implementing a continuing medical education intervention in a primary health care setting.. <i>BMC Health Services Research</i> , 2022 , 22, 638 | 2.9 | 3 |
| 86 | How Many People Live with Dementia in Portugal? A Discussion Paper of National Estimates. <i>Portuguese Journal of Public Health</i> , 2021 , 39, 58-68 | 1.5 | 0 |
| 85 | Perceived helpfulness of treatment for generalized anxiety disorder: a World Mental Health Surveys report. <i>BMC Psychiatry</i> , 2021 , 21, 392 | 4.2 | 1 |
| 84 | Suicide time-series structural change analysis in Portugal (1913-2018): Impact of register bias on suicide trends. <i>Journal of Affective Disorders</i> , 2021 , 291, 65-75 | 6.6 | 1 |
| 83 | Childhood adversities and the comorbidity between mood and general medical disorders in adults: Results from the WHO World Mental Health Survey Portugal. <i>Brain, Behavior, & Immunity - Health</i> , 2021 , 17, 100329 | 5.1 | 0 |
| 82 | Patterns of care and dropout rates from outpatient mental healthcare in low-, middle- and high-income countries from the World Health Organization's World Mental Health Survey Initiative. <i>Psychological Medicine</i> , 2020 , 1-13 | 6.9 | 4 |
| 81 | How did the use of psychotropic drugs change during the Great Recession in Portugal? A follow-up to the National Mental Health Survey. <i>BMC Psychiatry</i> , 2020 , 20, 215 | 4.2 | 3 |
| 80 | Barriers to mental health services utilisation in Portugal - results from the National Mental Health Survey. <i>Journal of Mental Health</i> , 2020 , 1-9 | 2.7 | 2 |
| 79 | Trauma exposure and ptsd in portugal: Findings from the world mental health survey initiative. <i>Psychiatry Research</i> , 2020 , 284, 112644 | 9.9 | 4 |
| 78 | Transdiagnostic development of internalizing psychopathology throughout the life course up to age 45: a World Mental Health Surveys report. <i>Psychological Medicine</i> , 2020 , 1-10 | 6.9 | 0 |
| 77 | Reducing the Number of People with Dementia Through Primary Prevention in Mozambique, Brazil, and Portugal: An Analysis of Population-Based Data. <i>Journal of Alzheimer's Disease</i> , 2019 , 70, S283-S291 | 4.3 | 16 |
| 76 | The prevalence of late-life depression in a Portuguese community sample: A 10/66 Dementia Research Group study. <i>Journal of Affective Disorders</i> , 2019 , 246, 674-681 | 6.6 | 5 |
| 75 | Needs Assessment Framework for Mental Health Policy in Treating Persons With Serious Mental Illness in Azerbaijan. <i>Psychiatric Services</i> , 2019 , 70, 432-435 | 3.3 | 2 |
| 74 | The influence of clerkship on students' stigma towards mental illness: a meta-analysis. <i>Medical Education</i> , 2018 , 52, 694-704 | 3.7 | 23 |

| | | | |
|----|--|------|-----|
| 73 | Suicidal thoughts and behaviors among college students and same-aged peers: results from the World Health Organization World Mental Health Surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018 , 53, 279-288 | 4.5 | 58 |
| 72 | The association between childhood adversities and subsequent first onset of psychotic experiences: a cross-national analysis of 23 998 respondents from 17 countries. <i>Psychological Medicine</i> , 2017 , 47, 1230-1245 | 6.9 | 81 |
| 71 | Days out of role due to common physical and mental conditions in Portugal: results from the WHO World Mental Health Survey. <i>BJPsych Open</i> , 2017 , 3, 15-21 | 5 | 15 |
| 70 | Substance dependence among those without symptoms of substance abuse in the World Mental Health Survey. <i>International Journal of Methods in Psychiatric Research</i> , 2017 , 26, | 4.3 | 10 |
| 69 | The association between psychotic experiences and disability: results from the WHO World Mental Health Surveys. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 136, 74-84 | 6.5 | 42 |
| 68 | Posttraumatic stress disorder in the World Mental Health Surveys. <i>Psychological Medicine</i> , 2017 , 47, 2260-2274 | 6.3 | 337 |
| 67 | The cross-national epidemiology of specific phobia in the World Mental Health Surveys. <i>Psychological Medicine</i> , 2017 , 47, 1744-1760 | 6.9 | 74 |
| 66 | The prevalence of dementia in a Portuguese community sample: a 10/66 Dementia Research Group study. <i>BMC Geriatrics</i> , 2017 , 17, 261 | 4.1 | 16 |
| 65 | The cross-national epidemiology of social anxiety disorder: Data from the World Mental Health Survey Initiative. <i>BMC Medicine</i> , 2017 , 15, 143 | 11.4 | 149 |
| 64 | Association Between Psychotic Experiences and Subsequent Suicidal Thoughts and Behaviors: A Cross-National Analysis From the World Health Organization World Mental Health Surveys. <i>JAMA Psychiatry</i> , 2017 , 74, 1136-1144 | 14.5 | 41 |
| 63 | Multistage modeling for the classification of numerical and categorical datasets 2017 , | | 2 |
| 62 | The role of religious advisors in mental health care in the World Mental Health surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017 , 52, 353-367 | 4.5 | 14 |
| 61 | The descriptive epidemiology of DSM-IV Adult ADHD in the World Health Organization World Mental Health Surveys. <i>ADHD Attention Deficit and Hyperactivity Disorders</i> , 2017 , 9, 47-65 | 3.1 | 284 |
| 60 | A Gaussian random field model for similarity-based smoothing in Bayesian disease mapping. <i>Statistical Methods in Medical Research</i> , 2016 , 25, 1166-84 | 2.3 | 4 |
| 59 | A Cross-National Examination of Differences in Classification of Lifetime Alcohol Use Disorder Between DSM-IV and DSM-5: Findings from the World Mental Health Survey. <i>Alcoholism: Clinical and Experimental Research</i> , 2016 , 40, 1728-36 | 3.7 | 26 |
| 58 | Implementa em Portugal de um estudo de prevalcia da demncia e da depress geritrica: a metodologia do 10/66 Dementia Research Group. <i>Revista Portuguesa De Saude Publica</i> , 2016 , 34, 134-143 | | 4 |
| 57 | Suicidality in primary care patients who present with sadness and anhedonia: a prospective European study. <i>BMC Psychiatry</i> , 2016 , 16, 94 | 4.2 | 9 |
| 56 | The cross-national epidemiology of DSM-IV intermittent explosive disorder. <i>Psychological Medicine</i> , 2016 , 46, 3161-3172 | 6.9 | 16 |

| | | | |
|----|--|-----|-----|
| 55 | Adesão ao tratamento nas perturbações psiquiátricas: o impacto das atitudes e das crenças em profissionais de serviços de psiquiatria e saúde mental em Portugal. Parte I: aspetos conceptuais e metodológicos. <i>Revista Portuguesa De Saude Publica</i> , 2016 , 34, 209-219 | | 1 |
| 54 | Associations between DSM-IV mental disorders and subsequent non-fatal, self-reported stroke. <i>Journal of Psychosomatic Research</i> , 2015 , 79, 130-6 | 4.1 | 11 |
| 53 | Anxious and non-anxious major depressive disorder in the World Health Organization World Mental Health Surveys. <i>Epidemiology and Psychiatric Sciences</i> , 2015 , 24, 210-26 | 5.1 | 208 |
| 52 | The associations between preexisting mental disorders and subsequent onset of chronic headaches: a worldwide epidemiologic perspective. <i>Journal of Pain</i> , 2015 , 16, 42-52 | 5.2 | 23 |
| 51 | Proportion of patients without mental disorders being treated in mental health services worldwide. <i>British Journal of Psychiatry</i> , 2015 , 206, 101-9 | 5.4 | 22 |
| 50 | Major depressive disorder subtypes to predict long-term course. <i>Depression and Anxiety</i> , 2014 , 31, 765-78 | 7.4 | 47 |
| 49 | The Marist stigma scale: a standardized international measure of the stigma of schizophrenia and other psychoses. <i>BMC Psychiatry</i> , 2014 , 14, 182 | 4.2 | 6 |
| 48 | Unmet needs in the management of schizophrenia. <i>Neuropsychiatric Disease and Treatment</i> , 2014 , 10, 97-110 | 3.1 | 40 |
| 47 | Standardization of the MARIST scale to measure needs in people with schizophrenia and related psychoses. <i>International Journal of Social Psychiatry</i> , 2014 , 60, 219-26 | 8.5 | 2 |
| 46 | A comparative analysis of role attainment and impairment in binge-eating disorder and bulimia nervosa: results from the WHO World Mental Health Surveys. <i>Epidemiology and Psychiatric Sciences</i> , 2014 , 23, 27-41 | 5.1 | 39 |
| 45 | Barriers to mental health treatment: results from the WHO World Mental Health surveys. <i>Psychological Medicine</i> , 2014 , 44, 1303-17 | 6.9 | 509 |
| 44 | The effects of co-morbidity in defining major depression subtypes associated with long-term course and severity. <i>Psychological Medicine</i> , 2014 , 44, 3289-302 | 6.9 | 19 |
| 43 | Associations between mental disorders and subsequent onset of hypertension. <i>General Hospital Psychiatry</i> , 2014 , 36, 142-9 | 5.6 | 69 |
| 42 | Implementing the World Mental Health Survey Initiative in Portugal - rationale, design and fieldwork procedures. <i>International Journal of Mental Health Systems</i> , 2013 , 7, 19 | 3.6 | 27 |
| 41 | Risk factors for onset of multiple or long major depressive episodes versus single and short episodes. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 1067-75 | 4.5 | 11 |
| 40 | CANFOR Portuguese version: validation study. <i>BMC Psychiatry</i> , 2013 , 13, 157 | 4.2 | 5 |
| 39 | The prevalence and correlates of binge eating disorder in the World Health Organization World Mental Health Surveys. <i>Biological Psychiatry</i> , 2013 , 73, 904-14 | 7.9 | 741 |
| 38 | Impact of psychosis on Portuguese caregivers: a cross-cultural exploration of burden, distress, positive aspects and clinical-functional correlates. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 325-35 | 4.5 | 28 |

| | | | |
|----|--|-----|-----|
| 37 | Spiritual and religious beliefs as risk factors for the onset of major depression: an international cohort study. <i>Psychological Medicine</i> , 2013 , 43, 2109-20 | 6.9 | 38 |
| 36 | Affective disorders and risk of developing dementia: systematic review. <i>British Journal of Psychiatry</i> , 2013 , 202, 177-86 | 5.4 | 215 |
| 35 | Standardization of the Maristå Scale of Informal Care in people with schizophrenia and other psychoses. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 128, 468-74 | 6.5 | 2 |
| 34 | Predicting onset of major depression in general practice attendees in Europe: extending the application of the predictD risk algorithm from 12 to 24 months. <i>Psychological Medicine</i> , 2013 , 43, 1929-39 | 6.9 | 14 |
| 33 | Disability mediates the impact of common conditions on perceived health. <i>PLoS ONE</i> , 2013 , 8, e65858 | 3.7 | 20 |
| 32 | Recent life events pose greatest risk for onset of major depressive disorder during mid-life. <i>Journal of Affective Disorders</i> , 2012 , 136, 505-13 | 6.6 | 13 |
| 31 | Differential impact of risk factors for women and men on the risk of major depressive disorder. <i>Annals of Epidemiology</i> , 2012 , 22, 388-96 | 6.4 | 16 |
| 30 | Caregiving in severe mental illness: the psychometric properties of the Involvement Evaluation Questionnaire in Portugal. <i>Annals of General Psychiatry</i> , 2012 , 11, 8 | 3.4 | 7 |
| 29 | Role of common mental and physical disorders in partial disability around the world. <i>British Journal of Psychiatry</i> , 2012 , 200, 454-61 | 5.4 | 59 |
| 28 | Depression, anxiety and physical function: exploring the strength of causality. <i>Journal of Epidemiology and Community Health</i> , 2012 , 66, e25 | 5.1 | 32 |
| 27 | Standardised measures of needs, stigma and informal care in schizophrenia using a bottom-up, cross-cultural approach. <i>Mental Health in Family Medicine</i> , 2012 , 9, 125-34 | | 3 |
| 26 | Associations between unemployment and major depressive disorder: evidence from an international, prospective study (the predict cohort). <i>Social Science and Medicine</i> , 2011 , 73, 1627-34 | 5.1 | 80 |
| 25 | Obsessive-compulsive symptoms in primary focal dystonia: a controlled study. <i>Movement Disorders</i> , 2011 , 26, 2274-8 | 7 | 41 |
| 24 | An international risk prediction algorithm for the onset of generalized anxiety and panic syndromes in general practice attendees: predictA. <i>Psychological Medicine</i> , 2011 , 41, 1625-39 | 6.9 | 22 |
| 23 | Predicting the onset of major depression in primary care: international validation of a risk prediction algorithm from Spain. <i>Psychological Medicine</i> , 2011 , 41, 2075-88 | 6.9 | 33 |
| 22 | Heavy episodic drinking in Europe: a cross section study in primary care in six European countries. <i>Alcohol and Alcoholism</i> , 2011 , 46, 600-6 | 3.5 | 17 |
| 21 | Development and validation of a risk model for prediction of hazardous alcohol consumption in general practice attendees: the predictAL study. <i>PLoS ONE</i> , 2011 , 6, e22175 | 3.7 | 3 |
| 20 | Comparison of risk factors for the onset and maintenance of depression. <i>British Journal of Psychiatry</i> , 2010 , 196, 13-7 | 5.4 | 25 |

| | | | |
|----|---|-----|-----|
| 19 | Resistant schizophrenia in a patient with epilepsy. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010 , 34, 559-60 | 5.5 | |
| 18 | Impact of clerkship in the attitudes toward psychiatry among Portuguese medical students. <i>BMC Medical Education</i> , 2010 , 10, 56 | 3.3 | 24 |
| 17 | Munchausen syndrome mimicking psychiatric disease with concomitant genuine physical illness. <i>BMJ Case Reports</i> , 2010 , 2010, | 0.9 | 4 |
| 16 | Acute psychotic episode in a patient with thyrotoxicosis factitia. <i>BMJ Case Reports</i> , 2009 , 2009, | 0.9 | 3 |
| 15 | Bipolar disorder, homocysteine and white matter hyperintensities. <i>Bipolar Disorders</i> , 2008 , 10, 748-9 | 3.8 | 1 |
| 14 | Development and validation of an international risk prediction algorithm for episodes of major depression in general practice attendees: the PredictD study. <i>Archives of General Psychiatry</i> , 2008 , 65, 1368-76 | | 115 |
| 13 | Prevalence of common mental disorders in general practice attendees across Europe. <i>British Journal of Psychiatry</i> , 2008 , 192, 362-7 | 5.4 | 196 |
| 12 | Set-shifting and behavioral dysfunction in primary focal dystonia. <i>Movement Disorders</i> , 2008 , 23, 200-6 | 7 | 38 |
| 11 | Arachnoid cyst in a patient with psychosis: Case report. <i>Annals of General Psychiatry</i> , 2007 , 6, 16 | 3.4 | 21 |
| 10 | Schizophrenia and quality of life: a one-year follow-up in four EU countries. <i>BMC Psychiatry</i> , 2006 , 6, 39 | 4.2 | 15 |
| 9 | Prediction of depression in European general practice attendees: the PREDICT study. <i>BMC Public Health</i> , 2006 , 6, 6 | 4.1 | 58 |
| 8 | Needs for care among patients with schizophrenia in six European countries: a one-year follow-up study. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2006 , 2, 22 | 3.2 | 12 |
| 7 | Association of Huntington's disease and schizophrenia-like psychosis in a Huntington's disease pedigree. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2006 , 2, 1 | 3.2 | 53 |
| 6 | Obsessive-compulsive disorder and executive deficits in two patients with primary dystonia. <i>Parkinsonism and Related Disorders</i> , 2006 , 12, 388-91 | 3.6 | 7 |
| 5 | Sudden psychotic episode probably due to meningoencephalitis and Chlamydia pneumoniae acute infection. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2005 , 1, 15 | 3.2 | 10 |
| 4 | Psychosocial wellbeing and psychiatric care in the European Communities: analysis of macro indicators. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004 , 39, 883-92 | 4.5 | 36 |
| 3 | An evaluation of the therapeutic programme conducted by the Southern Regional Alcohol-Abuse Treatment Centre: study on the programme's results one year after discharge from inpatient care. <i>European Addiction Research</i> , 2001 , 7, 61-8 | 4.6 | 1 |
| 2 | Social and clinical factors influencing the choice of coping strategies in relatives of patients with schizophrenia: results of the BIOMED I study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1998 , 33, 413-9 | 4.5 | 49 |

- 1 Sequential Combined Treatment of Heroin Addicted Patients in Portugal with Naltrexone and Family Therapy. *European Addiction Research*, **1997**, 3, 138-145 4.6 3