List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8473388/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Current distribution of selected canine vectorâ€borne diseases in domestic dogs from Barranquilla and Puerto Colombia, Atlántico, Colombia. Veterinary Medicine and Science, 2022, 8, 46-51.	0.6	4
2	Seroprevalence of Feline Heartworm in Spain: Completing the Epidemiological Puzzle of a Neglected Disease in the Cat. Frontiers in Veterinary Science, 2022, 9, .	0.9	6
3	Expansion of Canine Heartworm in Spain. Animals, 2022, 12, 1268.	1.0	7
4	Host-Parasite Relationships in Porcine Ascariosis: Anticoagulant Potential of the Third Larval Stage of Ascaris suum as a Possible Survival Mechanism. Animals, 2021, 11, 804.	1.0	3
5	Angiostrongylus vasorum in Domestic Dogs in Castilla y León, Iberian Peninsula, Spain. Animals, 2021, 11, 1513.	1.0	7
6	Editorial: Zoonotic Diseases: Their Host and Vectors. Frontiers in Veterinary Science, 2021, 8, 773151.	0.9	0
7	Serological Survey of Canine Vector-Borne Infections in North-Center Spain. Frontiers in Veterinary Science, 2021, 8, 784331.	0.9	5
8	A possible relationship between Thromboxane B2 and Leukotriene B4 and the encapsulation of <i>Dirofilaria repens</i> worms in human subcutaneous dirofilariasis. Journal of Helminthology, 2020, 94, e67.	0.4	3
9	Dirofilaria immitis Could Be a Risk Factor for the Development of Allergic Diseases in Humans. Animals, 2020, 10, 1847.	1.0	2
10	New insights into the biology, diagnosis and immune response to Dirofilaria repens in the canine host. Veterinary Parasitology: X, 2020, 277, 100029.	2.7	11
11	Current Distribution of Selected Vector-Borne Diseases in Dogs in Spain. Frontiers in Veterinary Science, 2020, 7, 564429.	0.9	29
12	Current Situation of the Presence of Dirofilaria immitis in Dogs and Humans in Bucaramanga, Colombia. Frontiers in Veterinary Science, 2020, 7, 488.	0.9	9
13	Seroepidemiological Study of Canine and Human Dirofilariasis in the Endemic Region of Northern Serbia. Frontiers in Veterinary Science, 2020, 7, 571.	0.9	10
14	Prevalence of canine and human dirofilariosis in Puebla, Mexico. Veterinary Parasitology, 2020, 282, 109098.	0.7	3
15	Evaluation of serum biomarkers and proteinuria for the early detection of renal damage in dogs with heartworm (Dirofilaria immitis). Veterinary Parasitology, 2020, 283, 109144.	0.7	7
16	Evaluation of different dosages of doxycycline during the adulticide treatment of heartworm (Dirofilaria immitis) in dogs. Veterinary Parasitology, 2020, 283, 109141.	0.7	10
17	Angiogenesis in cardiopulmonary dirofilariosis: does the <i>Wolbachia</i> surface protein have a pro- or anti-angiogenic effect?. Journal of Helminthology, 2020, 94, e162.	0.4	4
18	Determinants of the current and future distribution of the West Nile virus mosquito vector Culex pipiens in Spain. Environmental Research, 2020, 188, 109837.	3.7	35

#	Article	IF	CITATIONS
19	First epidemiological survey of Angiostrongylus vasorum in domestic dogs from Spain. Parasites and Vectors, 2020, 13, 306.	1.0	11
20	<i>Dirofilaria immitis</i> possesses molecules with anticoagulant properties in its excretory/secretory antigens. Parasitology, 2020, 147, 559-565.	0.7	9
21	Pro-fibrinolytic potential of the third larval stage of Ascaris suum as a possible mechanism facilitating its migration through the host tissues. Parasites and Vectors, 2020, 13, 203.	1.0	4
22	Angiogenic response in an in vitro model of dog microvascular endothelial cells stimulated with antigenic extracts from Dirofilaria immitis adult worms. Parasites and Vectors, 2019, 12, 315.	1.0	8
23	Exposure of humans to the zoonotic nematode <i>Dirofilaria immitis</i> in Northern Portugal. Epidemiology and Infection, 2019, 147, e282.	1.0	9
24	Variation of the adulticide protocol for the treatment of canine heartworm infection: Can it be shorter?. Veterinary Parasitology, 2019, 271, 54-56.	0.7	11
25	The Canary Islands as a model of risk of pulmonary dirofilariasis in a hyperendemic area. Parasitology Research, 2018, 117, 933-936.	0.6	15
26	Current status of canine dirofilariosis in an endemic area of western Spain. Journal of Helminthology, 2018, 92, 520-523.	0.4	13
27	Seroepidemiological survey of human exposure to Dirofilaria spp. in Romania and Moldova. Acta Tropica, 2018, 187, 169-174.	0.9	30
28	Intestinal helminths in Iberian wolves (Canis lupus signatus) from Northwest Spain. The Open Parasitology Journal, 2018, 6, 106-111.	1.7	7
29	Human dirofilariasis in the eyelid caused by Dirofilaria repens : An imported case. Archivos De La Sociedad Espanola De Oftalmologia, 2017, 92, 439-441.	0.1	2
30	Interaction between Wolbachia and the fibrinolytic system as a possible pathological mechanism in cardiopulmonary dirofilariosis. Veterinary Parasitology, 2017, 247, 64-69.	0.7	5
31	Dirofilariasis palpebral causada por Dirofilaria repens: un caso importado. Archivos De La Sociedad Espanola De Oftalmologia, 2017, 92, 439-441.	0.1	3
32	Fifth European Dirofilaria and Angiostrongylus Days (FiEDAD) 2016. Parasites and Vectors, 2017, 10, .	1.0	4
33	Cardiopulmonary and inflammatory biomarkers in heartworm disease. Parasites and Vectors, 2017, 10, 534.	1.0	15
34	The Complexity of Zoonotic Filariasis Episystem and Its Consequences: A Multidisciplinary View. BioMed Research International, 2017, 2017, 1-10.	0.9	43
35	Prevalence of heartworm in dogs and cats of Madrid, Spain. Parasites and Vectors, 2017, 10, 354.	1.0	25
36	Glyceraldehyde 3-phosphate dehydrogenase and galectin from Dirofilaria immitis participate in heartworm disease endarteritis via plasminogen/plasmin system. Veterinary Parasitology, 2016, 223, 96-101.	0.7	12

#	Article	IF	CITATIONS
37	Plasmin in Parasitic Chronic Infections: Friend or Foe?. Trends in Parasitology, 2016, 32, 325-335.	1.5	34
38	The impact of the climate on the epidemiology of Dirofilaria immitis in the pet population of the Canary Islands. Veterinary Parasitology, 2016, 216, 66-71.	0.7	35
39	Validation of a questionnaire about the perception of occupational biohazard in Spanish companies. International Journal of Occupational Safety and Ergonomics, 2016, 22, 541-549.	1.1	1
40	Fibrinolysis and Proliferative Endarteritis: Two Related Processes in Chronic Infections? The Model of the Blood-Borne Pathogen Dirofilaria immitis. PLoS ONE, 2015, 10, e0124445.	1.1	32
41	Seroprevalence of heartworm (<i>Dirofilaria immitis</i>) in feline and canine hosts from central and northern Portugal. Journal of Helminthology, 2015, 89, 625-629.	0.4	25
42	Human subcutaneous/ocular dirofilariasis in the Russian Federation and Belarus, 1997–2013. International Journal of Infectious Diseases, 2015, 33, 209-211.	1.5	23
43	Prevalence of Dirofilaria immitis in dogs from Barcelona: Validation of a geospatial prediction model. Veterinary Parasitology, 2015, 212, 456-459.	0.7	30
44	Can the activation of plasminogen/plasmin system of the host by metabolic products of Dirofilaria immitis participate in heartworm disease endarteritis?. Parasites and Vectors, 2015, 8, 194.	1.0	23
45	Surface-displayed glyceraldehyde 3-phosphate dehydrogenase and galectin from Dirofilaria immitis enhance the activation of the fibrinolytic system of the host. Acta Tropica, 2015, 145, 8-16.	0.9	23
46	Exosomeâ€ŧransported micro <scp>RNA</scp> s of helminth origin: new tools for allergic and autoimmune diseases therapy?. Parasite Immunology, 2015, 37, 208-214.	0.7	41
47	Thirty cases of human subcutaneous dirofilariasis reported in Rostov-on-Don (Southwestern Russian) Tj ETQq1 I	1 0.784314	4 rgBT /Overlo
48	Evaluation of cardiopulmonary biomarkers during classic adulticide treatment versus the American Heartworm Society recommended treatment protocol in dogs infected by Dirofilaria immitis. Veterinary Parasitology, 2014, 206, 55-59.	0.7	16
49	Cardiopulmonary and inflammatory biomarkers in the assessment of the severity of canine dirofilariosis. Veterinary Parasitology, 2014, 206, 43-47.	0.7	25
50	First epidemiological report of feline heartworm infection in the Barcelona metropolitan area (Spain). Parasites and Vectors, 2014, 7, 506.	1.0	19
51	Regional Warming and Emerging Vector-Borne Zoonotic Dirofilariosis in the Russian Federation, Ukraine, and Other Post-Soviet States from 1981 to 2011 and Projection by 2030. BioMed Research International, 2014, 2014, 1-11.	0.9	29
52	Proteomic analysis of the urine of Dirofilaria immitis infected dogs. Veterinary Parasitology, 2014, 203, 241-246.	0.7	15
53	Geo-environmental model for the prediction of potential transmission risk of Dirofilaria in an area with dry climate and extensive irrigated crops. The case of Spain. Veterinary Parasitology, 2014, 200, 257-264.	0.7	34
54	Immunoproteomic approach for identification of Ascaris suum proteins recognized by pigs with porcine ascariasis. Veterinary Parasitology, 2014, 203, 343-348.	0.7	6

#	Article	IF	CITATIONS
55	Proteomic analysis of the somatic and surface compartments from Dirofilaria immitis adult worms. Veterinary Parasitology, 2014, 203, 144-152.	0.7	13
56	Proteomic analysis of Ascaridia galli. Identification of immunoreactive proteins in naturally and experimentally infected hens. Veterinary Parasitology, 2013, 196, 388-396.	0.7	3
57	Utility of cardiac biomarkers during adulticide treatment of heartworm disease (Dirofilaria immitis) in dogs. Veterinary Parasitology, 2013, 197, 244-250.	0.7	14
58	Variation of d-dimer values as assessment of pulmonary thromboembolism during adulticide treatment of heartworm disease in dogs. Veterinary Parasitology, 2013, 195, 106-111.	0.7	19
59	D-dimer deposits in lungs and kidneys suggest its use as a marker in the clinical workup of dogs with heartworm (Dirofilaria immitis) disease. Veterinary Parasitology, 2013, 191, 182-186.	0.7	9
60	Surface associated antigens of Dirofilaria immitis adult worms activate the host fibrinolytic system. Veterinary Parasitology, 2013, 196, 235-240.	0.7	35
61	Is Wolbachia participating in the bronchial reactivity of cats with heartworm associated respiratory disease?. Veterinary Parasitology, 2013, 196, 130-135.	0.7	22
62	Delayed Diagnosis of Dirofilariasis and Complex Ocular Surgery, Russia. Emerging Infectious Diseases, 2013, 19, 326-328.	2.0	12
63	Myocardial damage in dogs affected by heartworm disease (Dirofilaria immitis): Immunohistochemical study of cardiac myoglobin and troponin I in naturally infected dogs. Veterinary Parasitology, 2012, 189, 390-393.	0.7	11
64	Anti-Wolbachia Surface Protein Antibodies Are Present in the Urine of Dogs Naturally Infected with <i>Dirofilaria immitis</i> with Circulating Microfilariae But Not in Dogs with Occult Infections. Vector-Borne and Zoonotic Diseases, 2012, 12, 17-20.	0.6	23
65	Heartworm Disease (Dirofilaria immitis) and Their Vectors in Europe – New Distribution Trends. Frontiers in Physiology, 2012, 3, 196.	1.3	145
66	Human and Animal Dirofilariasis: the Emergence of a Zoonotic Mosaic. Clinical Microbiology Reviews, 2012, 25, 507-544.	5.7	585
67	Excretory/secretory antigens from Dirofilaria immitis adult worms interact with the host fibrinolytic system involving the vascular endothelium. Molecular and Biochemical Parasitology, 2012, 181, 134-140.	0.5	41
68	Evaluation of pulmonary function variables by using plethysmography in cats with respiratory disease associated to Dirofilaria immitis. Veterinary Parasitology, 2012, 187, 254-258.	0.7	15
69	Canine and Human Dirofilariosis in the Rostov Region (Southern Russia). Veterinary Medicine International, 2011, 2011, 1-5.	0.6	36
70	Current prevalence of Dirofilaria immitis in dogs, cats and humans from the island of Gran Canaria, Spain. Veterinary Parasitology, 2011, 176, 291-294.	0.7	54
71	Dirofilaria immitis infection in dogs: Cardiopulmonary biomarker levels. Veterinary Parasitology, 2011, 176, 313-316.	0.7	22
72	Canine dirofilariosis caused by Dirofilaria immitis is a risk factor for the human population on the island of Gran Canaria, Canary Islands, Spain. Parasitology Research, 2010, 107, 1265-1269.	0.6	34

5

#	Article	IF	CITATIONS
73	Identification of Dirofilaria immitis immunoreactive proteins recognized by sera from infected cats using two-dimensional electrophoresis and mass spectrometry. Molecular and Biochemical Parasitology, 2010, 174, 78-82.	0.5	10
74	Association of Wolbachia with heartworm disease in cats and dogs. Veterinary Parasitology, 2010, 170, 50-60.	0.7	17
75	Adult Dirofilaria immitis excretory/secretory antigens upregulate the production of prostaglandin E2 and downregulate monocyte transmigration in an "in vitro―model of vascular endothelial cell cultures. Veterinary Parasitology, 2010, 170, 331-335.	0.7	15
76	Epidemiological survey of canine heartworm disease on the island of Gran Canaria (Canary Islands –) Tj ETQqC	0 0 rgBT	/Overlock 10 20
77	Identification of immunoreactive proteins of Dirofilaria immitis and D. repens recognized by sera from patients with pulmonary and subcutaneous dirofilariosis. Parasitology International, 2010, 59, 248-256.	0.6	16
78	Zoonotic <i>Dirofilaria immitis</i> infections in a province of Northern Spain. Epidemiology and Infection, 2010, 138, 380-383.	1.0	30
79	What is new about animal and human dirofilariosis?. Trends in Parasitology, 2009, 25, 404-409.	1.5	108
80	Dirofilaria immitis and Wolbachia-derived antigens: Its effect on endothelial mammal cells. Veterinary Parasitology, 2008, 158, 223-231.	0.7	16
81	Galectin and aldolaseâ€like molecules are responsible for the specific IgE response in humans exposed to <i>Dirofilaria immitis</i> . Parasite Immunology, 2008, 30, 596-602.	0.7	16
82	Vascular endothelial cell activation by adult Dirofilaria immitis antigens. Parasitology International, 2008, 57, 441-446.	0.6	20
83	Wolbachia in Dirofilaria repens, an Agent Causing Human Subcutaneous Dirofilariasis. Journal of Parasitology, 2008, 94, 1421-1423.	0.3	27
84	Dogs with patent Dirofilaria immitis infection have higher expression of circulating IL-4, IL-10 and iNOS mRNA than those with occult infection. Veterinary Immunology and Immunopathology, 2007, 115, 184-188.	0.5	32
85	iNOs expression is stimulated by the major surface protein (rWSP) from Wolbachia bacterial endosymbiont of Dirofilaria immitis following subcutaneous injection in mice. Parasitology International, 2007, 56, 71-75.	0.6	26
86	Human Subcutaneous Dirofilariasis, Russia. Emerging Infectious Diseases, 2007, 13, 150-152.	2.0	52
87	Changes in the levels of eicosanoids in cats naturally and experimentally infected with Dirofilaria immitis. Veterinary Parasitology, 2007, 147, 271-275.	0.7	10
88	Haplotype H1 of Culex pipiens Implicated as Natural Vector of Dirofilaria immitis in an Endemic Area of Western Spain. Vector-Borne and Zoonotic Diseases, 2007, 7, 653-658.	0.6	33
89	Immunopathology of Dirofilaria immitis Infection. Veterinary Research Communications, 2007, 31, 161-171.	0.6	52
90	Ribosomal DNA second internal transcribed spacer sequence studies of Culicid vectors from an endemic area of Dirofilaria immitis in Spain. Parasitology Research, 2006, 99, 205-213.	0.6	10

#	Article	IF	CITATIONS
91	rDNA Sequences of <i>Anopheles</i> Species from the Iberian Peninsula and an Evaluation of the 18S rRNA Gene as Phylogenetic Marker in Anophelinae. Journal of Medical Entomology, 2006, 43, 508-517.	0.9	9
92	rDNA Sequences of <i>Anopheles</i> Species from the Iberian Peninsula and an Evaluation of the 18S rRNA Gene as Phylogenetic Marker in Anophelinae. Journal of Medical Entomology, 2006, 43, 508-517.	0.9	11
93	High Levels of Serum Thromboxane B2 Are Generated during Human Pulmonary Dirofilariosis. Vaccine Journal, 2006, 13, 1175-1176.	3.2	10
94	What is happening outside North America regarding human dirofilariasis?. Veterinary Parasitology, 2005, 133, 181-189.	0.7	106
95	A Coprological and Serological Survey for the Prevalence of Ascaridia spp. in Laying Hens. Zoonoses and Public Health, 2005, 52, 238-242.	1.4	29
96	Immune response to and tissue localization of the Wolbachia surface protein (WSP) in dogs with natural heartworm (Dirofilaria immitis) infection. Veterinary Immunology and Immunopathology, 2005, 106, 303-308.	0.5	70
97	Specific IgG antibody response against antigens of Dirofilaria immitis and its Wolbachia endosymbiont bacterium in cats with natural and experimental infections. Veterinary Parasitology, 2004, 125, 313-321.	0.7	48
98	Immunoglobulin G Antibodies against the Endosymbionts of Filarial Nematodes (Wolbachia) in Patients with Pulmonary Dirofilariasis. Vaccine Journal, 2003, 10, 180-181.	3.2	38
99	Feline dirofilariosis: antibody response to antigenic fractions containing specific 20 to 30 kDa polypeptides from the adult Dirofilaria immitis somatic antigen. Veterinary Parasitology, 2002, 103, 341-353.	0.7	10