Abbas Ali Shokri

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8473389/publications.pdf Version: 2024-02-01



ARRAS ALL SHOKEL

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | A numerical method for solution of the two-dimensional sine-Gordon equation using the radial basis functions. Mathematics and Computers in Simulation, 2008, 79, 700-715. | 4.4 | 334 |
| 2 | Numerical solution of the nonlinear Klein–Gordon equation using radial basis functions. Journal of Computational and Applied Mathematics, 2009, 230, 400-410. | 2.0 | 267 |
| 3 | A numerical method for KdV equation using collocation and radial basis functions. Nonlinear Dynamics, 2007, 50, 111-120. | 5.2 | 100 |
| 4 | A Not-a-Knot meshless method using radial basis functions and predictor–corrector scheme to the numerical solution of improved Boussinesq equation. Computer Physics Communications, 2010, 181, 1990-2000. | 7.5 | 90 |
| 5 | A meshless method using the radial basis functions for numerical solution of the regularized long wave equation. Numerical Methods for Partial Differential Equations, 2010, 26, 807-825. | 3.6 | 65 |
| 6 | A positive and elementary stable nonstandard explicit scheme for a mathematical model of the influenza disease. Mathematics and Computers in Simulation, 2021, 182, 397-410. | 4.4 | 25 |
| 7 | Variable Step Hybrid Block Method for the Approximation of Kepler Problem. Fractal and Fractional, 2022, 6, 343. | 3.3 | 17 |
| 8 | A new eight-order symmetric two-step multiderivative method for the numerical solution of second-order IVPs with oscillating solutions. Numerical Algorithms, 2018, 77, 95-109. | 1.9 | 13 |
| 9 | Trigonometrically fitted high-order predictor–corrector method with phase-lag of order infinity for the numerical solution of radial Schrödinger equation. Journal of Mathematical Chemistry, 2014, 52, 1870-1894. | 1.5 | 12 |
| 10 | High phase-lag order trigonometrically fitted two-step Obrechkoff methods for the numerical solution of periodic initial value problems. Numerical Algorithms, 2015, 68, 337-354. | 1.9 | 11 |
| 11 | A moving Krigingâ€based MLPG method for nonlinear Klein–Gordon equation. Mathematical Methods in the Applied Sciences, 2016, 39, 5381-5394. | 2.3 | 11 |
| 12 | A new implicit six-step P-stable method for the numerical solution of SchrĶdinger equation. International Journal of Computer Mathematics, 2020, 97, 802-817. | 1.8 | 10 |
| 13 | Nonstandard Finite Difference Schemes for an SIR Epidemic Model. Mathematics, 2021, 9, 3082. | 2.2 | 10 |
| 14 | A new two-step P-stable hybrid Obrechkoff method for the numerical integration of second-order IVPs. Journal of Computational and Applied Mathematics, 2011, 235, 1706-1712. | 2.0 | 9 |
| 15 | xmins:xocs="http://www.elsevier.com/xmi/xocs/dtd" xmins:xs="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" | 7.5 | 9 |
| 16 | A new four-step P-stable Obrechkoff method with vanished phase-lag and some of its derivatives for the numerical solution of radial SchrĶdinger equation. Journal of Computational and Applied Mathematics, 2019, 354, 569-586. | 2.0 | 9 |
| 17 | A new family of three-stage two-step P-stable multiderivative methods with vanished phase-lag and some of its derivatives for the numerical solution of radial SchrĶdinger equation and IVPs with oscillating solutions. Numerical Algorithms, 2019, 80, 557-593. | 1.9 | 6 |
| 18 | The new class of multistep multiderivative hybrid methods for the numerical solution of chemical stiff systems of first order IVPs. Journal of Mathematical Chemistry, 2020, 58, 1987-2012. | 1.5 | 6 |

ABBAS ALI SHOKRI

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Qualitatively Stable Nonstandard Finite Difference Scheme for Numerical Solution of the Nonlinear Black–Scholes Equation. Journal of Mathematics, 2021, 2021, 1-12. | 1.0 | 6 |
| 20 | Numerical study of the two-term time-fractional differential equation using the Lagrange polynomial pseudo-spectral method. AEJ - Alexandria Engineering Journal, 2020, 59, 3163-3169. | 6.4 | 4 |
| 21 | A new implicit high-order six-step singularly P-stable method for the numerical solution of SchrĶdinger equation. Journal of Mathematical Chemistry, 2021, 59, 224-249. | 1.5 | 4 |
| 22 | A Nonstandard Finite Difference Method for a Generalized Black–Scholes Equation. Symmetry, 2022, 14, 141. | 2.2 | 4 |
| 23 | On an Approximate Solution of the Cauchy Problem for Systems of Equations of Elliptic Type of the First Order. Entropy, 2022, 24, 968. | 2.2 | 4 |
| 24 | An explicit six-step singularly P-stable Obrechkoff method for the numerical solution of second-order oscillatory initial value problems. Numerical Algorithms, 2020, 84, 871-886. | 1.9 | 3 |
| 25 | A Singularly P-Stable Multi-Derivative Predictor Method for the Numerical Solution of Second-Order Ordinary Differential Equations. Mathematics, 2021, 9, 806. | 2.2 | 3 |
| 26 | Solution of the Ill-Posed Cauchy Problem for Systems of Elliptic Type of the First Order. Fractal and Fractional, 2022, 6, 358. | 3.3 | 3 |
| 27 | Second Derivative Block Hybrid Methods for the Numerical Integration of Differential Systems. Fractal and Fractional, 2022, 6, 386. | 3.3 | 3 |
| 28 | A new class of two-step P-stable TFPL methods for the numerical solution of second-order IVPs with oscillating solutions. Journal of Computational and Applied Mathematics, 2019, 354, 551-561. | 2.0 | 2 |
| 29 | A new efficient implicit four-step method with vanished phase-lag and some of its derivatives for the numerical solution of the radial Schr¨odinger equation. Journal of Modern Methods in Numerical Mathematics, 2017, 8, 77. | 0.3 | 2 |
| 30 | Subordination Method for the Estimation of Certain Subclass of Analytic Functions Defined by the <mi>q</mi> -Derivative Operator. Journal of Function Spaces, 2022, 2022, 1-9. | 0.9 | 2 |
| 31 | A Positivity-Preserving Improved Nonstandard Finite Difference Method to Solve the Black-Scholes Equation. Mathematics, 2022, 10, 1846. | 2.2 | 2 |
| 32 | On the first- and second-order strongly monotone dynamical systems and minimization problems. Optimization Methods and Software, 2015, 30, 1303-1309. | 2.4 | 1 |
| 33 | An efficient fourâ€step multiderivative method for the numerical solution of secondâ€order IVPs with oscillating solutions. Computational and Mathematical Methods, 2020, 2, e1116. | 0.8 | 1 |
| 34 | On the boundedness stepsizes-coefficients of A-BDF methods. AIMS Mathematics, 2022, 7, 1562-1579. | 1.6 | 1 |
| 35 | Fourth derivative singularly P-stable method for the numerical solution of the SchrĶdinger equation. Advances in Difference Equations, 2021, 2021, . | 3.5 | 1 |
| 36 | The Structure of Maximal Ideal Space of Certain Banach Algebras of Vector-valued Functions. Kyungpook Mathematical Journal, 2014, 54, 189-195. | 0.3 | 0 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | A new family of explicit linear two-step singularly P-stable Obrechkoff methods for the numerical solution of second-order IVPs. Applied Mathematics and Computation, 2020, 376, 125116. | 2.2 | 0 |
| 38 | Numerical simulation of second-order initial-value problems using a new class of variable coefficients and two-step semi-hybrid methods. Simulation, 2021, 97, 347-364. | 1.8 | 0 |