

David L Vaux

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8475324/publications.pdf>

Version: 2024-02-01

185
papers

28,992
citations

6233

80
h-index

4978

167
g-index

199
all docs

199
docs citations

199
times ranked

24497
citing authors

#	ARTICLE	IF	CITATIONS
1	Bcl-2 gene promotes haemopoietic cell survival and cooperates with c-myc to immortalize pre-B cells. <i>Nature</i> , 1988, 335, 440-442.	13.7	3,029
2	Identification of DIABLO, a Mammalian Protein that Promotes Apoptosis by Binding to and Antagonizing IAP Proteins. <i>Cell</i> , 2000, 102, 43-53.	13.5	2,191
3	Cell Death in Development. <i>Cell</i> , 1999, 96, 245-254.	13.5	1,434
4	IAP Antagonists Target cIAP1 to Induce TNF α -Dependent Apoptosis. <i>Cell</i> , 2007, 131, 682-693.	13.5	993
5	The molecular biology of apoptosis.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996, 93, 2239-2244.	3.3	907
6	Enforced BCL2 expression in B-lymphoid cells prolongs antibody responses and elicits autoimmune disease.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991, 88, 8661-8665.	3.3	815
7	An evolutionary perspective on apoptosis. <i>Cell</i> , 1994, 76, 777-779.	13.5	757
8	Error bars in experimental biology. <i>Journal of Cell Biology</i> , 2007, 177, 7-11.	2.3	736
9	Thirty years of BCL-2: translating cell death discoveries into novel cancer therapies. <i>Nature Reviews Cancer</i> , 2016, 16, 99-109.	12.8	596
10	Prevention of programmed cell death in <i>Caenorhabditis elegans</i> by human bcl-2. <i>Science</i> , 1992, 258, 1955-1957.	6.0	588
11	Toward an understanding of the molecular mechanisms of physiological cell death.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 786-789.	3.3	585
12	IAPs, RINGs and ubiquitylation. <i>Nature Reviews Molecular Cell Biology</i> , 2005, 6, 287-297.	16.1	558
13	Apoptosis initiated by Bcl-2-regulated caspase activation independently of the cytochrome c/Apaf-1/caspase-9 apoptosome. <i>Nature</i> , 2002, 419, 634-637.	13.7	517
14	RIPK3 promotes cell death and NLRP3 inflammasome activation in the absence of MLKL. <i>Nature Communications</i> , 2015, 6, 6282.	5.8	514
15	Survivin and the inner centromere protein INCENP show similar cell-cycle localization and gene knockout phenotype. <i>Current Biology</i> , 2000, 10, 1319-1328.	1.8	497
16	RIPK1 Regulates RIPK3-MLKL-Driven Systemic Inflammation and Emergency Hematopoiesis. <i>Cell</i> , 2014, 157, 1175-1188.	13.5	492
17	Cloning and expression of apoptosis inhibitory protein homologs that function to inhibit apoptosis and/or bind tumor necrosis factor receptor-associated factors.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996, 93, 4974-4978.	3.3	489
18	HtrA2 Promotes Cell Death through Its Serine Protease Activity and Its Ability to Antagonize Inhibitor of Apoptosis Proteins. <i>Journal of Biological Chemistry</i> , 2002, 277, 445-454.	1.6	484

#	ARTICLE	IF	CITATIONS
19	Caspase inhibitors. <i>Cell Death and Differentiation</i> , 1999, 6, 1081-1086.	5.0	415
20	Transgenic expression of CD95 ligand on islet β cells induces a granulocytic infiltration but does not confer immune privilege upon islet allografts. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 3943-3947.	3.3	365
21	Active MLKL triggers the NLRP3 inflammasome in a cell-intrinsic manner. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E961-E969.	3.3	337
22	Apoptosis in the development and treatment of cancer. <i>Carcinogenesis</i> , 2004, 26, 263-270.	1.3	324
23	Inhibitor of apoptosis proteins and their relatives: IAPs and other BIRPs. <i>Genome Biology</i> , 2001, 2, reviews3009.1.	13.9	289
24	Structure of the MDM2/MDMX RING domain heterodimer reveals dimerization is required for their ubiquitylation in trans. <i>Cell Death and Differentiation</i> , 2008, 15, 841-848.	5.0	256
25	The Survivin-like <i>C. elegans</i> BIR-1 Protein Acts with the Aurora-like Kinase AIR-2 to Affect Chromosomes and the Spindle Midzone. <i>Molecular Cell</i> , 2000, 6, 211-223.	4.5	255
26	Alterations in the apoptotic machinery and their potential role in anticancer drug resistance. <i>Oncogene</i> , 2003, 22, 7414-7430.	2.6	253
27	Association of mammalian sterile twenty kinases, Mst1 and Mst2, with hSalvador via C-terminal coiled-coil domains, leads to its stabilization and phosphorylation. <i>FEBS Journal</i> , 2006, 273, 4264-4276.	2.2	234
28	TNFR1-dependent cell death drives inflammation in Sharpin-deficient mice. <i>ELife</i> , 2014, 3, .	2.8	232
29	TWEAK-FN14 signaling induces lysosomal degradation of a cIAP1 β -TRAF2 complex to sensitize tumor cells to TNF α . <i>Journal of Cell Biology</i> , 2008, 182, 171-184.	2.3	226
30	Expression of the integrin α 4 β 1 on melanoma cells can inhibit the invasive stage of metastasis formation. <i>Cell</i> , 1994, 77, 335-347.	13.5	220
31	Mammalian mitochondrial IAP binding proteins. <i>Biochemical and Biophysical Research Communications</i> , 2003, 304, 499-504.	1.0	213
32	TRAF2 Must Bind to Cellular Inhibitors of Apoptosis for Tumor Necrosis Factor (TNF) to Efficiently Activate NF- κ B and to Prevent TNF-induced Apoptosis. <i>Journal of Biological Chemistry</i> , 2009, 284, 35906-35915.	1.6	202
33	Conservation of baculovirus inhibitor of apoptosis repeat proteins (BIRPs) in viruses, nematodes, vertebrates and yeasts. <i>Trends in Biochemical Sciences</i> , 1998, 23, 159-162.	3.7	189
34	Mitochondrial apoptosis is dispensable for NLRP3 inflammasome activation but nonapoptotic caspase-8 is required for inflammasome priming. <i>EMBO Reports</i> , 2014, 15, 982-990.	2.0	189
35	Diablo Promotes Apoptosis by Removing Miha/Xiap from Processed Caspase 9. <i>Journal of Cell Biology</i> , 2001, 152, 483-490.	2.3	188
36	Role for yeast inhibitor of apoptosis (IAP)-like proteins in cell division. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 10170-10175.	3.3	186

#	ARTICLE	IF	CITATIONS
37	Cell Death in the Origin and Treatment of Cancer. <i>Molecular Cell</i> , 2020, 78, 1045-1054.	4.5	182
38	IAPs limit activation of RIP kinases by TNF receptor 1 during development. <i>EMBO Journal</i> , 2012, 31, 1679-1691.	3.5	180
39	Caspase-2 is not required for thymocyte or neuronal apoptosis even though cleavage of caspase-2 is dependent on both Apaf-1 and caspase-9. <i>Cell Death and Differentiation</i> , 2002, 9, 832-841.	5.0	170
40	Apaf-1 and caspase-9 accelerate apoptosis, but do not determine whether factor-deprived or drug-treated cells die. <i>Journal of Cell Biology</i> , 2004, 165, 835-842.	2.3	169
41	Bcl-2 prevents death of factor-deprived cells but fails to prevent apoptosis in targets of cell mediated killing. <i>International Immunology</i> , 1992, 4, 821-824.	1.8	167
42	Prosurvival Bcl-2 family members affect autophagy only indirectly, by inhibiting Bax and Bak. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 8512-8517.	3.3	166
43	Solution structure of a baculoviral inhibitor of apoptosis (IAP) repeat. <i>Nature Structural Biology</i> , 1999, 6, 648-651.	9.7	165
44	Caspase inhibitors: viral, cellular and chemical. <i>Cell Death and Differentiation</i> , 2007, 14, 73-78.	5.0	165
45	RIPK1 is not essential for TNFR1-induced activation of NF- κ B. <i>Cell Death and Differentiation</i> , 2010, 17, 482-487.	5.0	162
46	CrmA expression in T lymphocytes of transgenic mice inhibits CD95 (Fas/APO-1)-transduced apoptosis, but does not cause lymphadenopathy or autoimmune disease.. <i>EMBO Journal</i> , 1996, 15, 5167-5176.	3.5	155
47	Structures of the cIAP2 RING Domain Reveal Conformational Changes Associated with Ubiquitin-conjugating Enzyme (E2) Recruitment. <i>Journal of Biological Chemistry</i> , 2008, 283, 31633-31640.	1.6	153
48	A novel Apaf-1-independent putative caspase-2 activation complex. <i>Journal of Cell Biology</i> , 2002, 159, 739-745.	2.3	151
49	cIAPs and XIAP regulate myelopoiesis through cytokine production in an RIPK1- and RIPK3-dependent manner. <i>Blood</i> , 2014, 123, 2562-2572.	0.6	145
50	Cell death regulation by the mammalian IAP antagonist Diablo/Smac. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2002, 7, 163-166.	2.2	144
51	Smac Mimetics Activate the E3 Ligase Activity of cIAP1 Protein by Promoting RING Domain Dimerization. <i>Journal of Biological Chemistry</i> , 2011, 286, 17015-17028.	1.6	142
52	The caspase-8 inhibitor emricasan combines with the SMAC mimetic birinapant to induce necroptosis and treat acute myeloid leukemia. <i>Science Translational Medicine</i> , 2016, 8, 339ra69.	5.8	140
53	Determination of cell survival by RING-mediated regulation of inhibitor of apoptosis (IAP) protein abundance. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 16182-16187.	3.3	133
54	TNF can activate RIPK3 and cause programmed necrosis in the absence of RIPK1. <i>Cell Death and Disease</i> , 2013, 4, e465-e465.	2.7	130

#	ARTICLE	IF	CITATIONS
55	RIPK1- and RIPK3-induced cell death mode is determined by target availability. <i>Cell Death and Differentiation</i> , 2014, 21, 1600-1612.	5.0	129
56	The anti-apoptotic activity of XIAP is retained upon mutation of both the caspase 3 and caspase 9 interacting sites. <i>Journal of Cell Biology</i> , 2002, 157, 115-124.	2.3	124
57	Replicates and repeats what is the difference and is it significant?. <i>EMBO Reports</i> , 2012, 13, 291-296.	2.0	118
58	Bcl-2 prevents apoptosis induced by perforin and granzyme B, but not that mediated by whole cytotoxic lymphocytes. <i>Journal of Immunology</i> , 1997, 158, 5783-90.	0.4	116
59	Know when your numbers are significant. <i>Nature</i> , 2012, 492, 180-181.	13.7	113
60	CED-4 The Third Horseman of Apoptosis. <i>Cell</i> , 1997, 90, 389-390.	13.5	112
61	XIAP Loss Triggers RIPK3- and Caspase-8-Driven IL-1 β Activation and Cell Death as a Consequence of TLR-MyD88-Induced cIAP1-TRAF2 Degradation. <i>Cell Reports</i> , 2017, 20, 668-682.	2.9	112
62	APOPTOSIS: A Cinderella Caspase Takes Center Stage. <i>Science</i> , 2002, 297, 1290-1291.	6.0	111
63	Abnormalities of the Immune System Induced by Dysregulated bcl-2 Expression in Transgenic Mice. <i>Current Topics in Microbiology and Immunology</i> , 1990, 166, 175-181.	0.7	111
64	The mitochondrial death squad: hardened killers or innocent bystanders?. <i>Current Opinion in Cell Biology</i> , 2005, 17, 626-630.	2.6	110
65	Inhibition of interleukin 1 α -converting enzyme-mediated apoptosis of mammalian cells by baculovirus IAP. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996, 93, 13786-13790.	3.3	107
66	Entamoeba histolytica: Target Cells Killed by Trophozoites Undergo DNA Fragmentation Which Is Not Blocked by Bcl-2. <i>Experimental Parasitology</i> , 1994, 79, 460-467.	0.5	102
67	Direct inhibition of caspase 3 is dispensable for the anti-apoptotic activity of XIAP. <i>EMBO Journal</i> , 2001, 20, 3114-3123.	3.5	101
68	Apoptosis genes and autoimmunity. <i>Current Opinion in Immunology</i> , 2000, 12, 719-724.	2.4	97
69	Apoptogenic factors released from mitochondria. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2011, 1813, 546-550.	1.9	95
70	Evolutionary divergence of the necroptosis effector MLKL. <i>Cell Death and Differentiation</i> , 2016, 23, 1185-1197.	5.0	93
71	Targeting p38 or MK2 Enhances the Anti-Leukemic Activity of Smac-Mimetics. <i>Cancer Cell</i> , 2016, 29, 145-158.	7.7	93
72	Deletion of cIAP1 and cIAP2 in murine B lymphocytes constitutively activates cell survival pathways and inactivates the germinal center response. <i>Blood</i> , 2011, 117, 4041-4051.	0.6	92

#	ARTICLE	IF	CITATIONS
73	Bcl-2-regulated apoptosis and cytochrome c release can occur independently of both caspase-2 and caspase-9. <i>Journal of Cell Biology</i> , 2004, 165, 775-780.	2.3	91
74	Mature DIABLO/Smac Is Produced by the IMP Protease Complex on the Mitochondrial Inner Membrane. <i>Molecular Biology of the Cell</i> , 2005, 16, 2926-2933.	0.9	89
75	Necroptosis induced by RIPK3 requires MLKL but not Drp1. <i>Cell Death and Disease</i> , 2014, 5, e1086-e1086.	2.7	89
76	The role of the bcl-2/ced-9 gene family in cancer and general implications of defects in cell death control for tumorigenesis and resistance to chemotherapy. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 1997, 1333, F151-F178.	3.3	85
77	Two kinds of BIR-containing protein - inhibitors of apoptosis, or required for mitosis. <i>Journal of Cell Science</i> , 2001, 114, 1821-7.	1.2	85
78	Analysis of the Role of bcl-2 in Apoptosis. <i>Immunological Reviews</i> , 1994, 142, 127-139.	2.8	83
79	Identification of mammalian mitochondrial proteins that interact with IAPs via N-terminal IAP binding motifs. <i>Cell Death and Differentiation</i> , 2007, 14, 348-357.	5.0	83
80	Inhibition of Bak Activation by VDAC2 Is Dependent on the Bak Transmembrane Anchor. <i>Journal of Biological Chemistry</i> , 2010, 285, 36876-36883.	1.6	83
81	Viewing BCL2 and cell death control from an evolutionary perspective. <i>Cell Death and Differentiation</i> , 2018, 25, 13-20.	5.0	83
82	Direct physical interaction between the <i>Caenorhabditis elegans</i> death proteins CED-3 and CED-4. <i>FEBS Letters</i> , 1997, 406, 189-190.	1.3	82
83	Molecular and clinical aspects of apoptosis. , 1996, 72, 37-50.		81
84	In TNF-stimulated Cells, RIPK1 Promotes Cell Survival by Stabilizing TRAF2 and cIAP1, which Limits Induction of Non-canonical NF- κ B and Activation of Caspase-8. <i>Journal of Biological Chemistry</i> , 2011, 286, 13282-13291.	1.6	81
85	Cell death is not essential for caspase-1-mediated interleukin-1 β activation and secretion. <i>Cell Death and Differentiation</i> , 2016, 23, 1827-1838.	5.0	76
86	Apoptosis and the immune system. <i>British Medical Bulletin</i> , 1997, 53, 591-603.	2.7	75
87	Inhibition of apoptosis and clonogenic survival of cells expressing crmA variants: optimal caspase substrates are not necessarily optimal inhibitors. <i>EMBO Journal</i> , 1999, 18, 330-338.	3.5	75
88	TRAF2 regulates TNF and NF- κ B signalling to suppress apoptosis and skin inflammation independently of Sphingosine kinase 1. <i>ELife</i> , 2015, 4, .	2.8	75
89	In defense of the somatic mutation theory of cancer. <i>BioEssays</i> , 2011, 33, 341-343.	1.2	73
90	Asymmetric Recruitment of cIAPs by TRAF2. <i>Journal of Molecular Biology</i> , 2010, 400, 8-15.	2.0	72

#	ARTICLE	IF	CITATIONS
91	Signalling by CD95 and TNF receptors: Not only life and death. <i>Immunology and Cell Biology</i> , 1999, 77, 41-46.	1.0	71
92	Puma indirectly activates Bax to cause apoptosis in the absence of Bid or Bim. <i>Cell Death and Differentiation</i> , 2009, 16, 555-563.	5.0	67
93	Proliferation and differentiation of single hapten-specific B lymphocytes is promoted by T-cell factor(s) distinct from T-cell growth factor.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1982, 79, 6350-6354.	3.3	64
94	Cell death provoked by loss of interleukin-3 signaling is independent of Bad, Bim, and PI3 kinase, but depends in part on Puma. <i>Blood</i> , 2006, 108, 1461-1468.	0.6	64
95	The structure of an endocytosis signal. <i>Trends in Cell Biology</i> , 1992, 2, 189-192.	3.6	63
96	Apoptosis: A sticky business. <i>Current Biology</i> , 1995, 5, 622-624.	1.8	63
97	BCL2 and related prosurvival proteins require BAK1 and BAX to affect autophagy. <i>Autophagy</i> , 2014, 10, 1474-1475.	4.3	59
98	XIAP-deficiency leads to delayed lobuloalveolar development in the mammary gland. <i>Cell Death and Differentiation</i> , 2005, 12, 87-90.	5.0	58
99	Caspases and apoptosis – biology and terminology. <i>Cell Death and Differentiation</i> , 1999, 6, 493-494.	5.0	53
100	Viral, worm and radical implications for apoptosis. <i>Trends in Biochemical Sciences</i> , 1994, 19, 99-100.	3.7	52
101	The role of the Bcl-2 family of apoptosis regulatory proteins in the immune system. <i>Seminars in Immunology</i> , 1997, 9, 25-33.	2.7	52
102	Neither macromolecular synthesis nor myc is required for cell death via the mechanism that can be controlled by Bcl-2.. <i>Molecular and Cellular Biology</i> , 1993, 13, 7000-7005.	1.1	51
103	Apoptosis Timeline. <i>Cell Death and Differentiation</i> , 2002, 9, 349-354.	5.0	49
104	Autophagy induced during apoptosis degrades mitochondria and inhibits type I interferon secretion. <i>Cell Death and Differentiation</i> , 2018, 25, 784-796.	5.0	49
105	Crma expression in T lymphocytes of transgenic mice inhibits CD95 (Fas/APO-1)-transduced apoptosis, but does not cause lymphadenopathy or autoimmune disease. <i>EMBO Journal</i> , 1996, 15, 5167-76.	3.5	48
106	Solution structure and mutagenesis of the caspase recruitment domain (CARD) from Apaf-1. <i>Cell Death and Differentiation</i> , 1999, 6, 1125-1132.	5.0	47
107	Activated MLKL attenuates autophagy following its translocation to intracellular membranes. <i>Journal of Cell Science</i> , 2019, 132, .	1.2	45
108	In vivo expression of interleukin 5 induces an eosinophilia and expanded Ly-1B lineage populations. <i>International Immunology</i> , 1990, 2, 965-971.	1.8	44

#	ARTICLE	IF	CITATIONS
109	Sequence as well as functional similarity for DIABLO/Smac and Grim, Reaper and Hid?. Cell Death and Differentiation, 2000, 7, 1275-1275.	5.0	44
110	HtrA2/Omi, a Sheep in Wolf's Clothing. Cell, 2003, 115, 251-253.	13.5	43
111	TRAF proteins and meprins share a conserved domain. Trends in Biochemical Sciences, 1996, 21, 244-5.	3.7	43
112	Anti-apoptotic potential of insect cellular and viral IAPs in mammalian cells. Cell Death and Differentiation, 1998, 5, 569-576.	5.0	40
113	Tumor Necrosis Factor (TNF) Signaling, but Not TWEAK (TNF-like Weak Inducer of Apoptosis)-triggered cIAP1 (Cellular Inhibitor of Apoptosis Protein 1) Degradation, Requires cIAP1 RING Dimerization and E2 Binding. Journal of Biological Chemistry, 2010, 285, 17525-17536.	1.6	37
114	IAPs â€” the ubiquitin connection. Cell Death and Differentiation, 2005, 12, 1205-1207.	5.0	36
115	Unlike Diablo/smac, Grim Promotes Global Ubiquitination and Specific Degradation of X Chromosome-linked Inhibitor of Apoptosis (XIAP) and Neither Cause Apoptosis. Journal of Biological Chemistry, 2004, 279, 4313-4321.	1.6	32
116	IAP gene deletion and conditional knockout models. Seminars in Cell and Developmental Biology, 2015, 39, 97-105.	2.3	32
117	Targeting triple-negative breast cancers with the Smac-mimetic birinapant. Cell Death and Differentiation, 2020, 27, 2768-2780.	5.0	31
118	Antibody production by single, hapten-specific B lymphocytes: an antigen-driven cloning system free of filler or accessory cells.. Proceedings of the National Academy of Sciences of the United States of America, 1981, 78, 7702-7706.	3.3	29
119	Australasian Society of Clinical and Experimental Pharmacologists and Toxicologists, 1994: HYPOTHESIS: APOPTOSIS CAUSED BY CYTOTOXINS REPRESENTS A DEFENSIVE RESPONSE THAT EVOLVED TO COMBAT INTRACELLULAR PATHOGENS. Clinical and Experimental Pharmacology and Physiology, 1995, 22, 861-863.	0.9	29
120	Triggering of Apoptosis by Puma Is Determined by the Threshold Set by Prosurvival Bcl-2 Family Proteins. Journal of Molecular Biology, 2008, 384, 313-323.	2.0	27
121	Apoptosis and toxicologyâ€”what relevance?. Toxicology, 2002, 181-182, 3-7.	2.0	25
122	Cytoplasmic p53 is not required for PUMA-induced apoptosis. Cell Death and Differentiation, 2008, 15, 213-215.	5.0	25
123	Ways around rejection. Nature, 1995, 377, 576-577.	13.7	24
124	Human Bcl-2 cannot directly inhibit the Caenorhabditis elegans Apaf-1 homologue CED-4, but can interact with EGL-1. Journal of Cell Science, 2006, 119, 2572-2582.	1.2	23
125	Requirements for Proteolysis during Apoptosis. Molecular and Cellular Biology, 1997, 17, 6502-6507.	1.1	22
126	Neither Macromolecular Synthesis nor Myc Is Required for Cell Death via the Mechanism That Can Be Controlled by Bcl-2. Molecular and Cellular Biology, 1993, 13, 7000-7005.	1.1	22

#	ARTICLE	IF	CITATIONS
127	Activation of physiological cell death mechanisms by a necrosis-causing agent. , 1996, 34, 259-266.		21
128	TAK1 Is Required for Survival of Mouse Fibroblasts Treated with TRAIL, and Does So by NF- κ B Dependent Induction of cFLIPL. PLoS ONE, 2010, 5, e8620.	1.1	19
129	Immunopathology of apoptosis ?introduction and overview. Seminars in Immunopathology, 1998, 19, 271-278.	4.0	18
130	Error message. Nature, 2004, 428, 799-799.	13.7	18
131	A boom time for necrobiology. Current Biology, 1993, 3, 877-878.	1.8	17
132	The medical significance of physiological cell death. Medicinal Research Reviews, 1995, 15, 299-311.	5.0	17
133	Cloning of Mouse RP-8 cDNA and Its Expression During Apoptosis of Lymphoid and Myeloid Cells. DNA and Cell Biology, 1995, 14, 189-193.	0.9	17
134	Tissue distribution of Diablo/Smac revealed by monoclonal antibodies. Cell Death and Differentiation, 2002, 9, 710-716.	5.0	16
135	BAX-BAK1-independent LC3B lipidation by BH3 mimetics is unrelated to BH3 mimetic activity and has only minimal effects on autophagic flux. Autophagy, 2016, 12, 1083-1093.	4.3	16
136	In mouse embryonic fibroblasts, neither caspase-8 nor cellular FLICE-inhibitory protein (FLIP) is necessary for TNF to activate NF- κ B, but caspase-8 is required for TNF to cause cell death, and induction of FLIP by NF- κ B is required to prevent it. Cell Death and Differentiation, 2012, 19, 808-815.	5.0	15
137	Basic Statistics in Cell Biology. Annual Review of Cell and Developmental Biology, 2014, 30, 23-37.	4.0	15
138	Immunologic competence of B cells subjected to constitutive c-myc oncogene expression in immunoglobulin heavy chain enhancer myc transgenic mice. Journal of Immunology, 1987, 139, 3854-60.	0.4	15
139	A chronology of cell death. Apoptosis: an International Journal on Programmed Cell Death, 1997, 2, 247-256.	2.2	13
140	8 Apoptosis, haemopoiesis and leukaemogenesis. Best Practice and Research: Clinical Haematology, 1997, 10, 561-576.	1.1	12
141	Cell death: Shadow Boxing. Current Biology, 1998, 8, R528-R531.	1.8	12
142	CARP2 deficiency does not alter induction of NF- κ B by TNF α . Current Biology, 2009, 19, R15-R17.	1.8	12
143	Single cell studies on hapten-specific B lymphocytes: differential cloning efficiency of cells of various sizes. Journal of Immunology, 1983, 131, 554-60.	0.4	12
144	Glucocorticoids can induce BIM to trigger apoptosis in the absence of BAX and BAK1. Cell Death and Disease, 2020, 11, 442.	2.7	11

#	ARTICLE	IF	CITATIONS
145	The buzz about BAFF. <i>Journal of Clinical Investigation</i> , 2002, 109, 17-18.	3.9	11
146	Viral Inhibitors of Apoptosis. <i>Vitamins and Hormones</i> , 1997, 53, 175-193.	0.7	10
147	ABT-737, proving to be a great tool even before it is proven in the clinic. <i>Cell Death and Differentiation</i> , 2008, 15, 807-808.	5.0	10
148	Response to "The tissue organization field theory of cancer: A testable replacement for the somatic mutation theory" DOI: 10.1002/bies.201100025. <i>BioEssays</i> , 2011, 33, 660-661.	1.2	10
149	DNA fragmentation in cytolysis. <i>Trends in Immunology</i> , 1989, 10, 325.	7.5	9
150	Rapid recovery of DNA from agarose gels. <i>Trends in Genetics</i> , 1992, 8, 81-81.	2.9	8
151	Cycloheximide Can Induce Bax/Bak Dependent Myeloid Cell Death Independently of Multiple BH3-Only Proteins. <i>PLoS ONE</i> , 2016, 11, e0164003.	1.1	8
152	The buzz about BAFF. <i>Journal of Clinical Investigation</i> , 2002, 109, 17-18.	3.9	8
153	Early work on the function of Bcl-2, an interview with David Vaux. <i>Cell Death and Differentiation</i> , 2004, 11, S28-S32.	5.0	7
154	Scientific Misconduct: Falsification, Fabrication, and Misappropriation of Credit. , 2016, , 895-911.		7
155	Response to Heard et al. <i>EMBO Journal</i> , 2015, 34, 2396-2397.	3.5	5
156	Molecular Mechanisms of Apoptosis: An Overview. <i>Results and Problems in Cell Differentiation</i> , 1999, 23, 11-24.	0.2	5
157	Inhibitor of Apoptosis (IAP) proteins as drug targets for the treatment of cancer. <i>F1000 Biology Reports</i> , 2009, 1, 79.	4.0	5
158	Cell Death and Cancer. , 2014, , 121-134.		4
159	A tumour suppressor function of caspase-8?. <i>Cell Death and Differentiation</i> , 2008, 15, 1337-1338.	5.0	3
160	Double blind review. <i>Learned Publishing</i> , 2011, 24, 165-167.	0.8	3
161	A biased comment on double-blind review. <i>British Journal of Dermatology</i> , 2011, 165, 454-455.	1.4	3
162	IAPs and Necroptotic Cell Death. , 2014, , 57-77.		3

#	ARTICLE	IF	CITATIONS
163	Australia needs an Ombudsman or Office for Research Integrity. <i>Internal Medicine Journal</i> , 2016, 46, 1233-1235.	0.5	3
164	Expression of candidate cell death genes in cell lines during apoptosis. <i>Biochemistry and Cell Biology</i> , 1994, 72, 451-454.	0.9	2
165	TNF AND CD95 PROMOTE IL-8 GENE TRANSACTIVATION VIA INDEPENDENT ELEMENTS IN COLON CARCINOMA CELLS. <i>Cytokine</i> , 2001, 15, 108-112.	1.4	2
166	Tissue distribution of Diablo/Smac revealed by monoclonal antibodies. <i>Cell Death and Differentiation</i> , 0, 9, 710-716.	5.0	2
167	An end to the paper chase?. <i>Trends in Biochemical Sciences</i> , 1994, 19, 301-302.	3.7	1
168	Another twist in the on and off affair between cell suicide and inflammation. <i>Cell Death and Differentiation</i> , 2013, 20, 974-975.	5.0	1
169	The 2019 Lasker Award: T cells and B cells, whose life and death are essential for function of the immune system. <i>Cell Death and Differentiation</i> , 2019, 26, 2513-2515.	5.0	1
170	Scientific Misconduct: Falsification, Fabrication, and Misappropriation of Credit. , 2015, , 1-13.		1
171	Identification of an Xiap-Like Pseudogene on Mouse Chromosome 7. <i>PLoS ONE</i> , 2009, 4, e8078.	1.1	1
172	Structural analysis of caspase recruitment domains (CARDs). <i>Biochemical Society Transactions</i> , 2000, 28, A456-A456.	1.6	0
173	Science down under. <i>Current Biology</i> , 2000, 10, R321.	1.8	0
174	In support of errors. <i>Current Biology</i> , 2001, 11, R288.	1.8	0
175	Survival Factors. , 2005, , 255-273.		0
176	Apoptosis and Autoimmunity: Lymphoproliferative Syndromes. , 2006, , 987-992.		0
177	Integrity atCancer Medicine: the research we publish, how we evaluate it, and what we ask of our authors. <i>Cancer Medicine</i> , 2012, 1, 2-4.	1.3	0
178	193. <i>Cytokine</i> , 2014, 70, 74.	1.4	0
179	In the absence of apoptosis, myeloid cells arrest when deprived of growth factor, but remain viable by consuming extracellular glucose. <i>Cell Death and Differentiation</i> , 2019, 26, 2074-2085.	5.0	0
180	Bax and Bcl2 Cell Death Enhancers and Inhibitors. , 2004, , 152-154.		0

#	ARTICLE	IF	CITATIONS
181	Error bars in experimental biology. <i>Journal of Experimental Medicine</i> , 2007, 204, i11-i11.	4.2	0
182	TWEAK-FN14 signaling induces lysosomal degradation of a cIAP1-TRAF2 complex to sensitize tumor cells to TNF±. <i>Journal of Experimental Medicine</i> , 2008, 205, i18-i18.	4.2	0
183	Historical Perspective: The Seven Ages of Cell Death Research. , 2014, , 1-14.		0
184	Transgenic Mice as Models for the Development of Haemopoietic Neoplasia. , 1989, , 494-501.		0
185	Genes Inhibiting Caspases Rescue Neuronal Cells from Apoptosis and Allow Functional Survival of Cells Exposed to a Death Stimulus. <i>Pediatric Research</i> , 1999, 45, 195A-195A.	1.1	0