

Laia RodrÃ-guez-Cintas

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8475546/publications.pdf>

Version: 2024-02-01

41
papers

643
citations

516215

16
h-index

610482

24
g-index

48
all docs

48
docs citations

48
times ranked

956
citing authors

#	ARTICLE	IF	CITATIONS
1	History of sexual, emotional or physical abuse and psychiatric comorbidity in substance-dependent patients. <i>Psychiatry Research</i> , 2015, 229, 743-749.	1.7	54
2	Factors associated with lifetime suicidal ideation and suicide attempts in outpatients with substance use disorders. <i>Psychiatry Research</i> , 2018, 262, 440-445.	1.7	51
3	Brain-derived neurotrophic factor serum levels in cocaine-dependent patients during early abstinence. <i>European Neuropsychopharmacology</i> , 2013, 23, 1078-1084.	0.3	49
4	Psychiatric comorbidities in opioid-dependent patients undergoing a replacement therapy programme in Spain: The PROTEUS study. <i>Psychiatry Research</i> , 2016, 243, 174-181.	1.7	44
5	Adult ADHD Screening in Alcohol-Dependent Patients Using the Wenderâ€“Utah Rating Scale and the Adult ADHD Self-Report Scale. <i>Journal of Attention Disorders</i> , 2015, 19, 328-334.	1.5	43
6	Impulsivity and addiction severity in cocaine and opioid dependent patients. <i>Addictive Behaviors</i> , 2016, 58, 104-109.	1.7	35
7	Substance Use among Medical Students: A Literature Review 1988- 2013. <i>Actas Espanolas De Psiquiatria</i> , 2015, 43, 109-21.	0.1	33
8	Neuroticism and impulsivity: Their hierarchical organization in the personality characterization of drug-dependent patients from a decision tree learning perspective. <i>Comprehensive Psychiatry</i> , 2014, 55, 1227-1233.	1.5	32
9	Association study of 37 genes related to serotonin and dopamine neurotransmission and neurotrophic factors in cocaine dependence. <i>Genes, Brain and Behavior</i> , 2013, 12, 39-46.	1.1	27
10	Changes in brain-derived neurotrophic factor (BDNF) during abstinence could be associated with relapse in cocaine-dependent patients. <i>Psychiatry Research</i> , 2015, 225, 309-314.	1.7	26
11	Factores de riesgo de recaída en pacientes drogodependientes tras desintoxicación hospitalaria. <i>Revista De Psicología De La Salud</i> , 2012, 24, 115.	0.2	24
12	The role of dual diagnosis in health-related quality of life among treatment-seeking patients in Spain. <i>Quality of Life Research</i> , 2017, 26, 3201-3209.	1.5	23
13	Cocaine-Induced Psychosis and Impulsivity in Cocaine-Dependent Patients. <i>Journal of Addictive Diseases</i> , 2013, 32, 263-273.	0.8	22
14	The Influence of Medical Student Gender and Drug Use on the Detection of Addiction in Patients. <i>Journal of Addictive Diseases</i> , 2014, 33, 277-288.	0.8	20
15	Alcohol use disorder and cognitive impairment in old age patients: A 6 months follow-up study in an outpatient unit in Barcelona. <i>Psychiatry Research</i> , 2018, 261, 361-366.	1.7	18
16	Neuroticism Associated with Cocaine-Induced Psychosis in Cocaine-Dependent Patients: A Cross-Sectional Observational Study. <i>PLoS ONE</i> , 2014, 9, e106111.	1.1	17
17	Dual Diagnosis Resource Needs in Spain: A National Survey of Professionals. <i>Journal of Dual Diagnosis</i> , 2014, 10, 84-90.	0.7	15
18	HIV And HCV infection among opiate-dependent patients and methadone doses: the PROTEUS study. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2017, 29, 1551-1556.	0.6	13

#	ARTICLE	IF	CITATIONS
19	Peripheral levels of BDNF and opiate-use disorder: literature review and update. <i>Reviews in the Neurosciences</i> , 2017, 28, 499-508.	1.4	13
20	Higher severity of cocaine addiction is associated with tactile and somatic hallucinations. <i>European Psychiatry</i> , 2017, 42, 63-69.	0.1	11
21	A Highly Polymorphic Copy Number Variant in the NSF Gene is Associated with Cocaine Dependence. <i>Scientific Reports</i> , 2016, 6, 31033.	1.6	8
22	Anxiety and Depression in Drug-Dependent Patients with Cluster C Personality Disorders. <i>Frontiers in Psychiatry</i> , 2018, 9, 19.	1.3	8
23	Administrative prevalence of insomnia and associated clinical features in patients with addiction during active substance use. <i>Actas Espanolas De Psiquiatria</i> , 2016, 44, 64-71.	0.1	8
24	Mood Disorders and Severity of Addiction in Alcohol-Dependent Patients Could Be Mediated by Sex Differences. <i>Frontiers in Psychiatry</i> , 2019, 10, 343.	1.3	7
25	Grupo motivacional en unidad hospitalaria desintoxicación, su influencia en mantenimiento de la abstinencia y retención al tratamiento tras alta. <i>Revista De Psicología De La Salud</i> , 2015, 27, 109.	0.2	7
26	Treatment adherence to treatment in substance users referred from Psychiatric Emergency service to outpatient treatment. <i>Actas Espanolas De Psiquiatria</i> , 2012, 40, 63-9.	0.1	7
27	Professionals' perceptions about healthcare resources for co-occurring disorders in Spain. <i>International Journal of Mental Health Systems</i> , 2014, 8, 35.	1.1	5
28	Substance-induced psychotic symptoms in Borderline Personality Disorder among substance use disorder samples in Spain. <i>Psychiatry Research</i> , 2018, 260, 313-317.	1.7	4
29	Uso de reducción de dosis y gravedad psicopatológica y médica en pacientes en programa de mantenimiento con metadona. <i>Revista De Psicología De La Salud</i> , 2018, 30, 197.	0.2	4
30	Driving and legal status of Spanish opioid-dependent patients. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2013, 8, 19.	1.0	3
31	Reliability of the Beck Depression Inventory in opiate-dependent patients. <i>Journal of Substance Use</i> , 0, 1-6.	0.3	2
32	2359 " Voluntary discharge related factors in drug dependent patients in detoxification process in an inpatient unit. <i>European Psychiatry</i> , 2013, 28, 1.	0.1	1
33	EPA-1056 " Factors related to relapse in drug-dependent patients in hospital detoxification: the relevance of insomnia. <i>European Psychiatry</i> , 2014, 29, 1.	0.1	1
34	P02-393 - Genders Differences In Opiate-Dependent Patients Undergoing A Replacement Therapy Program In Spain: The Proteus Study. <i>European Psychiatry</i> , 2010, 25, .	0.1	0
35	Medication use in a dual pathology program: Observational study. <i>European Psychiatry</i> , 2011, 26, 43-43.	0.1	0
36	Impulsivity and addiction severity in cocaine, cocaine and heroin and heroin dependent patients measured by BIS-11 and Europasi. <i>European Psychiatry</i> , 2011, 26, 97-97.	0.1	0

#	ARTICLE	IF	CITATIONS
37	P-31 - Hypnotic treatment in drugdependent inpatients. European Psychiatry, 2012, 27, 1.	0.1	0
38	2365 “ Cocaine-induced psychotic symptoms prevalence in cocaine-dependent patients. European Psychiatry, 2013, 28, 1.	0.1	0
39	EPA-1157 “ The influence of medical student gender and drug use on the detection of addiction in patients. European Psychiatry, 2014, 29, 1.	0.1	0
40	EPA-1305 - Personality trails as a risk factors of cocaine-induced psychosis in cocaine-dependent patients. European Psychiatry, 2014, 29, 1.	0.1	0
41	Relevant Differences in Perception and Knowledge of Professionals in Different Spanish Autonomous Communities Regarding Availability of Resources for Patients with Dual disorders. Actas Espanolas De Psiquiatria, 2016, 44, 1-12.	0.1	0