

# Laia RodrÃ-guez-Cintas

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8475546/publications.pdf>

Version: 2024-02-01

41  
papers

643  
citations

516215

16  
h-index

610482

24  
g-index

48  
all docs

48  
docs citations

48  
times ranked

956  
citing authors

#	ARTICLE	IF	CITATIONS
1	Mood Disorders and Severity of Addiction in Alcohol-Dependent Patients Could Be Mediated by Sex Differences. <i>Frontiers in Psychiatry</i> , 2019, 10, 343.	1.3	7
2	Alcohol use disorder and cognitive impairment in old age patients: A 6 months follow-up study in an outpatient unit in Barcelona. <i>Psychiatry Research</i> , 2018, 261, 361-366.	1.7	18
3	Factors associated with lifetime suicidal ideation and suicide attempts in outpatients with substance use disorders. <i>Psychiatry Research</i> , 2018, 262, 440-445.	1.7	51
4	Substance-induced psychotic symptoms in Borderline Personality Disorder among substance use disorder samples in Spain. <i>Psychiatry Research</i> , 2018, 260, 313-317.	1.7	4
5	Anxiety and Depression in Drug-Dependent Patients with Cluster C Personality Disorders. <i>Frontiers in Psychiatry</i> , 2018, 9, 19.	1.3	8
6	Uso de reducción de dosis y gravedad psicopatológica y médica en pacientes en programa de mantenimiento con metadona. <i>Revista De Psicología De La Salud</i> , 2018, 30, 197.	0.2	4
7	HIV And HCV infection among opiate-dependent patients and methadone doses: the PROTEUS study. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2017, 29, 1551-1556.	0.6	13
8	Peripheral levels of BDNF and opiate-use disorder: literature review and update. <i>Reviews in the Neurosciences</i> , 2017, 28, 499-508.	1.4	13
9	Higher severity of cocaine addiction is associated with tactile and somatic hallucinations. <i>European Psychiatry</i> , 2017, 42, 63-69.	0.1	11
10	The role of dual diagnosis in health-related quality of life among treatment-seeking patients in Spain. <i>Quality of Life Research</i> , 2017, 26, 3201-3209.	1.5	23
11	Psychiatric comorbidities in opioid-dependent patients undergoing a replacement therapy programme in Spain: The PROTEUS study. <i>Psychiatry Research</i> , 2016, 243, 174-181.	1.7	44
12	A Highly Polymorphic Copy Number Variant in the NSF Gene is Associated with Cocaine Dependence. <i>Scientific Reports</i> , 2016, 6, 31033.	1.6	8
13	Impulsivity and addiction severity in cocaine and opioid dependent patients. <i>Addictive Behaviors</i> , 2016, 58, 104-109.	1.7	35
14	Relevant Differences in Perception and Knowledge of Professionals in Different Spanish Autonomous Communities Regarding Availability of Resources for Patients with Dual disorders. <i>Actas Espanolas De Psiquiatria</i> , 2016, 44, 1-12.	0.1	0
15	Administrative prevalence of insomnia and associated clinical features in patients with addiction during active substance use. <i>Actas Espanolas De Psiquiatria</i> , 2016, 44, 64-71.	0.1	8
16	Changes in brain-derived neurotrophic factor (BDNF) during abstinence could be associated with relapse in cocaine-dependent patients. <i>Psychiatry Research</i> , 2015, 225, 309-314.	1.7	26
17	History of sexual, emotional or physical abuse and psychiatric comorbidity in substance-dependent patients. <i>Psychiatry Research</i> , 2015, 229, 743-749.	1.7	54
18	Adult ADHD Screening in Alcohol-Dependent Patients Using the Wender Utah Rating Scale and the Adult ADHD Self-Report Scale. <i>Journal of Attention Disorders</i> , 2015, 19, 328-334.	1.5	43

#	ARTICLE	IF	CITATIONS
19	Grupo motivacional en unidad hospitalaria desintoxicación, su influencia en mantenimiento de la abstinencia y retención al tratamiento tras alta. Revista De Psicología De La Salud, 2015, 27, 109.	0.2	7
20	Substance Use among Medical Students: A Literature Review 1988- 2013. Actas Espanolas De Psiquiatria, 2015, 43, 109-21.	0.1	33
21	Neuroticism Associated with Cocaine-Induced Psychosis in Cocaine-Dependent Patients: A Cross-Sectional Observational Study. PLoS ONE, 2014, 9, e106111.	1.1	17
22	The Influence of Medical Student Gender and Drug Use on the Detection of Addiction in Patients. Journal of Addictive Diseases, 2014, 33, 277-288.	0.8	20
23	Dual Diagnosis Resource Needs in Spain: A National Survey of Professionals. Journal of Dual Diagnosis, 2014, 10, 84-90.	0.7	15
24	EPA-1056 " Factors related to relapse in drug-dependent patients in hospital detoxification: the relevance of insomnia. European Psychiatry, 2014, 29, 1.	0.1	1
25	EPA-1157 " The influence of medical student gender and drug use on the detection of addiction in patients. European Psychiatry, 2014, 29, 1.	0.1	0
26	EPA-1305 - Personality traits as a risk factors of cocaine-induced psychosis in cocaine-dependent patients. European Psychiatry, 2014, 29, 1.	0.1	0
27	Professionals' perceptions about healthcare resources for co-occurring disorders in Spain. International Journal of Mental Health Systems, 2014, 8, 35.	1.1	5
28	Neuroticism and impulsivity: Their hierarchical organization in the personality characterization of drug-dependent patients from a decision tree learning perspective. Comprehensive Psychiatry, 2014, 55, 1227-1233.	1.5	32
29	Driving and legal status of Spanish opioid-dependent patients. Substance Abuse Treatment, Prevention, and Policy, 2013, 8, 19.	1.0	3
30	Brain-derived neurotrophic factor serum levels in cocaine-dependent patients during early abstinence. European Neuropsychopharmacology, 2013, 23, 1078-1084.	0.3	49
31	2359 " Voluntary discharge related factors in drug dependent patients in detoxification process in an inpatient unit. European Psychiatry, 2013, 28, 1.	0.1	1
32	2365 " Cocaine-induced psychotic symptoms prevalence in cocaine-dependent patients. European Psychiatry, 2013, 28, 1.	0.1	0
33	Association study of 37 genes related to serotonin and dopamine neurotransmission and neurotrophic factors in cocaine dependence. Genes, Brain and Behavior, 2013, 12, 39-46.	1.1	27
34	Cocaine-Induced Psychosis and Impulsivity in Cocaine-Dependent Patients. Journal of Addictive Diseases, 2013, 32, 263-273.	0.8	22
35	P-31 - Hypnotic treatment in drugdependent inpatients. European Psychiatry, 2012, 27, 1.	0.1	0
36	Factores de riesgo de recaída en pacientes drogodependientes tras desintoxicación hospitalaria. Revista De Psicología De La Salud, 2012, 24, 115.	0.2	24

#	ARTICLE	IF	CITATIONS
37	Treatment adherence to treatment in substance users referred from Psychiatric Emergency service to outpatient treatment. <i>Actas Espanolas De Psiquiatria</i> , 2012, 40, 63-9.	0.1	7
38	Medication use in a dual pathology program: Observational study. <i>European Psychiatry</i> , 2011, 26, 43-43.	0.1	0
39	Impulsivity and addiction severity in cocaine, cocaine and heroin and heroin dependent patients measured by BIS-11 and Europasi. <i>European Psychiatry</i> , 2011, 26, 97-97.	0.1	0
40	P02-393 - Genders Differences In Opiate-Dependent Patients Undergoing A Replacement Therapy Program In Spain: The Proteus Study. <i>European Psychiatry</i> , 2010, 25, .	0.1	0
41	Reliability of the Beck Depression Inventory in opiate-dependent patients. <i>Journal of Substance Use</i> , 0, , 1-6.	0.3	2