Laia Rodrguez-Cintas

List of Publications by Citations

Source: https://exaly.com/author-pdf/8475546/laia-rodriguez-cintas-publications-by-citations.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

35
papers

446
citations

h-index

19
g-index

48
ext. papers

552
ext. citations

4.4
avg, IF

L-index

#	Paper	IF	Citations
35	Brain-derived neurotrophic factor serum levels in cocaine-dependent patients during early abstinence. <i>European Neuropsychopharmacology</i> , 2013 , 23, 1078-84	1.2	35
34	Psychiatric comorbidities in opioid-dependent patients undergoing a replacement therapy programme in Spain: The PROTEUS study. <i>Psychiatry Research</i> , 2016 , 243, 174-81	9.9	34
33	Adult ADHD screening in alcohol-dependent patients using the Wender-Utah Rating Scale and the adult ADHD Self-Report Scale. <i>Journal of Attention Disorders</i> , 2015 , 19, 328-34	3.7	31
32	History of sexual, emotional or physical abuse and psychiatric comorbidity in substance-dependent patients. <i>Psychiatry Research</i> , 2015 , 229, 743-9	9.9	28
31	Factors associated with lifetime suicidal ideation and suicide attempts in outpatients with substance use disorders. <i>Psychiatry Research</i> , 2018 , 262, 440-445	9.9	28
30	Impulsivity and addiction severity in cocaine and opioid dependent patients. <i>Addictive Behaviors</i> , 2016 , 58, 104-9	4.2	26
29	Substance Use among Medical Students: A Literature Review 1988- 2013. <i>Actas Espanolas De Psiquiatria</i> , 2015 , 43, 109-21	0.7	26
28	Neuroticism and impulsivity: their hierarchical organization in the personality characterization of drug-dependent patients from a decision tree learning perspective. <i>Comprehensive Psychiatry</i> , 2014 , 55, 1227-33	7.3	25
27	Association study of 37 genes related to serotonin and dopamine neurotransmission and neurotrophic factors in cocaine dependence. <i>Genes, Brain and Behavior</i> , 2013 , 12, 39-46	3.6	23
26	Factores de riesgo de recada en pacientes drogodependientes tras desintoxicació hospitalaria. <i>Revista De Psicologia De La Salud</i> , 2012 , 24, 115	1	19
25	Changes in brain-derived neurotrophic factor (BDNF) during abstinence could be associated with relapse in cocaine-dependent patients. <i>Psychiatry Research</i> , 2015 , 225, 309-14	9.9	18
24	The influence of medical student gender and drug use on the detection of addiction in patients. Journal of Addictive Diseases, 2014 , 33, 277-88	1.7	17
23	The role of dual diagnosis in health-related quality of life among treatment-seeking patients in Spain. <i>Quality of Life Research</i> , 2017 , 26, 3201-3209	3.7	15
22	Cocaine-induced psychosis and impulsivity in cocaine-dependent patients. <i>Journal of Addictive Diseases</i> , 2013 , 32, 263-73	1.7	15
21	Neuroticism associated with cocaine-induced psychosis in cocaine-dependent patients: a cross-sectional observational study. <i>PLoS ONE</i> , 2014 , 9, e106111	3.7	13
20	Peripheral levels of BDNF and opiate-use disorder: literature review and update. <i>Reviews in the Neurosciences</i> , 2017 , 28, 499-508	4.7	11
19	Dual diagnosis resource needs in Spain: a national survey of professionals. <i>Journal of Dual Diagnosis</i> , 2014 , 10, 84-90	2.4	11

(2016-2017)

18	HIV And HCV infection among opiate-dependent patients and methadone doses: the PROTEUS study. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2017 , 29, 1551-1556	2.2	8
17	Alcohol use disorder and cognitive impairment in old age patients: A 6 months follow-up study in an outpatient unit in Barcelona. <i>Psychiatry Research</i> , 2018 , 261, 361-366	9.9	8
16	Administrative prevalence of insomnia and associated clinical features in patients with addiction during active substance use. <i>Actas Espanolas De Psiquiatria</i> , 2016 , 44, 64-71	0.7	8
15	Higher severity of cocaine addiction is associated with tactile and somatic hallucinations. <i>European Psychiatry</i> , 2017 , 42, 63-69	6	7
14	Treatment adherence to treatment in substance users referred from Psychiatric Emergency service to outpatient treatment. <i>Actas Espanolas De Psiquiatria</i> , 2012 , 40, 63-9	0.7	7
13	Anxiety and Depression in Drug-Dependent Patients with Cluster C Personality Disorders. <i>Frontiers in Psychiatry</i> , 2018 , 9, 19	5	6
12	A Highly Polymorphic Copy Number Variant in the NSF Gene is Associated with Cocaine Dependence. <i>Scientific Reports</i> , 2016 , 6, 31033	4.9	5
11	Grupo motivacional en unidad hospitalaria desintoxicacifi, su influencia en mantenimiento de la abstinencia y retencifi al tratamiento tras alta. <i>Revista De Psicologia De La Salud</i> , 2015 , 27, 109	1	5
10	Mood Disorders and Severity of Addiction in Alcohol-Dependent Patients Could Be Mediated by Sex Differences. <i>Frontiers in Psychiatry</i> , 2019 , 10, 343	5	3
9	Driving and legal status of Spanish opioid-dependent patients. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2013 , 8, 19	3.4	3
8	Harm reduction program use, psychopathology and medical severity in patients with methadone maintenance treatment. <i>Revista De Psicologia De La Salud</i> , 2018 , 30, 197-207	1	3
7	ProfessionalsVperceptions about healthcare resources for co-occuring disorders in Spain. <i>International Journal of Mental Health Systems</i> , 2014 , 8, 35	3.6	2
6	Reliability of the Beck Depression Inventory in opiate-dependent patients. <i>Journal of Substance Use</i> , 2014 , 1-6	0.8	1
5	Manejo teraplitico y comorbilidades del paciente con dependencia a opilleos, en programa de terapia sustitutiva: estudio PROTEUS. <i>Trastornos Adictivos</i> , 2009 , 11, 266-270		O
4	Substance-induced psychotic symptoms in Borderline Personality Disorder among substance use disorder samples in Spain. <i>Psychiatry Research</i> , 2018 , 260, 313-317	9.9	0
3	Medication use in a dual pathology program: Observational study. <i>European Psychiatry</i> , 2011 , 26, 43-43	6	
2	Impulsivity and addiction severity in cocaine, cocaine and heroin and heroin dependent patients measured by BIS-11 and Europasi. <i>European Psychiatry</i> , 2011 , 26, 97-97	6	
1	Relevant Differences in Perception and Knowledge of Professionals in Different Spanish Autonomous Communities Regarding Availability of Resources for Patients with Dual disorders. <i>Actas Espanolas De Psiquiatria</i> , 2016 , 44, 1-12	0.7	