

Laia Rodrguez-Cintas

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8475546/laia-rodriguez-cintas-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

35
papers

446
citations

14
h-index

19
g-index

48
ext. papers

552
ext. citations

4.4
avg, IF

3.08
L-index

#	Paper	IF	Citations
35	Mood Disorders and Severity of Addiction in Alcohol-Dependent Patients Could Be Mediated by Sex Differences. <i>Frontiers in Psychiatry</i> , 2019 , 10, 343	5	3
34	Alcohol use disorder and cognitive impairment in old age patients: A 6 months follow-up study in an outpatient unit in Barcelona. <i>Psychiatry Research</i> , 2018 , 261, 361-366	9.9	8
33	Factors associated with lifetime suicidal ideation and suicide attempts in outpatients with substance use disorders. <i>Psychiatry Research</i> , 2018 , 262, 440-445	9.9	28
32	Anxiety and Depression in Drug-Dependent Patients with Cluster C Personality Disorders. <i>Frontiers in Psychiatry</i> , 2018 , 9, 19	5	6
31	Harm reduction program use, psychopathology and medical severity in patients with methadone maintenance treatment. <i>Revista De Psicología De La Salud</i> , 2018 , 30, 197-207	1	3
30	Substance-induced psychotic symptoms in Borderline Personality Disorder among substance use disorder samples in Spain. <i>Psychiatry Research</i> , 2018 , 260, 313-317	9.9	0
29	HIV And HCV infection among opiate-dependent patients and methadone doses: the PROTEUS study. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2017 , 29, 1551-1556	2.2	8
28	Peripheral levels of BDNF and opiate-use disorder: literature review and update. <i>Reviews in the Neurosciences</i> , 2017 , 28, 499-508	4.7	11
27	Higher severity of cocaine addiction is associated with tactile and somatic hallucinations. <i>European Psychiatry</i> , 2017 , 42, 63-69	6	7
26	The role of dual diagnosis in health-related quality of life among treatment-seeking patients in Spain. <i>Quality of Life Research</i> , 2017 , 26, 3201-3209	3.7	15
25	A Highly Polymorphic Copy Number Variant in the NSF Gene is Associated with Cocaine Dependence. <i>Scientific Reports</i> , 2016 , 6, 31033	4.9	5
24	Impulsivity and addiction severity in cocaine and opioid dependent patients. <i>Addictive Behaviors</i> , 2016 , 58, 104-9	4.2	26
23	Psychiatric comorbidities in opioid-dependent patients undergoing a replacement therapy programme in Spain: The PROTEUS study. <i>Psychiatry Research</i> , 2016 , 243, 174-81	9.9	34
22	Relevant Differences in Perception and Knowledge of Professionals in Different Spanish Autonomous Communities Regarding Availability of Resources for Patients with Dual disorders. <i>Actas Espanolas De Psiquiatria</i> , 2016 , 44, 1-12	0.7	
21	Administrative prevalence of insomnia and associated clinical features in patients with addiction during active substance use. <i>Actas Espanolas De Psiquiatria</i> , 2016 , 44, 64-71	0.7	8
20	History of sexual, emotional or physical abuse and psychiatric comorbidity in substance-dependent patients. <i>Psychiatry Research</i> , 2015 , 229, 743-9	9.9	28
19	Adult ADHD screening in alcohol-dependent patients using the Wender-Utah Rating Scale and the adult ADHD Self-Report Scale. <i>Journal of Attention Disorders</i> , 2015 , 19, 328-34	3.7	31

18	Changes in brain-derived neurotrophic factor (BDNF) during abstinence could be associated with relapse in cocaine-dependent patients. <i>Psychiatry Research</i> , 2015 , 225, 309-14	9.9	18
17	Grupo motivacional en unidad hospitalaria desintoxicaci3n, su influencia en mantenimiento de la abstinencia y retenci3n al tratamiento tras alta. <i>Revista De Psicologia De La Salud</i> , 2015 , 27, 109	1	5
16	Substance Use among Medical Students: A Literature Review 1988- 2013. <i>Actas Espanolas De Psiquiatria</i> , 2015 , 43, 109-21	0.7	26
15	Dual diagnosis resource needs in Spain: a national survey of professionals. <i>Journal of Dual Diagnosis</i> , 2014 , 10, 84-90	2.4	11
14	Professionals' perceptions about healthcare resources for co-occurring disorders in Spain. <i>International Journal of Mental Health Systems</i> , 2014 , 8, 35	3.6	2
13	Neuroticism and impulsivity: their hierarchical organization in the personality characterization of drug-dependent patients from a decision tree learning perspective. <i>Comprehensive Psychiatry</i> , 2014 , 55, 1227-33	7.3	25
12	Reliability of the Beck Depression Inventory in opiate-dependent patients. <i>Journal of Substance Use</i> , 2014 , 1-6	0.8	1
11	Neuroticism associated with cocaine-induced psychosis in cocaine-dependent patients: a cross-sectional observational study. <i>PLoS ONE</i> , 2014 , 9, e106111	3.7	13
10	The influence of medical student gender and drug use on the detection of addiction in patients. <i>Journal of Addictive Diseases</i> , 2014 , 33, 277-88	1.7	17
9	Driving and legal status of Spanish opioid-dependent patients. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2013 , 8, 19	3.4	3
8	Brain-derived neurotrophic factor serum levels in cocaine-dependent patients during early abstinence. <i>European Neuropsychopharmacology</i> , 2013 , 23, 1078-84	1.2	35
7	Association study of 37 genes related to serotonin and dopamine neurotransmission and neurotrophic factors in cocaine dependence. <i>Genes, Brain and Behavior</i> , 2013 , 12, 39-46	3.6	23
6	Cocaine-induced psychosis and impulsivity in cocaine-dependent patients. <i>Journal of Addictive Diseases</i> , 2013 , 32, 263-73	1.7	15
5	Factores de riesgo de reca3da en pacientes drogodependientes tras desintoxicaci3n hospitalaria. <i>Revista De Psicologia De La Salud</i> , 2012 , 24, 115	1	19
4	Treatment adherence to treatment in substance users referred from Psychiatric Emergency service to outpatient treatment. <i>Actas Espanolas De Psiquiatria</i> , 2012 , 40, 63-9	0.7	7
3	Medication use in a dual pathology program: Observational study. <i>European Psychiatry</i> , 2011 , 26, 43-43	6	
2	Impulsivity and addiction severity in cocaine, cocaine and heroin and heroin dependent patients measured by BIS-11 and Europasi. <i>European Psychiatry</i> , 2011 , 26, 97-97	6	
1	Manejo terap3utico y comorbilidades del paciente con dependencia a opi3ceos, en programa de terapia sustitutiva: estudio PROTEUS. <i>Trastornos Adictivos</i> , 2009 , 11, 266-270		0

