
Maik Veste

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8475832/publications.pdf Version: 2024-02-01



MAIR VESTE

#	Article	IF	CITATIONS
1	Soil pH influences the organic acid metabolism and exudation in cluster roots of Protea species from the Mediterranean-type fynbos ecosystem, Western Cape, South Africa. Rhizosphere, 2022, 21, 100486.	1.4	5
2	Comparative ecophysiology of the leaf-succulents Augea capensis (C3) and Malephora purpureo-crocea (CAM) in the Knersvlakte, Succulent Karoo, South Africa. Flora: Morphology, Distribution, Functional Ecology of Plants, 2021, 278, 151807.	0.6	6
3	Editorial: Ecological Development and Functioning of Biological Soil Crusts After Natural and Human Disturbances. Frontiers in Ecology and Evolution, 2021, 9, .	1.1	3
4	Coverage and Rainfall Response of Biological Soil Crusts Using Multi-Temporal Sentinel-2 Data in a Central European Temperate Dry Acid Grassland. Remote Sensing, 2021, 13, 3093.	1.8	9
5	Biological factors impacting hydrological processes: Pecularities of plants and biological soil crusts. Journal of Hydrology and Hydromechanics, 2021, 69, 357-359.	0.7	3
6	Agroforestry: An Appropriate and Sustainable Response to a Changing Climate in Southern Africa?. Sustainability, 2020, 12, 6796.	1.6	39
7	Windbreaks as part of climate-smart landscapes reduce evapotranspiration in vineyards, Western Cape Province, South Africa. Plant, Soil and Environment, 2020, 66, 119-127.	1.0	13
8	Trade-Off between Energy Wood and Grain Production in Temperate Alley-Cropping Systems: An Empirical and Simulation-Based Derivation of Land Equivalent Ratio. Agriculture (Switzerland), 2019, 9, 147.	1.4	14
9	Manufacturing Simple and Inexpensive Soil Surface Temperature and Gravimetric Water Content Sensors. Journal of Visualized Experiments, 2019, , .	0.2	2
10	Microclimate effects on evaporation and winter wheat (Triticum aestivum L.) yield within a temperate agroforestry system. Agroforestry Systems, 2019, 93, 1821-1841.	0.9	63
11	Natural recovery rates of moss biocrusts after severe disturbance in a semiarid climate of the Chinese Loess Plateau. Geoderma, 2019, 337, 402-412.	2.3	26
12	Wintertime photosynthesis and spring recovery of Ilex aquifolium L IForest, 2019, 12, 389-396.	0.5	3
13	<i>ETS</i> and plastid sequence data indicate a spontaneous origin of Scandinavian betony, <i>Betonica officinalis</i> L. Biologia Futura, 2019, 70, 218-239.	0.6	2
14	Photosynthetic characteristics and simulation of annual leaf carbon gains of hybrid poplar (Populus) Tj ETQq0 (agroforestry system. Agroforestry Systems, 2018, 92, 1267-1286.	0 0 rgBT /O 0.9	verlock 10 Tf 5 6
15	Simulating Climate Change Impacts on Hybrid-Poplar and Black Locust Short Rotation Coppices. Forests, 2018, 9, 419.	0.9	8
16	Identification of spatial pattern of photosynthesis hotspots in moss- and lichen-dominated biological soil crusts by combining chlorophyll fluorescence imaging and multispectral BNDVI images. Pedobiologia, 2018, 68, 1-11.	0.5	9
17	Key drivers of competition and growth partitioning among Robinia pseudoacacia L. trees. Forest Ecology and Management, 2018, 430, 86-93.	1.4	28
18	Anbau und Nutzung schnellwachsender Bäme in der Landwirtschaft – ein Ausblick. , 2018, , 511-523.		1

Anbau und Nutzung schnellwachsender BÃ**œ**me in der Landwirtschaft – ein Ausblick. , 2018, , 511-523.

MAIK VESTE

#	Article	IF	CITATIONS
19	Carbon cycling of biological soil crusts mirrors ecological maturity along a Central European inland dune catena. Catena, 2018, 160, 68-75.	2.2	19
20	Baumarten für die Agrarholzproduktion. , 2018, , 81-118.		1
21	Agrarholzanbau im Kontext einer modernen Landwirtschaft. , 2018, , 57-79.		0
22	Nachhaltige Holzproduktion in der Agrarlandschaft. , 2018, , 1-16.		1
23	Ökophysiologie der Agrargehölze – vom Blatt zum Bestand. , 2018, , 169-227.		0
24	Moss-dominated biocrusts increase soil microbial abundance and community diversity and improve soil fertility in semi-arid climates on the Loess Plateau of China. Applied Soil Ecology, 2017, 117-118, 165-177.	2.1	71
25	Photosynthetic characteristics and their spatial variance on biological soil crusts covering initial soils of post-mining sites in Lower Lusatia, NE Germany. Flora: Morphology, Distribution, Functional Ecology of Plants, 2016, 220, 103-116.	0.6	36
26	Effects of biological soil crusts on water infiltration and evaporation Yanchi Ningxia, Maowusu Desert, China. International Journal of Sediment Research, 2016, 31, 311-323.	1.8	34
27	Infiltration and water retention of biological soil crusts on reclaimed soils of former open-cast lignite mining sites in Brandenburg, north-east Germany. Journal of Hydrology and Hydromechanics, 2016, 64, 1-11.	0.7	46
28	Influence of halophytic hosts on their parasites—the case of Plicosepalus acaciae. AoB PLANTS, 2015, 7,	1.2	7
29	Spatial and temporal variation of drought impact on black locust (Robinia pseudoacacia L.) water status and growth. IForest, 2015, 8, 743-747.	0.5	19
30	Green barks of trees from drought deciduous forests ("bosque secoâ€) in northern Peru/southern Ecuador do not perform CAM. Basic and Applied Dryland Research, 2015, , .	0.7	0
31	Synergic hydraulic and nutritional feedback mechanisms control surface patchiness of biological soil crusts on tertiary sands at a post-mining site. Journal of Hydrology and Hydromechanics, 2014, 62, 293-302.	0.7	23
32	Effects of Drought Frequency on Growth Performance and Transpiration of Young Black Locust (Robinia pseudoacaciaL.). International Journal of Forestry Research, 2014, 2014, 1-11.	0.2	20
33	Organic matter from biological soil crusts induces the initial formation of sandy temperate soils. Catena, 2014, 122, 196-208.	2.2	71
34	Black locust (Robinia pseudoacacia L.) ecophysiological and morphological adaptations to drought and their consequence on biomass production and water-use efficiency. New Zealand Journal of Forestry Science, 2014, 44, .	0.8	39
35	Carbon allocation, nodulation, and biological nitrogen fixation of black locust (Robinia) Tj ETQq1 1 0.784314 rgBT	lOverlock 0.6	10 Tf 50
96	Transpiration and biomass production of the bioenergy crop Giant Knotweed Igniscum under various	0.7	10

supplies of water and nutrients. Journal of Hydrology and Hydromechanics, 2014, 62, 316-323.

0.7 10

MAIK VESTE

#	Article	lF	CITATIONS
37	Biological soil crusts decrease soil temperature in summer and increase soil temperature in winter in semiarid environment. Ecological Engineering, 2013, 58, 52-56.	1.6	32
38	Succession of N cycling processes in biological soil crusts on a Central European inland dune. FEMS Microbiology Ecology, 2013, 83, 149-160.	1.3	57
39	Hydraulic properties of biological soil crusts on sand dunes studied by 13C-CP/MAS-NMR: A comparison between an arid and a temperate site. Catena, 2013, 110, 155-160.	2.2	33
40	Evaluation of fast growing tree water use under different soil moisture regimes using wick lysimeters. IForest, 2013, 6, 190-200.	0.5	10
41	Small scale spatial heterogeneity of Normalized Difference Vegetation Indices (NDVIs) and hot spots of photosynthesis in biological soil crusts. Flora: Morphology, Distribution, Functional Ecology of Plants, 2012, 207, 159-167.	0.6	31
42	Dew formation on the surface of biological soil crusts in central European sand ecosystems. Biogeosciences, 2012, 9, 4621-4628.	1.3	38
43	Patterns and processes of initial terrestrialâ€ecosystem development. Journal of Plant Nutrition and Soil Science, 2011, 174, 229-239.	1.1	61
44	Differential hydrological response of biological topsoil crusts along a rainfall gradient in a sandy arid area: Northern Negev desert, Israel. Catena, 2011, 87, 326-333.	2.2	55
45	Overview and first results of ecological monitoring at the artificial watershed Chicken Creek (Germany). Physics and Chemistry of the Earth, 2011, 36, 61-73.	1.2	40
46	Vegetation pattern in arid sand dunes controlled by biological soil crusts along a climatic gradient in the Northern Negev desert. Basic and Applied Dryland Research, 2011, 5, 1-16.	0.7	31
47	Effects of high levels of CO2 on gene expression in two different genotypes of Fagus sylvatica. BMC Proceedings, 2011, 5, .	1.8	0
48	Organicâ€carbon and nitrogen stocks and organicâ€carbon fractions in soil under mixed pine and oak forest stands of different ages in NE Germany. Journal of Plant Nutrition and Soil Science, 2010, 173, 654-661.	1.1	27
49	Initial pedogenesis in a topsoil crust 3Âyears after construction of an artificial catchment in Brandenburg, NE Germany. Biogeochemistry, 2010, 101, 165-176.	1.7	40
50	Water repellency and pore clogging at early successional stages of microbiotic crusts on inland dunes, Brandenburg, NE Germany. Catena, 2010, 80, 47-52.	2.2	135
51	Ecosystem Manipulation and Restoration on the Basis of Long-Term Conceptions. , 2010, , 411-428.		7
52	Biological topsoil crusts at early successional stages on Quaternary substrates dumped by mining in Brandenburg, NE Germany. Geomorphologie Relief, Processus, Environnement, 2010, 16, 359-370.	0.7	23
53	Spatial and temporal variability of soil water in drylands: plant water potential as a diagnostic tool. Forestry Studies in China, 2008, 10, 74-80.	0.4	12
54	Biological Crusts. Ecological Studies, 2008, , 149-155.	0.4	15

Maik Veste

#	Article	IF	CITATIONS
55	Arid Dune Ecosystems. Ecological Studies, 2008, , .	0.4	25
56	General Conclusions – Sand Dune Deserts, Desertification, Rehabilitation and Conservation. Ecological Studies, 2008, , 441-459.	0.4	3
57	Evapotranspiration, Transpiration and Dewfall. Ecological Studies, 2008, , 183-200.	0.4	4
58	Geo-Ecology of the North-Western Negev Sand Field. Ecological Studies, 2008, , 17-24.	0.4	2
59	Standing Biomass and its Modelling. Ecological Studies, 2008, , 377-383.	0.4	0
60	Temporal and Spatial Variability of Plant Water Status and Leaf Gas Exchange. Ecological Studies, 2008, , 367-375.	0.4	1
61	Determination of actual evapotranspiration and transpiration in desert sand dunes (Negev Desert) using different approaches. Forestry Studies in China, 2006, 8, 1-9.	0.4	4
62	Environmental variability and allocation trade-offs maintain species diversity in a process-based model of succulent plant communities. Ecological Modelling, 2006, 199, 486-504.	1.2	25
63	Modelling spatial patterns of vegetation in desert sand dunes. Forestry Studies in China, 2005, 7, 24-28.	0.4	10
64	A natural15N approach to determine the biological fixation of atmospheric nitrogen by biological soil crusts of the Negev Desert. Rapid Communications in Mass Spectrometry, 2005, 19, 3451-3456.	0.7	38
65	Using the natural15N abundance to assess the main nitrogen inputs into the sand dune area of the North-Western Negev desert (ISRAEL). Isotopes in Environmental and Health Studies, 2004, 40, 57-67.	0.5	20
66	Performance and Photosynthetic Ecophysiology of Three Photo-Types of Dioscorea zingiberensis under Differing Light Intensities. Plant Biology, 2002, 4, 384-391.	1.8	0
67	Sustainable Land Use in Deserts. , 2001, , .		18
68	The Role of Biological Soil Crusts on Desert Sand Dunes in the Northwestern Negev, Israel. , 2001, , 357-367.		24
69	Microclimatic boundary conditions for activity of soil lichen crusts in sand dunes of the north-western Negev desert, Israel. Flora: Morphology, Distribution, Functional Ecology of Plants, 2001, 196, 465-474.	0.6	53
70	Variability of CAM in leaf-deciduous succulentsfrom the Succulent Karoo (South Africa). Basic and Applied Ecology, 2001, 2, 283-288.	1.2	24
71	Deserts, Land Use and Desertification. , 2001, , 3-13.		4
72	Interactive effects of photon fluence rates and drought on CAM-cycling in Delosperma tradescantioides (Mesembryanthemaceae). Physiologia Plantarum, 1998, 102, 148-154.	2.6	11

Maik Veste

#	Article	IF	CITATIONS
73	Photosynthetic responses to CO2 concentration and photon fluence rates in the CAM-cycling plant Delosperma tradescantioides (Mesembryanthemaceae). New Phytologist, 1998, 138, 433-440.	3.5	14
74	Measuring photosynthetic rates in seagrasses by pulse amplitude modulated (PAM) fluorometry. Marine Ecology - Progress Series, 1998, 174, 293-300.	0.9	206
75	Comparative field performance of three different gas exchange systems. Bothalia, 1997, 27, 83-89.	0.2	13
76	CAM variations in the leaf-succulent Delosperma tradescantioides (Mesembryanthemaceae), native to southern Africa. Physiologia Plantarum, 1996, 98, 485-492.	2.6	13
77	CAM variations in the leaf-succulent Delosperma tradescantioides (Mesembryanthemaceae), native to southern Africa. Physiologia Plantarum, 1996, 98, 485-492.	2.6	0
78	Einfluss von Stickstoffdüngung und Kompost auf Photosynthese und Wachstum der Virginiamalve (Sida hermaphrodita Rusby). , 0, , .		2