
## MÃ'nica T Pupo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8476189/publications.pdf Version: 2024-02-01



ΜΑ΄ΝΙΟΛ Τ ΡΗΡΟ

#	Article	IF	CITATIONS
1	The antimicrobial potential of Streptomyces from insect microbiomes. Nature Communications, 2019, 10, 516.	5.8	222
2	Stereoselective biotransformations using fungi as biocatalysts. Tetrahedron: Asymmetry, 2009, 20, 385-397.	1.8	208
3	Chemical signaling involved in plant–microbe interactions. Chemical Society Reviews, 2018, 47, 1652-1704.	18.7	149
4	Global biogeographic sampling of bacterial secondary metabolism. ELife, 2015, 4, e05048.	2.8	117
5	Antibióticos: importância terapêutica e perspectivas para a descoberta e desenvolvimento de novos agentes. Quimica Nova, 2010, 33, 667-679.	0.3	108
6	Endophytic Fungi: Natural Products, Enzymes and Biotransformation Reactions. Current Organic Chemistry, 2009, 13, 1137-1163.	0.9	104
7	Inhibition of horseradish peroxidase catalytic activity by new 3-phenylcoumarin derivatives: Synthesis and structure–activity relationships. Bioorganic and Medicinal Chemistry, 2007, 15, 1516-1524.	1.4	102
8	Diketopiperazines produced by an Aspergillus fumigatus Brazilian strain. Journal of the Brazilian Chemical Society, 2005, 16, 1448-1453.	0.6	88
9	Biological activities from extracts of endophytic fungi isolated fromViguiera arenariaandTithonia diversifolia. FEMS Immunology and Medical Microbiology, 2008, 52, 134-144.	2.7	85
10	Stingless Bee Larvae Require Fungal Steroid to Pupate. Scientific Reports, 2018, 8, 1122.	1.6	85
11	Pyrano chalcones and a flavone from Neoraputia magnifica and their Trypanosoma cruzi glycosomal glyceraldehyde-3-phosphate dehydrogenase-inhibitory activities. Phytochemistry, 2000, 55, 643-651.	1.4	75
12	Convergent evolution of complex structures for ant–bacterial defensive symbiosis in fungus-farming ants. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, 10720-10725.	3.3	74
13	A Mixed Culture of Endophytic Fungi Increases Production of Antifungal Polyketides. Journal of Chemical Ecology, 2013, 39, 1335-1342.	0.9	68
14	Structure ofTrypanosoma cruziglycosomal glyceraldehyde-3-phosphate dehydrogenase complexed with chalepin, a natural product inhibitor, at 1.95 Ã resolution. FEBS Letters, 2002, 520, 13-17.	1.3	64
15	Azaphilones from the Endophyte <i>Chaetomium globosum</i> . Journal of Natural Products, 2011, 74, 1182-1187.	1.5	57
16	Antibacterial, antifungal and cytotoxic activities exhibited by endophytic fungi from the Brazilian marine red alga Bostrychia tenella (Ceramiales). Revista Brasileira De Farmacognosia, 2015, 25, 641-650.	0.6	53
17	Endophytic fungi as models for the stereoselective biotransformation of thioridazine. Applied Microbiology and Biotechnology, 2007, 77, 669-674.	1.7	51
18	Pyrazines from bacteria and ants: convergent chemistry within an ecological niche. Scientific Reports, 2018, 8, 2595.	1.6	51

#	Article	IF	CITATIONS
19	Biotransformation of a tetrahydrofuran lignan by the endophytic fungus Phomopsis Sp Journal of the Brazilian Chemical Society, 2009, 20, 195-200.	0.6	48
20	Stereoselective analysis of thioridazine-2-sulfoxide and thioridazine-5-sulfoxide: An investigation of rac-thioridazine biotransformation by some endophytic fungi. Journal of Pharmaceutical and Biomedical Analysis, 2008, 46, 945-952.	1.4	47
21	Stingless bees and microbial interactions. Current Opinion in Insect Science, 2021, 44, 41-47.	2.2	45
22	Antimicrobial activity from endophytic fungi Arthrinium state of Apiospora montagnei Sacc. and Papulaspora immersa. Brazilian Archives of Biology and Technology, 2010, 53, 629-632.	0.5	42
23	Antibacterial compound from the endophytic fungus <i>Phomopsis longicolla</i> isolated from the tropical red seaweed <i>Bostrychia radicans</i> . Botanica Marina, 2012, 55, 435-440.	0.6	42
24	Symbiotic skin bacteria as a source for sex-specific scents in frogs. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 2124-2129.	3.3	41
25	Diketopiperazines produced by endophytic fungi found in association with two Asteraceae species. Phytochemistry, 2010, 71, 1423-1429.	1.4	40
26	Endophytic fungi found in association with <i>Smallanthus sonchifolius</i> (Asteraceae) as resourceful producers of cytotoxic bioactive natural products. Journal of Basic Microbiology, 2009, 49, 142-151.	1.8	39
27	Endophytic Actinobacteria from the Brazilian Medicinal Plant <i>Lychnophora ericoides </i> <scp>Mart</scp> . and the Biological Potential of Their Secondary Metabolites. Chemistry and Biodiversity, 2016, 13, 727-736.	1.0	39
28	Antifungal compounds from Streptomyces associated with attine ants also inhibit Leishmania donovani. PLoS Neglected Tropical Diseases, 2019, 13, e0007643.	1.3	39
29	Strategies for the isolation and identification of trypanocidal compounds from the Rutales. Pure and Applied Chemistry, 2001, 73, 617-622.	0.9	36
30	Novel anthraquinone derivatives produced by Phoma sorghina, an endophyte found in association with the medicinal plant Tithonia diversifolia (Asteraceae). Journal of the Brazilian Chemical Society, 2006, 17, 929-934.	0.6	36
31	3D QSAR studies on binding affinities of coumarin natural products for glycosomal GAPDH of Trypanosoma cruzi. Journal of Computer-Aided Molecular Design, 2003, 17, 277-290.	1.3	35
32	New 3-piperonylcoumarins as inhibitors of glycosomal glyceraldehyde-3-phosphate dehydrogenase (gGAPDH) from Trypanosoma cruzi. Bioorganic and Medicinal Chemistry, 2004, 12, 4823-4833.	1.4	34
33	Chaetoglobosinas produzidas por Chaetomium globosum, fungo endofÃŧico associado a Viguiera robusta Gardn. (Asteraceae). Quimica Nova, 2008, 31, 1680-1685.	0.3	34
34	Antibacterial activity from Penicillium corylophilum Dierckx. Microbiological Research, 2004, 159, 317-322.	2.5	32
35	LC–MS–MS determination of ibuprofen, 2-hydroxyibuprofen enantiomers, and carboxyibuprofen stereoisomers for application in biotransformation studies employing endophytic fungi. Analytical and Bioanalytical Chemistry, 2011, 399, 915-925.	1.9	32
36	Bioactive extracts and chemical constituents of two endophytic strains of Fusarium oxysporum. Revista Brasileira De Farmacognosia, 2012, 22, 1276-1281.	0.6	31

#	Article	IF	CITATIONS
37	Structure–activity relationships of novel inhibitors of glyceraldehyde-3-phosphate dehydrogenase. Bioorganic and Medicinal Chemistry Letters, 2004, 14, 2199-2204.	1.0	30
38	Mycoleptones A–C and Polyketides from the Endophyte <i>Mycoleptodiscus indicus</i> . Journal of Natural Products, 2014, 77, 70-78.	1.5	30
39	In vitro metabolism of the alkaloid piplartine by rat liver microsomes. Journal of Pharmaceutical and Biomedical Analysis, 2014, 95, 113-120.	1.4	29
40	Meliponamycins: Antimicrobials from Stingless Bee-Associated <i>Streptomyces</i> sp Journal of Natural Products, 2020, 83, 610-616.	1.5	29
41	A cycloartane triterpenoid and ω-phenyl alkanoic and alkenoic acids from Trichilia claussenii. Phytochemistry, 1996, 42, 795-798.	1.4	28
42	Actinobacteria associated with stingless bees biosynthesize bioactive polyketides against bacterial pathogens. New Journal of Chemistry, 2019, 43, 10109-10117.	1.4	28
43	The Aspergillus fumigatus transcription factor RgIT is important for gliotoxin biosynthesis and self-protection, and virulence. PLoS Pathogens, 2020, 16, e1008645.	2.1	27
44	Androstane and pregnane 2β,19-hemiketal steroids from Trichilia claussenii. Phytochemistry, 1997, 45, 1495-1500.	1.4	26
45	Introdução a modelagem molecular de fármacos no curso experimental de quÃmica farmacêutica. Quimica Nova, 2003, 26, 428-438.	0.3	26
46	Enantioselective analysis of propranolol and 4â€hydroxypropranolol by CE with application to biotransformation studies employing endophytic fungi. Electrophoresis, 2009, 30, 3910-3917.	1.3	26
47	Microbial community modulates growth of symbiotic fungus required for stingless bee metamorphosis. PLoS ONE, 2019, 14, e0219696.	1.1	26
48	Î <sup>3</sup> -lactones from Trichilia claussenii. Phytochemistry, 1998, 48, 307-310.	1.4	25
49	Box–Behnken design for the optimization of an enantioselective method for the simultaneous analysis of propranolol and 4â€hydroxypropranolol by CE. Electrophoresis, 2009, 30, 2874-2881.	1.3	25
50	Meroterpenes isolated from the endophytic fungus Guignardia mangiferae. Phytochemistry Letters, 2012, 5, 519-523.	0.6	25
51	In vitro metabolism study of the promising anticancer agent the lignan (â^')-grandisin. Journal of Pharmaceutical and Biomedical Analysis, 2013, 72, 240-244.	1.4	25
52	The influence of culture conditions on the biosynthesis of secondary metabolites by Penicillium verrucosum Dierck. Microbiological Research, 2006, 161, 273-280.	2.5	24
53	Chemical Constituents of <i>Papulaspora immersa</i> , an Endophyte from <i>Smallanthus sonchifolius</i> (Asteraceae), and Their Cytotoxic Activity. Chemistry and Biodiversity, 2010, 7, 2941-2950.	1.0	24
54	NMR-based metabolic profiling to follow the production of anti-phytopathogenic compounds in the culture of the marine strain Streptomyces sp. PNM-9. Microbiological Research, 2020, 239, 126507.	2.5	24

#	Article	IF	CITATIONS
55	Assessment of the stereoselective fungal biotransformation of albendazole and its analysis by HPLC in polar organic mode. Journal of Pharmaceutical and Biomedical Analysis, 2012, 61, 100-107.	1.4	23
56	Evaluation of dispersive liquid–liquid microextraction in the stereoselective determination of cetirizine following the fungal biotransformation of hydroxyzine and analysis by capillary electrophoresis. Talanta, 2013, 116, 743-752.	2.9	23
57	Specialized Metabolites Reveal Evolutionary History and Geographic Dispersion of a Multilateral Symbiosis. ACS Central Science, 2021, 7, 292-299.	5.3	23
58	Stereoselective determination of midodrine and desglymidodrine in culture medium: Application to a biotransformation study employing endophytic fungi. Electrophoresis, 2010, 31, 1521-1528.	1.3	22
59	Enantioselective fungal biotransformation of risperidone in liquid culture medium by capillary electrophoresis and hollow fiber liquidâ€phase microextraction. Electrophoresis, 2011, 32, 2765-2775.	1.3	22
60	Paenibacillus polymyxa Associated with the Stingless Bee Melipona scutellaris Produces Antimicrobial Compounds against Entomopathogens. Journal of Chemical Ecology, 2018, 44, 1158-1169.	0.9	22
61	Solid phase microextraction and LC–MS/MS for the determination of paliperidone after stereoselective fungal biotransformation of risperidone. Analytica Chimica Acta, 2012, 742, 80-89.	2.6	21
62	Terpenoids and Steroids from Trichilia Species. Journal of the Brazilian Chemical Society, 2002, 13, 382-388.	0.6	20
63	Inhibition of immune complex-mediated neutrophil oxidative metabolism: A pharmacophore model for 3-phenylcoumarin derivatives using GRIND-based 3D-QSAR and 2D-QSAR procedures. European Journal of Medicinal Chemistry, 2008, 43, 996-1007.	2.6	20
64	Capillary electrophoresis and hollow fiber liquidâ€phase microextraction for the enantioselective determination of albendazole sulfoxide after biotransformation of albendazole by an endophytic fungus. Electrophoresis, 2011, 32, 2746-2756.	1.3	20
65	A biosynthetic pathway of sesquiterpene lactones in Smallanthus sonchifolius and their localization in leaf tissues by MALDI imaging. Chemical Communications, 2013, 49, 9989.	2.2	19
66	Molecular inter-kingdom interactions of endophytes isolated from Lychnophora ericoides. Scientific Reports, 2017, 7, 5373.	1.6	19
67	Interplay between two quorum sensingâ€regulated pathways, violacein biosynthesis and <scp>VacJ</scp> /Yrb, dictates outer membrane vesicle biogenesis in <scp><i>Chromobacterium violaceum</i></scp> . Environmental Microbiology, 2020, 22, 2432-2442.	1.8	18
68	In situ screening of 3-arylcoumarin derivatives reveals new inhibitors of mast cell degranulation. Archives of Pharmacal Research, 2013, 36, 731-738.	2.7	17
69	HPLC Analysis of Midodrine and Desglymidodrine in Culture Medium: Evaluation of Static and Shaken Conditions on the Biotransformation by Fungi. Journal of Chromatographic Science, 2013, 51, 460-467.	0.7	17
70	Expanding the Chemical Repertoire of the Endophyte <i>Streptomyces albospinus</i> RLe7 Reveals Amphotericin B as an Inducer of a Fungal Phenotype. Journal of Natural Products, 2017, 80, 1302-1309.	1.5	17
71	Chemical Exchanges between Multilateral Symbionts. Organic Letters, 2021, 23, 1648-1652.	2.4	16
72	New perylenequinone derivatives from the endophytic fungus Alternaria tenuissima SS77. Tetrahedron Letters, 2016, 57, 3185-3189.	0.7	15

#	Article	IF	CITATIONS
73	Microbial transformation of the sesquiterpene lactone tagitinin C by the fungus <i>Aspergillus terreus</i> . Journal of Industrial Microbiology and Biotechnology, 2012, 39, 1719-1724.	1.4	14
74	Antileishmanial macrolides from ant-associated Streptomyces sp. ISID311. Bioorganic and Medicinal Chemistry, 2021, 32, 116016.	1.4	14
75	Insights Into the Ecological Role of Pseudomonas spp. in an Ant-plant Symbiosis. Frontiers in Microbiology, 2021, 12, 621274.	1.5	13
76	A simple method for the quantitative analysis of tyrosol by hplc in liquid Czapek Cultures from endophytic fungi. Journal of the Brazilian Chemical Society, 2009, 20, 188-194.	0.6	12
77	Chiral HPLC analysis of donepezil, 5-O-desmethyl donepezil and 6-O-desmethyl donepezil in culture medium: application to fungal biotransformation studies. Analytical and Bioanalytical Chemistry, 2012, 404, 257-266.	1.9	12
78	3-Phenylcoumarin derivatives selectively modulate different steps of reactive oxygen species production by immune complex-stimulated human neutrophils. International Immunopharmacology, 2013, 15, 387-394.	1.7	12
79	Unusual biotransformation products of the sesquiterpene lactone budlein A by Aspergillus species. Phytochemistry, 2013, 96, 92-100.	1.4	12
80	Absolute configurations of griseorhodins A and C. Tetrahedron Letters, 2017, 58, 4721-4723.	0.7	12
81	Chemical Ecology in Insect-microbe Interactions in the Neotropics. Planta Medica, 2021, 87, 38-48.	0.7	12
82	Biologia quÃmica: uma estratégia moderna para a pesquisa em produtos naturais. Quimica Nova, 2007, 30, 1446-1455.	0.3	11
83	The fungal metabolite eugenitin as additive for Aspergillus niveus glucoamylase activation. Journal of Molecular Catalysis B: Enzymatic, 2012, 74, 156-161.	1.8	11
84	Inactivation of β-Lapachone Cytotoxicity by Filamentous Fungi that Mimic the Human Blood Metabolism. European Journal of Drug Metabolism and Pharmacokinetics, 2017, 42, 213-220.	0.6	11
85	A stabilized demethoxyviridin derivative inhibits PI3 kinase. Bioorganic and Medicinal Chemistry Letters, 2009, 19, 4223-4227.	1.0	10
86	A new enantioselective CE method for determination of oxcarbazepine and licarbazepine after fungal biotransformation. Electrophoresis, 2014, 35, 2877-2884.	1.3	10
87	Chemical interaction of endophytic fungi and actinobacteria from Lychnophora ericoides in co-cultures. Microbiological Research, 2018, 212-213, 10-16.	2.5	10
88	Structural and biosynthetic studies on eremophilenols related to the phytoalexin capsidiol, produced by Botrytis cinerea. Phytochemistry, 2018, 154, 10-18.	1.4	10
89	Microbial transformation of β-lapachone to its glycosides by Cunninghamella elegans ATCC 10028b. Phytochemistry Letters, 2013, 6, 657-661.	0.6	9
90	Whole-Genome Sequence of <i>Bacillus</i> sp. SDL11, Isolated from the Social Bee <i>Scaptotrigona depilis</i> . Genome Announcements, 2016, 4, .	0.8	9

#	Article	IF	CITATIONS
91	The 3-phenylcoumarin derivative 6,7-dihydroxy-3-[3′,4′-methylenedioxyphenyl]-coumarin downmodulates the Fcl³R- and CR-mediated oxidative metabolism and elastase release in human neutrophils: Possible mechanisms underlying inhibition of the formation and release of neutrophil extracellular traps. Free Radical Biology and Medicine, 2018, 115, 421-435.	1.3	9
92	δ-Lactam derivative from thermophilic soil fungus exhibitsinÂvitroanti-allergic activity. Natural Product Research, 2012, 26, 2168-2175.	1.0	8
93	Semisynthesis of new aphidicolin derivatives with high activity against Trypanosoma cruzi. Bioorganic and Medicinal Chemistry Letters, 2016, 26, 1205-1208.	1.0	8
94	Gasâ€phase fragmentation of protonated piplartine and its fungal metabolites using tandem mass spectrometry and computational chemistry. Journal of Mass Spectrometry, 2017, 52, 517-525.	0.7	8
95	Metagenomics Reveals Diet-Specific Specialization of Bacterial Communities in Fungus Gardens of Grass- and Dicot-Cutter Ants. Frontiers in Microbiology, 2020, 11, 570770.	1.5	8
96	<i>Burkholderia</i> from Fungus Gardens of Fungus-Growing Ants Produces Antifungals That Inhibit the Specialized Parasite <i>Escovopsis</i> . Applied and Environmental Microbiology, 2021, 87, e0017821.	1.4	8
97	Synthesis of trypanocidal tetrahydrofuran lignans. Arkivoc, 2004, 2004, 112-126.	0.3	8
98	Enantioselective Analysis of Fluoxetine and Norfluoxetine by LC in Culture Medium for Application in Biotransformation Studies Employing Fungi. Chromatographia, 2009, 70, 1335-1342.	0.7	7
99	Stereoselective liquid chromatographic determination of 1′â€oxobufuralol and 1′â€hydroxybufuralol in rat liver microsomal fraction using hollowâ€fiber liquidâ€phase microextraction for sample preparation. Journal of Separation Science, 2011, 34, 3578-3586.	1.3	7
100	Biosynthesis of aphidicolin proceeds via the mevalonate pathway in the endophytic fungus Nigrospora sphaerica. Journal of the Brazilian Chemical Society, 2011, 22, 80-85.	0.6	7
101	The Anti-Promyelocytic Leukemia Mode of Action of Two Endophytic Secondary Metabolites Unveiled by a Proteomic Approach. Planta Medica, 2014, 80, 473-481.	0.7	7
102	Amphotericin B as an inducer of griseofulvin-containing guttate in the endophytic fungus Xylaria cubensis FLe9. Chemoecology, 2017, 27, 177-185.	0.6	7
103	Genome Sequence of <i>Streptomyces</i> sp. Strain RTd22, an Endophyte of the Mexican Sunflower. Genome Announcements, 2016, 4, .	0.8	6
104	Immunomodulating action of the 3-phenylcoumarin derivative 6,7-dihydroxy-3-[3′,4′-methylenedioxyphenyl]-coumarin in neutrophils from patients with rheumatoid arthritis and in rats with acute joint inflammation. Inflammation Research, 2020, 69, 115-130.	1.6	6
105	Ultra-Fast Gradient LC Method for Omeprazole Analysis Using a Monolithic Column: Assay Development, Validation, and Application to the Quality Control of Omeprazole Enteric-Coated Pellets. Journal of AOAC INTERNATIONAL, 2010, 93, 1811-1820.	0.7	5
106	Enantioselective biotransformation of propranolol to the active metabolite 4-hydroxypropranolol by endophytic fungi. Quimica Nova, 2011, 34, 1354-1357.	0.3	4
107	Fast HPLC analysis of omeprazole, 5-hydroxyomeprazole and omeprazole sulfone in liquid culture medium using a monolithic column for application in biotransformation studies with fungi. Journal of the Brazilian Chemical Society, 2011, 22, 1140-1149.	0.6	4
108	Biosynthesis of (â^')- ent -kaurenoic acid in Smallanthus sonchifolius and its effect against microbial biofilms. Phytochemistry Letters, 2016, 18, 162-167.	0.6	4

#	Article	IF	CITATIONS
109	Aflatoxins produced by Aspergillus nomius ASR3, a pathogen isolated from the leaf-cutter ant Atta sexdens rubropilosa. Revista Brasileira De Farmacognosia, 2017, 27, 529-532.	0.6	4
110	Corrigendum to "Absolute configurations of griseorhodins A and C―[Tetrahedron Lett. 58 (50) (2017) 4721–4723]. Tetrahedron Letters, 2018, 59, 1239.	0.7	4
111	A Review of the Artificial Diets Used as Pot-Pollen Substitutes. , 2018, , 253-262.		4
112	Explorando produtos naturais microbianos nas fronteiras da QuÃmica e da Biologia. Quimica Nova, 2013, 36, 1577-1586.	0.3	4
113	Microbial Symbionts of Insects are the Focus of the First International Cooperative Biodiversity Group (ICBC) in Brazil. Journal of the Brazilian Chemical Society, 0, , .	0.6	4
114	Direct MALDI-TOF/TOF analyses of unnatural beauvericins produced by the endophytic fungus Fusarium oxysporum SS46. Revista Brasileira De Farmacognosia, 2014, 24, 433-438.	0.6	3
115	Endophytic Fungi as a Source of Novel Metabolites. Fungal Biology, 2015, , 123-176.	0.3	3
116	Structure and Absolute Configuration of Secondary Metabolites from Two Strains of Streptomyces chartreusis Associated with Attine Ants. Journal of the Brazilian Chemical Society, 0, , .	0.6	2
117	Unveiling the fungal biotransformation of hydralazine using 13C-precursor. Phytochemistry Letters, 2018, 26, 55-59.	0.6	1
118	Insights into grisorixin biosynthesis, an ionophore polyether from endophytic strain Streptomyces platensis RTd22. Planta Medica, 2014, 80, .	0.7	1
119	ASYMMETRIC SULFOXIDATION OF ALBENDAZOLE TO RICOBENDAZOLE BY FUNGI: EFFECT OF pH. Quimica Nova, 2015, , .	0.3	1
120	In vitro metabolism study of the bioactive lignan (-)-Grandisin. Planta Medica, 2012, 78, .	0.7	1
121	The Semisynthetic Landscape of Aphidicolin: Inspiration Towards Leishmanicidal Compounds. Journal of the Brazilian Chemical Society, 2014, , .	0.6	1
122	Relative and absolute configurations of azaphilones isolated from the Brazilian endophytic fungus Chaetomium globosum. Planta Medica, 2008, 74, .	0.7	0
123	Novel cytotoxic natural products from Papulaspora immersa, an endophyte in Smallanthus sonchifolius (Asteraceae). Planta Medica, 2008, 74, .	0.7	0
124	Isolation and on-line identification of marcfortines by HPLC-DAD-MS/MS. Planta Medica, 2008, 74, .	0.7	0
125	Increasing chemical diversity through biotransformation of terpenoids by fungi. Planta Medica, 2008, 74, .	0.7	Ο
126	Coupling DLLME-CE for the Stereoselective Analysis of Venlafaxine and Its Main Metabolites after Biotransformation by Fungi. Journal of the Brazilian Chemical Society, 2015, , .	0.6	0