
Jun Hyuk Hong

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8476213/publications.pdf Version: 2024-02-01



IUN HYUR HONG

#	Article	IF	CITATIONS
1	A Double-Blind Crossover Study Evaluating the Efficacy of Korean Red Ginseng in Patients With Erectile Dysfunction: A Preliminary Report. Journal of Urology, 2002, 168, 2070-2073.	0.2	153
2	Percutaneous Kidney Biopsy for a Small Renal Mass: A Critical Appraisal of Results. Journal of Urology, 2016, 195, 568-573.	0.2	64
3	Sonographic optic nerve sheath diameter as a surrogate measure for intracranial pressure in anesthetized patients in the Trendelenburg position. BMC Anesthesiology, 2015, 15, 43.	0.7	43
4	Differences in the aggressiveness of prostate cancer among Korean, Caucasian, and African American men: A retrospective cohort study of radical prostatectomy. Urologic Oncology: Seminars and Original Investigations, 2016, 34, 3.e9-3.e14.	0.8	40
5	Analysis of pre-operative variables for identifying patients who might benefit from upfront cytoreductive nephrectomy for metastatic renal cell carcinoma in the targeted therapy era. Japanese Journal of Clinical Oncology, 2015, 45, 96-102.	0.6	34
6	Impact of metastasectomy on prognosis in patients treated with targeted therapy for metastatic renal cell carcinoma. Journal of Cancer Research and Clinical Oncology, 2016, 142, 2331-2338.	1.2	31
7	Prognostic Factors for Survival of Patients With Synchronous or Metachronous Brain Metastasis of Renal Cell Carcinoma. Clinical Genitourinary Cancer, 2017, 15, 717-723.	0.9	31
8	Risk of Intravesical Recurrence After Ureteroscopic Biopsy for Upper Tract Urothelial Carcinoma: Does the Location Matter?. Journal of Endourology, 2017, 31, 259-265.	1.1	31
9	Changing Patterns of Primary Treatment in Korean Men with Prostate Cancer Over 10 Years: A Nationwide Population Based Study. Cancer Research and Treatment, 2016, 48, 899-906.	1.3	30
10	Pulmonary Metastasectomy Could Prolong Overall Survival in Select Cases of Metastatic Urinary Tract Cancer. Clinical Genitourinary Cancer, 2015, 13, e297-e304.	0.9	28
11	Association of Muscle Mass with Survival after Radical Prostatectomy in Patients with Prostate Cancer. Journal of Urology, 2019, 202, 525-532.	0.2	28
12	Histologic subtype needs to be considered after partial nephrectomy in patients with pathologic T1a renal cell carcinoma: papillary vs. clear cell renal cell carcinoma. Journal of Cancer Research and Clinical Oncology, 2017, 143, 1845-1851.	1.2	27
13	Characteristics of Anteriorly Located Prostate Cancer and the Usefulness of Multiparametric Magnetic Resonance Imaging for Diagnosis. Journal of Urology, 2016, 196, 367-373.	0.2	25
14	Application of 3-D Printed Kidney Model in Partial Nephrectomy for Predicting Surgical Outcomes: A Feasibility Study. Clinical Genitourinary Cancer, 2019, 17, e878-e884.	0.9	25
15	Clinicopathological Features of Prostate Ductal Carcinoma: Matching Analysis and Comparison with Prostate Acinar Carcinoma. Journal of Korean Medical Science, 2015, 30, 385.	1.1	24
16	Factors associated with testosterone recovery after androgen deprivation therapy in patients with prostate cancer. Investigative and Clinical Urology, 2018, 59, 18.	1.0	22
17	Estrogen Induction of Smooth Muscle Differentiation of Human Prostatic Stromal Cells is Mediated by Transforming Growth Factor-β. Journal of Urology, 2004, 171, 1965-1969.	0.2	21
18	Nonmetastatic Castration-Resistant Prostate Cancer. Korean Journal of Urology, 2014, 55, 153.	1.2	21

JUN ΗΥUK ΗΟΝG

#	Article	IF	CITATIONS
19	Acute Kidney Injury After Radical Cystectomy for Bladder Cancer is Associated with Chronic Kidney Disease and Mortality. Annals of Surgical Oncology, 2016, 23, 686-693.	0.7	21
20	Oncological outcomes of patients with incidental pathological T3a stage small renal cell carcinoma after partial nephrectomy. Journal of Cancer Research and Clinical Oncology, 2016, 142, 1651-1657.	1.2	20
21	Propofol attenuates the increase of sonographic optic nerve sheath diameter during robot-assisted laparoscopic prostatectomy: a randomized clinical trial. BMC Anesthesiology, 2018, 18, 72.	0.7	19
22	Effect of Ketorolac on the Prevention of Postoperative Catheter-Related Bladder Discomfort in Patients Undergoing Robot-Assisted Laparoscopic Radical Prostatectomy: A Randomized, Double-Blinded, Placebo-Controlled Study. Journal of Clinical Medicine, 2019, 8, 759.	1.0	18
23	Effects of statin use on the response duration to androgen deprivation therapy in metastatic prostate cancer. Korean Journal of Urology, 2015, 56, 630.	1.2	17
24	The Establishment of K-CaP (the Multicenter Korean Prostate Cancer Database). Korean Journal of Urology, 2013, 54, 229.	1.2	16
25	Comparison of Hand-Assisted Laparoscopic <i>vs</i> Robot-Assisted Laparoscopic <i>vs</i> Open Partial Nephrectomy in Patients with T1 Renal Masses. Journal of Endourology, 2017, 31, 374-379.	1.1	16
26	Impact of Tumor Location on Local Recurrence After Nephroureterectomy for Upper Tract Urothelial Carcinoma: Implications for Adjuvant Radiotherapy. Clinical Genitourinary Cancer, 2017, 15, e199-e204.	0.9	16
27	Effect of Mannitol on Ultrasonographically Measured Optic Nerve Sheath Diameter as a Surrogate for Intracranial Pressure During Robot-Assisted Laparoscopic Prostatectomy with Pneumoperitoneum and the Trendelenburg Position. Journal of Endourology, 2018, 32, 608-613.	1.1	16
28	Does epithelioid angiomyolipoma have poorer prognosis, compared with classic angiomyolipoma?. Investigative and Clinical Urology, 2018, 59, 357.	1.0	16
29	Prevalence and clinical significance of incidental ¹⁸ F-fluoro-2-deoxyglucose uptake in prostate. Korean Journal of Urology, 2015, 56, 288.	1.2	15
30	Recovery of renal function after administration of adipose-tissue-derived stromal vascular fraction in rat model of acute kidney injury induced by ischemia/reperfusion injury. Cell and Tissue Research, 2017, 368, 603-613.	1.5	15
31	Lymph node density vs. the American Joint Committee on Cancer TNM nodal staging system in node-positive bladder cancer in patients undergoing extended or super-extended pelvic lymphadenectomy. Urologic Oncology: Seminars and Original Investigations, 2017, 35, 151.e1-151.e7.	0.8	15
32	Impact of lymph node dissection in radical cystectomy for bladder cancer: How many vs how far?. Surgical Oncology, 2019, 30, 109-116.	0.8	15
33	Robotâ€assisted partial nephrectomy is associated with early recovery of renal function: Comparison of open, laparoscopic, and robotâ€assisted partial nephrectomy using DTPA renal scintigraphy. Journal of Surgical Oncology, 2019, 119, 1016-1023.	0.8	15
34	Role of Androgen Deprivation Treatment in Patients With Castration-Resistant Prostate Cancer, Receiving Docetaxel-Based Chemotherapy. American Journal of Clinical Oncology: Cancer Clinical Trials, 2011, 34, 140-144.	0.6	15
35	Preoperative Factors Predictive of Posterolateral Extracapsular Extension After Radical Prostatectomy. Korean Journal of Urology, 2013, 54, 824.	1.2	14
36	Impact of surgery on the prognosis of metastatic renal cell carcinoma with IVC thrombus received TKI therapy. Journal of Surgical Oncology, 2014, 110, 145-150.	0.8	14

JUN ΗΥUK ΗΟΝG

#	Article	IF	CITATIONS
37	KML001 Induces Apoptosis and Autophagic Cell Death in Prostate Cancer Cells via Oxidative Stress Pathway. PLoS ONE, 2015, 10, e0137589.	1.1	14
38	Adjuvant Low-dose Statin Use after Radical Prostatectomy: The PRO-STAT Randomized Clinical Trial. Clinical Cancer Research, 2021, 27, 5004-5011.	3.2	14
39	Does lymph node dissection during nephroureterectomy affect oncological outcomes in upper tract urothelial carcinoma patients without suspicious lymph node metastasis on preoperative imaging studies?. World Journal of Urology, 2017, 35, 665-673.	1.2	13
40	VEGF/VEGFR2 and PDGF-B/PDGFR-β expression in non-metastatic renal cell carcinoma: a retrospective study in 1,091 consecutive patients. International Journal of Clinical and Experimental Pathology, 2014, 7, 7681-9.	0.5	13
41	Incidence of Benign Results After Laparoscopic Radical Nephroureterectomy. Journal of the Society of Laparoendoscopic Surgeons, 2014, 18, e2014.00335.	0.5	12
42	The Type of Nephrectomy Has Little Effect on Overall Survival or Cardiac Events in Patients of 70 Years and Older With Localized Clinical T1 Stage Renal Masses. Korean Journal of Urology, 2014, 55, 446.	1.2	12
43	Association Between Sarcopenia and Survival of Patients with Organ-Confined Renal Cell Carcinoma after Radical Nephrectomy. Annals of Surgical Oncology, 2022, 29, 2473-2479.	0.7	12
44	Regulatory T cells and TGF-β1 in clinically localized renal cell carcinoma: Comparison with age-matched healthy controls. Urologic Oncology: Seminars and Original Investigations, 2015, 33, 113.e19-113.e25.	0.8	11
45	Oncological effect of palliative transurethral resection of the prostate in patients with advanced prostate cancer: a propensity score matching study. Journal of Cancer Research and Clinical Oncology, 2018, 144, 751-758.	1.2	11
46	Prognostic Factors Related to Recurrence-Free Survival for Primary Carcinoma in situ of the Bladder after Bacillus Calmette-Guérin: A Retrospective Study. Urologia Internationalis, 2018, 101, 269-276.	0.6	11
47	A Deep Belief Network and Dempster-Shafer-Based Multiclassifier for the Pathology Stage of Prostate Cancer. Journal of Healthcare Engineering, 2018, 2018, 1-8.	1.1	11
48	Declining incidence of benign lesions among small renal masses treated with surgery: Effect of diagnostic tests for characterization. Urologic Oncology: Seminars and Original Investigations, 2018, 36, 362.e9-362.e15.	0.8	11
49	Histologic Variability and Diverse Oncologic Outcomes of Prostate Sarcomas. Korean Journal of Urology, 2014, 55, 797.	1.2	10
50	Clinicopathological features of Xp11.2 translocation renal cell carcinoma. Korean Journal of Urology, 2015, 56, 212.	1.2	10
51	Comparative analysis of benign prostatic hyperplasia management by urologists and nonurologists: A Korean nationwide health insurance database study. Korean Journal of Urology, 2015, 56, 233.	1.2	10
52	Obesity as a Risk Factor for Unfavorable Disease in Men with Low Risk Prostate Cancer and its Relationship with Anatomical Location of Tumor. Journal of Urology, 2017, 198, 71-78.	0.2	10
53	Fate of newly developed pulmonary embolism after surgery for renal cell carcinoma with vena cava thrombus. International Urology and Nephrology, 2017, 49, 1157-1163.	0.6	10
54	Factors contributing to treatment outcomes of postâ€prostatectomy incontinence surgery for the selection of the proper surgical procedure for individual patients: A singleâ€center experience. Neurourology and Urodynamics, 2018, 37, 1978-1987.	0.8	10

#	Article	IF	CITATIONS
55	Adjuvant chemotherapy versus observation after radical cystectomy in patients with node-positive bladder cancer. Scientific Reports, 2019, 9, 8305.	1.6	10
56	Dexmedetomidine attenuates the increase of ultrasonographic optic nerve sheath diameter as a surrogate for intracranial pressure in patients undergoing robot-assisted laparoscopic prostatectomy. Medicine (United States), 2019, 98, e16772.	0.4	10
57	Cause of Death in Korean Men with Prostate Cancer: an Analysis of Time Trends in a Nationwide Cohort. Journal of Korean Medical Science, 2016, 31, 1802.	1.1	9
58	Simple renal cyst and renal dysfunction: A pilot study using dimercaptosuccinic acid renal Scan. Nephrology, 2016, 21, 687-692.	0.7	9
59	Pathological and oncological features of Korean prostate cancer patients eligible for active surveillance: analysis from the K-CaP registry. Japanese Journal of Clinical Oncology, 2017, 47, 981-985.	0.6	9
60	Prognostic factors of oncologic outcomes in metastatic chemotherapy-naÃ ⁻ ve castration-resistant prostate cancer treated with enzalutamide in actual clinical practice in East Asia. Urologic Oncology: Seminars and Original Investigations, 2018, 36, 401.e11-401.e18.	0.8	9
61	Gemcitabine plus carboplatin versus gemcitabine plus oxaliplatin in cisplatin-unfit patients with advanced urothelial carcinoma: a randomised phase II study (COACH, KCSG GU10-16). European Journal of Cancer, 2020, 127, 183-190.	1.3	9
62	Value of clinical parameters and MRI with PI-RADS _{V2} in predicting seminal vesicle invasion of prostate cancer. Scandinavian Journal of Urology, 2021, 55, 17-21.	0.6	9
63	The Choi response criteria for inferior vena cava tumor thrombus in renal cell carcinoma treated with targeted therapy. Journal of Cancer Research and Clinical Oncology, 2014, 140, 1751-1758.	1.2	8
64	Comparison of bone mineral loss by combined androgen block agonist versus GnRH in patients with prostate cancer: A 12 month-prospective observational study. Scientific Reports, 2017, 7, 39562.	1.6	8
65	Discrimination of local recurrence after radical prostatectomy: valueÂof diffusion-weighted magnetic resonance imaging. Prostate International, 2018, 6, 12-17.	1.2	8
66	Simple risk assessment in prostate cancer patients treated with primary androgen deprivation therapy: The Korean Cancer Study of the Prostate risk classification. International Journal of Urology, 2019, 26, 62-68.	0.5	8
67	Association of Bacillus Calmette–Guerin shortages with bladder cancer recurrence: A single-center retrospective study. Urologic Oncology: Seminars and Original Investigations, 2020, 38, 851.e11-851.e17.	0.8	8
68	Antibiotic prophylaxis with intravenous ceftriaxone and fluoroquinolone reduces infectious complications after transrectal ultrasound-guided prostatic biopsy. Korean Journal of Urology, 2015, 56, 466.	1.2	7
69	Preserving Renal Function through Partial Nephrectomy Depends on Tumor Complexity in T1b Renal Tumors. Journal of Korean Medical Science, 2017, 32, 495.	1.1	7
70	Time to biochemical relapse after radical prostatectomy and efficacy of salvage radiotherapy in patients with prostate cancer. International Journal of Clinical Oncology, 2019, 24, 1238-1246.	1.0	7
71	Elevated De Ritis Ratio as a Predictor for Acute Kidney Injury after Radical Retropubic Prostatectomy. Journal of Personalized Medicine, 2021, 11, 836.	1.1	7
72	Long-Term Oncologic Outcomes after Radical Cystectomy for Bladder Cancer at a Single Institution. Journal of Korean Medical Science, 2014, 29, 669.	1.1	6

#	Article	IF	CITATIONS
73	Prevalence of High-grade or Insignificant Prostate Cancer in Korean Men With Prostate-specific Antigen Levels of 3.0-4.0Âng/mL. Urology, 2015, 85, 610-615.	0.5	6
74	Adaptive functional change of the contralateral kidney after partial nephrectomy. American Journal of Physiology - Renal Physiology, 2017, 313, F192-F198.	1.3	6
75	Predictors of female genital organ involvement in radical cystectomy for urothelial carcinoma of the bladder: A single-center retrospective analysis of 112 female patients. International Journal of Surgery, 2017, 47, 101-106.	1.1	6
76	Importance of androgen-deprivation therapy during enzalutamide treatment in men with metastatic castration-resistant prostate cancer following chemotherapy: results from retrospective, multicenter data. Prostate Cancer and Prostatic Diseases, 2019, 22, 150-158.	2.0	6
77	Induction Chemotherapy Followed by Surgery Versus Upfront Radical Cystectomy in Patients With Clinically Node-positive Muscle-invasive Bladder Cancer. Clinical Genitourinary Cancer, 2019, 17, e420-e428.	0.9	6
78	Percent tumor volume vs American Joint Committee on Cancer staging system subclassification for predicting biochemical recurrence in patients with pathologic T2 prostate cancer. Journal of Cancer Research and Clinical Oncology, 2020, 146, 537-543.	1.2	6
79	Differential contribution of the factors determining long-term renal function after partial nephrectomy over time. Urologic Oncology: Seminars and Original Investigations, 2021, 39, 196.e15-196.e20.	0.8	6
80	Validation of the European association of urology biochemical recurrence risk groups after radical prostatectomy in an Asian cohort and suggestions for refinement. Urologic Oncology: Seminars and Original Investigations, 2021, 39, 298.e1-298.e6.	0.8	6
81	Enzalutamide in chemotherapy-naive patients with metastatic castration-resistant prostate cancer: A retrospective Korean multicenter study in a real-world setting. Investigative and Clinical Urology, 2020, 61, 19.	1.0	6
82	Predictive Factors for Upgrading or Upstaging in Biopsy Gleason Score 6 Prostate Cancer. Korean Journal of Urology, 2009, 50, 836.	1.2	5
83	Does Ureteral Catheter Insertion Decrease the Risk of Urinary Leakage After Partial Nephrectomy in Patients With Renal Cell Carcinoma?. Clinical Genitourinary Cancer, 2017, 15, e707-e712.	0.9	5
84	ls suspicious upstaging on multiparametric magnetic resonance imaging useful in improving the reliability of Prostate Cancer Research International Active Surveillance (PRIAS) criteria? Use of the K-CaP registry. Urologic Oncology: Seminars and Original Investigations, 2017, 35, 459.e7-459.e13.	0.8	5
85	Prognostic value of vascular endothelial growth factor (VEGF), VEGF receptor 2, platelet-derived growth factor- β (PDGF- β), and PDGF- β receptor expression in papillary renal cell carcinoma. Human Pathology, 2017, 61, 78-89.	1.1	5
86	Comparison of the Effect of Naftopidil 75 mg and Tamsulosin 0.2 mg on the Bladder Storage Symptom With Benign Prostatic Hyperplasia: Prospective, Multi-institutional Study. Urology, 2018, 111, 145-150.	0.5	5
87	Effects of age and comorbidity on survival vary according to risk grouping among patients with prostate cancer treated using radical prostatectomy. Medicine (United States), 2018, 97, e12766.	0.4	5
88	Association between serum levels of insulinâ€like growth factorâ€1, bioavailable testosterone, and pathologic Gleason score. Cancer Medicine, 2018, 7, 4170-4180.	1.3	5
89	Prognosis of carcinoma in situ according to the presence of papillary bladder tumors after bacillus Calmette–Guérin immunotherapy. Journal of Cancer Research and Clinical Oncology, 2019, 145, 2131-2140.	1.2	5
90	Utility of Multiparametric Magnetic Resonance Imaging With PI-RADS, Version 2, in Patients With Prostate Cancer Eligible for Active Surveillance: Which Radiologic Characteristics Can Predict Unfavorable Disease?. Clinical Genitourinary Cancer, 2020, 18, 50-55.	0.9	5

#	Article	IF	CITATIONS
91	Efficacy and Safety of Everolimus in Korean Patients with Metastatic Renal Cell Carcinoma Following Treatment Failure with a Vascular Endothelial Growth Factor Receptor-Tyrosine Kinase Inhibitor. Cancer Research and Treatment, 2014, 46, 339-347.	1.3	5
92	Is Bladder Tumor Location Associated with Prostate Cancer Detection after Intravesical Bacillus Calmette-Guérin Instillation?. PLoS ONE, 2014, 9, e103791.	1.1	4
93	Bone Mineral Density in Prostate Cancer: A Comparative Study of Patients With Prostate Cancer and Healthy Controls Using Propensity Score Matching. Urology, 2014, 83, 385-392.	0.5	4
94	Is Intravesical Bacillus Calmette-Guérin Therapy Superior to Chemotherapy for Intermediate-risk Non-muscle-invasive Bladder Cancer?: An Ongoing Debate. Journal of Korean Medical Science, 2015, 30, 252.	1.1	4
95	Clinical features and prognosis of prostate cancer with high-grade prostatic intraepithelial neoplasia. Korean Journal of Urology, 2015, 56, 565.	1.2	4
96	Long-term outcomes of tyrosine kinase inhibitor discontinuation in patients with metastatic renal cell carcinoma. Cancer Chemotherapy and Pharmacology, 2016, 77, 339-347.	1.1	4
97	Conventional Cisplatin-Based Combination Chemotherapy Is Effective in the Treatment of Metastatic Spermatocytic Seminoma with Extensive Rhabdomyosarcomatous Transformation. Cancer Research and Treatment, 2015, 47, 931-936.	1.3	4
98	Re-stratification of Patients with High-Risk Prostate Cancer According to the NCCN Guidelines among Patients Who Underwent Radical Prostatectomy: An Analysis Based on the K-CaP Registry. Cancer Research and Treatment, 2018, 50, 88-94.	1.3	4
99	Head elevation and laryngeal mask airway Supreme insertion: A randomized controlled trial. Acta Anaesthesiologica Scandinavica, 2021, 65, 343-350.	0.7	4
100	Analysis of the Clinicopathologic Characteristics of Men with Prostate Cancer Undergoing Radical Prostatectomy in the Prostate-Specific Antigen Range of Less than 4 ng/ml. Korean Journal of Urology, 2009, 50, 320.	1.2	3
101	Prognosis of Prostate Cancer With Other Primary Malignancies. Korean Journal of Urology, 2014, 55, 327.	1.2	3
102	Androgen deprivation therapy during and after post-prostatectomy radiotherapy in patients with prostate cancer: a case control study. BMC Cancer, 2018, 18, 271.	1.1	3
103	Predictors of Bladder Tumor Recurrence after Curative Surgery for Upper Urinary Tract Transitional Cell Carcinoma. Korean Journal of Urology, 2009, 50, 635.	1.2	3
104	Effect of pneumoperitoneum and Trendelenburg position on internal carotid artery blood flow measured by ultrasound during robotic prostatectomy. Clinical Physiology and Functional Imaging, 2022, , .	0.5	3
105	Stratification based on adverse laboratory/pathological features for predicting overall survival in patients undergoing radical prostatectomy. Medicine (United States), 2019, 98, e17931.	0.4	2
106	Clinical outcome of high-dose bolus intravenous interleukin-2 with a modified administration schedule for Asian patients with metastatic renal cell carcinoma. Cancer Chemotherapy and Pharmacology, 2017, 79, 173-180.	1.1	1
107	Biopsy-detected Gleason grade 5 tumor is an additional prognostic factor in metastatic hormone-sensitive prostate cancer. Journal of Cancer Research and Clinical Oncology, 2021, , 1.	1.2	1
108	ASO Visual Abstract: Association Between Sarcopenia and the Survival of Patients with Organ-Confined Renal Cell Carcinoma After Radical Nephrectomy. Annals of Surgical Oncology, 2021, , 1.	0.7	1

#	Article	IF	CITATIONS
109	Randomized phase II trial of docetaxel plus prednisolone with or without androgen deprivation treatment in castration-resistant prostate cancer Journal of Clinical Oncology, 2016, 34, 217-217.	0.8	1
110	Construction of a Retrospective Cohort to Observe 10-Year Urologic Cancer Treatment Trends at the Biggest Medical Center of South Korea. The Korean Journal of Urological Oncology, 2021, 19, 232-243.	0.1	1
111	Prognostic impact of preoperative statin use after radical nephroureterectomy for upper urinary tract urothelial carcinoma. Korean Journal of Urology, 2015, 56, 498.	1.2	0
112	Analysis of Clinical Features of Patients with Metastatic Spinal Cord Compression Caused by Prostate Cancer. Korean Journal of Urology, 2009, 50, 1174.	1.2	0
113	What's New in Hormone-refractory Prostate Cancer Treatment. Journal of the Korean Medical Association, 2010, 53, 126.	0.1	0
114	Changes of pulmonary function test and development of non-infectious pneumonitis in patients with metastatic renal cell carcinoma treated with everolimus Journal of Clinical Oncology, 2014, 32, 530-530.	0.8	0
115	Active surveillance as a treatment option for metastatic or recurrent renal cell carcinoma Journal of Clinical Oncology, 2014, 32, 426-426.	0.8	0
116	Reply by Authors. Journal of Urology, 2019, 202, 531-532.	0.2	0
117	Cause of Mortality After Radical Prostatectomy and the Impact of Comorbidity in Men with Prostate Cancer: A Multi-Institutional Study in Korea. Cancer Research and Treatment, 2020, 52, 1242-1250.	1.3	0
118	Risk Factors Leading to Radical Cystectomy in Patients Who Had Undergone Nephroureterectomy. The Korean Journal of Urological Oncology, 2021, 19, 271-280.	0.1	0
119	Utility of Urinalysis as a Follow-up Surveillance Tool in Nonmuscle Invasive Bladder Cancer. The Korean Journal of Urological Oncology, 2021, 19, 244-251.	0.1	0
120	Development of Integrated Data and Prediction System Platform for the Localized Prostate Cancer. Studies in Health Technology and Informatics, 2019, 264, 1506-1507.	0.2	0