

An De Groef

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/847628/an-de-groef-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66

papers

696

citations

14

h-index

24

g-index

77

ext. papers

1,049

ext. citations

3

avg, IF

4.08

L-index

#	Paper	IF	Citations
66	Biopsychosocial risk factors for pain and pain-related disability 1 year after surgery for breast cancer.. <i>Supportive Care in Cancer</i> , 2022 , 30, 4465	3.9	0
65	The impact of COVID-19 lockdown on the general health status of people with chronic health conditions in Belgium: a cross-sectional survey study.. <i>Physiotherapy Theory and Practice</i> , 2022 , 1-16	1.5	0
64	Treating persistent pain after breast cancer: practice gaps and future directions.. <i>Journal of Cancer Survivorship</i> , 2022 , 1	5.1	0
63	Pilot study to investigate the feasibility of conducting a randomised controlled trial that compares Immediate versus Optional Delayed surgical repair for treatment of acute Anterior cruciate ligament injury: IODA pilot trial.. <i>BMJ Open</i> , 2022 , 12, e055349	3	0
62	The Dutch language version of the Pain Disability Index (PDI-DLV): psychometric properties in breast cancer patients.. <i>Physiotherapy Theory and Practice</i> , 2022 , 1-15	1.5	0
61	Absolute and relative reliability of a comprehensive quantitative sensory testing protocol in women treated for breast cancer.. <i>Pain Medicine</i> , 2021 ,	2.8	1
60	Cross-cultural validation of the French version of the Lymphedema Functioning, Disability and Health Questionnaire for Upper Limb Lymphedema (Lymph-ICF-UL). <i>Disability and Rehabilitation</i> , 2021 , 43, 2797-2804	2.4	5
59	Self-reported signs and symptoms of secondary upper limb lymphoedema related to breast cancer treatment: Systematic review. <i>European Journal of Cancer Care</i> , 2021 , 30, e13440	2.4	3
58	Quantitative Sensory Testing in Women After Surgery for Breast Cancer: A Systematic Review and Narrative Synthesis. <i>Clinical Journal of Pain</i> , 2021 , 37, 538-564	3.5	2
57	Effectiveness of perioperative pain science education on pain, psychological factors and physical functioning: A systematic review. <i>Clinical Rehabilitation</i> , 2021 , 35, 1364-1382	3.3	0
56	Reply to letter from Dan Riddle. <i>Clinical Rehabilitation</i> , 2021 , 35, 1642-1643	3.3	
55	Cognitions and physical impairments in relation to upper limb function in women with pain and myofascial dysfunctions in the late stage after breast cancer surgery: an exploratory cross-sectional study. <i>Disability and Rehabilitation</i> , 2021 , 1-8	2.4	0
54	Breast cancer-related lymphedema and its treatment: how big is the financial impact?. <i>Supportive Care in Cancer</i> , 2021 , 29, 3801-3813	3.9	1
53	Randomised controlled trial to assess efficacy of pelvic floor muscle training on bowel symptoms after low anterior resection for rectal cancer: study protocol. <i>BMJ Open</i> , 2021 , 11, e041797	3	2
52	Psychological Factors Are Associated with Pain at All Time Frames After Breast Cancer Surgery: A Systematic Review with Meta-Analyses. <i>Pain Medicine</i> , 2021 , 22, 915-947	2.8	3
51	Sensory signs and symptoms in women with self-reported breast cancer-related lymphedema: a case-control study close up. <i>Journal of Cancer Survivorship</i> , 2021 , 1	5.1	0
50	Muscle and tendon properties of the spastic lower leg after stroke defined by ultrasonography: a systematic review. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2021 , 57, 495-510	4.4	1

49	Pain Prevalence During Cancer Treatment: A Systematic Review and Meta-Analysis. <i>Journal of Pain and Symptom Management</i> , 2021 ,	4.8	5
48	Physical activity levels after low anterior resection for rectal cancer: one-year follow-up.. <i>BMC Public Health</i> , 2021 , 21, 2270	4.1	0
47	Reliability and validity of a Dutch Lymphoedema Questionnaire: Cross-cultural validation of the Norman Questionnaire. <i>European Journal of Cancer Care</i> , 2020 , 29, e13242	2.4	1
46	One in five patients with rapidly and persistently controlled early rheumatoid arthritis report poor well-being after 1 year of treatment. <i>RMD Open</i> , 2020 , 6,	5.9	8
45	Physical activity level and age contribute to functioning problems in patients with breast cancer-related lymphedema: a multicentre cross-sectional study. <i>Supportive Care in Cancer</i> , 2020 , 28, 5717-5731	3.9	7
44	Responsiveness of the Lymphedema Functioning, Disability, and Health Questionnaire for Upper Limb Lymphedema in Patients with Breast Cancer-Related Lymphedema. <i>Lymphatic Research and Biology</i> , 2020 , 18, 365-373	2.3	5
43	Kinesiophobia contributes to pain-related disability in breast cancer survivors: a cross-sectional study. <i>Supportive Care in Cancer</i> , 2020 , 28, 4501-4508	3.9	5
42	Subsynovial connective tissue thickness in carpal tunnel syndrome: A systematic review. <i>Clinical Biomechanics</i> , 2020 , 75, 105002	2.2	1
41	The effectiveness of Botulinum Toxin A for treatment of upper limb impairments and dysfunctions in breast cancer survivors: A randomised controlled trial. <i>European Journal of Cancer Care</i> , 2020 , 29, e13174	2.4	3
40	What are the economic burden and costs associated with the treatment of breast cancer-related lymphoedema? A systematic review. <i>Supportive Care in Cancer</i> , 2020 , 28, 439-449	3.9	13
39	Reliability of the MoistureMeterD Compact Device and the Pitting Test to Evaluate Local Tissue Water in Subjects with Breast Cancer-Related Lymphedema. <i>Lymphatic Research and Biology</i> , 2020 , 18, 116-128	2.3	6
38	Pain Neuroscience Education in cancer survivors with persistent pain: A pilot study. <i>Journal of Bodywork and Movement Therapies</i> , 2020 , 24, 239-244	1.6	2
37	The association between upper limb function and variables at the different domains of the international classification of functioning, disability and health in women after breast cancer surgery: a systematic review. <i>Disability and Rehabilitation</i> , 2020 , 1-14	2.4	1
36	What do patients prefer? A multinational, longitudinal, qualitative study on patient-preferred treatment outcomes in early rheumatoid arthritis. <i>RMD Open</i> , 2020 , 6,	5.9	2
35	Factors Associated With the Ultrasound Characteristics of the Lumbar Multifidus: A Systematic Review. <i>PM and R</i> , 2020 , 12, 82-100	2.2	4
34	European Qualitative research project on Patient-preferred outcomes in Early Rheumatoid Arthritis (EQPERA): rationale, design and methods of a multinational, multicentre, multilingual, longitudinal qualitative study. <i>BMJ Open</i> , 2019 , 9, e023606	3	5
33	What is the best method to determine excessive arm volume in patients with breast cancer-related lymphoedema in clinical practice? Reliability, time efficiency and clinical feasibility of five different methods. <i>Clinical Rehabilitation</i> , 2019 , 33, 1221-1232	3.3	9
32	Patient-Reported Outcome Data From an Early Rheumatoid Arthritis Trial: Opportunities for Broadening the Scope of Treating to Target. <i>Arthritis Care and Research</i> , 2019 , 71, 1566-1575	4.7	8

31	Screening of physical distress in breast cancer survivors: Concurrent validity of the Distress Thermometer and Problem List. <i>European Journal of Cancer Care</i> , 2019 , 28, e12880	2.4	9
30	Clinical replicability of rehabilitation interventions in randomized controlled trials reported in main journals is inadequate. <i>Journal of Clinical Epidemiology</i> , 2019 , 114, 108-117	5.7	25
29	Best-Evidence Rehabilitation for Chronic Pain Part 2: Pain during and after Cancer Treatment. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	13
28	Revision of the Lymphedema Functioning, Disability and Health Questionnaire for Upper Limb Lymphedema (Lymph-ICF-UL): Reliability and Validity. <i>Lymphatic Research and Biology</i> , 2019 , 17, 347-355 ^{2,3}		17
27	Reliability, Validity, and Feasibility of Water Displacement Method, Figure-of-Eight Method, and Circumference Measurements in Determination of Ankle and Foot Edema. <i>Lymphatic Research and Biology</i> , 2019 , 17, 531-536	2.3	6
26	EduCan trial: study protocol for a randomised controlled trial on the effectiveness of pain neuroscience education after breast cancer surgery on pain, physical, emotional and work-related functioning. <i>BMJ Open</i> , 2019 , 9, e025742	3	12
25	Effectiveness of Botulinum Toxin A for Persistent Upper Limb Pain After Breast Cancer Treatment: A Double-Blinded Randomized Controlled Trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018 , 99, 1342-1351	2.8	7
24	Physical activity levels after treatment for breast cancer: Two-year follow-up. <i>Breast</i> , 2018 , 40, 23-28	3.6	36
23	Identification of Myofascial Trigger Points in Breast Cancer Survivors with Upper Limb Pain: Interrater Reliability. <i>Pain Medicine</i> , 2018 , 19, 1650-1656	2.8	3
22	Protocol of a randomised controlled trial regarding the effectiveness of fluoroscopy-guided manual lymph drainage for the treatment of breast cancer-related lymphoedema (EforT-BCRL trial). <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2018 , 221, 177-188	2.4	18
21	Effect of myofascial techniques for treatment of persistent arm pain after breast cancer treatment: randomized controlled trial. <i>Clinical Rehabilitation</i> , 2018 , 32, 451-461	3.3	18
20	An evaluation tool for Myofascial Adhesions in Patients after Breast Cancer (MAP-BC evaluation tool): Concurrent, face and content validity. <i>PLoS ONE</i> , 2018 , 13, e0193915	3.7	4
19	Unraveling Self-Reported Signs of Central Sensitization in Breast Cancer Survivors with Upper Limb Pain: Prevalence Rate and Contributing Factors. <i>Pain Physician</i> , 2018 , 1, E247-E256	1.8	12
18	Manual lymph drainage may not have a preventive effect on the development of breast cancer-related lymphoedema in the long term: a randomised trial. <i>Journal of Physiotherapy</i> , 2018 , 64, 245-254	2.9	9
17	Non-uniformity in pre-insertional Achilles tendon is not influenced by changing knee angle during isometric contractions. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2018 , 28, 2322-2329	4.6	7
16	Unraveling Self-Reported Signs of Central Sensitization in Breast Cancer Survivors with Upper Limb Pain: Prevalence Rate and Contributing Factors. <i>Pain Physician</i> , 2018 , 21, E247-E256	1.8	4
15	Effect of myofascial techniques for treatment of upper limb dysfunctions in breast cancer survivors: randomized controlled trial. <i>Supportive Care in Cancer</i> , 2017 , 25, 2119-2127	3.9	16
14	Myofascial techniques have no additional beneficial effects to a standard physical therapy programme for upper limb pain after breast cancer surgery: a randomized controlled trial. <i>Clinical Rehabilitation</i> , 2017 , 31, 1625-1635	3.3	14

13	Pain characteristics as important contributing factors to upper limb dysfunctions in breast cancer survivors at long term. <i>Musculoskeletal Science and Practice</i> , 2017 , 29, 52-59	2.4	24
12	An evaluation tool for myofascial adhesions in patients after breast cancer (MAP-BC evaluation tool): Development and interrater reliability. <i>PLoS ONE</i> , 2017 , 12, e0179116	3.7	4
11	Inter-rater reliability of shoulder measurements in middle-aged women. <i>Physiotherapy</i> , 2017 , 103, 222-230		21
10	Arm lymphoedema and upper limb impairments in sentinel node-negative breast cancer patients: A one year follow-up study. <i>Breast</i> , 2016 , 29, 102-8	3.6	31
9	Unraveling Patient-Preferred Health and Treatment Outcomes in Early Rheumatoid Arthritis: A Longitudinal Qualitative Study. <i>Arthritis Care and Research</i> , 2016 , 68, 1278-87	4.7	26
8	Effectiveness of postoperative physical therapy for upper-limb impairments after breast cancer treatment: a systematic review. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015 , 96, 1140-53	2.8	113
7	The efficacy of physiotherapy for the prevention and treatment of prenatal symptoms: a systematic review. <i>International Urogynecology Journal</i> , 2015 , 26, 1575-86	2	10
6	Lymphoedema Functioning, Disability and Health Questionnaire for Lower Limb Lymphoedema (Lymph-ICF-LL): reliability and validity. <i>Physical Therapy</i> , 2014 , 94, 705-21	3.3	31
5	Progression and predictors of physical activity levels after radical prostatectomy. <i>BJU International</i> , 2014 , 114, 185-92	5.6	9
4	Postoperative evolution of thickness and echogenicity of cutis and subcutis of patients with and without breast cancer-related lymphedema. <i>Lymphatic Research and Biology</i> , 2014 , 12, 23-31	2.3	13
3	Reproducibility of lymphoscintigraphic evaluation of the upper limb. <i>Lymphatic Research and Biology</i> , 2014 , 12, 175-84	2.3	15
2	Influence of preoperative and postoperative pelvic floor muscle training (PFMT) compared with postoperative PFMT on urinary incontinence after radical prostatectomy: a randomized controlled trial. <i>European Urology</i> , 2013 , 64, 766-72	10.2	65
1	Questionnaire-based somatosensory profiling in breast cancer survivors: are we there yet? Associations between questionnaires and quantitative sensory testing. <i>Disability and Rehabilitation</i> , 1-12 ^{2.4}		0