## Miquel Gimeno

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8476964/miquel-gimeno-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

61
papers
1,177
citations
19
h-index
g-index

62
ext. papers
2,2
ext. citations
5,2
avg, IF
L-index

#	Paper	IF	Citations
61	Anti-inflammatory and Antioxidant Effect of Poly-gallic Acid (PGAL) in an In Vitro Model of Synovitis Induced by Monosodium Urate Crystals <i>Inflammation</i> , <b>2022</b> , 1	5.1	
60	Enzymatic poly(gallic acid)-grafted \(H-lysine inhibits Staphylococcus aureus and Escherichia coli strains with no cytotoxicity for human cells <b>2022</b> , 138, 212960		
59	Antioxidant and antimicrobial material by grafting of L-arginine onto enzymatic poly(gallic acid). <i>Materials Science and Engineering C</i> , <b>2021</b> , 121, 111650	8.3	3
58	The enzymatic poly(gallic acid) reduces pro-inflammatory cytokines in vitro, a potential application in inflammatory diseases. <i>Inflammation</i> , <b>2021</b> , 44, 174-185	5.1	7
57	Self-assembly of supramolecular chemoenzymatic poly-L-phenylalanine. <i>Polymer Chemistry</i> , <b>2021</b> , 12, 1199-1209	4.9	5
56	Extraction of Essential Oil from Waste Grapefruit Peel Using a Pilot-Scale Twin-Screw Extruder. <i>ACS Food Science &amp; Technology</i> , <b>2021</b> , 1, 1198-1205		1
55	Whole-cell bioconversion of naringenin to high added value hydroxylated compounds using Yarrowia lipolytica 2.2ab in surface and liquid cultures. <i>Bioprocess and Biosystems Engineering</i> , <b>2020</b> , 43, 1219-1230	3.7	O
54	Poly(gallic acid)-coated polycaprolactone inhibits oxidative stress in epithelial cells. <i>Materials Science and Engineering C</i> , <b>2020</b> , 115, 111154	8.3	5
53	Copper removal from wastewater by a chitosan-based biodegradable composite. <i>Environmental Science and Pollution Research</i> , <b>2020</b> , 27, 28527-28535	5.1	12
52	Development of an antimicrobial and antioxidant hydrogel/nano-electrospun wound dressing <i>RSC Advances</i> , <b>2020</b> , 10, 30508-30518	3.7	4
51	Complementary electrochromic devices of PANI and PEDOT using the enzymatic poly(gallic acid). <i>Solar Energy Materials and Solar Cells</i> , <b>2019</b> , 200, 109973	6.4	8
50	The Radical-Scavenging Activity of a Purified and Sequenced Peptide from Lactic Acid Fermentation of Thunnus albacares By-Products. <i>Applied Biochemistry and Biotechnology</i> , <b>2019</b> , 189, 1084-1095	3.2	2
49	Exposure to bisphenol A: current levels from food intake are toxic to human cells. <i>Molecular Biology Reports</i> , <b>2019</b> , 46, 2555-2559	2.8	4
48	Enzymatic poly(gallic acid): A stable multiradical polyanion. <i>Journal of Molecular Structure</i> , <b>2019</b> , 1197, 326-335	3.4	8
47	Extracting endocrine disrupting compounds from infant formula using supercritical carbon dioxide. <i>Journal of Supercritical Fluids</i> , <b>2019</b> , 152, 104554	4.2	
46	Highly efficient single-step pretreatment to remove lignin and hemicellulose from softwood. <i>BioResources</i> , <b>2019</b> , 14, 3567-3577	1.3	10
45	Stable bioemulsifiers are produced by Acinetobacter bouvetii UAM25 growing in different carbon sources. <i>Bioprocess and Biosystems Engineering</i> , <b>2018</b> , 41, 859-869	3.7	12

44	Enhanced oil recovery by hydrophobins from Lecanicillium lecanii. Fuel, 2018, 224, 10-16	7.1	3
43	Removal of bisphenol A in canned liquid food by enzyme-based nanocomposites. <i>Applied Nanoscience (Switzerland)</i> , <b>2018</b> , 8, 427-434	3.3	6
42	Production and characterization of a nanocomposite of highly crystalline nanowhiskers from biologically extracted chitin in enzymatic poly(Etaprolactone). <i>Carbohydrate Polymers</i> , <b>2018</b> , 181, 684-69	92 <sup>0.3</sup>	13
41	Chemoenzymatic synthesis of polypeptides in neat 1,1,1,2-tetrafluoroethane solvent <i>RSC Advances</i> , <b>2018</b> , 8, 35936-35945	3.7	2
40	Development and characterization of a flexible electrochromic device based on polyaniline and enzymatically synthesized poly (gallic acid). <i>Synthetic Metals</i> , <b>2017</b> , 223, 43-48	3.6	15
39	Hydroxyapatite crystallization in shrimp cephalothorax wastes during subcritical water treatment for chitin extraction. <i>Carbohydrate Polymers</i> , <b>2017</b> , 172, 332-341	10.3	16
38	Cytoprotective effect of the enzyme-mediated polygallic acid on fibroblast cells under exposure of UV-irradiation. <i>Materials Science and Engineering C</i> , <b>2017</b> , 76, 417-424	8.3	7
37	Growth of epithelial cells on films of enzymatically synthesized poly(gallic acid) crosslinked to carboxymethylcellulose. <i>RSC Advances</i> , <b>2017</b> , 7, 17660-17669	3.7	8
36	Removal strategies for endocrine disrupting chemicals using cellulose-based materials as adsorbents: A review. <i>Journal of Environmental Chemical Engineering</i> , <b>2016</b> , 4, 3122-3142	6.8	43
35	Suppression of the tert-butylhydroquinone toxicity by its grafting onto chitosan and further cross-linking to agavin toward a novel antioxidant and prebiotic material. <i>Food Chemistry</i> , <b>2016</b> , 199, 485-91	8.5	7
34	Enzymatic hydrolysis of chitin pretreated by rapid depressurization from supercritical 1,1,1,2-tetrafluoroethane toward highly acetylated oligosaccharides. <i>Bioresource Technology</i> , <b>2016</b> , 209, 180-6	11	26
33	Inhibition of Listeria monocytogenes in Fresh Cheese Using Chitosan-Grafted Lactic Acid Packaging. <i>Molecules</i> , <b>2016</b> , 21, 469	4.8	10
32	Enzymatic syntheses of linear and hyperbranched poly-l-lactide using compressed R134albnic liquid media. <i>Journal of Supercritical Fluids</i> , <b>2015</b> , 103, 77-82	4.2	11
31	Survival of Brucella abortus aqpX mutant in fresh and ripened cheeses. <i>Foodborne Pathogens and Disease</i> , <b>2015</b> , 12, 170-5	3.8	6
30	Rheological and antioxidant power studies of enzymatically grafted chitosan with a hydrophobic alkyl side chain. <i>Food Hydrocolloids</i> , <b>2014</b> , 39, 113-119	10.6	29
29	Fibroblast viability and inhibitory activity against Pseudomonas aeruginosa in lactic acidgrafted chitosan hydrogels. <i>Journal of Applied Polymer Science</i> , <b>2014</b> , 131, n/a-n/a	2.9	5
28	Novel photoluminescent material by laccase-mediated polymerization of 4-fluoroguaiacol throughout defluorination. <i>Journal of Molecular Catalysis B: Enzymatic</i> , <b>2014</b> , 109, 70-75		5
27	Production of thermostable lipase by Thermomyces lanuginosus on solid-state fermentation: selective hydrolysis of sardine oil. <i>Applied Biochemistry and Biotechnology</i> , <b>2014</b> , 174, 1859-72	3.2	17

26	Lipase-catalyzed synthesis of hyperbranched poly-L-lactide in an ionic liquid. <i>Bioprocess and Biosystems Engineering</i> , <b>2013</b> , 36, 383-7	3.7	26
25	Trametes versicolor laccase oxidation of gallic acid toward a polyconjugated semiconducting material. <i>Journal of Molecular Catalysis B: Enzymatic</i> , <b>2013</b> , 97, 100-105		29
24	Ultrasonication and steam-explosion as chitin pretreatments for chitin oligosaccharide production by chitinases of Lecanicillium lecanii. <i>Bioresource Technology</i> , <b>2013</b> , 146, 794-798	11	58
23	Enzymatic grafting of gallate ester onto chitosan: evaluation of antioxidant and antibacterial activities. <i>International Journal of Food Science and Technology</i> , <b>2013</b> , 48, n/a-n/a	3.8	2
22	Chitin and L(+)-lactic acid production from crab (Callinectes bellicosus) wastes by fermentation of Lactobacillus sp. B2 using sugar cane molasses as carbon source. <i>Bioprocess and Biosystems Engineering</i> , <b>2012</b> , 35, 1193-200	3.7	40
21	Enzymatic synthesis of poly-l-lactide in supercritical R134a. <i>Journal of Supercritical Fluids</i> , <b>2012</b> , 72, 186	-149.0	17
20	Structural characterization of chitin and chitosan obtained by biological and chemical methods. <i>Biomacromolecules</i> , <b>2011</b> , 12, 3285-90	6.9	86
19	Novel photoconductive polyfluorophenol synthesized by an enzyme. <i>Journal of Molecular Catalysis B: Enzymatic</i> , <b>2011</b> , 72, 25-27		4
18	Postharvest litchi (Litchi chinensis Sonn.) quality preservation by Lactobacillus plantarum. <i>Postharvest Biology and Technology</i> , <b>2011</b> , 59, 172-178	6.2	24
17	Chitosan-based microcapsules containing grapefruit seed extract grafted onto cellulose fibers by a non-toxic procedure. <i>Carbohydrate Research</i> , <b>2010</b> , 345, 854-9	2.9	40
16	Enzymatic synthesis of poly-L-lactide and poly-L-lactide-co-glycolide in an ionic liquid. <i>Bioprocess and Biosystems Engineering</i> , <b>2010</b> , 33, 629-38	3.7	49
15	Enzymatic synthesis of poly-L-lactide-co-glycolide in the ionic liquid 1-butyl-3-methylimidazolium hexafluorophosphate. <i>Bioprocess and Biosystems Engineering</i> , <b>2010</b> , 33, 1095-101	3.7	16
14	Lipase-catalyzed syntheses of linear and hyperbranched polyesters using compressed fluids as solvent media. <i>Journal of Molecular Catalysis B: Enzymatic</i> , <b>2010</b> , 67, 143-149		23
13	Supercritical carbon dioxide extraction of oil from Mexican chia seed (Salvia hispanica L.): Characterization and process optimization. <i>Journal of Supercritical Fluids</i> , <b>2010</b> , 55, 192-199	4.2	68
12	Cross-linking chitosan into UV-irradiated cellulose fibers for the preparation of antimicrobial-finished textiles. <i>Carbohydrate Polymers</i> , <b>2009</b> , 77, 536-543	10.3	137
11	Use of ionic liquid for the enzyme-catalyzed polymerization of phenols. <i>Polymers for Advanced Technologies</i> , <b>2009</b> , 21, n/a-n/a	3.2	2
10	Lipase-catalyzed synthesis of poly-l-lactide using supercritical carbon dioxide. <i>Journal of Supercritical Fluids</i> , <b>2009</b> , 51, 197-201	4.2	40
9	Effect of temperature on chitin and astaxanthin recoveries from shrimp waste using lactic acid bacteria. <i>Bioresource Technology</i> , <b>2009</b> , 100, 2849-54	11	58

## LIST OF PUBLICATIONS

8	Use of Liquid 1,1,1,2-Tetrafluoroethane as Solvent Media for Enzyme-Catalyzed Ring-Opening Polymerization of Lactones. <i>Macromolecules</i> , <b>2007</b> , 40, 4119-4120	5.5	22	
7	One-solvent extraction of astaxanthin from lactic acid fermented shrimp wastes. <i>Journal of Agricultural and Food Chemistry</i> , <b>2007</b> , 55, 10345-50	5.7	42	
6	Micronization of the chitosan derivatives d-Glucosamine Hydrochloride and d-Glucosamine Sulphate salts by dense gas anti-solvent precipitation techniques. <i>Journal of Supercritical Fluids</i> , <b>2006</b> , 38, 94-102	4.2	14	
5	Use of 1,1,1,2-Tetrafluoroethane (R-134a)-Expanded Liquids as Solvent Media for Ecoefficient Particle Design with the DELOS Crystallization Process. <i>Crystal Growth and Design</i> , <b>2006</b> , 6, 23-25	3.5	16	
4	Synthesis and Radical Polymerization of 1,1-Difluoro-2-vinylcyclopropane: A Reexamination and Structural Reassignment. <i>Macromolecules</i> , <b>2006</b> , 39, 4076-4080	5.5	10	
3	Synthesis and radical ring opening behaviour of 1,1-difluoro-2-heptyl-2-vinylcyclopropane and some of its isomers. <i>Journal of Fluorine Chemistry</i> , <b>2006</b> , 127, 1533-1539	2.1	2	
2	Approaches to highly polar polymers with low glass transition temperatures: 2. Fluorinated polymers via ring-opening metathesis copolymerisation and hydrogenation. <i>Journal of Molecular Catalysis A</i> , <b>2004</b> , 213, 9-14		17	
1	Approaches to highly polar polymers with low glass transition temperatures. 1. Fluorinated polymers via a combination of ring-opening metathesis polymerisation and hydrogenation. <i>Polymer</i> , <b>2003</b> , 44, 6111-6121	3.9	25	