

Joaquin Ortego

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8478303/joaquin-ortego-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

95
papers

2,032
citations

26
h-index

39
g-index

103
ext. papers

2,427
ext. citations

3.6
avg, IF

5.12
L-index

#	Paper	IF	Citations
95	Demographic consequences of dispersal-related trait shift in two recently diverged taxa of montane grasshoppers. <i>Evolution; International Journal of Organic Evolution</i> , 2021 , 75, 1998-2013	3.8	4
94	Glacial connectivity and current population fragmentation in sky islands explain the contemporary distribution of genomic variation in two narrow-endemic montane grasshoppers from a biodiversity hotspot. <i>Diversity and Distributions</i> , 2021 , 27, 1619-1633	5	1
93	Genomic data support multiple introductions and explosive demographic expansions in a highly invasive aquatic insect. <i>Molecular Ecology</i> , 2021 , 30, 4189-4203	5.7	1
92	Genomic insights into the origin of trans-Mediterranean disjunct distributions. <i>Journal of Biogeography</i> , 2021 , 48, 440-452	4.1	0
91	Genomic footprints of an old affair: Single nucleotide polymorphism data reveal historical hybridization and the subsequent evolution of reproductive barriers in two recently diverged grasshoppers with partly overlapping distributions. <i>Molecular Ecology</i> , 2020 , 29, 2254-2268	5.7	5
90	Safeguarding the genetic integrity of native pollinators requires stronger regulations on commercial lines. <i>Ecological Solutions and Evidence</i> , 2020 , 1, e12012	2.1	9
89	Insights into the neutral and adaptive processes shaping the spatial distribution of genomic variation in the economically important Moroccan locust (<i>Schistocerca</i>). <i>Ecology and Evolution</i> , 2020 , 10, 3991-4008	2.8	1
88	Paraphyletic species no more Genomic data resolve a Pleistocene radiation and validate morphological species of the <i>Melanoplus scudderi</i> complex (Insecta: Orthoptera). <i>Systematic Entomology</i> , 2020 , 45, 594-605	3.4	10
87	Incorporating interspecific interactions into phylogeographic models: A case study with Californian oaks. <i>Molecular Ecology</i> , 2020 , 29, 4510-4524	5.7	6
86	Spatiotemporally explicit demographic modelling supports a joint effect of historical barriers to dispersal and contemporary landscape composition on structuring genomic variation in a red-listed grasshopper. <i>Molecular Ecology</i> , 2019 , 28, 2155-2172	5.7	9
85	Genomic data reveal deep genetic structure but no support for current taxonomic designation in a grasshopper species complex. <i>Molecular Ecology</i> , 2019 , 28, 3869-3886	5.7	10
84	Integrating genomic and phenotypic data to evaluate alternative phylogenetic and species delimitation hypotheses in a recent evolutionary radiation of grasshoppers. <i>Molecular Ecology</i> , 2018 , 27, 1229-1244	5.7	16
83	Genomic data reveal cryptic lineage diversification and introgression in Californian golden cup oaks (section <i>Protobalanus</i>). <i>New Phytologist</i> , 2018 , 218, 804-818	9.8	35
82	Linking genetic and ecological differentiation in an ungulate with a circumpolar distribution. <i>Ecography</i> , 2018 , 41, 922-937	6.5	10
81	Inferring the demographic history of an oligophagous grasshopper: Effects of climatic niche stability and host-plant distribution. <i>Molecular Phylogenetics and Evolution</i> , 2018 , 118, 343-356	4.1	3
80	Influence of grazing on populations of the specialist grasshopper <i>Mioscirtus wagneri</i> inhabiting hypersaline habitats in La Mancha Region, Central Spain. <i>Journal of Orthoptera Research</i> , 2018 , 27, 75-81 ¹		1
79	A review of cross-backed grasshoppers of the genus <i>Dociostaurus</i> Fieber (Orthoptera: Acrididae) from the western Mediterranean: insights from phylogenetic analyses and DNA-based species delimitation. <i>Systematic Entomology</i> , 2018 , 43, 136-146	3.4	3

78	Using high-throughput sequencing to investigate the factors structuring genomic variation of a Mediterranean grasshopper of great conservation concern. <i>Scientific Reports</i> , 2018 , 8, 13436	4.9	8
77	RADseq data reveal ancient, but not pervasive, introgression between Californian tree and scrub oak species (<i>Quercus</i> sect. <i>Quercus</i> : Fagaceae). <i>Molecular Ecology</i> , 2018 , 27, 4556-4571	5.7	22
76	Testing the role of ancient and contemporary landscapes on structuring genetic variation in a specialist grasshopper. <i>Ecology and Evolution</i> , 2017 , 7, 3110-3122	2.8	10
75	Ecological drivers of body size evolution and sexual size dimorphism in short-horned grasshoppers (Orthoptera: Acrididae). <i>Journal of Evolutionary Biology</i> , 2017 , 30, 1592-1608	2.3	14
74	Geographical and Ecological Drivers of Mitonuclear Genetic Divergence in a Mediterranean Grasshopper. <i>Evolutionary Biology</i> , 2017 , 44, 505-521	3	2
73	Phenotypic disparity in Iberian short-horned grasshoppers (Acrididae): the role of ecology and phylogeny. <i>BMC Evolutionary Biology</i> , 2017 , 17, 109	3	3
72	Impacts of human-induced environmental disturbances on hybridization between two ecologically differentiated Californian oak species. <i>New Phytologist</i> , 2017 , 213, 942-955	9.8	29
71	Tests of species-specific models reveal the importance of drought in postglacial range shifts of a Mediterranean-climate tree: insights from integrative distributional, demographic and coalescent modelling and ABC model selection. <i>Molecular Ecology</i> , 2016 , 25, 4889-906	5.7	24
70	Hierarchical genetic structure shaped by topography in a narrow-endemic montane grasshopper. <i>BMC Evolutionary Biology</i> , 2016 , 16, 96	3	28
69	Association of genetic and phenotypic variability with geography and climate in three southern California oaks. <i>American Journal of Botany</i> , 2016 , 103, 73-85	2.7	33
68	Integrating ecological and genetic structure to define management units for caribou in Eastern Canada. <i>Conservation Genetics</i> , 2016 , 17, 437-453	2.6	21
67	New field data for old museum specimens: A peculiar cricket (Grylloidea, Orthoptera) from SW Spain. <i>Graellsia</i> , 2016 , 72, e045	0.2	
66	The role of environment and core-margin effects on range-wide phenotypic variation in a montane grasshopper. <i>Journal of Evolutionary Biology</i> , 2016 , 29, 2129-2142	2.3	12
65	Diversity in insect seed parasite guilds at large geographical scale: the roles of host specificity and spatial distance. <i>Journal of Biogeography</i> , 2016 , 43, 1620-1630	4.1	10
64	The strength of the association between heterozygosity and probability of interannual local recruitment increases with environmental harshness in blue tits. <i>Ecology and Evolution</i> , 2016 , 6, 8857-8869	2.8	11
63	The influence of landscape configuration and environment on population genetic structure in a sedentary passerine: insights from loci located in different genomic regions. <i>Journal of Evolutionary Biology</i> , 2016 , 29, 205-19	2.3	6
62	Multiple sexual ornaments signal heterozygosity in male blue tits. <i>Biological Journal of the Linnean Society</i> , 2015 , 115, 362-375	1.9	20
61	Living on the edge: the role of geography and environment in structuring genetic variation in the southernmost populations of a tropical oak. <i>Plant Biology</i> , 2015 , 17, 676-83	3.7	15

60	Consequences of extensive habitat fragmentation in landscape-level patterns of genetic diversity and structure in the Mediterranean esparto grasshopper. <i>Evolutionary Applications</i> , 2015 , 8, 621-32	4.8	36
59	Spatiotemporal and genetic contingency of extrapair behaviour in a songbird. <i>Animal Behaviour</i> , 2015 , 106, 157-169	2.8	9
58	Evolutionary and demographic history of the Californian scrub white oak species complex: an integrative approach. <i>Molecular Ecology</i> , 2015 , 24, 6188-208	5.7	27
57	Discordant patterns of genetic and phenotypic differentiation in five grasshopper species codistributed across a microreserve network. <i>Molecular Ecology</i> , 2015 , 24, 5796-812	5.7	13
56	Climatically stable landscapes predict patterns of genetic structure and admixture in the Californian canyon live oak. <i>Journal of Biogeography</i> , 2015 , 42, 328-338	4.1	54
55	Genetic Signatures of Demographic Changes in an Avian Top Predator during the Last Century: Bottlenecks and Expansions of the Eurasian Eagle Owl in the Iberian Peninsula. <i>PLoS ONE</i> , 2015 , 10, e0133954	3.7	7
54	Influence of climatic niche suitability and geographical overlap on hybridization patterns among southern Californian oaks. <i>Journal of Biogeography</i> , 2014 , 41, 1895-1908	4.1	41
53	Extrapair paternity in Mediterranean blue tits: socioecological factors and the opportunity for sexual selection. <i>Behavioral Ecology</i> , 2014 , 25, 228-238	2.3	22
52	Genetic diversity in caribou linked to past and future climate change. <i>Nature Climate Change</i> , 2014 , 4, 132-137	21.4	119
51	Heterozygosity at a single locus explains a large proportion of variation in two fitness-related traits in great tits: a general or a local effect?. <i>Journal of Evolutionary Biology</i> , 2014 , 27, 2807-19	2.3	16
50	Isolation and characterization of polymorphic microsatellites in the specialist grasshopper <i>Ramburiella hispanica</i> (Orthoptera: Acrididae). <i>Conservation Genetics Resources</i> , 2014 , 6, 723-724	0.8	3
49	Individual genetic diversity and probability of infection by avian malaria parasites in blue tits (<i>Cyanistes caeruleus</i>). <i>Journal of Evolutionary Biology</i> , 2014 , 27, 2468-82	2.3	11
48	The role of immigration and local adaptation on fine-scale genotypic and phenotypic population divergence in a less mobile passerine. <i>Journal of Evolutionary Biology</i> , 2014 , 27, 1590-603	2.3	22
47	A revision of <i>Apteromantis</i> (Mantodea: Mantidae, Amelinae): a comprehensive approach to manage old taxonomic and conservation problems. <i>Zootaxa</i> , 2014 , 65-77	0.5	5
46	Extensive pollen immigration and no evidence of disrupted mating patterns or reproduction in a highly fragmented holm oak stand. <i>Journal of Plant Ecology</i> , 2014 , 7, 384-395	1.7	21
45	Feathers, suspicions, and infidelities: an experimental study on parental care and certainty of paternity in the blue tit. <i>Biological Journal of the Linnean Society</i> , 2013 , 109, 552-561	1.9	22
44	Positive cascade effects of forest fragmentation on acorn weevils mediated by seed size enlargement. <i>Insect Conservation and Diversity</i> , 2012 , 5, 381-388	3.8	27
43	Influence of environmental heterogeneity on genetic diversity and structure in an endemic southern Californian oak. <i>Molecular Ecology</i> , 2012 , 21, 3210-23	5.7	71

42	Genetic and morphological divergence at different spatiotemporal scales in the grasshopper <i>Mioscirtus wagneri</i> (Orthoptera: Acrididae). <i>Journal of Insect Conservation</i> , 2012 , 16, 103-110	2.1	16
41	Molecular characterization of avian malaria parasites in three Mediterranean blue tit (<i>Cyanistes caeruleus</i>) populations. <i>Parasitology Research</i> , 2012 , 111, 2137-42	2.4	16
40	Landscape genetics of a specialized grasshopper inhabiting highly fragmented habitats: a role for spatial scale. <i>Diversity and Distributions</i> , 2012 , 18, 481-492	5	13
39	Temporal dynamics of genetic variability in a mountain goat (<i>Oreamnos americanus</i>) population. <i>Molecular Ecology</i> , 2011 , 20, 1601-11	5.7	30
38	Mechanisms of colony selection by first-year Lesser Kestrels <i>Falco naumanni</i> . <i>Ibis</i> , 2011 , 153, 37-45	1.9	5
37	Genetic structure reflects natal dispersal movements at different spatial scales in the blue tit, <i>Cyanistes caeruleus</i> . <i>Animal Behaviour</i> , 2011 , 82, 131-137	2.8	22
36	Fine-scale spatial genetic structure and within population male-biased gene-flow in the grasshopper <i>Mioscirtus wagneri</i> . <i>Evolutionary Ecology</i> , 2011 , 25, 1127-1144	1.8	15
35	Population genetics of <i>Mioscirtus wagneri</i> , a grasshopper showing a highly fragmented distribution. <i>Molecular Ecology</i> , 2010 , 19, 472-83	5.7	39
34	Evidence of subtle departures from Mendelian segregation in a wild lesser kestrel (<i>Falco naumanni</i>) population. <i>Heredity</i> , 2010 , 105, 213-9	3.6	10
33	Natural hybridisation between kermes (<i>Quercus coccifera</i> L.) and holm oaks (<i>Q. ilex</i> L.) revealed by microsatellite markers. <i>Plant Biology</i> , 2010 , 12, 234-8	3.7	30
32	Genetic consequences of habitat fragmentation in long-lived tree species: the case of the mediterranean Holm Oak (<i>Quercus ilex</i> , L.). <i>Journal of Heredity</i> , 2010 , 101, 717-26	2.4	54
31	Parental genetic characteristics and hatching success in a recovering population of Lesser Kestrels. <i>Journal of Ornithology</i> , 2010 , 151, 155-162	1.5	12
30	Isolation and characterization of polymorphic microsatellite markers in the grasshopper <i>Mioscirtus wagneri</i> (Orthoptera: Acrididae). <i>Conservation Genetics</i> , 2010 , 11, 1119-1121	2.6	4
29	Factors associated with the geographic distribution of leucocytozoa parasitizing nestling eagle owls (<i>Bubo bubo</i>): a local spatial-scale analysis. <i>Conservation Genetics</i> , 2010 , 11, 1479-1487	2.6	10
28	Intercolony movements and prospecting behaviour in the colonial lesser kestrel. <i>Animal Behaviour</i> , 2010 , 79, 811-817	2.8	24
27	Colony foundation in the lesser kestrel: patterns and consequences of the occupation of empty habitat patches. <i>Animal Behaviour</i> , 2010 , 80, 975-982	2.8	13
26	Heterozygosity-based assortative mating in blue tits (<i>Cyanistes caeruleus</i>): implications for the evolution of mate choice. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2009 , 276, 2931-40	4.4	74
25	PCR-based detection and genotyping of haematozoa (Protozoa) parasitizing eagle owls, <i>Bubo bubo</i> . <i>Parasitology Research</i> , 2009 , 104, 467-70	2.4	15

24	Phylogeography of the Iberian populations of <i>Mioscirtus wagneri</i> (Orthoptera: Acrididae), a specialized grasshopper inhabiting highly fragmented hypersaline environments. <i>Biological Journal of the Linnean Society</i> , 2009 , 97, 623-633	1.9	24
23	Temporal variation of heterozygosity-based assortative mating and related benefits in a lesser kestrel population. <i>Journal of Evolutionary Biology</i> , 2009 , 22, 2488-95	2.3	24
22	Physiological response to stress in fledgling Lesser Kestrels <i>Falco naumanni</i> : the role of physical condition, sex and individual genetic diversity. <i>Ibis</i> , 2009 , 151, 559-567	1.9	3
21	Recognizing taxonomic units in the field? The case of the crickets <i>Oecanthus dulcisonans</i> Gorochov 1993, and <i>O. pellucens</i> (Scopoli, 1763) (Orthoptera: Gryllidae): implications for their distribution and conservation in Southern Europe. <i>Zootaxa</i> , 2009 , 2284, 63-68	0.5	7
20	Genetic consequences of natal dispersal in the colonial lesser kestrel. <i>Molecular Ecology</i> , 2008 , 17, 2051-9.7	9.7	26
19	Public information in selection of nesting colony by lesser kestrels: which cues are used and when are they obtained?. <i>Animal Behaviour</i> , 2008 , 75, 1611-1617	2.8	22
18	Causes, consequences and mechanisms of breeding dispersal in the colonial lesser kestrel, <i>Falco naumanni</i> . <i>Animal Behaviour</i> , 2008 , 76, 1989-1996	2.8	35
17	Characteristics of loci and individuals are associated with germline microsatellite mutation rates in lesser kestrels (<i>Falco naumanni</i>). <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2008 , 648, 82-6	3.3	19
16	Individual genetic diversity correlates with the size and spatial isolation of natal colonies in a bird metapopulation. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2008 , 275, 2039-47	4.4	26
15	Consequences of chronic infections with three different avian malaria lineages on reproductive performance of Lesser Kestrels (<i>Falco naumanni</i>). <i>Journal of Ornithology</i> , 2008 , 149, 337-343	1.5	24
14	Increase of heterozygosity in a growing population of lesser kestrels. <i>Biology Letters</i> , 2007 , 3, 585-8	3.6	29
13	Egg production and individual genetic diversity in lesser kestrels. <i>Molecular Ecology</i> , 2007 , 16, 2383-92	5.7	45
12	Risk of ectoparasitism and genetic diversity in a wild lesser kestrel population. <i>Molecular Ecology</i> , 2007 , 16, 3712-20	5.7	37
11	No relationship between individual genetic diversity and prevalence of avian malaria in a migratory kestrel. <i>Molecular Ecology</i> , 2007 , 16, 4858-66	5.7	27
10	Malathion applied at standard rates reduces fledgling condition and adult male survival in a wild lesser kestrel population. <i>Animal Conservation</i> , 2007 , 10, 312-319	3.2	8
9	Ecological factors influencing disease risk in Eagle Owls <i>Bubo bubo</i> . <i>Ibis</i> , 2007 , 149, 386-395	1.9	18
8	Genetic characterization of avian malaria (Protozoa) in the endangered lesser kestrel, <i>Falco naumanni</i> . <i>Parasitology Research</i> , 2007 , 101, 1153-6	2.4	28
7	Can a simple algebraic analysis predict markers-genome heterozygosity correlations?. <i>Journal of Heredity</i> , 2007 , 98, 93-6	2.4	30

6	ECOLOGY OF PARASITISM OF NESTLING EURASIAN EAGLE-OWLS (BUBO BUBO) BY LEUCOCYTOZON ZIEMANNI. <i>Journal of Raptor Research</i> , 2007 , 41, 247-251	0.9	2
5	What should we weigh to estimate heterozygosity, alleles or loci?. <i>Molecular Ecology</i> , 2006 , 15, 4659-65	5.7	260
4	Mercury in feathers of nestling eagle owls, <i>Bubo bubo</i> L., and muscle of their main prey species in Toledo Province, Central Spain. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2006 , 76, 648-55	2.7	9
3	Ecological drivers of body size evolution and sexual size dimorphism in short-horned grasshoppers (Orthoptera: Acrididae)		1
2	Safeguarding the genetic integrity of native pollinators requires stronger regulations on commercial lines		1
1	Reticulate Evolutionary History in a Recent Radiation of Montane Grasshoppers Revealed by Genomic Data		1