

K Husnu C Baser

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8478581/k-husnu-c-baser-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

407
papers

10,343
citations

48
h-index

79
g-index

416
ext. papers

11,488
ext. citations

2.6
avg, IF

6.13
L-index

#	Paper	IF	Citations
407	A multi-parameter evaluation of the neuroprotective and cognitive-enhancing effects of <i>Origanum onites</i> L. (Turkish Oregano) essential oil on scopolamine-induced amnesic rats.. <i>Metabolic Brain Disease</i> , 2022 , 1	3.9	
406	Phytochemical screening and biological evaluation of <i>Salvia hydrangea</i> Dc. ex Benth. growing in eastern Anatolia. <i>South African Journal of Botany</i> , 2022 , 147, 799-807	2.9	0
405	Anti-Leishmanial Activity of Essential Oils Extracted from Plants Growing in Northern Cyprus Against. <i>Turkiye Parazitolojii Dergisi</i> , 2021 , 45, 101-107	0.7	
404	Chemical composition, antiradical, and enzyme inhibitory potential of essential oil obtained from aerial part of <i>Centaurea pterocaula</i> Trautv. <i>Journal of Essential Oil Research</i> , 2021 , 33, 44-52	2.3	0
403	<i>Boswellia sacra</i> essential oil manages colon cancer stem cells proliferation and apoptosis: a new perspective for cure. <i>Journal of Essential Oil Research</i> , 2021 , 33, 53-62	2.3	3
402	Review of Studies on <i>Phlomis</i> and <i>Eremostachys</i> Species (Lamiaceae) with Emphasis on Iridoids, Phenylethanoid Glycosides, and Essential Oils. <i>Planta Medica</i> , 2021 , 87, 1128-1151	3.1	1
401	Insecticidal and Biting Deterrent Activities of Essential Oils and Selected Pure Compounds against. <i>Molecules</i> , 2020 , 25,	4.8	6
400	Antimicrobial, anticholinesterase evaluation and chemical characterization of essential oil <i>Phlomis kurdica</i> Rech. fil. Growing in Turkey. <i>Journal of Essential Oil Research</i> , 2020 , 32, 242-246	2.3	4
399	Cytotoxic effect and molecular docking studies of essential oils of <i>Cymbocarpum erythraeum</i> (DC.) Boiss. (Apiaceae) as potential inhibitors of cholinesterase. <i>Journal of Essential Oil Research</i> , 2020 , 32, 436-448	2.3	1
398	Screening of non-alkaloid acetylcholinesterase and carbonic anhydrase isoenzymes inhibitors of <i>Leiotulus dasyanthus</i> (K. Koch) Pimenov & Ostr. (Apiaceae). <i>Journal of Essential Oil Research</i> , 2020 , 32, 227-241	2.3	5
397	Drying Effects on The Volatile Compounds of Kumquat, Limequat and Mexican Lime Fruits. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2020 , 23, 1395-1408	1.7	1
396	Composition of the essential oils of five subspecies of <i>Scutellaria orientalis</i> from Turkey. <i>Journal of Essential Oil Research</i> , 2020 , 32, 429-435	2.3	0
395	A caryophyllene oxide and other potential anticholinesterase and anticancer agent in <i>Salvia verticillata</i> subsp. <i>amasiaca</i> (Freyn & Bornm.) Bornm. (Lamiaceae). <i>Journal of Essential Oil Research</i> , 2020 , 32, 512-525	2.3	10
394	Assessment of selected Saudi and Yemeni plants for mosquitocidal activities against the yellow fever mosquito. <i>Saudi Pharmaceutical Journal</i> , 2019 , 27, 930-938	4.4	6
393	Volatile Compounds of <i>Tripleurospermum decipiens</i> from Two Natural Populations in Turkey. <i>Chemistry of Natural Compounds</i> , 2019 , 55, 565-567	0.7	0
392	Chemical composition of endemic <i>Stachys subnuda</i> Montbret & Aucher ex Benth. essential oil and its anti-inflammatory and antioxidant activities. <i>Journal of Essential Oil Research</i> , 2019 , 31, 326-334	2.3	5
391	Essential oil compositions of subspecies of <i>Scutellaria brevibracteata</i> Stapf from Turkey. <i>Journal of Essential Oil Research</i> , 2019 , 31, 255-262	2.3	9

390	Chemical Composition, Antidiabetic, Anti-inflammatory and Antioxidant Activity of <i>Inula ensifolia</i> L. Essential Oil. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2019 , 22, 1048-1057	1.7	4
389	Antibacterial Activities of Herbal Toothpastes Combined with Essential Oils against. <i>Pathogens</i> , 2019 , 8,	4.5	12
388	Antiprotozoal Activity of Turkish Essential Oil and Its Components. <i>Molecules</i> , 2019 , 24,	4.8	17
387	Glandular trichome structures and chemical composition of the volatiles of five <i>Ribes</i> species from Turkey. <i>Journal of Essential Oil Research</i> , 2019 , 31, 111-119	2.3	2
386	Chemical Composition, Anti-Inflammatory, Antioxidant and Antimicrobial Activity of Essential Oil from Aerial Parts of <i>Chaerophyllum aromaticum</i> L. from Turkey. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2018 , 21, 563-569	1.7	3
385	Comparative Study of Three <i>Achillea</i> Essential Oils from Eastern Part of Turkey and their Biological Activities. <i>Records of Natural Products</i> , 2018 , 12, 195-200	1.9	9
384	Chemical Composition of a New Taxon, <i>Seseli gummiferum</i> subsp. <i>ilgazense</i> , and its Larvicidal Activity against <i>Aedes aegypti</i> . <i>Records of Natural Products</i> , 2018 , 12, 184-189	1.9	4
383	Chemical composition and insecticidal activity of edible garland (<i>Chrysanthemum coronarium</i> L.) essential oil against the granary pest <i>Sitophilus granarius</i> L. (Coleoptera). <i>Journal of Essential Oil Research</i> , 2018 , 30, 120-130	2.3	4
382	Volatile Components of Some Selected Turkish Liverworts. <i>Natural Product Communications</i> , 2018 , 13, 1934578X1801300	0.9	
381	Microbial Biotransformation of Honol. <i>Journal of Chemical Research</i> , 2018 , 42, 13-14	0.6	1
380	Essential oil composition of <i>Pentzia incana</i> (Asteraceae), an important natural pasture plant in the Karoo region of South Africa. <i>African Journal of Range and Forage Science</i> , 2018 , 35, 137-145	1.5	8
379	Repellency of the <i>Origanum onites</i> L. essential oil and constituents to the lone star tick and yellow fever mosquito. <i>Natural Product Research</i> , 2017 , 31, 2192-2197	2.3	17
378	Chemical composition and phagocyte immunomodulatory activity of essential oils. <i>Journal of Leukocyte Biology</i> , 2017 , 101, 1361-1371	6.5	24
377	Phytochemicals, antioxidant, and antityrosinase activities of <i>Achillea sivasica</i> Blik and Akpulat. <i>International Journal of Food Properties</i> , 2017 , 20, S693-S706	3	6
376	Oliv. essential oil: Chemical composition and antimicrobial, insect-repellent and anticholinesterase activities. <i>Saudi Pharmaceutical Journal</i> , 2017 , 25, 703-708	4.4	15
375	Composition and biological activities of <i>Salvia veneris</i> Hedge growing in Cyprus. <i>Industrial Crops and Products</i> , 2017 , 97, 41-48	5.9	11
374	Insecticidal activity of <i>Salvia veneris</i> Hedge. Essential oil against coleopteran stored product insects and <i>Spodoptera exigua</i> (Lepidoptera). <i>Industrial Crops and Products</i> , 2017 , 97, 93-100	5.9	15
373	Chemical and Biological Diversity of the Leaf and Rhizome Volatiles of <i>Acorus calamus</i> L. from Turkey. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2017 , 20, 646-661	1.7	3

372	Chemical composition and antimicrobial activity of the essential oil of <i>Sideritis cypria</i> Post endemic in Northern Cyprus. <i>Journal of Essential Oil Research</i> , 2017 , 29, 228-232	2.3	4
371	Investigation of <i>Galatella villosa</i> and <i>G. tatarica</i> for Antioxidant, α -Amylase, Tyrosinase, Lipoxygenase and Xanthine Oxidase Inhibitory Activities. <i>Natural Product Communications</i> , 2017 , 12, 1934578X1701200	0.9	1
370	Fungal Biotransformation of Cyclademol and Antimicrobial Activities of Its Metabolites. <i>Natural Product Communications</i> , 2017 , 12, 1934578X1701201	0.9	0
369	Rose Mentioned in the Works of Scientists of the Medieval East and Implications in Modern Science. <i>Natural Product Communications</i> , 2017 , 12, 1934578X1701200	0.9	0
368	Unexpected Irregular Monoterpene "Yomogi Alcohol" in the Volatiles of the <i>Lathyrus L.</i> species (Leguminosae) of Cyprus. <i>Journal of Oleo Science</i> , 2016 , 65, 241-9	1.6	
367	Essential Oil Composition of <i>Helichrysum conglobatum</i> from Cyprus. <i>Natural Product Communications</i> , 2016 , 11, 1934578X1601101	0.9	
366	11-Hydroxy-2,4-cycloeuodesmane from the Leaf Oil of <i>Juglans regia</i> and Evaluation of its Larvicidal Activity. <i>Natural Product Communications</i> , 2016 , 11, 1934578X1601101	0.9	
365	Chemical Composition and Biological Activity of <i>Centaurea baseri</i> : New Species from Turkey. <i>Chemistry and Biodiversity</i> , 2016 , 13, 1369-1379	2.5	17
364	Insecticidal activity of edible <i>Crithmum maritimum L.</i> essential oil against Coleopteran and Lepidopteran insects. <i>Industrial Crops and Products</i> , 2016 , 89, 383-389	5.9	27
363	Chemical characterization and anticholinesterase effects of essential oils derived from <i>Salvia</i> species. <i>Journal of Essential Oil Research</i> , 2016 , 28, 322-331	2.3	12
362	Chemical composition, antioxidant and antimicrobial activities of essential oils from leaves, aerial stems, basal stems, and rhizomes of <i>Etingera fimbriobracteata</i> (K.Schum.) R.M.Sm.. <i>Industrial Crops and Products</i> , 2016 , 84, 189-198	5.9	52
361	High Amounts of n-Alkanes in the Composition of <i>Asphodelus aestivus</i> Brot. Flower Essential Oil from Cyprus. <i>Journal of Oleo Science</i> , 2016 , 65, 867-870	1.6	4
360	Modulation of Human Neutrophil Responses by the Essential Oils from <i>Ferula akitschkensis</i> and Their Constituents. <i>Journal of Agricultural and Food Chemistry</i> , 2016 , 64, 7156-70	5.7	24
359	Volatile compounds from the aerial part and fruits of <i>Grammosciadium pterocarpum</i> Boiss. growing in Turkey. <i>Journal of Essential Oil Research</i> , 2015 , 27, 177-181	2.3	4
358	Composition, insecticidal activity and other biological activities of <i>Tanacetum abrotanifolium</i> Druce. essential oil. <i>Industrial Crops and Products</i> , 2015 , 71, 7-14	5.9	14
357	Inhibition of Human Neutrophil Responses by the Essential Oil of <i>Artemisia kotuchovii</i> and Its Constituents. <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 4999-5007	5.7	19
356	Composition of the essential oils from samples of <i>Vitex agnus-castus L.</i> growing in Turkey. <i>Journal of Essential Oil Research</i> , 2015 , 27, 337-342	2.3	2
355	Antiprotozoal Effect of <i>Artemisia indica</i> Extracts and Essential Oil. <i>Planta Medica</i> , 2015 , 81, 1029-37	3.1	7

354	Essential Oil Composition of <i>Tordylium elegans</i> . <i>Chemistry of Natural Compounds</i> , 2015 , 51, 980-981	0.7	
353	DPPH scavenging, PRAP activities and essential oil composition of edible <i>Lathyrus ochrus</i> L. (Cyprus Vetch, Luvana) from Cyprus. <i>Journal of Oleo Science</i> , 2015 , 64, 309-14	1.6	5
352	<i>Sitophilus granarius</i> L. (Coleoptera) Toxicity and Biological Activities of the Essential Oils of <i>Tanacetum macrophyllum</i> (Waldst. & Kit.) Schultz Bip. <i>Journal of Oleo Science</i> , 2015 , 64, 881-93	1.6	3
351	Essential Oils of <i>Echinophora lamondiana</i> (Apiales: Umbelliferae): A Relationship Between Chemical Profile and Biting Deterrence and Larvicidal Activity Against Mosquitoes (Diptera: Culicidae). <i>Journal of Medical Entomology</i> , 2015 , 52, 93-100	2.2	20
350	Chemical composition and biological activity of four <i>salvia</i> essential oils and individual compounds against two species of mosquitoes. <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 447-56	5.7	55
349	In vitro antioxidant properties and anthocyanin compositions of elderberry extracts. <i>Food Chemistry</i> , 2014 , 155, 112-9	8.5	77
348	Chemical Composition and Biological Activity of <i>Haplophyllum tuberculatum</i> Juss. Essential Oil. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2014 , 17, 452-459	1.7	9
347	Molecular and phytochemical investigation of <i>Angelica dahurica</i> and <i>Angelica pubescentis</i> essential oils and their biological activity against <i>Aedes aegypti</i> , <i>Stephanitis pyrioides</i> , and <i>Colletotrichum</i> species. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 8848-57	5.7	19
346	The Essential Oil Constituents of <i>Ranunculus marginatus</i> d'Urv. var. <i>trachycarpus</i> (Fisch. & Mey.), From Turkey. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2014 , 17, 702-707	1.7	2
345	Volatiles of Two Endemic <i>Anthemis</i> Species from Turkey. <i>Chemistry of Natural Compounds</i> , 2014 , 50, 379-381	0.7	3
344	The in vivo evaluation of anti-angiogenic effects of <i>Hypericum</i> essential oils using the chorioallantoic membrane assay. <i>Pharmaceutical Biology</i> , 2014 , 52, 44-50	3.8	27
343	Chemical composition, larvicidal, and biting deterrent activity of essential oils of two subspecies of <i>Tanacetum argenteum</i> (Asterales: Asteraceae) and individual constituents against <i>Aedes aegypti</i> (Diptera: Culicidae). <i>Journal of Medical Entomology</i> , 2014 , 51, 824-30	2.2	33
342	<i>Phoenix dactylifera</i> L. spathe essential oil: chemical composition and repellent activity against the yellow fever mosquito. <i>Acta Tropica</i> , 2013 , 128, 557-60	3.2	26
341	A mechanistic investigation on anticholinesterase and antioxidant effects of rose (<i>Rosa damascena</i> Mill.). <i>Food Research International</i> , 2013 , 53, 502-509	7	27
340	Characterization of volatiles and anti-ulcerogenic effect of Turkish sweetgum balsam (<i>Styrax liquidus</i>). <i>Journal of Ethnopharmacology</i> , 2013 , 148, 332-6	5	28
339	Composition of the Essential Oil of <i>Mentha lavandulacea</i> from Saudi Arabia. <i>Chemistry of Natural Compounds</i> , 2013 , 49, 951-952	0.7	
338	Bioassay-guided investigation of two <i>Monarda</i> essential oils as repellents of yellow fever mosquito <i>Aedes aegypti</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 8573-80	5.7	49
337	Phytochemical Characterization of <i>Phagnalon graecum</i> Boiss. by HPLC and GC-MS with its Enzyme Inhibitory and Antioxidant Activity Profiling by Spectrophotometric Methods. <i>Food Analytical Methods</i> , 2013 , 6, 1-9	3.4	15

336	Composition of the essential oils of <i>Centaurea aphrodisaea</i> , <i>C. polyclada</i> , <i>C. athoa</i> , <i>C. hyalolepis</i> and <i>C. iberica</i> . <i>Journal of Essential Oil Research</i> , 2013 , 25, 79-84	2.3	16
335	Complex evolutionary relationships in <i>Origanum</i> section <i>Majorana</i> (Lamiaceae). <i>Botanical Journal of the Linnean Society</i> , 2013 , 171, 667-686	2.2	17
334	The composition of Taif rose oil. <i>Journal of Essential Oil Research</i> , 2013 , 25, 364-367	2.3	10
333	Biting deterrence, repellency, and larvicidal activity of <i>Ruta chalepensis</i> (Sapindales: Rutaceae) essential oil and its major individual constituents against mosquitoes. <i>Journal of Medical Entomology</i> , 2013 , 50, 1267-74	2.2	44
332	Sesquiterpene hydrocarbons of the essential oil of <i>Actinolema macrolema</i> Boiss. <i>Turkish Journal of Chemistry</i> , 2013 , 37, 917-926	1	4
331	Insecticidal and biting deterrent activity of rose-scented geranium (<i>Pelargonium</i> spp.) essential oils and individual compounds against <i>Stephanitis pyrioides</i> and <i>Aedes aegypti</i> . <i>Pest Management Science</i> , 2013 , 69, 1385-92	4.6	27
330	Chemical composition, antifungal and insecticidal activities of <i>Hedychium</i> essential oils. <i>Molecules</i> , 2013 , 18, 4308-27	4.8	36
329	Composition, Mosquito Larvicidal, Biting Deterrent and Antifungal Activity of Essential Oils of Different Plant Parts of <i>Cupressus arizonica</i> var. <i>glabra</i> ('Carolina Sapphire'). <i>Natural Product Communications</i> , 2013 , 8, 1934578X1300800	0.9	7
328	Composition, mosquito larvicidal, biting deterrent and antifungal activity of essential oils of different plant parts of <i>Cupressus arizonica</i> var. <i>glabra</i> ('Carolina Sapphire'). <i>Natural Product Communications</i> , 2013 , 8, 257-60	0.9	16
327	Chemical composition of the essential oil and antioxidant activity of methanolic extracts from fruits and flowers of <i>Hypericum lydiu</i> m Boiss.. <i>Industrial Crops and Products</i> , 2012 , 36, 599-606	5.9	20
326	Investigation on chemical composition, anticholinesterase and antioxidant activities of extracts and essential oils of Turkish <i>Pinus</i> species and pycnogenol. <i>Industrial Crops and Products</i> , 2012 , 38, 115-123	5.9	60
325	Biological activity and essential oil composition of two new <i>Tanacetum chiliophyllum</i> (Fisch. & Mey.) Schultz Bip. var. <i>chiliophyllum</i> chemotypes from Turkey. <i>Industrial Crops and Products</i> , 2012 , 39, 97-105	5.9	17
324	Natural product studies of U.S. endangered plants: volatile components of <i>Lindera melissifolia</i> (Lauraceae) repel mosquitoes and ticks. <i>Phytochemistry</i> , 2012 , 80, 28-36	4	16
323	Chemical Composition of Endemic <i>Thymus spathulifolius</i> Hausskn. and Velen. Essential Oil and its Antimicrobial and Antioxidant Activity from Turkey. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2012 , 15, 628-636	1.7	4
322	Assessment of anti-angiogenic and anti-tumoral potentials of <i>Origanum onites</i> L. essential oil. <i>Food and Chemical Toxicology</i> , 2012 , 50, 2002-8	4.7	38
321	Evaluation of some essential oils as alternative antibiotics against American foulbrood agent <i>Paenibacillus</i> larvae on honey bees <i>Apis mellifera</i> L. <i>Journal of Essential Oil Research</i> , 2012 , 24, 465-470	2.3	12
320	Biotransformation of (-)-(R)- α -phellandrene: antimicrobial activity of its major metabolite. <i>Chemistry and Biodiversity</i> , 2012 , 9, 1525-32	2.5	43
319	Antimicrobial and Antioxidant Activities of <i>Stachys lavandulifolia</i> subsp. <i>lavandulifolia</i> Essential Oil and its Infusion. <i>Natural Product Communications</i> , 2012 , 7, 1934578X1200700	0.9	6

318	One-step multiple component isolation from the oil of <i>Crinitaria tatarica</i> (Less.) Sojak by preparative capillary gas chromatography with characterization by spectroscopic and spectrometric techniques and evaluation of biological activity. <i>Journal of Separation Science</i> , 2012 , 35, 650-60	3.4	16
317	Chemical composition and in vitro cytotoxic, genotoxic effects of essential oil from <i>Urtica dioica</i> L. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2012 , 88, 666-71	2.7	30
316	Chemical composition of the essential oils of <i>Anthemis coelopoda</i> var. <i>bourgaei</i> and <i>A. aciphylla</i> var. <i>aciphylla</i> . <i>Chemistry of Natural Compounds</i> , 2012 , 48, 332-334	0.7	8
315	Essential oils of <i>Mentha</i> species from Marmara region of Turkey. <i>Journal of Essential Oil Research</i> , 2012 , 24, 265-272	2.3	19
314	Essential oil composition of <i>Tordylium syriacum</i> L. (Umbelliferae) collected from different localities in Turkey. <i>Journal of Essential Oil Research</i> , 2012 , 24, 347-350	2.3	2
313	Essential Oils 2011 , 1		0
312	A novel wound healing ointment: a formulation of <i>Hypericum perforatum</i> oil and sage and oregano essential oils based on traditional Turkish knowledge. <i>Journal of Ethnopharmacology</i> , 2011 , 134, 89-96	5	71
311	Essential Oil Composition of Five Collections of <i>Achillea Biebersteinii</i> from Central Turkey and their Antifungal and Insecticidal Activity. <i>Natural Product Communications</i> , 2011 , 6, 1934578X1100600	0.9	7
310	Essential oils of <i>Cupressus funebris</i> , <i>Juniperus communis</i> , and <i>J. chinensis</i> (Cupressaceae) as repellents against ticks (Acari: Ixodidae) and mosquitoes (Diptera: Culicidae) and as toxicants against mosquitoes. <i>Journal of Vector Ecology</i> , 2011 , 36, 258-68	1.5	56
309	Essential oil composition of three species of <i>Scutellaria</i> from Turkey. <i>Natural Product Research</i> , 2011 , 25, 1720-6	2.3	14
308	Essential oil composition of <i>Tanacetum kotschyi</i> from Turkey. <i>Chemistry of Natural Compounds</i> , 2011 , 47, 297-299	0.7	7
307	Anticandidal activity of the essential oil of <i>Nepeta transcaucasica</i> Grossh. <i>Chemistry and Biodiversity</i> , 2011 , 8, 2144-8	2.5	7
306	Iron(III) reducing and antiradical activities of three <i>Sideritis</i> from Turkey. <i>Pharmaceutical Biology</i> , 2011 , 49, 800-4	3.8	3
305	In vitro antioxidant properties and phenolic composition of <i>Salvia halophila</i> Hedge from Turkey. <i>Food Chemistry</i> , 2011 , 129, 374-379	8.5	41
304	Essential oil composition of endemic <i>Tanacetum zahlbruckneri</i> (Nab.) and <i>Tanacetum tabrisianum</i> (Boiss.) Sosn. and Takht. from Turkey. <i>Natural Product Research</i> , 2011 , 25, 576-84	2.3	10
303	Essential oil composition of five collections of <i>Achillea biebersteinii</i> from central Turkey and their antifungal and insecticidal activity. <i>Natural Product Communications</i> , 2011 , 6, 701-6	0.9	11
302	Microdistillation and Analysis of Volatiles from Eight Ornamental <i>Salvia</i> Taxa. <i>Natural Product Communications</i> , 2010 , 5, 1934578X1000500	0.9	3
301	Essential Oil Composition of Four Endemic <i>Ferulago</i> Species Growing in Turkey. <i>Natural Product Communications</i> , 2010 , 5, 1934578X1000501	0.9	3

300	Biotransformation of Cedrol and Caryophyllene Oxide by the Fungus <i>Neurospora crassa</i> . <i>Natural Product Communications</i> , 2010 , 5, 1934578X1000500	0.9	
299	<i>Salvia officinalis</i> L.: Composition and Antioxidant-related Activities of a Crude Extract and Selected Sub-fractions. <i>Natural Product Communications</i> , 2010 , 5, 1934578X1000500	0.9	10
298	Essential Oil Composition, Antimicrobial and Cytotoxic Activities of Two Endemic <i>Stachys cretica</i> Subspecies (Lamiaceae) from Turkey. <i>Natural Product Communications</i> , 2010 , 5, 1934578X1000500	0.9	6
297	<i>Eupatorium capillifolium</i> Essential Oil: Chemical Composition, Antifungal Activity, and Insecticidal Activity. <i>Natural Product Communications</i> , 2010 , 5, 1934578X1000500	0.9	7
296	Characterization of <i>Szovitsia callicarpa</i> Volatile Constituents Obtained by Micro- and Hydrodistillation. <i>Natural Product Communications</i> , 2010 , 5, 1934578X1000500	0.9	2
295	Biological Activities of <i>Bellis perennis</i> Volatiles and Extracts. <i>Natural Product Communications</i> , 2010 , 5, 1934578X1000500	0.9	1
294	Headspace Volatiles of Three Turkish Plants. <i>Journal of Essential Oil Research</i> , 2010 , 22, 389-392	2.3	6
293	Composition of the Essential Oils of Subspecies of <i>Scutellaria albida</i> L. From Turkey. <i>Journal of Essential Oil Research</i> , 2010 , 22, 55-58	2.3	15
292	Composition of <i>Tordylium aegyptiacum</i> (L.) Lam. Essential Oil. <i>Journal of Essential Oil Research</i> , 2010 , 22, 245-246	2.3	8
291	Volatile Compounds of Seeds of <i>Hesperis bicuspidata</i> , <i>H. bottae</i> and <i>H. podocarpa</i> . <i>Journal of Essential Oil Research</i> , 2010 , 22, 230-231	2.3	3
290	Dietary plant bioactives for poultry health and productivity. <i>British Poultry Science</i> , 2010 , 51, 461-87	1.9	100
289	Composition of the Essential Oils of <i>Calamintha sylvatica</i> Bromf. subsp. <i>sylvatica</i> and <i>Calamintha sylvatica</i> Bromf. subsp. <i>ascendens</i> (Jordan) P.W. Ball. <i>Journal of Essential Oil Research</i> , 2010 , 22, 325-327 ^{2,3}	2.3	4
288	Essential oil compositions and antioxidant properties of the roots of twelve Anatolian <i>Paeonia</i> taxa with special reference to chromosome counts. <i>Pharmaceutical Biology</i> , 2010 , 48, 10-6	3.8	10
287	Antibacterial activity and the variation of <i>Tanacetum parthenium</i> (L.) Schultz Bip. essential oils from Turkey. <i>Journal of Oleo Science</i> , 2010 , 59, 177-84	1.6	38
286	Antimicrobial activity and essential oil composition of a new <i>T. argyrophyllum</i> (C. Koch) Tvetzel var. <i>argyrophyllum</i> chemotype. <i>Journal of Oleo Science</i> , 2010 , 59, 307-13	1.6	20
285	Essential oil composition and antibacterial activity of <i>Tanacetum argenteum</i> (Lam.) Willd. ssp. <i>argenteum</i> and <i>T. densum</i> (Lab.) Schultz Bip. ssp. <i>amani</i> Heywood from Turkey. <i>Journal of Oleo Science</i> , 2010 , 59, 361-7	1.6	17
284	Rare sesquiterpenes from South African <i>Pteronia</i> species. <i>South African Journal of Botany</i> , 2010 , 76, 146-152	2.5	7
283	Chemical composition of the wood and leaf oils from the <i>Widdringtonia cedarbergensis</i> J.A. Marsh): A critically endangered species. <i>South African Journal of Botany</i> , 2010 , 76, 652-654	2.9	24

282	Essential oils and aromatic plants in animal feeding in European perspective. A review.. <i>Flavour and Fragrance Journal</i> , 2010 , 25, 327-340	2.5	182
281	Gas chromatographic-mass spectrometric analysis of volatiles obtained by four different techniques from <i>Salvia rosifolia</i> Sm., and evaluation for biological activity. <i>Journal of Chromatography A</i> , 2010 , 1217, 741-8	4.5	66
280	Biotransformation of alpha-cedrol and caryophyllene oxide by the fungus <i>Neurospora crassa</i> . <i>Natural Product Communications</i> , 2010 , 5, 515-8	0.9	3
279	<i>Eupatorium capillifolium</i> essential oil: chemical composition, antifungal activity, and insecticidal activity. <i>Natural Product Communications</i> , 2010 , 5, 1409-15	0.9	23
278	Phenolic Profile and Antioxidant Evaluation of <i>Mentha x Piperita</i> L. (Peppermint) Extracts. <i>Natural Product Communications</i> , 2009 , 4, 1934578X0900400	0.9	16
277	Antifungal and Insecticidal Activity of two <i>Juniperus</i> Essential Oils. <i>Natural Product Communications</i> , 2009 , 4, 1934578X0900400	0.9	6
276	Chemical Composition and Antimicrobial Activity of the Essential Oils of <i>Lavandula Stoechas</i> L. Ssp. <i>Stoechas</i> Growing Wild in Turkey. <i>Natural Product Communications</i> , 2009 , 4, 1934578X0900400	0.9	9
275	Effect of absorbent pads containing oregano essential oil on the shelf life extension of overwrap packed chicken drumsticks stored at four degrees Celsius. <i>Poultry Science</i> , 2009 , 88, 1459-65	3.9	29
274	Compositions of essential oils and trichomes of <i>Teucrium chamaedrys</i> L. subsp. <i>trapezunticum</i> Rech. fil. and subsp. <i>sypriense</i> (C. Koch) Rech. fil. <i>Chemistry and Biodiversity</i> , 2009 , 6, 96-104	2.5	13
273	Component composition of essential oils of <i>Artemisia lercheana</i> and <i>A. sieversiana</i> of the flora of Kazakhstan. Antimicrobial activity of <i>A. sieversiana</i> essential oil. <i>Chemistry of Natural Compounds</i> , 2009 , 45, 120-123	0.7	9
272	Composition of the essential oil of <i>Centaurea saligna</i> . <i>Chemistry of Natural Compounds</i> , 2009 , 45, 276-277.7		11
271	The essential oil composition of <i>Gnaphalium luteo-album</i> . <i>Chemistry of Natural Compounds</i> , 2009 , 45, 446-447	0.7	3
270	Composition of the fruit essential oils of four <i>Heptaptera</i> species growing in Turkey*. <i>Chemistry of Natural Compounds</i> , 2009 , 45, 431-433	0.7	2
269	Composition of essential oil of endemic <i>Salvia wiedemannii</i> in Turkey. <i>Chemistry of Natural Compounds</i> , 2009 , 45, 552-553	0.7	6
268	Chemical composition and antimicrobial activity of the essential oils of three <i>Anthemis</i> species from Turkey. <i>Chemistry of Natural Compounds</i> , 2009 , 45, 900-904	0.7	14
267	Inhibition of NF-kappaB-mediated transcription and induction of apoptosis in human breast cancer cells by epoxypseudoisoeugenol-2-methyl butyrate. <i>Cancer Chemotherapy and Pharmacology</i> , 2009 , 63, 673-80	3.5	9
266	Anticandidal pimaradiene diterpene from <i>Phlomis</i> essential oils. <i>Comptes Rendus Chimie</i> , 2009 , 12, 612-621		15
265	Studies on the Volatile Oils of <i>Momordica charantia</i> L. (Cucurbitaceae) and <i>Phyllanthus amarus</i> Sch. et Thonn (Euphorbiaceae). <i>Journal of Essential Oil Research</i> , 2009 , 21, 393-399	2.3	19

264	Composition of the Essential Oils of Calamintha tauricola P.H. Davis. <i>Journal of Essential Oil Research</i> , 2009 , 21, 143-145	2.3	4
263	The Variation in the Essential Oil Composition of Tanacetum cadmeum (Boiss.) Heywood ssp. orientale Grierson from Turkey. <i>Journal of Essential Oil Research</i> , 2009 , 21, 97-100	2.3	12
262	Essential Oil Composition of Hypericum thymopsis Boiss. <i>Journal of Essential Oil Research</i> , 2009 , 21, 149-153	2.3	3
261	Essential Oil Composition of Gmelina arborea Roxb., Verbenaceae, From Nigeria. <i>Journal of Essential Oil Research</i> , 2009 , 21, 264-266	2.3	6
260	The Needle Oil of Pinus caribaea Morelet From Nigeria. <i>Journal of Essential Oil Research</i> , 2009 , 21, 342-344	2.3	3
259	The Essential Oil Composition of Tanacetum densum (Labill.) Heywood ssp. sivasicum Hub.-Mor. & Grierson from Turkey. <i>Journal of Essential Oil Research</i> , 2009 , 21, 200-202	2.3	0
258	Bioactivity-guided fractionation and GC/MS fingerprinting of Angelica sinensis and Angelica archangelica root components for antifungal and mosquito deterrent activity. <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 464-70	5.7	76
257	Antifungal and insecticidal activity of two Juniperus essential oils. <i>Natural Product Communications</i> , 2009 , 4, 123-7	0.9	13
256	The effects of intra-rectal and intra-peritoneal application of Origanum onites L. essential oil on 2,4,6-trinitrobenzenesulfonic acid-induced colitis in the rat. <i>Experimental and Toxicologic Pathology</i> , 2008 , 59, 399-408	6.5	38
255	Head-space volatiles of marula (Sclerocarya birrea subsp. caffra). <i>South African Journal of Botany</i> , 2008 , 74, 325-326	2.9	21
254	Head-space volatiles of Gethyllis afra and G. ciliaris fruits (Rukumakranka) <i>South African Journal of Botany</i> , 2008 , 74, 768-770	2.9	8
253	Effects of carvacrol upon the liver of rats undergoing partial hepatectomy. <i>Phytomedicine</i> , 2008 , 15, 226-235	6.5	23
252	Effects of carvacrol on defects of ischemia-reperfusion in the rat liver. <i>Phytomedicine</i> , 2008 , 15, 447-52	6.5	45
251	In vitro antioxidant properties and phenolic composition of Salvia virgata Jacq. from Turkey. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 2369-74	5.7	52
250	Volatile Constituents of Hypericum L. Section Myriandra (Clusiaceae): Species of the H. fasciculatum Lam. Alliance. <i>Journal of Essential Oil Research</i> , 2008 , 20, 244-249	2.3	3
249	Composition of Essential Oils of Ten Centaurea L. Taxa from Turkey. <i>Journal of Essential Oil Research</i> , 2008 , 20, 342-349	2.3	33
248	Antibacterial activity of two Phlomis essential oils against food pathogens. <i>Food Control</i> , 2008 , 19, 1159-1164	6.5	72
247	Composition and Antimicrobial Activity of Essential Oil of Ferulago longistylis Boiss. Fruits. <i>Journal of Essential Oil Research</i> , 2008 , 20, 569-573	2.3	18

246	Biological and pharmacological activities of carvacrol and carvacrol bearing essential oils. <i>Current Pharmaceutical Design</i> , 2008 , 14, 3106-19	3.3	352
245	Effect of maturation on the composition and biological activity of the essential oil of a commercially important <i>Satureja</i> species from Turkey: <i>Satureja cuneifolia</i> Ten. (Lamiaceae). <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 2260-5	5.7	24
244	Chemical Composition and Biological Evaluation of the Essential Oil of <i>Commiphora opobalsamum</i> L.. <i>Journal of Herbs, Spices and Medicinal Plants</i> , 2008 , 13, 111-121	0.9	6
243	Composition and Antimicrobial Activity of the Oils of <i>Ferula szowitsiana</i> DC. from Turkey. <i>Journal of Essential Oil Research</i> , 2008 , 20, 186-190	2.3	14
242	Composition of the Essential Oils of <i>Angelica sylvestris</i> L. var. <i>syvestris</i> Isolated from the Fruits by Different Isolation Techniques. <i>Journal of Essential Oil Research</i> , 2008 , 20, 408-411	2.3	8
241	Composition of the Essential Oil of Three Endemic <i>Centaurea</i> Species From Turkey. <i>Journal of Essential Oil Research</i> , 2008 , 20, 335-338	2.3	18
240	Comparative Essential Oil Composition of the Natural Hybrid <i>Phlomis x vuralii</i> Dadandi (Lamiaceae) and its Parents. <i>Journal of Essential Oil Research</i> , 2008 , 20, 57-62	2.3	8
239	Chemical Composition and Antifungal Activity of <i>Angelica sinensis</i> Essential Oil Against three <i>Colletotrichum</i> Species. <i>Natural Product Communications</i> , 2008 , 3, 1934578X0800300	0.9	9
238	Composition of the essential oils of two <i>Sideritis</i> species from Turkey and antimicrobial activity. <i>Chemistry of Natural Compounds</i> , 2008 , 44, 121-123	0.7	8
237	Component composition and antimicrobial activity of essential oil from <i>Artemisia kasakorum</i> . <i>Chemistry of Natural Compounds</i> , 2008 , 44, 263-265	0.7	3
236	Acaricidal efficacy of <i>Origanum onites</i> L. essential oil against <i>Rhipicephalus turanicus</i> (Ixodidae). <i>Parasitology Research</i> , 2008 , 103, 259-61	2.4	58
235	Inhibitory effect of Turkish <i>Rosmarinus officinalis</i> L. on acetylcholinesterase and butyrylcholinesterase enzymes. <i>Food Chemistry</i> , 2008 , 108, 663-8	8.5	120
234	Phenolic composition and biological activities of <i>Salvia halophila</i> and <i>Salvia virgata</i> from Turkey. <i>Food Chemistry</i> , 2008 , 108, 942-9	8.5	95
233	Anticonvulsant activity of furanocoumarins and the essential oil obtained from the fruits of <i>Heracleum crenatifolium</i> . <i>Food Chemistry</i> , 2008 , 107, 990-993	8.5	49
232	The Essential Oil Composition of <i>Tanacetum macrophyllum</i> (Waldst. et Kit.) Schultz. Bip.. <i>Journal of Essential Oil Research</i> , 2007 , 19, 255-257	2.3	10
231	Essential Oil Composition of an Endemic Species of Turkey: <i>Marrubium bourgaei</i> Boiss. ssp. <i>bourgaei</i> (Labiatae). <i>Journal of Essential Oil Research</i> , 2007 , 19, 34-36	2.3	5
230	Chemical composition and antifungal activity of <i>Arnica longifolia</i> , <i>Aster hesperius</i> , and <i>Chrysothamnus nauseosus</i> essential oils. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 8430-5	5.7	46
229	Essential oil and antimicrobial activity of wild and cultivated <i>Origanum vulgare</i> L. subsp. <i>hirtum</i> (Link) letsvaart from the Marmara region, Turkey. <i>Flavour and Fragrance Journal</i> , 2007 , 22, 371-376	2.5	53

228	Quality characteristics of strawberry genotypes at different maturation stages. <i>Food Chemistry</i> , 2007 , 100, 1229-1236	8.5	123
227	Antioxidant activity and phenolic composition of sumac (<i>Rhus coriaria</i> L.) extracts. <i>Food Chemistry</i> , 2007 , 103, 952-959	8.5	103
226	Antimicrobial activities of methanol extracts and essential oils of <i>Rosmarinus officinalis</i> , depending on location and seasonal variations. <i>Food Chemistry</i> , 2007 , 100, 553-559	8.5	331
225	Antimicrobial and antioxidant activities of the essential oil of <i>Chaerophyllum libanoticum</i> Boiss. et Kotschy. <i>Food Chemistry</i> , 2007 , 105, 1512-1517	8.5	46
224	Composition, enantiomeric distribution, and antimicrobial activity of <i>Tanacetum argenteum</i> subsp. <i>flabellifolium</i> essential oil. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007 , 45, 714-9	3.5	30
223	Characterization of volatile constituents of <i>Scaligeria tripartita</i> and studies on the antifungal activity against phytopathogenic fungi. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2007 , 850, 221-9	3.2	35
222	Effect of essential oils and isolated compounds from <i>Pimpinella</i> species on NF-kappaB: a target for antiinflammatory therapy. <i>Phytotherapy Research</i> , 2007 , 21, 741-5	6.7	26
221	Morphological, anatomical and palynological characteristics of <i>Salvia halophila</i> endemic to Turkey. <i>Nordic Journal of Botany</i> , 2007 , 25, 351-358	1.1	11
220	Antimicrobial activity of the essential oil of <i>Centaurea aladagensis</i> . <i>Phytotherapy Research</i> , 2007 , 21, 253-4	3.2	38
219	Micromorphology of glandular trichomes of <i>Nepeta congesta</i> Fisch. & Mey. var. <i>congesta</i> (Lamiaceae) and chemical analysis of the essential oils. <i>South African Journal of Botany</i> , 2007 , 73, 29-34	2.9	28
218	Seasonal and geographical variation of <i>Heteropyxis natalensis</i> essential oil and the effect thereof on the antimicrobial activity. <i>South African Journal of Botany</i> , 2007 , 73, 441-448	2.9	30
217	Comparison of hydrodistillation and microdistillation methods for the analysis of fruit volatiles of <i>Prangos pabularia</i> Lindl., and evaluation of its antimicrobial activity. <i>South African Journal of Botany</i> , 2007 , 73, 563-569	2.9	19
216	Chemical composition and antimicrobial activity of the essential oil of <i>Anthemis wiedemanniana</i> from Turkey. <i>Chemistry of Natural Compounds</i> , 2007 , 43, 47-51	0.7	19
215	Analysis of the fatty oil of <i>Pistacia eurycarpa</i> nuts by gas chromatography/mass spectrometry. <i>Chemistry of Natural Compounds</i> , 2007 , 43, 313-314	0.7	2
214	Volatile compositions and some fruit characteristics of table apricot varieties from Turkey. <i>Chemistry of Natural Compounds</i> , 2007 , 43, 344-346	0.7	3
213	Composition of essential oils from <i>Salvia anatolica</i> , a new species endemic from Turkey. <i>Chemistry of Natural Compounds</i> , 2007 , 43, 667-671	0.7	5
212	Composition of the Essential Oils of <i>Tordylium trachycarpum</i> (Boiss.) Al-Eisawi et Jury and <i>Tordylium hasselquistiae</i> DC. Growing in Turkey. <i>Journal of Essential Oil Research</i> , 2007 , 19, 410-412	2.3	3
211	Study of the Essential Oils from the Flowers and Fruits of <i>Scandix iberica</i> Bieb. Growing in Turkey. <i>Journal of Essential Oil Research</i> , 2007 , 19, 155-156	2.3	9

210	Recent advances in the chemistry and biological activities of the Pimpinella species of Turkey. <i>Pure and Applied Chemistry</i> , 2007 , 79, 539-556	2.1	20
209	Essential Oil of Tordylium Ketenoglu H. Duman Et A. Duran (Umbelliferae) Growing in Turkey. <i>Journal of Essential Oil Research</i> , 2007 , 19, 153-154	2.3	6
208	Antioxidant, anti-inflammatory, anti-nociceptive activities and composition of Lythrum salicaria L. extracts. <i>Journal of Ethnopharmacology</i> , 2007 , 110, 539-47	5	69
207	Composition and Antimicrobial Activity of the Essential Oil of Tanacetum cadmeum (Boiss.) Heywood subsp. orientale Grierson. <i>Journal of Essential Oil Research</i> , 2007 , 19, 392-395	2.3	9
206	Comparison of Microwave-Assisted Hydrodistillation and Hydrodistillation Methods for the Fruit Essential Oils of Foeniculum vulgare. <i>Journal of Essential Oil Research</i> , 2007 , 19, 426-429	2.3	15
205	Analysis of the Volatile Constituents of Five African and Mediterranean Hypericum L. (Clusiaceae, Hypericoideae) Species. <i>Journal of Essential Oil Research</i> , 2007 , 19, 302-306	2.3	10
204	Effect of brining on biological activity of leaves of Vitis vinifera L. (Cv. Sultani Cekirdeksiz) from Turkey. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 4596-603	5.7	38
203	Composition of the Essential Oil of Hippomarathrum cristatum (DC.) Boiss.. <i>Journal of Essential Oil Research</i> , 2007 , 19, 540-542	2.3	5
202	Studies on Betula essential oils. <i>Arkivoc</i> , 2007 , 2007, 335-348	0.9	20
201	Microdistillation and essential oil chemistry a useful tool for detecting hybridisation in Plectranthus (Lamiaceae). <i>South African Journal of Botany</i> , 2006 , 72, 99-104	2.9	10
200	The antimicrobial, antimalarial and toxicity profiles of helihumulone, leaf essential oil and extracts of Helichrysum cymosum (L.) D. Don subsp. cymosum. <i>South African Journal of Botany</i> , 2006 , 72, 287-290	2.9	42
199	Identification of volatile aroma compounds of strawberry wine using solid-phase microextraction techniques coupled with gas chromatography-mass spectrometry. <i>Flavour and Fragrance Journal</i> , 2006 , 21, 68-71	2.5	35
198	Composition and anticandidal activity of the essential oil of Chaerophyllum byzantinum Boiss.. <i>Flavour and Fragrance Journal</i> , 2006 , 21, 115-117	2.5	20
197	Composition of the essential oil of fruits and roots of Ferulago isaurica Peñen and F. syriaca Boiss. (Umbelliferae) from Turkey. <i>Flavour and Fragrance Journal</i> , 2006 , 21, 118-121	2.5	18
196	Essential oil composition of Seseli petraeum M. Bieb. and Seseli andronakii Woron. growing in Turkey. <i>Flavour and Fragrance Journal</i> , 2006 , 21, 257-259	2.5	12
195	Composition of the essential oil of Centaurea huber-morathii Wagenitz isolated from seeds by microdistillation. <i>Flavour and Fragrance Journal</i> , 2006 , 21, 568-570	2.5	15
194	Composition of the essential oils of Rhabdosciadium oligocarpum (Post ex Boiss.) Hedge et Lamond and Rhabdosciadium microcalycinum Hand.-Mazz.. <i>Flavour and Fragrance Journal</i> , 2006 , 21, 650-655	2.5	8
193	The essential oil composition of Acroptilon repens (L.) DC. of Turkish origin. <i>Flavour and Fragrance Journal</i> , 2006 , 21, 462-464	2.5	3

192	Effects of gentiopicroside, sweroside and swertiamarine, secoiridoids from gentian (<i>Gentiana lutea</i> ssp. <i>symphyandra</i>), on cultured chicken embryonic fibroblasts. <i>Planta Medica</i> , 2006 , 72, 289-94	3.1	70
191	Composition of the Essential Oil of <i>Phlomis nissolii</i> L.. <i>Journal of Essential Oil Research</i> , 2006 , 18, 600-601	2.3	17
190	Volatiles of <i>Hypericum bupleuroides</i> Griseb.. <i>Journal of Essential Oil Research</i> , 2006 , 18, 650-651	2.3	5
189	Essential Oils of <i>Tordylium pestalozzae</i> Boiss., <i>Tordylium pustulosum</i> Boiss. and <i>Tordylium lanatum</i> (Boiss.) Boiss. (Umbelliferae) Growing Wild in Turkey. <i>Journal of Essential Oil Research</i> , 2006 , 18, 640-642	2.3	6
188	Composition of the Essential Oils of <i>Phlomis rigida</i> Labill. and <i>P. samia</i> L.. <i>Journal of Essential Oil Research</i> , 2006 , 18, 328-331	2.3	17
187	Biological activity and composition of the essential oils of <i>Achillea schischkinii</i> Sosn. and <i>Achillea aleppica</i> DC. subsp. <i>aleppica</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 170-3	5.7	38
186	Chemical composition and antifungal activity of <i>Salvia macrochlamys</i> and <i>Salvia recognita</i> essential oils. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 6593-7	5.7	42
185	Characterization of volatile constituents of <i>Haplopappus greenei</i> and studies on the antifungal activity against phytopathogens. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 3146-50	5.7	31
184	The Geographical Variation and Antimicrobial Activity of African Wormwood (<i>Artemisia afra</i> Jacq.) Essential Oil. <i>Journal of Essential Oil Research</i> , 2006 , 18, 19-25	2.3	43
183	The Essential Oil Composition and Chemotaxonomical Appraisal of South African Pelargoniums (Geraniaceae). <i>Journal of Essential Oil Research</i> , 2006 , 18, 89-105	2.3	14
182	A Seasonal Variation Study of the Chemical Composition and Antimicrobial Activity of the Essential Oil of <i>Agathosma ovata</i> (Thunb.) Pillans (Rutaceae). <i>Journal of Essential Oil Research</i> , 2006 , 18, 30-36	2.3	5
181	The Biological Activity and Essential Oil Composition of 17 <i>Agathosma</i> (Rutaceae) Species. <i>Journal of Essential Oil Research</i> , 2006 , 18, 2-16	2.3	24
180	The essential oil constituents and antimicrobial activity of <i>Anthemis aciphylla</i> BOISS. var. <i>discoidea</i> BOISS. <i>Chemical and Pharmaceutical Bulletin</i> , 2006 , 54, 222-5	1.9	47
179	Analysis of sugars, organic acids and vitamin C contents of blackberry genotypes from Turkey. <i>Food Chemistry</i> , 2006 , 97, 732-736	8.5	103
178	Gas chromatographic-mass spectrometric analysis of essential oils from <i>Pimpinella</i> species gathered from Central and Northern Turkey. <i>Journal of Chromatography A</i> , 2006 , 1117, 194-205	4.5	71
177	Composition of the essential oils of <i>Lycium barbarum</i> and <i>L. ruthenicum</i> fruits. <i>Chemistry of Natural Compounds</i> , 2006 , 42, 24-25	0.7	43
176	Study of the essential oil composition of <i>Pinus sylvestris</i> from Turkey. <i>Chemistry of Natural Compounds</i> , 2006 , 42, 26-31	0.7	17
175	Furocoumarins from <i>Prangos ferulacea</i> . <i>Chemistry of Natural Compounds</i> , 2006 , 42, 102-103	0.7	9

174	Composition of the essential oil of <i>Pastinaca sativa</i> L. subsp. <i>urens</i> (Req. ex Godron) Celak. <i>Chemistry of Natural Compounds</i> , 2006 , 42, 114-115	0.7	10
173	Composition of the Essential Oil of <i>Helichrysum forsskahlii</i> (Gmel) Hilliard et Burt. <i>Journal of Essential Oil Research</i> , 2005 , 17, 112-116	2.3	3
172	Comparison of Microwave-Assisted Hydrodistillation and Hydrodistillation Methods for the Analysis of Volatile Secondary Metabolites. <i>Pharmaceutical Biology</i> , 2005 , 43, 491-495	3.8	24
171	The Essential Oils of Two Varieties of <i>Salvia euphratica</i> Montbret et Aucher ex Benth. var. <i>euphratica</i> and var. <i>leicalycina</i> (Rech. fil.) Hedge from Turkey. <i>Journal of Essential Oil Research</i> , 2005 , 17, 47-48	2.3	1
170	Effects of <i>Salvia</i> . Essential Oils on the Chorioallantoic Membrane (CAM) Assay. <i>Pharmaceutical Biology</i> , 2005 , 43, 666-671	3.8	15
169	The composition, geographical variation and antimicrobial activity of <i>Lippia javanica</i> (Verbenaceae) leaf essential oils. <i>Journal of Ethnopharmacology</i> , 2005 , 96, 271-7	5	105
168	Traditional phytotherapy and trans-cultural pharmacy among Turkish migrants living in Cologne, Germany. <i>Journal of Ethnopharmacology</i> , 2005 , 102, 69-88	5	91
167	The in vitro pharmacological activities and a chemical investigation of three South African <i>Salvia</i> species. <i>Journal of Ethnopharmacology</i> , 2005 , 102, 382-90	5	118
166	Analysis of the Volatile Constituents of Asian <i>Hypericum</i> L. (Clusiaceae, Hyperidoideae) Species. <i>Journal of Essential Oil Research</i> , 2005 , 17, 659-663	2.3	32
165	A simple method to obtain essential oils from <i>Salvia triloba</i> L. and <i>Laurus nobilis</i> L. by using microwave-assisted hydrodistillation. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2005 , 60, 501-4	1.7	25
164	Gas chromatographic-mass spectrometric analysis of essential oils from <i>Pimpinella aurea</i> , <i>Pimpinella corymbosa</i> , <i>Pimpinella peregrina</i> and <i>Pimpinella puberula</i> gathered from Eastern and Southern Turkey. <i>Journal of Chromatography A</i> , 2005 , 1097, 192-8	4.5	43
163	Genotoxicity and antigenotoxicity of <i>Origanum</i> oil and carvacrol evaluated by Ames Salmonella/microsomal test. <i>Food Chemistry</i> , 2005 , 93, 551-556	8.5	131
162	The essential oil of <i>Stachys laetivirens</i> Kotschy & Boiss. ex Rech. ♂, endemic in Turkey. <i>Flavour and Fragrance Journal</i> , 2005 , 20, 48-50	2.5	15
161	Study of the essential oils of <i>Thymus haussknechtii</i> Velen and <i>Thymus kotschyanus</i> Boiss. et Hohen var. <i>kotschyanus</i> (Lamiaceae) taxa from the eastern Anatolian region in Turkey. <i>Flavour and Fragrance Journal</i> , 2005 , 20, 199-202	2.5	9
160	Headspace-SPME and hydrodistillation of two fragrant <i>Artemisia</i> sp.. <i>Flavour and Fragrance Journal</i> , 2005 , 20, 395-398	2.5	13
159	In vitro antimicrobial activity and chemical composition of some <i>Satureja</i> essential oils. <i>Flavour and Fragrance Journal</i> , 2005 , 20, 587-591	2.5	43
158	Bioactive constituents from Turkish <i>Pimpinella</i> species. <i>Chemistry and Biodiversity</i> , 2005 , 2, 221-32	2.5	43
157	Composition of the Essential Oils of <i>Juniperus oxycedrus</i> subsp. <i>Macrocarpa</i> from Turkey. <i>Chemistry of Natural Compounds</i> , 2005 , 41, 352-354	0.7	18

156	Determination of Volatile Compounds in Sultaniye Wine by Solid-Phase Microextraction Techniques. <i>Chemistry of Natural Compounds</i> , 2005 , 41, 382-384	0.7	6
155	Composition and Antimicrobial Activity of the Essential Oils of Two Endemic Species from Turkey: <i>Sideritis cilicica</i> and <i>Sideritis bilgerana</i> . <i>Chemistry of Natural Compounds</i> , 2005 , 41, 679-682	0.7	17
154	Insecticidal activity of 23 essential oils and their major compounds against adult <i>Lipaphis pseudobrassicae</i> (Davis) (Aphididae: Homoptera). <i>Pest Management Science</i> , 2005 , 61, 1122-8	4.6	84
153	Patterns of essential oil relationships in <i>Pimpinella</i> (Umbelliferae) based on phylogenetic relationships using nuclear and chloroplast sequences. <i>Plant Genetic Resources: Characterisation and Utilisation</i> , 2005 , 3, 149-169	1	30
152	Composition of the Essential Oil of <i>Cymbopogon afronardus</i> Stapf from Uganda. <i>Journal of Essential Oil Research</i> , 2005 , 17, 139-140	2.3	1
151	Ninde Oil (<i>Aeollanthus myrianthus</i> Taylor) Revisited: Analysis of a Historical Oil. <i>Journal of Essential Oil Research</i> , 2005 , 17, 137-138	2.3	9
150	Composition of the Essential Oil of <i>Myrrhoides nodosa</i> (L.) Cannon from Turkey. <i>Journal of Essential Oil Research</i> , 2005 , 17, 126-127	2.3	1
149	The Essential Oil of <i>Pentapleura subulifera</i> Hand.-Mazz.. <i>Journal of Essential Oil Research</i> , 2005 , 17, 204-205		
148	The Essential Oil of <i>Salvia limbata</i> C.A. Meyer Growing in Turkey. <i>Journal of Essential Oil Research</i> , 2005 , 17, 192-193	2.3	11
147	Essential Oil of <i>Betula pendula</i> Roth. Buds. <i>Evidence-based Complementary and Alternative Medicine</i> , 2004 , 1, 301-303	2.3	14
146	Estrogenic activity of isolated compounds and essential oils of <i>Pimpinella</i> species from Turkey, evaluated using a recombinant yeast screen. <i>Planta Medica</i> , 2004 , 70, 728-35	3.1	52
145	Composition of the Essential Oil of <i>Marrubium bourgaei</i> ssp. <i>caricum</i> P.H. Davis. <i>Journal of Essential Oil Research</i> , 2004 , 16, 133-134	2.3	14
144	Composition and the in vitro antimicrobial activities of the essential oils of some <i>Thymus</i> species. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2004 , 59, 75-80	1.7	34
143	Composition of the Essential Oil of <i>Cachrys alpine</i> Bieb.. <i>Journal of Essential Oil Research</i> , 2004 , 16, 167-168		5
142	An Improved HPLC Post-Column Methodology for the Identification of Free Radical Scavenging Phytochemicals in Complex Mixtures. <i>Chromatographia</i> , 2004 , 60, 635-638	2.1	28
141	Essential Oils of <i>Sideritis</i> Species of Turkey Belonging to the Section <i>Empedoclia</i> . <i>Chemistry of Natural Compounds</i> , 2004 , 40, 19-23	0.7	41
140	Antioxidant Properties and Phenolic Composition of <i>Sideritis</i> Species. <i>Chemistry of Natural Compounds</i> , 2004 , 40, 206-210	0.7	30
139	Fatty Acid Composition of Seed Oils of Twelve <i>Salvia</i> Species Growing in Turkey. <i>Chemistry of Natural Compounds</i> , 2004 , 40, 218-221	0.7	23

138	Essential oils of three species of <i>Heracleum</i> . Anticandidal activity. <i>Chemistry of Natural Compounds</i> , 2004 , 40, 544-547	0.7	27
137	Composition of the essential oil of <i>Centaurea dichroa</i> . <i>Chemistry of Natural Compounds</i> , 2004 , 40, 604-605	7	19
136	Fatty acids of the seeds of <i>Origanum onites</i> L. and <i>O. vulgare</i> L. <i>Lipids</i> , 2004 , 39, 487-9	1.6	11
135	New, Sesquiterpenoid-Type Bicyclic Compounds from the Buds of <i>Betula pubescens</i> □ Ring-Contracted Products of Caryophyllene?. <i>European Journal of Organic Chemistry</i> , 2004 , 2004, 2627-2635	2.3	23
134	The volatiles of fresh-cut <i>Osyris alba</i> L. flowers. <i>Flavour and Fragrance Journal</i> , 2004 , 19, 72-73	2.5	8
133	Volatile flavour components of mandarin wine obtained from clementines (<i>Citrus reticula</i> Blanco) extracted by solid-phase microextraction. <i>Flavour and Fragrance Journal</i> , 2004 , 19, 413-416	2.5	19
132	The Essential Oil of <i>Senecio farfarifolius</i> Boiss. et Kotschy Growing in Turkey. <i>Journal of Essential Oil Research</i> , 2004 , 16, 558-559	2.3	18
131	Phenolic composition of strawberry genotypes at different maturation stages. <i>Journal of Agricultural and Food Chemistry</i> , 2004 , 52, 1586-9	5.7	133
130	Screening of free radical scavenging compounds in water extracts of <i>Mentha</i> samples using a postcolumn derivatization method. <i>Journal of Agricultural and Food Chemistry</i> , 2004 , 52, 5004-10	5.7	63
129	Investigation of the <i>Origanum onites</i> L. essential oil using the chorioallantoic membrane (CAM) assay. <i>Journal of Agricultural and Food Chemistry</i> , 2004 , 52, 251-4	5.7	35
128	In vitro biological activity and essential oil composition of four indigenous South African <i>Helichrysum</i> species. <i>Journal of Ethnopharmacology</i> , 2004 , 95, 253-8	5	112
127	Chemical composition of the essential oil of <i>Phlomis linearis</i> Boiss. & Bal., and biological effects on the CAM-assay: a safety evaluation. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2003 , 58, 826-9	1.7	29
126	Antimicrobial compounds from <i>Pimpinella</i> species growing in Turkey. <i>Planta Medica</i> , 2003 , 69, 933-8	3.1	41
125	Glandular trichomes and essential oils of <i>Salvia glutinosa</i> L.. <i>South African Journal of Botany</i> , 2003 , 69, 422-427	2.9	19
124	Thalictricoside, a new phenolic compound from <i>Thalictrum orientale</i> . <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2003 , 58, 632-6	1.7	8
123	Determination of Aroma Compounds in Blackberry by GC/MS Analysis. <i>Chemistry of Natural Compounds</i> , 2003 , 39, 174-176	0.7	20
122	An Improved On-Line HPLC-DPPH Method for the Screening of Free Radical Scavenging Compounds in Water Extracts of Lamiaceae Plants. <i>Chemistry of Natural Compounds</i> , 2003 , 39, 161-166	0.7	37
121	The Glycosidically Bound Volatile Compounds of <i>Taxus baccata</i> . <i>Chemistry of Natural Compounds</i> , 2003 , 39, 195-198	0.7	6

120	Fatty Acid Composition of Pistachio Nuts in Turkey. <i>Chemistry of Natural Compounds</i> , 2003 , 39, 322-324	0.7	65
119	Composition of Volatiles Obtained from Spices by Microdistillation. <i>Chemistry of Natural Compounds</i> , 2003 , 39, 355-357	0.7	10
118	Studies on Turkish Rose Concrete, Absolute, and Hydrosol. <i>Chemistry of Natural Compounds</i> , 2003 , 39, 457-464	0.7	40
117	Isolation of Some Soluble and Dispersed Materials of Oregano Water. <i>Chemistry of Natural Compounds</i> , 2003 , 39, 465-469	0.7	3
116	Determination of the Free Radical Scavenging Activity of Lycium Extracts. <i>Chemistry of Natural Compounds</i> , 2003 , 39, 531-535	0.7	22
115	Inhibition of DNA synthesis by carvacrol in mouse myoblast cells bearing a human N-RAS oncogene. <i>Phytomedicine</i> , 2003 , 10, 292-9	6.5	72
114	Composition of the essential oil of <i>Cotinus coggygria</i> Scop. from Turkey. <i>Flavour and Fragrance Journal</i> , 2003 , 18, 43-44	2.5	21
113	Essential oils from the buds of <i>Betula</i> spp. growing in Turkey. <i>Flavour and Fragrance Journal</i> , 2003 , 18, 87-90	2.5	9
112	The essential oil of <i>Seseli tortuosum</i> L. growing in Turkey. <i>Flavour and Fragrance Journal</i> , 2003 , 18, 159-163	1.5	17
111	Essential oils of some <i>Boswellia</i> spp., Myrrh and <i>Opopanax</i> . <i>Flavour and Fragrance Journal</i> , 2003 , 18, 153-156	2.5	54
110	The essential oil of <i>Origanum syriacum</i> L. var. <i>sinaicum</i> (Boiss.) letsvaart. <i>Flavour and Fragrance Journal</i> , 2003 , 18, 98-99	2.5	24
109	Composition of the essential oils of six endemic <i>Salvia</i> spp. from Turkey. <i>Flavour and Fragrance Journal</i> , 2003 , 18, 116-121	2.5	45
108	Composition of the essential oil of <i>Perilla frutescens</i> (L.) Britton from Turkey. <i>Flavour and Fragrance Journal</i> , 2003 , 18, 122-123	2.5	31
107	The essential oil of <i>Achillea falcata</i> L.. <i>Flavour and Fragrance Journal</i> , 2003 , 18, 192-194	2.5	12
106	<i>Osmitopsis asteriscoides</i> (Asteraceae)-the antimicrobial activity and essential oil composition of a Cape-Dutch remedy. <i>Journal of Ethnopharmacology</i> , 2003 , 88, 137-43	5	127
105	Wood Essential Oils of <i>Juniperus foeticissima</i> Willd. <i>Holzforschung</i> , 2003 , 57, 140-144	2	10
104	Antioxidant and free radical scavenging activities of <i>rhus coriaria</i> and <i>cinnamomum cassia</i> extracts. <i>Acta Alimentaria</i> , 2003 , 32, 53-61	1	25
103	Composition of the essential oil of <i>Salvia aramiensis</i> Rech. fil. growing in Turkey. <i>Flavour and Fragrance Journal</i> , 2002 , 17, 23-25	2.5	11

102	The essential oils of <i>Thymus migricus</i> and <i>T. fedtschenkoi</i> var. <i>handelii</i> from Turkey. <i>Flavour and Fragrance Journal</i> , 2002 , 17, 41-45	2.5	13
101	Enantiomeric distribution of some monoterpenes in the essential oils of some <i>Salvia</i> species. <i>Flavour and Fragrance Journal</i> , 2002 , 17, 54-58	2.5	26
100	Effects of <i>Gentiana lutea</i> ssp. <i>symphyandra</i> on the central nervous system in mice. <i>Phytotherapy Research</i> , 2002 , 16, 627-31	6.7	43
99	The Composition of Essential Oils from Various Parts of <i>Juniperus foetidissima</i> . <i>Chemistry of Natural Compounds</i> , 2002 , 38, 43-47	0.7	24
98	Essential Oil of <i>Arischrada korolkowii</i> from the Chatkal Mountains of Uzbekistan. <i>Chemistry of Natural Compounds</i> , 2002 , 38, 51-53	0.7	8
97	Comparative Study of the Essential Oils of <i>Heracleum sphondylium</i> ssp. <i>Ternatum</i> Obtained by Micro- and Hydro-distillation Methods. <i>Chemistry of Natural Compounds</i> , 2002 , 38, 48-50	0.7	12
96	Essential Oils of Two <i>Hypericum</i> Species from Uzbekistan. <i>Chemistry of Natural Compounds</i> , 2002 , 38, 54-57	0.7	39
95	Antioxidant and Free Radical Scavenging Activities of Eight <i>Salvia</i> Species. <i>Chemistry of Natural Compounds</i> , 2002 , 38, 198-200	0.7	24
94	Composition of the Essential Oil of <i>Ononis viscosa</i> subsp. <i>breviflora</i> . <i>Chemistry of Natural Compounds</i> , 2002 , 38, 565-567	0.7	11
93	Composition of the Microdistilled Essential Oils of <i>Tordylium apulum</i> L. and <i>T. pustulosum</i> Boiss.. <i>Journal of Essential Oil Research</i> , 2002 , 14, 353-354	2.3	12
92	Compositions of the Essential Oils of Four <i>Helichrysum</i> Species from Madagascar. <i>Journal of Essential Oil Research</i> , 2002 , 14, 53-55	2.3	10
91	Composition of Essential Oils from Two Varieties of <i>Salvia aucheri</i> Benth. Growing in Turkey. <i>Journal of Essential Oil Research</i> , 2002 , 14, 241-242	2.3	12
90	Aromatic biodiversity among the flowering plant taxa of Turkey. <i>Pure and Applied Chemistry</i> , 2002 , 74, 527-545	2.1	145
89	Detoxification of terpinolene by plant pathogenic fungus <i>Botrytis cinerea</i> . <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2002 , 57, 863-6	1.7	16
88	Composition and antimicrobial activity of the essential oil of <i>Achillea multifida</i> . <i>Planta Medica</i> , 2002 , 68, 941-3	3.1	31
87	Ferulagone: a new monoterpene ester from <i>Ferulago thirkeana</i> essential oil. <i>Planta Medica</i> , 2002 , 68, 564-7	3.1	22
86	Antimicrobial activity of some <i>Satureja</i> essential oils. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2002 , 57, 817-21	1.7	54
85	The composition and antimicrobial activity of the essential oil of the resurrection plant <i>Myrothamnus flabellifolius</i> . <i>South African Journal of Botany</i> , 2002 , 68, 100-105	2.9	21

84	Antimicrobial screening of <i>Mentha piperita</i> essential oils. <i>Journal of Agricultural and Food Chemistry</i> , 2002 , 50, 3943-6	5.7	379
83	Micro-Distilled Volatile Compounds from <i>Ferulago</i> Species Growing in Western Turkey. <i>Pharmaceutical Biology</i> , 2002 , 40, 466-471	3.8	29
82	A comparative study on the anti-inflammatory, antinociceptive and antipyretic effects of isoquinoline alkaloids from the roots of Turkish <i>Berberis</i> species. <i>Life Sciences</i> , 2002 , 72, 645-57	6.8	273
81	Composition of the essential oils of <i>Tanacetum</i> spp. from Turkey. <i>Flavour and Fragrance Journal</i> , 2001 , 16, 191-194	2.5	35
80	Composition of the essential oils of <i>Tanacetum armenum</i> (DC.) Schultz Bip., <i>T. balsamita</i> L., <i>T. chiliophyllum</i> (Fisch. & Mey.) Schultz Bip. var. <i>chiliophyllum</i> and <i>T. haradjani</i> (Rech. fil.) Grierson and the enantiomeric distribution of camphor and carvone. <i>Flavour and Fragrance Journal</i> , 2001 , 16, 195-200	2.5	50
79	Essential oil composition of sea fennel (<i>Crithmum maritimum</i>) from Turkey. <i>Molecular Nutrition and Food Research</i> , 2001 , 45, 353-6		22
78	COMPOSITION OF THE ESSENTIAL OIL OF <i>Haplophyllum myrtifolium</i> . <i>Chemistry of Natural Compounds</i> , 2001 , 37, 439-441	0.7	8
77	COMPOSITION OF THE ESSENTIAL OIL OF <i>Arbutus unedo</i> . <i>Chemistry of Natural Compounds</i> , 2001 , 37, 445-446	0.7	18
76	CHEMICAL INVESTIGATIONS ON SOME <i>HYPERICUM</i> SPECIES GROWING IN TURKEY-I. <i>Chemistry of Natural Compounds</i> , 2001 , 37, 434-438	0.7	34
75	VOLATILE COMPOUNDS FROM <i>Haplophyllum myrtifolium</i> . <i>Chemistry of Natural Compounds</i> , 2001 , 37, 442-444	0.7	8
74	ESSENTIAL OIL COMPOSITION OF THREE SPECIES OF <i>Achillea</i> FROM KAZAKHSTAN. <i>Chemistry of Natural Compounds</i> , 2001 , 37, 447-450	0.7	19
73	Composition and Antimicrobial Activity of the Essential Oil of <i>Origanum dolichosiphon</i> P. H. Davis. <i>Chemistry of Natural Compounds</i> , 2001 , 37, 238-241	0.7	13
72	Composition of the Essential Oils of Two Endemic Species from Turkey: <i>Achillea lycaonica</i> and <i>A. ketenoglui</i> . <i>Chemistry of Natural Compounds</i> , 2001 , 37, 245-252	0.7	4
71	Alkaloids of <i>Thalictrum orientale</i> . <i>Chemistry of Natural Compounds</i> , 2001 , 37, 295-296	0.7	1
70	The Essential Oil of a New <i>Sideritis</i> Species: <i>Sideritis ozturkii</i> Aytac and Aksoy. <i>Chemistry of Natural Compounds</i> , 2001 , 37, 234-237	0.7	9
69	The Essential Oil of <i>Ajuga bombycina</i> from Turkey. <i>Chemistry of Natural Compounds</i> , 2001 , 37, 242-244	0.7	6
68	Seed Oils of Fifteen <i>Ebenus</i> Taxa Growing in Turkey. <i>Chemistry of Natural Compounds</i> , 2001 , 37, 253-255	0.7	4
67	Essential Oil Constituents of <i>Satureja boissieri</i> from Turkey. <i>Chemistry of Natural Compounds</i> , 2001 , 37, 329-331	0.7	19

66	Microdistillation as a Useful Tool for the Analysis of Minute Amounts of Aromatic Plant Materials. <i>Chemistry of Natural Compounds</i> , 2001 , 37, 336-338	0.7	14
65	The Composition of the Essential Oil of <i>Stachys iberica</i> Subsp. <i>Stenostachya</i> Growing In Turkey. <i>Chemistry of Natural Compounds</i> , 2001 , 37, 326-328	0.7	19
64	Essential Oil and Antimicrobial Evaluation of the <i>Pistacia eurycarpa</i> . <i>Chemistry of Natural Compounds</i> , 2001 , 37, 332-335	0.7	6
63	Fatty Acid Composition of <i>Sideritis</i> Species. <i>Chemistry of Natural Compounds</i> , 2001 , 37, 301-303	0.7	10
62	Composition and antibacterial activity of the essential oils from <i>Satureja wiedemanniana</i> (Lallem.) Velen. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2001 , 56, 731-8	1.7	11
61	Composition of the Essential Oil of <i>Ferulago asparagifolia</i> Boiss. from Turkey. <i>Journal of Essential Oil Research</i> , 2001 , 13, 134-135	2.3	18
60	Composition of the Essential Oil of <i>Nepeta betonicifolia</i> C.A. Meyer from Turkey. <i>Journal of Essential Oil Research</i> , 2001 , 13, 35-36	2.3	14
59	Composition and antimicrobial activity of the essential oils of <i>Micromeria cristata</i> subsp. <i>phrygia</i> and the enantiomeric distribution of borneol. <i>Journal of Agricultural and Food Chemistry</i> , 2001 , 49, 4300-3	5.7	146
58	Composition of the Essential Oil of <i>Achillea gonioccephala</i> Boiss. et Bal. from Turkey. <i>Journal of Essential Oil Research</i> , 2001 , 13, 219-220	2.3	11
57	Antibacterial activity and chemical composition of Turkish propolis. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2001 , 56, 1112-5	1.7	28
56	Composition of the essential oil of <i>Chaerophyllum aksekiense</i> A. Duran et Duman, a recently described endemic from Turkey. <i>Flavour and Fragrance Journal</i> , 2000 , 15, 43-44	2.5	20
55	Composition of the essential oil of <i>Glauco sciadium cordifolium</i> (Boiss.) Burt et Davis from Turkey. <i>Flavour and Fragrance Journal</i> , 2000 , 15, 45-46	2.5	9
54	Composition of the essential oil of <i>Prangos heyntiae</i> H. Duman et M. F. Watson, a new endemic from Turkey. <i>Flavour and Fragrance Journal</i> , 2000 , 15, 47-49	2.5	21
53	Composition of the essential oils of <i>Zosima absinthifolia</i> (Vent.) Link and <i>Ferula elaeochytris</i> Korovin from Turkey. <i>Flavour and Fragrance Journal</i> , 2000 , 15, 371-372	2.5	30
52	Essential oil constituents of the spice <i>Cinnamomum tamala</i> (Ham.) Nees & Eberm.. <i>Flavour and Fragrance Journal</i> , 2000 , 15, 388-390	2.5	29
51	Diversity and antifeedant activity of diterpenes from Turkish species of <i>Sideritis</i> . <i>Biochemical Systematics and Ecology</i> , 2000 , 28, 299-303	1.4	27
50	Essential Oils of <i>Nepeta</i> Species Growing in Turkey. <i>Chemistry of Natural Compounds</i> , 2000 , 36, 356-359	0.7	48
49	The composition and antifungal bioassay of the essential oils of different <i>Betula</i> species growing in Turkey. <i>Chemistry of Natural Compounds</i> , 2000 , 36, 159-165	0.7	11

48	A new bisabolene derivative from the essential oil of Prangos uechtrizii fruits. <i>Planta Medica</i> , 2000 , 66, 674-7	3.1	36
47	Antimicrobial activities of Ferulago essential oils. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2000 , 55, 886-9	1.7	22
46	Betulenols from Betula species. <i>Planta Medica</i> , 2000 , 66, 490-3	3.1	14
45	Chemical Composition of Santolina chamaecyparissus L. Essential Oil. <i>Journal of Essential Oil Research</i> , 2000 , 12, 625-627	2.3	19
44	Composition of the Essential Oil of Achillea phrygia Boiss. et Ball. <i>Journal of Essential Oil Research</i> , 2000 , 12, 327-329	2.3	12
43	Chemical Composition of Turkish Myrtle Oil. <i>Journal of Essential Oil Research</i> , 2000 , 12, 541-544	2.3	55
42	Essential Oil of Crithmum maritimum L. from Turkey. <i>Journal of Essential Oil Research</i> , 2000 , 12, 424-426	2.3	16
41	New caryophyllene derivatives from Betula litwinowii. <i>Journal of Natural Products</i> , 2000 , 63, 902-4	4.9	17
40	Triterpenoid saponins from Bongardia chrysogonum. <i>Journal of Natural Products</i> , 2000 , 63, 251-3	4.9	7
39	The Quantitative Determination of some Phenolic Acids In Delphinium Formosum by HPLC. <i>Analytical Letters</i> , 1999 , 32, 2841-2849	2.2	2
38	Alkaloids of Bongardia chrysogonum. <i>Phytochemistry</i> , 1999 , 50, 333-336	4	6
37	Essential oil and lipids from the cone berries of Juniperus seravschanica. <i>Chemistry of Natural Compounds</i> , 1999 , 35, 397-400	0.7	4
36	Isomers of plamitoleic acid in lipids and volatile substances from the fruits of Ziziphus jujuba. <i>Chemistry of Natural Compounds</i> , 1999 , 35, 401-403	0.7	15
35	Quantitative determination of naphthoquinones of Arnebia densiflora by TLC-densitometry. <i>Fitoterapia</i> , 1999 , 70, 402-406	3.2	13
34	Study of the essential oil composition of two subspecies of Abies cilicica (Ant. et Kotschy) Carr. from Turkey 1999 , 14, 47-49		11
33	Essential oils of Acinos troodi (Post) Leblebici subsp. vardaranus Leblebici and subsp. grandiflorus Hartvig & Strid. <i>Flavour and Fragrance Journal</i> , 1999 , 14, 50-54	2.5	8
32	The essential oil of Acinos alpinus (L.) Moench growing in Turkey. <i>Flavour and Fragrance Journal</i> , 1999 , 14, 55-59	2.5	18
31	The essential oil of Acinos suaveolens (Sm.) G. Don fil. Acinos arvensis (Lam.) Dandy and Acinos rotundifolius Pers. growing wild in Turkey 1999 , 14, 60-64		10

30	Composition of the essential oil of <i>Plumeria obtusa</i> L.. <i>Flavour and Fragrance Journal</i> , 1999 , 14, 237-240	2.5	4
29	Analgesic activity of <i>Nepeta italica</i> L. <i>Phytotherapy Research</i> , 1999 , 13, 20-3	6.7	47
28	INDUSTRIAL UTILIZATION OF MEDICINAL AND AROMATIC PLANTS. <i>Acta Horticulturae</i> , 1999 , 177-192	0.3	2
27	Analgesic activity of <i>Nepeta italica</i> l. 1999 , 13, 20		1
26	The essential oils of <i>Satureja coerulea</i> Janka and <i>Thymus aznavourii</i> Velen.. <i>Flavour and Fragrance Journal</i> , 1998 , 13, 65-67	2.5	29
25	The essential oil of <i>Satureja cuneifolia</i> . <i>Planta Medica</i> , 1998 , 64, 81-3	3.1	40
24	New Alkaloids from <i>Bongardia Chrysogonum</i> . <i>Natural Product Research</i> , 1998 , 12, 161-173		5
23	Antispasmodic and spasmogenic effects of <i>Scolymus hispanicus</i> and taraxasteryl acetate on isolated ileum preparation. <i>Planta Medica</i> , 1997 , 63, 556-8	3.1	11
22	Quantitative determination of naphthaquinones of <i>Arnebia densiflora</i> (Nordm.) Ledeb. by an improved high-performance liquid chromatographic method. <i>Journal of Chromatography A</i> , 1997 , 782, 133-136	4.5	19
21	Neo-clerodane diterpenoids from <i>Teucrium sandrasicum</i> . <i>Phytochemistry</i> , 1997 , 45, 1653-1662	4	11
20	Essential Oils from Four Chemotypes of <i>Thymus zygioides</i> Griseb. var. <i>lycaonicus</i> (Celak) Ronniger. <i>Journal of Essential Oil Research</i> , 1996 , 8, 615-618	2.3	20
19	Effects of extracts from certain <i>Sideritis</i> species on swimming performance in mice. <i>Phytotherapy Research</i> , 1996 , 10, 70-73	6.7	15
18	Investigation of <i>Origanum onites</i> , <i>Sideritis congesta</i> and <i>Satureja cuneifolia</i> Essential Oils for Analgesic Activity. <i>Phytotherapy Research</i> , 1996 , 10, 342-344	6.7	50
17	Effects of <i>Hypericum calycinum</i> L. Extract on the Central Nervous System in Mice. <i>Phytotherapy Research</i> , 1996 , 10, 700-702	6.7	16
16	An ent-kaurane from <i>Sideritis huber-morathii</i> . <i>Phytochemistry</i> , 1996 , 43, 1293-1295	4	22
15	Investigation of <i>Origanum onites</i> , <i>Sideritis congesta</i> and <i>Satureja cuneifolia</i> Essential Oils for Analgesic Activity 1996 , 10, 342		2
14	Effects of essential oils from certain <i>Ziziphora</i> species on swimming performance in mice. <i>Phytotherapy Research</i> , 1995 , 9, 225-227	6.7	24
13	Composition of the Essential Oil of <i>Heracleum platytaenium</i> Boiss. from Turkey. <i>Journal of Essential Oil Research</i> , 1995 , 7, 69-70	2.3	7

12	The essential oil composition of <i>Dictamnus albus</i> from Turkey. <i>Planta Medica</i> , 1994 , 60, 481-2	3.1	7
11	Endothelium-dependent and independent effects of garlic on rat aorta. <i>Journal of Ethnopharmacology</i> , 1994 , 44, 109-16	5	19
10	The composition of Manila elemi oil. <i>Flavour and Fragrance Journal</i> , 1993 , 8, 35-37	2.5	17
9	Effects of <i>Alcea pallida</i> L. (A.) and <i>Tilia argentea</i> Desf. ex DC infusions on swimming performance in mice. <i>Phytotherapy Research</i> , 1992 , 6, 219-220	6.7	15
8	Alkaloids of anatolian <i>Thalictrum foetidum</i> . <i>Planta Medica</i> , 1990 , 56, 337	3.1	6
7	Alkaloids of Anatolian <i>Thalictrum sultanabadense</i> . <i>Journal of Natural Products</i> , 1985 , 48, 672-672	4.9	3
6	Enzymic control of stereochemistry among the bisbenzylisoquinoline alkaloids. <i>Tetrahedron</i> , 1984 , 40, 1975-1982	2.4	6
5	(+)-Uskudaramine: a novel type aporphine-benzylisoquinoline alkaloid. <i>Journal of Organic Chemistry</i> , 1982 , 47, 5406-5407	4.2	5
4	(+)-N-2'-Noradiantifoline: A New Aporphine-Benzylisoquinoline Alkaloid. <i>Journal of Natural Products</i> , 1982 , 45, 505-506	4.9	3
3	Structural variations among the aporphine-benzylisoquinoline dimers. <i>Tetrahedron Letters</i> , 1982 , 23, 2523-2526	2	7
2	Characterization of Essential Oils of Some <i>Salvia</i> Species and Their Antimycobacterial Activities		9
1	Fungal biotransformation of cedramber. <i>Biocatalysis and Biotransformation</i> , 1-4	2.5	1