

Nicolas Bernet

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8478742/publications.pdf>

Version: 2024-02-01

195
papers

9,325
citations

38742

50
h-index

46799

89
g-index

198
all docs

198
docs citations

198
times ranked

8111
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Chicken manure and wheat straw co-digestion in batch leach bed reactors: optimization of the start-up conditions. <i>Biomass Conversion and Biorefinery</i> , 2023, 13, 10923-10933. | 4.6 | 4 |
| 2 | Circular Economy Applied to Organic Residues and Wastewater: Research Challenges. <i>Waste and Biomass Valorization</i> , 2022, 13, 1267-1276. | 3.4 | 26 |
| 3 | Microbial community redundancy in biomethanation systems lead to faster recovery of methane production rates after starvation. <i>Science of the Total Environment</i> , 2022, 804, 150073. | 8.0 | 12 |
| 4 | Screening and Application of Ligninolytic Microbial Consortia to Enhance Aerobic Degradation of Solid Digestate. <i>Microorganisms</i> , 2022, 10, 277. | 3.6 | 2 |
| 5 | Conditions for efficient alkaline storage of cover crops for biomethane production. <i>Bioresource Technology</i> , 2022, 348, 126722. | 9.6 | 5 |
| 6 | Effects of successive microwave and enzymatic treatments on the release of p-hydroxycinnamic acids from two types of grass biomass. <i>Biochemical Engineering Journal</i> , 2022, 182, 108434. | 3.6 | 1 |
| 7 | Mechanisms underlying <i>Clostridium pasteurianum</i> 's metabolic shift when grown with <i>Geobacter sulfurreducens</i> . <i>Applied Microbiology and Biotechnology</i> , 2022, 106, 865-876. | 3.6 | 3 |
| 8 | Enhanced Fermentative Hydrogen Production from Food Waste in Continuous Reactor after Butyric Acid Treatment. <i>Energies</i> , 2022, 15, 4048. | 3.1 | 4 |
| 9 | Co-ensiling and field wilting investigated as preparation methods for the ensiling of a wet harvested catch crop for biomethane production. <i>Renewable Energy</i> , 2022, 195, 1230-1237. | 8.9 | 1 |
| 10 | Populational and metabolic shifts induced by acetate, butyrate and lactate in dark fermentation. <i>International Journal of Hydrogen Energy</i> , 2022, 47, 28385-28398. | 7.1 | 4 |
| 11 | Glucose electro-fermentation with mixed cultures: A key role of the Clostridiaceae family. <i>International Journal of Hydrogen Energy</i> , 2021, 46, 1694-1704. | 7.1 | 15 |
| 12 | Robust operation through effluent recycling for hydrogen production from the organic fraction of municipal solid waste. <i>Bioresource Technology</i> , 2021, 319, 124196. | 9.6 | 18 |
| 13 | A vision of European biogas sector development towards 2030: Trends and challenges. <i>Journal of Cleaner Production</i> , 2021, 287, 125065. | 9.3 | 81 |
| 14 | Modeling of interspecies electron transfer in anaerobic microbial communities. <i>Current Opinion in Biotechnology</i> , 2021, 67, 49-57. | 6.6 | 21 |
| 15 | Evaluation of chemical-free microwave pretreatment on methane yield of two grass biomass with contrasted pectin content. <i>Energy Conversion and Management</i> , 2021, 229, 113746. | 9.2 | 5 |
| 16 | Recirculation of solid digestate to enhance energy efficiency of biogas plants: Strategies, conditions and impacts. <i>Energy Conversion and Management</i> , 2021, 231, 113759. | 9.2 | 12 |
| 17 | Long term alkaline storage and pretreatment process of cover crops for anaerobic digestion. <i>Bioresource Technology</i> , 2021, 330, 124986. | 9.6 | 7 |
| 18 | Mixotrophic Growth of <i>Chlorella sorokiniana</i> on Acetate and Butyrate: Interplay Between Substrate, C:N Ratio and pH. <i>Frontiers in Microbiology</i> , 2021, 12, 703614. | 3.5 | 20 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Decoupling thermal and non-thermal effects of the microwaves for lignocellulosic biomass pretreatment. <i>Energy Conversion and Management</i> , 2020, 203, 112220. | 9.2 | 55 |
| 20 | Bioaugmentation enhances dark fermentative hydrogen production in cultures exposed to short-term temperature fluctuations. <i>Applied Microbiology and Biotechnology</i> , 2020, 104, 439-449. | 3.6 | 18 |
| 21 | Assessment of fungal and thermo-alkaline post-treatments of solid digestate in a recirculation scheme to increase flexibility in feedstocks supply management of biogas plants. <i>Renewable Energy</i> , 2020, 149, 641-651. | 8.9 | 15 |
| 22 | Mitigating the variability of hydrogen production in mixed culture through bioaugmentation with exogenous pure strains. <i>International Journal of Hydrogen Energy</i> , 2020, 45, 2617-2626. | 7.1 | 12 |
| 23 | Standardized protocol for determination of biohydrogen potential. <i>MethodsX</i> , 2020, 7, 100754. | 1.6 | 14 |
| 24 | The impact of biogas digestate typology on nutrient recovery for plant growth: Accessibility indicators for first fertilization prediction. <i>Waste Management</i> , 2020, 117, 18-31. | 7.4 | 15 |
| 25 | Biomethanation processes: new insights on the effect of a high H ₂ partial pressure on microbial communities. <i>Biotechnology for Biofuels</i> , 2020, 13, 141. | 6.2 | 45 |
| 26 | Temperature and Inoculum Origin Influence the Performance of Ex-Situ Biological Hydrogen Methanation. <i>Molecules</i> , 2020, 25, 5665. | 3.8 | 20 |
| 27 | Role of indigenous bacteria in dark fermentation of organic substrates. <i>Bioresource Technology</i> , 2020, 313, 123665. | 9.6 | 33 |
| 28 | Biogas sequestration from the headspace of a fermentative system enhances hydrogen production rate and yield. <i>International Journal of Hydrogen Energy</i> , 2020, 45, 11011-11023. | 7.1 | 18 |
| 29 | Novel Outlook in Microbial Ecology: Nonmutualistic Interspecies Electron Transfer. <i>Trends in Microbiology</i> , 2020, 28, 245-253. | 7.7 | 14 |
| 30 | Mixotrophic growth of microalgae on volatile fatty acids is determined by their undissociated form. <i>Algal Research</i> , 2020, 47, 101870. | 4.6 | 32 |
| 31 | Opportunities for Hydrogen Production from Urban/Industrial Wastewater in Bioelectrochemical Systems. , 2020, , 225-243. | | 1 |
| 32 | Anaerobic treatment of sulfate-rich wastewaters: process modeling and control. , 2020, , 277-317. | | 4 |
| 33 | Addition of biochar and trace elements in the form of industrial FeCl ₃ to stabilize anaerobic digestion of food waste: dosage optimization and long-term study. <i>Journal of Chemical Technology and Biotechnology</i> , 2019, 94, 505-515. | 3.2 | 18 |
| 34 | Glucose electro-fermentation as main driver for efficient H ₂ -producing bacteria selection in mixed cultures. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 2230-2238. | 7.1 | 24 |
| 35 | Improvement of biohydrogen production from glycerol in micro-oxidative environment. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 17802-17812. | 7.1 | 12 |
| 36 | A standardized biohydrogen potential protocol: An international round robin test approach. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 26237-26247. | 7.1 | 23 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Behavior of two-chamber microbial electrochemical systems started-up with different ion-exchange membrane separators. <i>Bioresource Technology</i> , 2019, 278, 279-286. | 9.6 | 29 |
| 38 | Enhancement of mass transfer conditions to increase the productivity and efficiency of dark fermentation in continuous reactors. <i>Fuel</i> , 2019, 254, 115648. | 6.4 | 21 |
| 39 | Bioelectrochemical Systems for the Valorization of Organic Residues. , 2019, , 511-534. | | 3 |
| 40 | Impacts of short-term temperature fluctuations on biohydrogen production and resilience of thermophilic microbial communities. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 8028-8037. | 7.1 | 8 |
| 41 | Soft Microwave Pretreatment to Extract P-Hydroxycinnamic Acids from Grass Stalks. <i>Molecules</i> , 2019, 24, 3885. | 3.8 | 7 |
| 42 | Enhancement of corn stover conversion to carboxylates by extrusion and biotic triggers in solid-state fermentation. <i>Applied Microbiology and Biotechnology</i> , 2019, 103, 489-503. | 3.6 | 7 |
| 43 | Effect of ammonium, electron donor and sulphate transient feeding conditions on sulphidogenesis in sequencing batch bioreactors. <i>Bioresource Technology</i> , 2019, 276, 288-299. | 9.6 | 0 |
| 44 | Basics of Bio-hydrogen Production by Dark Fermentation. <i>Green Energy and Technology</i> , 2018, , 199-220. | 0.6 | 21 |
| 45 | Methanosarcina plays a main role during methanogenesis of high-solids food waste and cardboard. <i>Waste Management</i> , 2018, 76, 423-430. | 7.4 | 38 |
| 46 | Hydrogen metabolic patterns driven by Clostridium-Streptococcus community shifts in a continuous stirred tank reactor. <i>Applied Microbiology and Biotechnology</i> , 2018, 102, 2465-2475. | 3.6 | 42 |
| 47 | Biological pretreatments of biomass for improving biogas production: an overview from lab scale to full-scale. <i>Renewable and Sustainable Energy Reviews</i> , 2018, 90, 583-604. | 16.4 | 108 |
| 48 | Addition of granular activated carbon and trace elements to favor volatile fatty acid consumption during anaerobic digestion of food waste. <i>Bioresource Technology</i> , 2018, 260, 157-168. | 9.6 | 155 |
| 49 | Cardboard proportions and total solids contents as driving factors in dry co-fermentation of food waste. <i>Bioresource Technology</i> , 2018, 248, 229-237. | 9.6 | 19 |
| 50 | Electrofermentation triggering population selection in mixed culture glycerol fermentation. <i>Microbial Biotechnology</i> , 2018, 11, 74-83. | 4.2 | 58 |
| 51 | Pretreatment of food waste for methane and hydrogen recovery: A review. <i>Bioresource Technology</i> , 2018, 249, 1025-1039. | 9.6 | 232 |
| 52 | Microbial Ecology of Anodic Biofilms: From Species Selection to Microbial Interactions. , 2018, , 63-85. | | 3 |
| 53 | High biomass density promotes density-dependent microbial growth rate. <i>Biochemical Engineering Journal</i> , 2018, 130, 66-75. | 3.6 | 9 |
| 54 | On the actual anode area that contributes to the current density produced by electroactive biofilms. <i>Electrochimica Acta</i> , 2018, 259, 395-401. | 5.2 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Co-ensiling as a new technique for long-term storage of agro-industrial waste with low sugar content prior to anaerobic digestion. <i>Waste Management</i> , 2018, 71, 147-155. | 7.4 | 40 |
| 56 | Understanding biomass recalcitrance in grasses for their efficient utilization as biorefinery feedstock. <i>Reviews in Environmental Science and Biotechnology</i> , 2018, 17, 707-748. | 8.1 | 58 |
| 57 | Microbial anodic consortia fed with fermentable substrates in microbial electrolysis cells: Significance of microbial structures. <i>Bioelectrochemistry</i> , 2018, 123, 219-226. | 4.6 | 30 |
| 58 | The environmental biorefinery: state-of-the-art on the production of hydrogen and value-added biomolecules in mixed-culture fermentation. <i>Green Chemistry</i> , 2018, 20, 3159-3179. | 9.0 | 109 |
| 59 | Cooperative growth of <i>Geobacter sulfurreducens</i> and <i>Clostridium pasteurianum</i> with subsequent metabolic shift in glycerol fermentation. <i>Scientific Reports</i> , 2017, 7, 44334. | 3.3 | 34 |
| 60 | Dark-fermentative biohydrogen pathways and microbial networks in continuous stirred tank reactors: Novel insights on their control. <i>Applied Energy</i> , 2017, 198, 77-87. | 10.1 | 77 |
| 61 | Coupling dark fermentation and microbial electrolysis to enhance bio-hydrogen production from agro-industrial wastewaters and by-products in a bio-refinery framework. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 1609-1621. | 7.1 | 124 |
| 62 | Biodegradation of polycyclic aromatic hydrocarbons: Using microbial bioelectrochemical systems to overcome an impasse. <i>Environmental Pollution</i> , 2017, 231, 509-523. | 7.5 | 122 |
| 63 | Revealing extracellular electron transfer mediated parasitism: energetic considerations. <i>Scientific Reports</i> , 2017, 7, 7766. | 3.3 | 21 |
| 64 | Accumulation of propionic acid during consecutive batch anaerobic digestion of commercial food waste. <i>Bioresource Technology</i> , 2017, 245, 724-733. | 9.6 | 76 |
| 65 | Optimal conditions for flexible methane production in a demand-based operation of biogas plants. <i>Bioresource Technology</i> , 2017, 245, 698-705. | 9.6 | 14 |
| 66 | Kinetic study of dry anaerobic co-digestion of food waste and cardboard for methane production. <i>Waste Management</i> , 2017, 69, 470-479. | 7.4 | 40 |
| 67 | Impact of wall shear stress on initial bacterial adhesion in rotating annular reactor. <i>PLoS ONE</i> , 2017, 12, e0172113. | 2.5 | 47 |
| 68 | Influence of process dynamics on the microbial diversity in a nitrifying biofilm reactor: Correlation analysis and simulation study. <i>Biotechnology and Bioengineering</i> , 2016, 113, 1962-1974. | 3.3 | 7 |
| 69 | Electrical conductivity as a state indicator for the start-up period of anaerobic fixed-bed reactors. <i>Water Science and Technology</i> , 2016, 73, 2294-2300. | 2.5 | 8 |
| 70 | High robustness of a simplified microbial consortium producing hydrogen in long term operation of a biofilm fermentative reactor. <i>International Journal of Hydrogen Energy</i> , 2016, 41, 2367-2376. | 7.1 | 12 |
| 71 | Bioelectrochemical treatment of table olive brine processing wastewater for biogas production and phenolic compounds removal. <i>Water Research</i> , 2016, 100, 316-325. | 11.3 | 49 |
| 72 | Electro-Fermentation: How To Drive Fermentation Using Electrochemical Systems. <i>Trends in Biotechnology</i> , 2016, 34, 856-865. | 9.3 | 284 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Consistent 1,3-propanediol production from glycerol in mixed culture fermentation over a wide range of pH. <i>Biotechnology for Biofuels</i> , 2016, 9, 32. | 6.2 | 59 |
| 74 | Evaluation of a hybrid anaerobic biofilm reactor treating winery effluents and using grape stalks as biofilm carrier. <i>Environmental Technology (United Kingdom)</i> , 2016, 37, 1676-1682. | 2.2 | 4 |
| 75 | Conservation of acquired morphology and community structure in aged biofilms after facing environmental stress. <i>Water Research</i> , 2016, 88, 164-172. | 11.3 | 11 |
| 76 | Bidirectional microbial electron transfer: Switching an acetate oxidizing biofilm to nitrate reducing conditions. <i>Biosensors and Bioelectronics</i> , 2016, 75, 352-358. | 10.1 | 88 |
| 77 | Electroactive Biofilms in Water and Air Pollution Treatment. , 2016, , 183-204. | | 1 |
| 78 | Long-term continuous production of H ₂ in a microbial electrolysis cell (MEC) treating saline wastewater. <i>Water Research</i> , 2015, 81, 149-156. | 11.3 | 99 |
| 79 | Microbial characterization of anode-respiring bacteria within biofilms developed from cultures previously enriched in dissimilatory metal-reducing bacteria. <i>Bioresource Technology</i> , 2015, 195, 283-287. | 9.6 | 23 |
| 80 | Invasibility of resident biofilms by allochthonous communities in Åbioreactors. <i>Water Research</i> , 2015, 81, 232-239. | 11.3 | 5 |
| 81 | Specific and efficient electrochemical selection of <i>Geoalkalibacter subterraneus</i> and <i>Desulfuromonas acetoxidans</i> in high current-producing biofilms. <i>Bioelectrochemistry</i> , 2015, 106, 221-225. | 4.6 | 41 |
| 82 | Dynamic observation of the biodegradation of lignocellulosic tissue under solid-state anaerobic conditions. <i>Bioresource Technology</i> , 2015, 191, 322-326. | 9.6 | 20 |
| 83 | Control of nitrogen behaviour by phosphate concentration during microalgal-bacterial cultivation using digestate. <i>Bioresource Technology</i> , 2015, 175, 224-230. | 9.6 | 41 |
| 84 | Nitrification and denitrification characteristics in a sequencing batch reactor treating tannery wastewater. <i>Clean Technologies and Environmental Policy</i> , 2015, 17, 735-745. | 4.1 | 29 |
| 85 | Biofilm development during the start-up period of anaerobic biofilm reactors: the biofilm <i>Archaea</i> community is highly dependent on the support material. <i>Microbial Biotechnology</i> , 2014, 7, 257-264. | 4.2 | 47 |
| 86 | New urban wastewater treatment with autotrophic membrane bioreactor at low chemical oxygen demand/N substrate ratio. <i>Water Science and Technology</i> , 2014, 69, 960-965. | 2.5 | 7 |
| 87 | Fermentative hydrogen production under moderate halophilic conditions. <i>International Journal of Hydrogen Energy</i> , 2014, 39, 7508-7517. | 7.1 | 31 |
| 88 | Sequential operation of a hybrid anaerobic reactor using a lignocellulosic biomass as biofilm support. <i>Bioresource Technology</i> , 2014, 172, 150-155. | 9.6 | 17 |
| 89 | Digestate color and light intensity affect nutrient removal and competition phenomena in a microalgal-bacterial ecosystem. <i>Water Research</i> , 2014, 64, 278-287. | 11.3 | 117 |
| 90 | Substrate milling pretreatment as a key parameter for Solid-State Anaerobic Digestion optimization. <i>Bioresource Technology</i> , 2014, 173, 185-192. | 9.6 | 59 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 91 | Modelling ammonium-oxidizing population shifts in a biofilm reactor. <i>Water Science and Technology</i> , 2014, 69, 208-216. | 2.5 | 5 |
| 92 | Morphological structures of wheat straw strongly impacts its anaerobic digestion. <i>Industrial Crops and Products</i> , 2014, 52, 695-701. | 5.2 | 47 |
| 93 | An automated method for the quantification of moving predators such as rotifers in biofilms by image analysis. <i>Journal of Microbiological Methods</i> , 2014, 103, 40-43. | 1.6 | 6 |
| 94 | Total solid content drives hydrogen production through microbial selection during thermophilic fermentation. <i>Bioresource Technology</i> , 2014, 166, 610-615. | 9.6 | 38 |
| 95 | Dynamic effect of total solid content, low substrate/inoculum ratio and particle size on solid-state anaerobic digestion. <i>Bioresource Technology</i> , 2013, 144, 141-148. | 9.6 | 129 |
| 96 | Total solids content: a key parameter of metabolic pathways in dry anaerobic digestion. <i>Biotechnology for Biofuels</i> , 2013, 6, 164. | 6.2 | 128 |
| 97 | Distribution and hydrophobic properties of Extracellular Polymeric Substances in biofilms in relation towards cohesion. <i>Journal of Biotechnology</i> , 2013, 165, 85-92. | 3.8 | 23 |
| 98 | Effect of organic loading rate on anaerobic digestion of thermally pretreated <i>Scenedesmus</i> sp. biomass. <i>Bioresource Technology</i> , 2013, 129, 219-223. | 9.6 | 76 |
| 99 | High current density via direct electron transfer by the halophilic anode respiring bacterium <i>Geobacter sulfurreducens</i> . <i>Physical Chemistry Chemical Physics</i> , 2013, 15, 19699. | 2.8 | 54 |
| 100 | Biofilm model calibration and microbial diversity study using Monte Carlo simulations. <i>Biotechnology and Bioengineering</i> , 2013, 110, 1323-1332. | 3.3 | 6 |
| 101 | Disturbance Frequency Determines Morphology and Community Development in Multi-Species Biofilm at the Landscape Scale. <i>PLoS ONE</i> , 2013, 8, e80692. | 2.5 | 21 |
| 102 | Homogeneity and Synchronous Dynamics of Microbial Communities in Particulate Biofilms: from Major Populations to Minor Groups. <i>Microbes and Environments</i> , 2012, 27, 142-148. | 1.6 | 5 |
| 103 | Heterogeneity and spatial distribution of bacterial background contamination in pulp and process water of a paper mill. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2012, 39, 1751-1759. | 3.0 | 7 |
| 104 | Fate of steroid hormones and endocrine activities in swine manure disposal and treatment facilities. <i>Water Research</i> , 2012, 46, 895-906. | 11.3 | 59 |
| 105 | Impact of microalgae characteristics on their conversion to biofuel. Part II: Focus on biomethane production. <i>Biofuels, Bioproducts and Biorefining</i> , 2012, 6, 205-218. | 3.7 | 179 |
| 106 | Thermal pretreatment to improve methane production of <i>Scenedesmus</i> biomass. <i>Biomass and Bioenergy</i> , 2012, 40, 105-111. | 5.7 | 182 |
| 107 | Comparison of ultrasound and thermal pretreatment of <i>Scenedesmus</i> biomass on methane production. <i>Bioresource Technology</i> , 2012, 110, 610-616. | 9.6 | 184 |
| 108 | Gas controlled hydrogen fermentation. <i>Bioresource Technology</i> , 2012, 110, 503-509. | 9.6 | 50 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 109 | Impact of microalgae characteristics on their conversion to biofuel. Part I: Focus on cultivation and biofuel production. <i>Biofuels, Bioproducts and Biorefining</i> , 2012, 6, 105-113. | 3.7 | 29 |
| 110 | Combination of batch experiments with continuous reactor data for ADM1 calibration: application to anaerobic digestion of pig slurry. <i>Water Science and Technology</i> , 2011, 63, 2575-2582. | 2.5 | 32 |
| 111 | Control of start-up and operation of anaerobic biofilm reactors: An overview of 15 years of research. <i>Water Research</i> , 2011, 45, 1-10. | 11.3 | 97 |
| 112 | Experimental study on a coupled process of production and anaerobic digestion of <i>Chlorella vulgaris</i> . <i>Bioresource Technology</i> , 2011, 102, 200-206. | 9.6 | 335 |
| 113 | Combined anaerobic and activated sludge anoxic/oxic treatment for piggery wastewater. <i>Bioresource Technology</i> , 2011, 102, 2185-2192. | 9.6 | 51 |
| 114 | Influence of support material properties on the potential selection of Archaea during initial adhesion of a methanogenic consortium. <i>Bioresource Technology</i> , 2011, 102, 4054-4060. | 9.6 | 53 |
| 115 | Enhanced methods for conditioning, storage, and extraction of liquid and solid samples of manure for determination of steroid hormones by solid-phase extraction and gas chromatography-mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 398, 973-984. | 3.7 | 31 |
| 116 | Anaerobic digestion of microalgae as a necessary step to make microalgal biodiesel sustainable. <i>Biotechnology Advances</i> , 2009, 27, 409-416. | 11.7 | 1,002 |
| 117 | Influence of abrasion on biofilm detachment: evidence for stratification of the biofilm. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2009, 36, 467-470. | 3.0 | 25 |
| 118 | A sequencing batch reactor system for high-level biological nitrogen and phosphorus removal from abattoir wastewater. <i>Biodegradation</i> , 2009, 20, 339-350. | 3.0 | 39 |
| 119 | Microbiology and performance of a methanogenic biofilm reactor during the start-up period. <i>Journal of Applied Microbiology</i> , 2009, 106, 863-876. | 3.1 | 21 |
| 120 | Challenges and innovations on biological treatment of livestock effluents. <i>Bioresource Technology</i> , 2009, 100, 5431-5436. | 9.6 | 138 |
| 121 | Improving pig manure conversion into biogas by thermal and thermo-chemical pretreatments. <i>Bioresource Technology</i> , 2009, 100, 3690-3694. | 9.6 | 97 |
| 122 | Elucidation of nitrate reduction pathways in anaerobic bioreactors using a stable isotope approach. <i>Rapid Communications in Mass Spectrometry</i> , 2008, 22, 1746-1750. | 1.5 | 12 |
| 123 | Microbial population dynamics in nitrifying reactors: Experimental evidence explained by a simple model including interspecies competition. <i>Process Biochemistry</i> , 2008, 43, 1398-1406. | 3.7 | 20 |
| 124 | The effect of incubation conditions on the laboratory measurement of the methane producing capacity of livestock wastes. <i>Bioresource Technology</i> , 2008, 99, 146-155. | 9.6 | 113 |
| 125 | Experimental determination by principal component analysis of a reaction pathway of biohydrogen production by anaerobic fermentation. <i>Chemical Engineering and Processing: Process Intensification</i> , 2008, 47, 1968-1975. | 3.6 | 37 |
| 126 | Anaerobic Digestion of Solid Wastes Needs Research to Face an Increasing Industrial Success. <i>International Journal of Chemical Reactor Engineering</i> , 2008, 6, . | 1.1 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 127 | Competition between planktonic and fixed microorganisms during the start-up of methanogenic biofilm reactors. <i>Water Research</i> , 2008, 42, 792-800. | 11.3 | 30 |
| 128 | Stratification in the cohesion of biofilms grown under various environmental conditions. <i>Water Research</i> , 2008, 42, 2102-2110. | 11.3 | 77 |
| 129 | A pseudo-stoichiometric dynamic model of anaerobic hydrogen production from molasses. <i>Water Research</i> , 2008, 42, 2539-2550. | 11.3 | 39 |
| 130 | Role of shear stress on composition, diversity and dynamics of biofilm bacterial communities. <i>Water Research</i> , 2008, 42, 4915-4922. | 11.3 | 187 |
| 131 | Anaerobic digestion of gelatinous water at laboratory and pilot scale and nitrogen inhibition. <i>Water Science and Technology</i> , 2008, 57, 1735-1741. | 2.5 | 1 |
| 132 | Combined anaerobic digestion and biological nitrogen removal for piggery wastewater treatment: a modelling approach. <i>Water Science and Technology</i> , 2008, 58, 133-141. | 2.5 | 21 |
| 133 | Effect of Dissolved Oxygen Concentration on Nitrite Accumulation in Nitrifying Sequencing Batch Reactor. <i>Water Environment Research</i> , 2007, 79, 845-850. | 2.7 | 9 |
| 134 | Influence of hydrodynamic conditions on the start-up of methanogenic inverse turbulent bed reactors. <i>Water Research</i> , 2007, 41, 603-612. | 11.3 | 19 |
| 135 | Nitrate and nitrite injection during municipal solid waste anaerobic biodegradation. <i>Waste Management</i> , 2007, 27, 778-791. | 7.4 | 50 |
| 136 | Towards new indicators for the prediction of solid waste anaerobic digestion properties. <i>Water Science and Technology</i> , 2006, 53, 233-241. | 2.5 | 160 |
| 137 | Influence of closed loop control on microbial diversity in a nitrification process. <i>Water Science and Technology</i> , 2006, 53, 85-93. | 2.5 | 11 |
| 138 | Biofilm formation during the start-up period of an anaerobic biofilm reactor – Impact of nutrient complementation. <i>Biochemical Engineering Journal</i> , 2006, 30, 55-62. | 3.6 | 64 |
| 139 | Nitrification of a high-strength wastewater in an inverse turbulent bed reactor: Effect of temperature on nitrite accumulation. <i>Process Biochemistry</i> , 2006, 41, 106-113. | 3.7 | 73 |
| 140 | Use of the methane yield to indicate the metabolic behaviour of methanogenic biofilms. <i>Process Biochemistry</i> , 2005, 40, 2751-2755. | 3.7 | 28 |
| 141 | Effect of prefermentation on denitrifying phosphorus removal in slaughterhouse wastewater. <i>Bioresource Technology</i> , 2005, 96, 1317-1322. | 9.6 | 58 |
| 142 | Liquid mixing and gas-liquid mass transfer in a three-phase inverse turbulent bed reactor. <i>Chemical Engineering Journal</i> , 2005, 114, 1-7. | 12.7 | 33 |
| 143 | Modeling and control of nitrite accumulation in a nitrifying biofilm reactor. <i>Biochemical Engineering Journal</i> , 2005, 24, 173-183. | 3.6 | 53 |
| 144 | Leachate pre-treatment strategies before recirculation in landfill bioreactors. <i>Water Science and Technology</i> , 2005, 52, 289-297. | 2.5 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 145 | Effect of solid hold-up on nitrite accumulation in a biofilm reactor - molecular characterization of nitrifying communities. <i>Water Science and Technology</i> , 2004, 49, 123-130. | 2.5 | 48 |
| 146 | Effect of the Addition of Bentonite on the Anaerobic Biodegradability of Solid Fatty Wastes. <i>Environmental Technology (United Kingdom)</i> , 2004, 25, 459-469. | 2.2 | 7 |
| 147 | Effect of solid hold-up on nitrite accumulation in a biofilm reactor--molecular characterization of nitrifying communities. <i>Water Science and Technology</i> , 2004, 49, 123-30. | 2.5 | 2 |
| 148 | Effect of saponification on the anaerobic digestion of solid fatty residues. <i>Bioresource Technology</i> , 2003, 90, 89-94. | 9.6 | 64 |
| 149 | Influence of Hydrodynamic Conditions on Biofilm Behavior in a Methanogenic Inverse Turbulent Bed Reactor. <i>Biotechnology Progress</i> , 2003, 19, 858-863. | 2.6 | 13 |
| 150 | Methane yield as a monitoring parameter for the start-up of anaerobic fixed film reactors. <i>Water Research</i> , 2002, 36, 1385-1391. | 11.3 | 104 |
| 151 | Biological denitrifying phosphorus removal in SBR: effect of added nitrate concentration and sludge retention time. <i>Water Science and Technology</i> , 2001, 43, 191-194. | 2.5 | 27 |
| 152 | SBR as a relevant technology to combine anaerobic digestion and denitrification in a single reactor. <i>Water Science and Technology</i> , 2001, 43, 209-214. | 2.5 | 15 |
| 153 | Simultaneous organic carbon and nitrogen removal in an SBR controlled at low dissolved oxygen concentration. <i>Journal of Chemical Technology and Biotechnology</i> , 2001, 76, 553-558. | 3.2 | 25 |
| 154 | Effect of Operating Parameters on Anoxic Biological Phosphorus Removal in Anaerobic Anoxic Sequencing Batch Reactor. <i>Environmental Technology (United Kingdom)</i> , 2001, 22, 397-408. | 2.2 | 12 |
| 155 | Nitrification at Low Oxygen Concentration in Biofilm Reactor. <i>Journal of Environmental Engineering, ASCE</i> , 2001, 127, 266-271. | 1.4 | 165 |
| 156 | Effects of Oxygen Supply Methods on the Performance of a Sequencing Batch Reactor for High Ammonium Nitrification. <i>Water Environment Research</i> , 2000, 72, 195-200. | 2.7 | 37 |
| 157 | Effect of dissolved oxygen and carbon-nitrogen loads on denitrification by an aerobic consortium. <i>Applied Microbiology and Biotechnology</i> , 2000, 54, 535-542. | 3.6 | 95 |
| 158 | Lisier de porc: la solution biologique. <i>Biofutur</i> , 2000, 2000, 42-45. | 0.0 | 5 |
| 159 | Combined anaerobic- aerobic SBR for the treatment of piggery wastewater. <i>Water Research</i> , 2000, 34, 611-619. | 11.3 | 164 |
| 160 | Effect of culture conditions on the formation of struvite by <i>Myxococcus xanthus</i> . <i>Chemosphere</i> , 2000, 40, 1289-1296. | 8.2 | 37 |
| 161 | Interactions between methanogenic and nitrate reducing bacteria during the anaerobic digestion of an industrial sulfate rich wastewater. <i>FEMS Microbiology Ecology</i> , 1999, 29, 341-350. | 2.7 | 45 |
| 162 | Polyphosphate-Accumulating and Denitrifying Bacteria Isolated from Anaerobic-Anoxic and Anaerobic-Aerobic Sequencing Batch Reactors. <i>Current Microbiology</i> , 1999, 38, 9-17. | 2.2 | 46 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 163 | Kinetic Behavior of Some Polyphosphate-Accumulating Bacteria Isolates in the Presence of Nitrate and Oxygen. <i>Current Microbiology</i> , 1999, 38, 300-308. | 2.2 | 5 |
| 164 | Acidogenic activity: Process of carbon source generation for biological nutrient removal. <i>Water Science and Technology</i> , 1999, 40, 25. | 2.5 | 15 |
| 165 | Aerobic granular sludge—a case report. <i>Water Research</i> , 1999, 33, 890-893. | 11.3 | 223 |
| 166 | Interactions between methanogenic and nitrate reducing bacteria during the anaerobic digestion of an industrial sulfate rich wastewater. <i>FEMS Microbiology Ecology</i> , 1999, 29, 341-350. | 2.7 | 1 |
| 167 | Effects of nitrogen oxides and denitrification by <i>Pseudomonas stutzeri</i> on acetotrophic methanogenesis by <i>Methanosarcina mazei</i> . <i>FEMS Microbiology Ecology</i> , 1998, 25, 271-276. | 2.7 | 58 |
| 168 | Combined biodegradation of carbon, nitrogen and phosphorus from wastewaters. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 1998, 5, 429-433. | 1.8 | 8 |
| 169 | Biological nitrogen removal in a single aerobic reactor by association of a nitrifying ecosystem to an aerobic denitrifier, <i>Microvirgula aerodenitrificans</i> . <i>Journal of Molecular Catalysis B: Enzymatic</i> , 1998, 5, 435-439. | 1.8 | 12 |
| 170 | Nitrate and nitrite reduction of a sulphide-rich environment. <i>Journal of Chemical Technology and Biotechnology</i> , 1998, 72, 213-220. | 3.2 | 33 |
| 171 | Simultaneous removal of carbon, nitrogen and phosphorus from wastewater by coupling two-step anaerobic digestion with a sequencing batch reactor. , 1998, 73, 421-431. | | 8 |
| 172 | Effect of Nitrate on Methanogenesis at Low Redox Potential. <i>Environmental Technology (United Kingdom)</i> 1998, 19, 145-150. | 2.2 | 14 |
| 173 | <i>Microvirgula aerodenitrificans</i> gen. nov., sp. nov., a new Gram-negative bacterium exhibiting co-respiration of oxygen and nitrogen oxides up to oxygen-saturated conditions. <i>International Journal of Systematic Bacteriology</i> , 1998, 48, 775-782. | 2.8 | 75 |
| 174 | Physiological, molecular and modeling studies of an aerobic denitrifier: <i>microvirgula aerodenitrificans</i> . Use of its properties in an integrated nitrogen removal plant. <i>Water Science and Technology</i> , 1998, 38, 167-175. | 2.5 | 5 |
| 175 | Effects of nitrogen oxides and denitrification by <i>Pseudomonas stutzeri</i> on acetotrophic methanogenesis by <i>Methanosarcina mazei</i> . <i>FEMS Microbiology Ecology</i> , 1998, 25, 271-276. | 2.7 | 4 |
| 176 | Influence du mode de ventilation des litières sur les émissions gazeuses d'azote NH ₃ , N ₂ O, N ₂ et sur le bilan d'azote en engraissement porcin. <i>Agronomy for Sustainable Development</i> , 1998, 18, 473-488. | 0.8 | 1 |
| 177 | Nitrate Reduction in Acidogenic Reactor: Influence of Wastewater COD/N-NO ₃ Ratio on Denitrification and Acidogenic Activity. <i>Environmental Technology (United Kingdom)</i> , 1997, 18, 309-315. | 2.2 | 25 |
| 178 | Combined nitrification and denitrification in a single aerated reactor using the aerobic denitrifier <i>Commonas</i> sp. strain SGLY2. <i>Water Research</i> , 1997, 31, 1363-1370. | 11.3 | 54 |
| 179 | Start-up of anaerobic digestion of sulfate wastewater. <i>Bioresource Technology</i> , 1997, 61, 21-27. | 9.6 | 25 |
| 180 | Denitrification by Anaerobic Sludge in Piggery Wastewater. <i>Environmental Technology (United Kingdom)</i> 1997, 18, 145-150. | 2.2 | 45 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Use of an industrial effluent as a carbon source for denitrification of a high-strength wastewater. Applied Microbiology and Biotechnology, 1996, 46, 92-97. | 3.6 | 60 |
| 182 | Effect of oxygen on denitrification in continuous chemostat culture with Comamonas sp SGLY2. Journal of Industrial Microbiology, 1996, 16, 124-128. | 0.9 | 27 |
| 183 | Study of the Denitrifying Enzymatic System of Comamonas sp. Strain SGLY2 Under Various Aeration Conditions with a Particular View on Nitrate and Nitrite Reductases. Current Microbiology, 1996, 32, 25-32. | 2.2 | 26 |
| 184 | A new method for the determination of dissolved sulfide in strongly colored anaerobically treated effluents. Bioprocess and Biosystems Engineering, 1996, 15, 317-322. | 0.5 | 5 |
| 185 | A new method for the determination of dissolved sulfide in strongly colored anaerobically treated effluents. Bioprocess and Biosystems Engineering, 1996, 15, 317. | 0.5 | 0 |
| 186 | Study of Physicochemical Factors Controlling Nitrite Build-Up During Heterotrophic Denitrification. Environmental Technology (United Kingdom), 1995, 16, 165-172. | 2.2 | 4 |
| 187 | Combined organic carbon and complete nitrogen removal using anaerobic and aerobic upflow filters. Water Science and Technology, 1994, 30, 297-306. | 2.5 | 44 |
| 188 | Denitrification under various aeration conditions in Comamonas sp., strain SGLY2. FEMS Microbiology Ecology, 1994, 14, 71-78. | 2.7 | 72 |
| 189 | Denitrification under various aeration conditions in Comamonas sp., strain SGLY2. FEMS Microbiology Ecology, 1994, 14, 71-78. | 2.7 | 1 |
| 190 | Isolation of Brevibacterium sp. R312 mutants potentially useful for the enzymatic production of adipic acid. Canadian Journal of Microbiology, 1993, 39, 524-528. | 1.7 | 9 |
| 191 | Bioconversion of acrylonitrile into acrylamide using a highly compact multiphasic reactor. The Chemical Engineering Journal, 1991, 46, B43-B51. | 0.3 | 7 |
| 192 | Bioconversion of L-malic acid into L-lactic acid using a high compacting multiphasic reactor (HCMR). Journal of Chemical Technology and Biotechnology, 1991, 51, 81-95. | 3.2 | 15 |
| 193 | Use of brevibacterium sp 19-derived amidase for the synthesis of hydroxamic fatty acids. Biotechnology Letters, 1990, 12, 689-692. | 2.2 | 0 |
| 194 | Optimization of Culture Conditions of Brevibacterium SP. A4 for the Production of Nitrile Hydratase. Biocatalysis, 1990, 3, 259-267. | 0.9 | 13 |
| 195 | Continuous immobilized cell reactor for amide hydrolysis. Journal of Industrial Microbiology, 1987, 2, 129-136. | 0.9 | 12 |