

Pavla Stopkova

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8479720/publications.pdf>

Version: 2024-02-01

37
papers

2,110
citations

279487

23
h-index

329751

37
g-index

41
all docs

41
docs citations

41
times ranked

3643
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Using polygenic scores and clinical data for bipolar disorder patient stratification and lithium response prediction: machine learning approach. <i>British Journal of Psychiatry</i> , 2022, 220, 219-228. | 1.7 | 11 |
| 2 | Association of polygenic score for major depression with response to lithium in patients with bipolar disorder. <i>Molecular Psychiatry</i> , 2021, 26, 2457-2470. | 4.1 | 44 |
| 3 | HLA-DRB1 and HLA-DQB1 genetic diversity modulates response to lithium in bipolar affective disorders. <i>Scientific Reports</i> , 2021, 11, 17823. | 1.6 | 10 |
| 4 | Combining schizophrenia and depression polygenic risk scores improves the genetic prediction of lithium response in bipolar disorder patients. <i>Translational Psychiatry</i> , 2021, 11, 606. | 2.4 | 25 |
| 5 | Investigating polygenic burden in age at disease onset in bipolar disorder: Findings from an international multicentric study. <i>Bipolar Disorders</i> , 2019, 21, 68-75. | 1.1 | 20 |
| 6 | <p>Transcranial Direct-Current Stimulation (tDCS) Versus Venlafaxine ER In The Treatment Of Depression: A Randomized, Double-Blind, Single-Center Study With Open-Label, Follow-Up</p>. <i>Neuropsychiatric Disease and Treatment</i> , 2019, Volume 15, 3003-3014. | 1.0 | 6 |
| 7 | Brain Age in Early Stages of Bipolar Disorders or Schizophrenia. <i>Schizophrenia Bulletin</i> , 2019, 45, 190-198. | 2.3 | 94 |
| 8 | Association of Polygenic Score for Schizophrenia and HLA Antigen and Inflammation Genes With Response to Lithium in Bipolar Affective Disorder. <i>JAMA Psychiatry</i> , 2018, 75, 65-74. | 6.0 | 102 |
| 9 | Analysis of the Influence of microRNAs in Lithium Response in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2018, 9, 207. | 1.3 | 28 |
| 10 | Genome-wide association study of 40,000 individuals identifies two novel loci associated with bipolar disorder. <i>Human Molecular Genetics</i> , 2016, 25, 3383-3394. | 1.4 | 182 |
| 11 | Genetic variants associated with response to lithium treatment in bipolar disorder: a genome-wide association study. <i>Lancet, The</i> , 2016, 387, 1085-1093. | 6.3 | 306 |
| 12 | QEEG Theta Cordance in the Prediction of Treatment Outcome to Prefrontal Repetitive Transcranial Magnetic Stimulation or Venlafaxine ER in Patients With Major Depressive Disorder. <i>Clinical EEG and Neuroscience</i> , 2015, 46, 73-80. | 0.9 | 39 |
| 13 | The effectiveness of prefrontal theta cordance and early reduction of depressive symptoms in the prediction of antidepressant treatment outcome in patients with resistant depression: analysis of naturalistic data. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015, 265, 73-82. | 1.8 | 31 |
| 14 | Brain Structural Signature of Familial Predisposition for Bipolar Disorder: Replicable Evidence For Involvement of the Right Inferior Frontal Gyrus. <i>Biological Psychiatry</i> , 2013, 73, 144-152. | 0.7 | 118 |
| 15 | Antidepressant monotherapy compared with combinations of antidepressants in the treatment of resistant depressive patients: A randomized, open-label study. <i>International Journal of Psychiatry in Clinical Practice</i> , 2013, 17, 35-43. | 1.2 | 8 |
| 16 | Assessment of Response to Lithium Maintenance Treatment in Bipolar Disorder: A Consortium on Lithium Genetics (ConLiGen) Report. <i>PLoS ONE</i> , 2013, 8, e65636. | 1.1 | 156 |
| 17 | The early improvement of depressive symptoms as a potential predictor of response to antidepressants in depressive patients who failed to respond to previous antidepressant treatments. Analysis of naturalistic data. <i>European Psychiatry</i> , 2012, 27, 522-527. | 0.1 | 13 |
| 18 | The change of QEEG prefrontal cordance as a response predictor to antidepressive intervention in bipolar depression. A pilot study. <i>Journal of Psychiatric Research</i> , 2012, 46, 219-225. | 1.5 | 26 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | White matter hyperintensities in affected and unaffected late teenage and early adulthood offspring of bipolar parents: A two-center high-risk study. <i>Journal of Psychiatric Research</i> , 2011, 45, 76-82. | 1.5 | 26 |
| 20 | Rare NRXN1 promoter variants in patients with schizophrenia. <i>Neuroscience Letters</i> , 2010, 475, 80-84. | 1.0 | 19 |
| 21 | The change of prefrontal QEEG theta cordance as a predictor of response to bupropion treatment in patients who had failed to respond to previous antidepressant treatments. <i>European Neuropsychopharmacology</i> , 2010, 20, 459-466. | 0.3 | 81 |
| 22 | Antidepressant monotherapy and combination of antidepressants in the treatment of resistant depression in current clinical practice: A retrospective study. <i>International Journal of Psychiatry in Clinical Practice</i> , 2010, 14, 303-308. | 1.2 | 4 |
| 23 | Analysis of a Promoter Polymorphism in the SMDF Neuregulin 1 Isoform in Schizophrenia. <i>Neuropsychobiology</i> , 2009, 59, 205-212. | 0.9 | 6 |
| 24 | Low frequency (1-Hz), right prefrontal repetitive transcranial magnetic stimulation (rTMS) compared with venlafaxine ER in the treatment of resistant depression: A double-blind, single-centre, randomized study. <i>Journal of Affective Disorders</i> , 2009, 118, 94-100. | 2.0 | 53 |
| 25 | Is combined treatment more effective than switching to monotherapy in patients with resistant depression? A retrospective study. <i>Neuroendocrinology Letters</i> , 2009, 30, 723-8. | 0.2 | 6 |
| 26 | Early reduction in prefrontal theta QEEG cordance value predicts response to venlafaxine treatment in patients with resistant depressive disorder. <i>European Psychiatry</i> , 2008, 23, 350-355. | 0.1 | 120 |
| 27 | Analysis of protocadherin alpha gene enhancer polymorphism in bipolar disorder and schizophrenia. <i>Schizophrenia Research</i> , 2008, 102, 210-219. | 1.1 | 53 |
| 28 | Analysis of protocadherin alpha gene deletion variant in bipolar disorder and schizophrenia. <i>Psychiatric Genetics</i> , 2008, 18, 110-115. | 0.6 | 21 |
| 29 | Increase in GSK3 β gene copy number variation in bipolar disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007, 144B, 259-265. | 1.1 | 113 |
| 30 | Changes in QEEG prefrontal cordance as a predictor of response to antidepressants in patients with treatment resistant depressive disorder: A pilot study. <i>Journal of Psychiatric Research</i> , 2007, 41, 319-325. | 1.5 | 107 |
| 31 | Analysis of Synapsin III α 196 Promoter Mutation in Schizophrenia and Bipolar Disorder. <i>Neuropsychobiology</i> , 2006, 53, 57-62. | 0.9 | 21 |
| 32 | Association of schizophrenia in African Americans to polymorphism in synapsin III gene. <i>Psychiatric Genetics</i> , 2005, 15, 127-132. | 0.6 | 23 |
| 33 | Screening of PIP5K2A promoter region for mutations in bipolar disorder and schizophrenia. <i>Psychiatric Genetics</i> , 2005, 15, 223-227. | 0.6 | 17 |
| 34 | Identification of PIK3C3 promoter variant associated with bipolar disorder and schizophrenia. <i>Biological Psychiatry</i> , 2004, 55, 981-988. | 0.7 | 96 |
| 35 | Analysis of SYNJ1, a candidate gene for 21q22 linked bipolar disorder: a replication study. <i>Psychiatry Research</i> , 2004, 127, 157-161. | 1.7 | 55 |
| 36 | Polymorphism screening of PIK4CA: Possible candidate gene for chromosome 22q11-linked psychiatric disorders. <i>American Journal of Medical Genetics Part A</i> , 2003, 116B, 77-83. | 2.4 | 25 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Polymorphism Screening of PIP5K2A: A Candidate Gene for Chromosome 10p-Linked Psychiatric Disorders. American Journal of Medical Genetics Part A, 2003, 123B, 50-58. | 2.4 | 43 |