## Longtao Jiang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8479761/publications.pdf

Version: 2024-02-01

331259 377514 1,303 48 21 34 h-index citations g-index papers 48 48 48 880 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	A modified Johnson-Cook model with damage degradation for B4Cp/Al composites. Composite Structures, 2022, 282, 115029.	3.1	10
2	Revealing the dimensional stability mechanisms of SiC/Al composite under long-term thermal cycling. Ceramics International, 2022, 48, 13927-13937.	2.3	19
3	A Mechanically Interlocking Strategy Based on Conductive Microbridges for Stretchable Electronics. Advanced Materials, 2022, 34, e2101339.	11.1	35
4	Microstructure and mechanical properties of B4C/2024Al functionally gradient composites. Materials and Design, 2022, 215, 110449.	3.3	11
5	Higher proportional limit of SiC/Al composites with nano-scaled stacking faults. Composites Communications, 2022, 32, 101188.	3.3	16
6	Optimisation of the spark plasma sintering process for high volume fraction SiCp/Al composites by orthogonal experimental design. Ceramics International, 2021, 47, 3816-3825.	2.3	33
7	Effect of TM (TM=Fe, Mn, Cr) alloying on the high temperature properties and strengthening mechanism of Cf/Al composites. Composites Part B: Engineering, 2021, 211, 108622.	5.9	11
8	Quantitative study of dimensional stability mechanism and microstructure evolution during precipitation process of 2024Al alloy. Journal of Materials Science and Technology, 2021, 90, 85-94.	5.6	21
9	Stable second phase: The key to high-temperature creep performance of particle reinforced aluminum matrix composite. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2020, 770, 138551.	2.6	20
10	Micro-creep behavior and microstructure evolution of SiCp/2024Al composite. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2020, 771, 138606.	2.6	16
11	Quantitative analysis of the effects of particle content and aging temperature on aging behavior in B4C/6061Al composites. Materials Characterization, 2020, 163, 110305.	1.9	10
12	Design and Fabrication of a Nanoamorphous Interface Layer in B <sub>4</sub> C/Al Composites to Improve Hot Deformability and Corrosion Resistance. ACS Applied Nano Materials, 2020, 3, 5752-5761.	2.4	10
13	Ballistic behavior and microstructure evolution of B4C/AA2024 composites. Ceramics International, 2019, 45, 20539-20544.	2.3	21
14	The design of novel neutron shielding (Gd+B4C)/6061Al composites and its properties after hot rolling. Composites Part B: Engineering, 2019, 168, 183-194.	5.9	40
15	The microstructure and ballistic performance of B4C/AA2024 functionally graded composites with wide range B4C volume fraction. Composites Part B: Engineering, 2019, 161, 627-638.	5.9	56
16	The formation, evolution and influence of Gd-Containing phases in the (Gd+B4C)/6061Al composites during hot rolling. Journal of Alloys and Compounds, 2019, 775, 714-725.	2.8	13
17	Design, microstructure and high temperature properties of in-situ Al3Ti and nano-Al2O3 reinforced 2024Al matrix composites from Al-TiO2 system. Journal of Alloys and Compounds, 2019, 775, 290-297.	2.8	40
18	Effects of pulse conditions on microstructure and mechanical properties of Si3N4/6061Al composites prepared by spark plasma sintering (SPS). Journal of Alloys and Compounds, 2018, 763, 822-834.	2.8	24

#	Article	IF	CITATIONS
19	Effect of long-period-stacking-ordered phases on the microstructure and mechanical properties of carbon fiber reinforced magnesium-gadolinium-zinc composite. Journal of Alloys and Compounds, 2017, 708, 728-733.	2.8	6
20	The microstructure and influence of hot extrusion on tensile properties of (Gd+B4C)/Al composite. Journal of Alloys and Compounds, 2017, 729, 1234-1243.	2.8	40
21	The design of a novel neutron shielding B4C/Al composite containing Gd. Materials and Design, 2016, 111, 375-381.	3.3	86
22	The tribological behavior evolution of TiB2/Al composites from running-in stage to steady stage. Wear, 2016, 368-369, 304-313.	1.5	18
23	Characterization of the reaction products and precipitates at the interface of carbon fiber reinforced magnesium–gadolinium composite. Materials Characterization, 2016, 113, 232-238.	1.9	9
24	Effect of thermal exposure on the microstructure of the interface in a Gr <sub>f</sub> /Al composite. Science and Engineering of Composite Materials, 2016, 23, 751-757.	0.6	1
25	Microstructure and Mechanical Properties of 45 vol.% SiCp/7075Al Composite. Journal of Materials Science and Technology, 2015, 31, 930-934.	5.6	53
26	Aging behavior of 6061Al matrix composite reinforced with high content SiC nanowires. Journal of Alloys and Compounds, 2015, 649, 1037-1042.	2.8	53
27	Interfacial characteristics of diamond/aluminum composites with high thermal conductivity fabricated by squeeze-casting method. Materials Characterization, 2015, 106, 346-351.	1.9	32
28	Enhanced thermal conductivity and flexural properties in squeeze casted diamond/aluminum composites by processing control. Materials and Design, 2015, 88, 1347-1352.	3.3	38
29	Dry sliding friction and wear behavior of (TiB2+h-BN)/2024Al composites. Materials and Design, 2015, 87, 960-968.	3.3	57
30	Characterization of multi-scale porous structure of fly ash/phosphate geopolymer hollow sphere structures: From submillimeter to nano-scale. Micron, 2015, 68, 54-58.	1.1	9
31	Microstructure and Magnetic Properties of Soft Magnetic Composites with Silicate Glass Insulation Layers. Journal of Superconductivity and Novel Magnetism, 2014, 27, 239-245.	0.8	23
32	Microstructure and properties of Sip/Al–20Âwt% Si composite prepared by hot-pressed sintering technology. Journal of Materials Science, 2014, 49, 1368-1375.	1.7	10
33	Microstructure and thermo-physical properties of a SiC/pure-Al composite for electronic packaging. Journal of Materials Science: Materials in Electronics, 2014, 25, 604-608.	1.1	18
34	Analysis of morphology and microstructure of B4C/2024Al composites after 7.62mm ballistic impact. Materials & Design, 2014, 63, 658-663.	5.1	27
35	The deformation of B 4 C particle in the B 4 C/2024Al composites after high velocity impact. Micron, 2014, 67, 107-111.	1.1	4
36	Effect of surface roughness on tribological properties of TiB2/Al composites. Materials & Design, 2014, 53, 129-136.	5.1	45

#	Article	IF	CITATION
37	A nanostructural design to produce high ductility of high volume fraction SiCp/Al composites with enhanced strength. Materials & Design, 2014, 61, 141-145.	5.1	32
38	Reaction procedure of a graphite fiber reinforced Ti-Al composite produced by squeeze casting-in situ reaction. Rare Metals, 2010, 29, 98-101.	3.6	6
39	Characterization and corrosion protection properties of cerium conversion coating on Gr(f)/Al composite surface. Journal of Materials Science, 2008, 43, 3327-3332.	1.7	12
40	Friction and wear properties of TiB2P/Al composite. Composites Part A: Applied Science and Manufacturing, 2006, 37, 1916-1921.	3.8	65
41	Thermal properties of a high volume fraction SiC particle-reinforced pure aluminum composite. Physica Status Solidi (A) Applications and Materials Science, 2005, 202, 1033-1040.	0.8	8
42	Microstructure and thermal conduction properties of an Al-12Si matrix composite reinforced with dual sized SiC particles. Journal of Materials Science, 2004, 39, 303-305.	1.7	18
43	Effects of thermal cycling on mechanical properties of AlNp/Al composite. Materials Letters, 2004, 58, 1899-1902.	1.3	26
44	Properties of high reinforcement-content aluminum matrix composite for electronic packages. Journal of Materials Science: Materials in Electronics, 2003, 14, 9-12.	1.1	25
45	Mechanical behavior of Y2O3-coated Al2O3p/6061 Al composites. Journal of Materials Science Letters, 2003, 22, 149-151.	0.5	2
46	Thermal expansion and dimensional stability of Al–Si matrix composite reinforced with high content SiC. Materials Chemistry and Physics, 2003, 82, 780-785.	2.0	76
47	The thermal expansion and mechanical properties of high reinforcement content SiCp/Al composites fabricated by squeeze casting technology. Composites Part A: Applied Science and Manufacturing, 2003, 34, 1023-1027.	3.8	86
48	Microstructure and mechanical behavior of sub-micro particulate-reinforced Al matrix composites.	0.5	12