

David Sinton

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8480826/david-sinton-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

229
papers

16,277
citations

66
h-index

121
g-index

252
ext. papers

21,303
ext. citations

12.6
avg, IF

7.05
L-index

#	Paper	IF	Citations
229	Concentrated Ethanol Electrosynthesis from CO via a Porous Hydrophobic Adlayer.. <i>ACS Applied Materials & Interfaces</i> , 2022 , 14, 4155-4162	9.5	3
228	Microplastics shift impacts of climate change on a plant-microbe mutualism: Temperature, CO, and tire wear particles. <i>Environmental Research</i> , 2022 , 203, 111727	7.9	2
227	Redox-mediated electrosynthesis of ethylene oxide from CO ₂ and water. <i>Nature Catalysis</i> , 2022 , 5, 185-192	10.5	2
226	Boride-derived oxygen-evolution catalysts. <i>Nature Communications</i> , 2021 , 12, 6089	17.4	11
225	Cascade CO ₂ electroreduction enables efficient carbonate-free production of ethylene. <i>Joule</i> , 2021 , 5, 706-719	27.8	31
224	Screening High-Temperature Foams with Microfluidics for Thermal Recovery Processes. <i>Energy & Fuels</i> , 2021 , 35, 7866-7873	4.1	9
223	Silica-copper catalyst interfaces enable carbon-carbon coupling towards ethylene electrosynthesis. <i>Nature Communications</i> , 2021 , 12, 2808	17.4	19
222	Low coordination number copper catalysts for electrochemical CO methanation in a membrane electrode assembly. <i>Nature Communications</i> , 2021 , 12, 2932	17.4	27
221	Evaluation of a Microencapsulated Phase Change Slurry for Subsurface Energy Recovery. <i>Energy & Fuels</i> , 2021 , 35, 10293-10302	4.1	3
220	Machine learning for sperm selection. <i>Nature Reviews Urology</i> , 2021 , 18, 387-403	5.5	6
219	Gold-in-copper at low *CO coverage enables efficient electromethanation of CO. <i>Nature Communications</i> , 2021 , 12, 3387	17.4	20
218	CO electrolysis to multicarbon products in strong acid. <i>Science</i> , 2021 , 372, 1074-1078	33.3	115
217	Effects of Hydrogen Peroxide on Cyanobacterium <i>Microcystis aeruginosa</i> in the Presence of Nanoplastics. <i>ACS ES&T Water</i> , 2021 , 1, 1596-1607		3
216	Single Pass CO ₂ Conversion Exceeding 85% in the Electrosynthesis of Multicarbon Products via Local CO ₂ Regeneration. <i>ACS Energy Letters</i> , 2021 , 6, 2952-2959	20.1	27
215	CO ₂ Electroreduction to Formate at a Partial Current Density of 930 mA cm ⁻² with InP Colloidal Quantum Dot Derived Catalysts. <i>ACS Energy Letters</i> , 2021 , 6, 79-84	20.1	39
214	FertDish: microfluidic sperm selection-in-a-dish for intracytoplasmic sperm injection. <i>Lab on A Chip</i> , 2021 , 21, 775-783	7.2	7
213	Selection of high-quality sperm with thousands of parallel channels. <i>Lab on A Chip</i> , 2021 , 21, 2464-2475	7.2	2

212	Suppressing the liquid product crossover in electrochemical CO ₂ reduction. <i>SmartMat</i> , 2021 , 2, 12-16	22.8	38
211	Self-Cleaning CO ₂ Reduction Systems: Unsteady Electrochemical Forcing Enables Stability. <i>ACS Energy Letters</i> , 2021 , 6, 809-815	20.1	56
210	Designing anion exchange membranes for CO ₂ electrolyzers. <i>Nature Energy</i> , 2021 , 6, 339-348	62.3	56
209	Gold Adparticles on Silver Combine Low Overpotential and High Selectivity in Electrochemical CO ₂ Conversion. <i>ACS Applied Energy Materials</i> , 2021 , 4, 7504-7512	6.1	4
208	Reducing the crossover of carbonate and liquid products during carbon dioxide electroreduction. <i>Cell Reports Physical Science</i> , 2021 , 2, 100522	6.1	8
207	In Situ Formation of Nano Ni-Co Oxyhydroxide Enables Water Oxidation Electrocatalysts Durable at High Current Densities. <i>Advanced Materials</i> , 2021 , 33, e2103812	24	20
206	Electroosmotic flow steers neutral products and enables concentrated ethanol electroproduction from CO ₂ . <i>Joule</i> , 2021 ,	27.8	5
205	Stable, active CO reduction to formate via redox-modulated stabilization of active sites. <i>Nature Communications</i> , 2021 , 12, 5223	17.4	25
204	AbCellera's success is unprecedented: what have we learned?. <i>Lab on A Chip</i> , 2021 , 21, 2330-2332	7.2	0
203	Efficient electrically powered CO ₂ -to-ethanol via suppression of deoxygenation. <i>Nature Energy</i> , 2020 , 5, 478-486	62.3	163
202	Chloride-mediated selective electrosynthesis of ethylene and propylene oxides at high current density. <i>Science</i> , 2020 , 368, 1228-1233	33.3	78
201	CO electrolysis to multicarbon products at activities greater than 1 A cm. <i>Science</i> , 2020 , 367, 661-666	33.3	403
200	Enhanced Nitrate-to-Ammonia Activity on Copper-Nickel Alloys via Tuning of Intermediate Adsorption. <i>Journal of the American Chemical Society</i> , 2020 , 142, 5702-5708	16.4	192
199	Molecular tuning of CO-to-ethylene conversion. <i>Nature</i> , 2020 , 577, 509-513	50.4	321
198	Biological Responses to Climate Change and Nanoplastics Are Altered in Concert: Full-Factor Screening Reveals Effects of Multiple Stressors on Primary Producers. <i>Environmental Science & Technology</i> , 2020 , 54, 2401-2410	10.3	25
197	Efficient Methane Electrosynthesis Enabled by Tuning Local CO Availability. <i>Journal of the American Chemical Society</i> , 2020 , 142, 3525-3531	16.4	65
196	Cooperative CO ₂ -to-ethanol conversion via enriched intermediates at molecule-metal catalyst interfaces. <i>Nature Catalysis</i> , 2020 , 3, 75-82	36.5	164
195	Exploring Anomalous Fluid Behavior at the Nanoscale: Direct Visualization and Quantification via Nanofluidic Devices. <i>Accounts of Chemical Research</i> , 2020 , 53, 347-357	24.3	25

194	Increased Temperature and Turbulence Alter the Effects of Leachates from Tire Particles on Fathead Minnow (). <i>Environmental Science & Technology</i> , 2020 , 54, 1750-1759	10.3	23
193	Oxygen-tolerant electroproduction of C2 products from simulated flue gas. <i>Energy and Environmental Science</i> , 2020 , 13, 554-561	35.4	45
192	When robotics met fluidics. <i>Lab on A Chip</i> , 2020 , 20, 709-716	7.2	16
191	Efficient electrocatalytic conversion of carbon dioxide in a low-resistance pressurized alkaline electrolyzer. <i>Applied Energy</i> , 2020 , 261, 114305	10.7	30
190	Catalyst synthesis under CO2 electroreduction favours faceting and promotes renewable fuels electrosynthesis. <i>Nature Catalysis</i> , 2020 , 3, 98-106	36.5	158
189	Tuning OH binding energy enables selective electrochemical oxidation of ethylene to ethylene glycol. <i>Nature Catalysis</i> , 2020 , 3, 14-22	36.5	41
188	Promoting CO methanation via ligand-stabilized metal oxide clusters as hydrogen-donating motifs. <i>Nature Communications</i> , 2020 , 11, 6190	17.4	30
187	Enhanced multi-carbon alcohol electroproduction from CO via modulated hydrogen adsorption. <i>Nature Communications</i> , 2020 , 11, 3685	17.4	28
186	High-Rate and Efficient Ethylene Electrosynthesis Using a Catalyst/Promoter/Transport Layer. <i>ACS Energy Letters</i> , 2020 , 5, 2811-2818	20.1	39
185	Accelerating Fluid Development on a Chip for Renewable Energy. <i>Energy & Fuels</i> , 2020 , 34, 11219-11226	11.2	7
184	CO2 Electroreduction to Methane at Production Rates Exceeding 100 mA/cm2. <i>ACS Sustainable Chemistry and Engineering</i> , 2020 , 8, 14668-14673	8.3	14
183	Continuous Carbon Dioxide Electroreduction to Concentrated Multi-carbon Products Using a Membrane Electrode Assembly. <i>Joule</i> , 2019 , 3, 2777-2791	27.8	155
182	Identification of Microfibers in the Environment Using Multiple Lines of Evidence. <i>Environmental Science & Technology</i> , 2019 , 53, 11877-11887	10.3	30
181	Live sperm trap microarray for high throughput imaging and analysis. <i>Lab on A Chip</i> , 2019 , 19, 815-824	7.2	6
180	Magnetic Extraction of Microplastics from Environmental Samples. <i>Environmental Science and Technology Letters</i> , 2019 , 6, 68-72	11	100
179	Natural gas vaporization in a nanoscale throat connected model of shale: multi-scale, multi-component and multi-phase. <i>Lab on A Chip</i> , 2019 , 19, 272-280	7.2	24
178	Fluorescent Dyes for Visualizing Microplastic Particles and Fibers in Laboratory-Based Studies. <i>Environmental Science and Technology Letters</i> , 2019 , 6, 334-340	11	55
177	Deep learning for the classification of human sperm. <i>Computers in Biology and Medicine</i> , 2019 , 111, 103342	11.2	35

176	Prediction of DNA Integrity from Morphological Parameters Using a Single-Sperm DNA Fragmentation Index Assay. <i>Advanced Science</i> , 2019 , 6, 1900712	13.6	12
175	Binding Site Diversity Promotes CO Electroreduction to Ethanol. <i>Journal of the American Chemical Society</i> , 2019 , 141, 8584-8591	16.4	178
174	Electrochemical CO Reduction into Chemical Feedstocks: From Mechanistic Electrocatalysis Models to System Design. <i>Advanced Materials</i> , 2019 , 31, e1807166	24	396
173	Two-dimensional planar swimming selects for high DNA integrity sperm. <i>Lab on A Chip</i> , 2019 , 19, 2161-2167	16.7	10
172	Accessory-free quantitative smartphone imaging of colorimetric paper-based assays. <i>Lab on A Chip</i> , 2019 , 19, 1991-1999	7.2	30
171	Efficient electrocatalytic conversion of carbon monoxide to propanol using fragmented copper. <i>Nature Catalysis</i> , 2019 , 2, 251-258	36.5	111
170	Deep learning-based selection of human sperm with high DNA integrity. <i>Communications Biology</i> , 2019 , 2, 250	6.7	28
169	Dopant-tuned stabilization of intermediates promotes electrosynthesis of valuable C3 products. <i>Nature Communications</i> , 2019 , 10, 4807	17.4	13
168	Hydroxide promotes carbon dioxide electroreduction to ethanol on copper via tuning of adsorbed hydrogen. <i>Nature Communications</i> , 2019 , 10, 5814	17.4	95
167	Efficient upgrading of CO to C fuel using asymmetric C-C coupling active sites. <i>Nature Communications</i> , 2019 , 10, 5186	17.4	55
166	Constraining CO coverage on copper promotes high-efficiency ethylene electroproduction. <i>Nature Catalysis</i> , 2019 , 2, 1124-1131	36.5	89
165	Multi-site electrocatalysts for hydrogen evolution in neutral media by destabilization of water molecules. <i>Nature Energy</i> , 2019 , 4, 107-114	62.3	264
164	Deep Learning with Microfluidics for Biotechnology. <i>Trends in Biotechnology</i> , 2019 , 37, 310-324	15.1	92
163	Direct Visualization of Evaporation in a Two-Dimensional Nanoporous Model for Unconventional Natural Gas. <i>ACS Applied Nano Materials</i> , 2018 , 1, 1332-1338	5.6	25
162	Hydronium-Induced Switching between CO Electroreduction Pathways. <i>Journal of the American Chemical Society</i> , 2018 , 140, 3833-3837	16.4	100
161	Visualization of fracturing fluid dynamics in a nanofluidic chip. <i>Journal of Petroleum Science and Engineering</i> , 2018 , 165, 181-186	4.4	22
160	Pore-scale analysis of steam-solvent coinjection: azeotropic temperature, dilution and asphaltene deposition. <i>Fuel</i> , 2018 , 220, 151-158	7.1	20
159	Deformation of microdroplets in crude oil for rapid screening of enhanced oil recovery additives. <i>Journal of Petroleum Science and Engineering</i> , 2018 , 165, 298-304	4.4	7

158	Fluorescence in sub-10 nm channels with an optical enhancement layer. <i>Lab on A Chip</i> , 2018 , 18, 568-573	7.2	12
157	A Platform for High-Throughput Assessments of Environmental Multistressors. <i>Advanced Science</i> , 2018 , 5, 1700677	13.6	5
156	Full Characterization of CO-Oil Properties On-Chip: Solubility, Diffusivity, Extraction Pressure, Miscibility, and Contact Angle. <i>Analytical Chemistry</i> , 2018 , 90, 2461-2467	7.8	58
155	Asphaltene Deposition during Bitumen Extraction with Natural Gas Condensate and Naphtha. <i>Energy & Fuels</i> , 2018 , 32, 1433-1439	4.1	29
154	Digestible Fluorescent Coatings for Cumulative Quantification of Microplastic Ingestion. <i>Environmental Science and Technology Letters</i> , 2018 , 5, 62-67	11	11
153	Capillary Condensation in 8 nm Deep Channels. <i>Journal of Physical Chemistry Letters</i> , 2018 , 9, 497-503	6.4	42
152	Emerging microalgae technology: a review. <i>Sustainable Energy and Fuels</i> , 2018 , 2, 13-38	5.8	53
151	Nanoscale Phase Measurement for the Shale Challenge: Multicomponent Fluids in Multiscale Volumes. <i>Langmuir</i> , 2018 , 34, 9927-9935	4	28
150	Dopant-induced electron localization drives CO reduction to C hydrocarbons. <i>Nature Chemistry</i> , 2018 , 10, 974-980	17.6	435
149	Metal-Organic Frameworks Mediate Cu Coordination for Selective CO Electroreduction. <i>Journal of the American Chemical Society</i> , 2018 , 140, 11378-11386	16.4	188
148	2D Metal Oxyhalide-Derived Catalysts for Efficient CO Electroreduction. <i>Advanced Materials</i> , 2018 , 30, e1802858	24	123
147	Steering post-C ₁ coupling selectivity enables high efficiency electroreduction of carbon dioxide to multi-carbon alcohols. <i>Nature Catalysis</i> , 2018 , 1, 421-428	36.5	348
146	Combined high alkalinity and pressurization enable efficient CO ₂ electroreduction to CO. <i>Energy and Environmental Science</i> , 2018 , 11, 2531-2539	35.4	147
145	Low pressure supercritical CO ₂ extraction of astaxanthin from <i>Haematococcus pluvialis</i> demonstrated on a microfluidic chip. <i>Bioresource Technology</i> , 2018 , 250, 481-485	11	29
144	Disposable silicon-glass microfluidic devices: precise, robust and cheap. <i>Lab on A Chip</i> , 2018 , 18, 3872-3880	10	25
143	Nanomodel visualization of fluid injections in tight formations. <i>Nanoscale</i> , 2018 , 10, 21994-22002	7.7	32
142	A Surface Reconstruction Route to High Productivity and Selectivity in CO Electroreduction toward C Hydrocarbons. <i>Advanced Materials</i> , 2018 , 30, e1804867	24	131
141	Bubble Point Pressures of Hydrocarbon Mixtures in Multiscale Volumes from Density Functional Theory. <i>Langmuir</i> , 2018 , 34, 14058-14068	4	17

140	Copper adparticle enabled selective electrosynthesis of n-propanol. <i>Nature Communications</i> , 2018 , 9, 4614	17.4	86
139	High Rate, Selective, and Stable Electroreduction of CO ₂ to CO in Basic and Neutral Media. <i>ACS Energy Letters</i> , 2018 , 3, 2835-2840	20.1	136
138	Copper nanocavities confine intermediates for efficient electrosynthesis of C ₃ alcohol fuels from carbon monoxide. <i>Nature Catalysis</i> , 2018 , 1, 946-951	36.5	205
137	Copper-on-nitride enhances the stable electrosynthesis of multi-carbon products from CO. <i>Nature Communications</i> , 2018 , 9, 3828	17.4	164
136	CO electroreduction to ethylene via hydroxide-mediated copper catalysis at an abrupt interface. <i>Science</i> , 2018 , 360, 783-787	33.3	980
135	Bubble nucleation and growth in nanochannels. <i>Physical Chemistry Chemical Physics</i> , 2017 , 19, 8223-8229	3.6	29
134	Light dilution via wavelength management for efficient high-density photobioreactors. <i>Biotechnology and Bioengineering</i> , 2017 , 114, 1160-1169	4.9	22
133	Microfluidic pore-scale comparison of alcohol- and alkaline-based SAGD processes. <i>Journal of Petroleum Science and Engineering</i> , 2017 , 154, 139-149	4.4	37
132	Changes in mineral reactivity driven by pore fluid mobility in partially wetted porous media. <i>Chemical Geology</i> , 2017 , 463, 1-11	4.2	23
131	Periodic harvesting of microalgae from calcium alginate hydrogels for sustained high-density production. <i>Biotechnology and Bioengineering</i> , 2017 , 114, 2023-2031	4.9	7
130	Hydrothermal disruption of algae cells for astaxanthin extraction. <i>Green Chemistry</i> , 2017 , 19, 106-111	10	19
129	Turning the Page: Advancing Paper-Based Microfluidics for Broad Diagnostic Application. <i>Chemical Reviews</i> , 2017 , 117, 8447-8480	68.1	333
128	Direct visualization of fluid dynamics in sub-10 nm nanochannels. <i>Nanoscale</i> , 2017 , 9, 9556-9561	7.7	16
127	Nanomorphology-Enhanced Gas-Evolution Intensifies CO ₂ Reduction Electrochemistry. <i>ACS Sustainable Chemistry and Engineering</i> , 2017 , 5, 4031-4040	8.3	84
126	Field-emission from quantum-dot-in-perovskite solids. <i>Nature Communications</i> , 2017 , 8, 14757	17.4	68
125	Pore-scale analysis of condensing solvent bitumen extraction. <i>Fuel</i> , 2017 , 193, 284-293	7.1	24
124	Condensation in One-Dimensional Dead-End Nanochannels. <i>ACS Nano</i> , 2017 , 11, 304-313	16.7	41
123	A penalty on photosynthetic growth in fluctuating light. <i>Scientific Reports</i> , 2017 , 7, 12513	4.9	33

122	Microfluidics for sperm analysis and selection. <i>Nature Reviews Urology</i> , 2017 , 14, 707-730	5.5	80
121	Roadmap for optofluidics. <i>Journal of Optics (United Kingdom)</i> , 2017 , 19, 093003	1.7	55
120	Microfluidics-based measurement of solubility and diffusion coefficient of propane in bitumen. <i>Fuel</i> , 2017 , 210, 23-31	7.1	24
119	The Full Pressure-Temperature Phase Envelope of a Mixture in 1000 Microfluidic Chambers. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 13962-13967	16.4	9
118	Microfluidic and nanofluidic phase behaviour characterization for industrial CO, oil and gas. <i>Lab on A Chip</i> , 2017 , 17, 2740-2759	7.2	56
117	Joint tuning of nanostructured Cu-oxide morphology and local electrolyte programs high-rate CO ₂ reduction to C ₂ H ₄ . <i>Green Chemistry</i> , 2017 , 19, 4023-4030	10	31
116	Self-adaptive Bioinspired Hummingbird-wing Stimulated Triboelectric Nanogenerators. <i>Scientific Reports</i> , 2017 , 7, 17143	4.9	22
115	The Full Pressure-Temperature Phase Envelope of a Mixture in 1000 Microfluidic Chambers. <i>Angewandte Chemie</i> , 2017 , 129, 14150-14155	3.6	2
114	Frontispiz: The Full Pressure-Temperature Phase Envelope of a Mixture in 1000 Microfluidic Chambers. <i>Angewandte Chemie</i> , 2017 , 129,	3.6	1
113	Paper-based sperm DNA integrity analysis. <i>Analytical Methods</i> , 2016 , 8, 6260-6264	3.2	19
112	High-Density Nanosharp Microstructures Enable Efficient CO Electroreduction. <i>Nano Letters</i> , 2016 , 16, 7224-7228	11.5	126
111	Microfluidic Manufacturing of Polymeric Nanoparticles: Comparing Flow Control of Multiscale Structure in Single-Phase Staggered Herringbone and Two-Phase Reactors. <i>Langmuir</i> , 2016 , 32, 12781-12789	14.789	37
110	Photon management for augmented photosynthesis. <i>Nature Communications</i> , 2016 , 7, 12699	17.4	142
109	Breathable waveguides for combined light and CO ₂ delivery to microalgae. <i>Bioresource Technology</i> , 2016 , 209, 391-6	11	13
108	Direct Measurement of the Fluid Phase Diagram. <i>Analytical Chemistry</i> , 2016 , 88, 6986-9	7.8	17
107	Paper-Based Quantification of Male Fertility Potential. <i>Clinical Chemistry</i> , 2016 , 62, 458-65	5.5	46
106	Biomass-to-biocrude on a chip via hydrothermal liquefaction of algae. <i>Lab on A Chip</i> , 2016 , 16, 256-60	7.2	25
105	Self-assembled nanoparticle-stabilized photocatalytic reactors. <i>Nanoscale</i> , 2016 , 8, 2107-15	7.7	18

104	Dual gradients of light intensity and nutrient concentration for full-factorial mapping of photosynthetic productivity. <i>Lab on A Chip</i> , 2016 , 16, 2785-90	7.2	9
103	Predominance of sperm motion in corners. <i>Scientific Reports</i> , 2016 , 6, 26669	4.9	32
102	Turning the corner in fertility: high DNA integrity of boundary-following sperm. <i>Lab on A Chip</i> , 2016 , 16, 2418-22	7.2	22
101	A combined method for pore-scale optical and thermal characterization of SAGD. <i>Journal of Petroleum Science and Engineering</i> , 2016 , 146, 866-873	4.4	20
100	Enhanced electrocatalytic CO reduction via field-induced reagent concentration. <i>Nature</i> , 2016 , 537, 382-384	9.9	997
99	Wavelength-selective plasmonics for enhanced cultivation of microalgae. <i>Applied Physics Letters</i> , 2015 , 106, 063902	3.4	19
98	Surface Plasmon Resonance for Crude Oil Characterization. <i>Energy & Fuels</i> , 2015 , 29, 3019-3023	4.1	9
97	Microfluidic assessment of swimming media for motility-based sperm selection. <i>Biomicrofluidics</i> , 2015 , 9, 044113	3.2	23
96	Direct DNA Analysis with Paper-Based Ion Concentration Polarization. <i>Journal of the American Chemical Society</i> , 2015 , 137, 13913-9	16.4	100
95	Two-dimensional slither swimming of sperm within a micrometre of a surface. <i>Nature Communications</i> , 2015 , 6, 8703	17.4	103
94	Microfluidics and Their Macro Applications for the Oil and Gas Industry. <i>The Way Ahead</i> , 2015 , 11, 8-10		7
93	Microalgae on display: a microfluidic pixel-based irradiance assay for photosynthetic growth. <i>Lab on A Chip</i> , 2015 , 15, 3116-24	7.2	29
92	Microfluidic Synthesis of Photoresponsive Spool-Like Block Copolymer Nanoparticles: Flow-Directed Formation and Light-Triggered Dissociation. <i>Chemistry of Materials</i> , 2015 , 27, 8094-8104	9.6	25
91	Detection of bubble and dew point using optical thin-film interference. <i>Sensors and Actuators B: Chemical</i> , 2015 , 207, 640-649	8.5	13
90	Fast fluorescence-based microfluidic method for measuring minimum miscibility pressure of CO2 in crude oils. <i>Analytical Chemistry</i> , 2015 , 87, 3160-4	7.8	45
89	Rapid selection of sperm with high DNA integrity. <i>Lab on A Chip</i> , 2014 , 14, 1142-50	7.2	94
88	Lab-in-a-pen: a diagnostics format familiar to patients for low-resource settings. <i>Lab on A Chip</i> , 2014 , 14, 957-63	7.2	22
87	Out-of-plane ion concentration polarization for scalable water desalination. <i>Lab on A Chip</i> , 2014 , 14, 681-52	7.2	35

86	Chip-off-the-old-rock: the study of reservoir-relevant geological processes with real-rock micromodels. <i>Lab on A Chip</i> , 2014 , 14, 4382-90	7.2	92
85	Nanoporous membranes enable concentration and transport in fully wet paper-based assays. <i>Analytical Chemistry</i> , 2014 , 86, 8090-7	7.8	62
84	Pore-Scale Assessment of Nanoparticle-Stabilized CO ₂ Foam for Enhanced Oil Recovery. <i>Energy & Fuels</i> , 2014 , 28, 6221-6227	4.1	116
83	Determination of dew point conditions for CO ₂ with impurities using microfluidics. <i>Environmental Science & Technology</i> , 2014 , 48, 3567-74	10.3	36
82	Energy: the microfluidic frontier. <i>Lab on A Chip</i> , 2014 , 14, 3127-34	7.2	109
81	Nanoparticle Stabilized CO ₂ in Water Foam for Mobility Control in Enhanced Oil Recovery via Microfluidic Method 2014 ,		12
80	Evanescent cultivation of photosynthetic bacteria on thin waveguides. <i>Journal of Micromechanics and Microengineering</i> , 2014 , 24, 045017	2	12
79	A photosynthetic-plasmonic-voltaic cell: Excitation of photosynthetic bacteria and current collection through a plasmonic substrate. <i>Applied Physics Letters</i> , 2014 , 104, 043704	3.4	20
78	Steam-on-a-chip for oil recovery: the role of alkaline additives in steam assisted gravity drainage. <i>Lab on A Chip</i> , 2013 , 13, 3832-9	7.2	66
77	Field tested milliliter-scale blood filtration device for point-of-care applications. <i>Biomicrofluidics</i> , 2013 , 7, 44111	3.2	24
76	Quantification of ovarian cancer markers with integrated microfluidic concentration gradient and imaging nanohole surface plasmon resonance. <i>Analyst, The</i> , 2013 , 138, 1450-8	5	49
75	Morphological control via chemical and shear forces in block copolymer self-assembly in the lab-on-chip. <i>ACS Nano</i> , 2013 , 7, 1424-36	16.7	52
74	Aquifer-on-a-chip: understanding pore-scale salt precipitation dynamics during CO ₂ sequestration. <i>Lab on A Chip</i> , 2013 , 13, 2508-18	7.2	83
73	Flow-directed loading of block copolymer micelles with hydrophobic probes in a gas-liquid microreactor. <i>Langmuir</i> , 2013 , 29, 8385-94	4	24
72	Measurement of CO ₂ diffusivity for carbon sequestration: a microfluidic approach for reservoir-specific analysis. <i>Environmental Science & Technology</i> , 2013 , 47, 71-8	10.3	63
71	Bitumen-Toluene Mutual Diffusion Coefficients Using Microfluidics. <i>Energy & Fuels</i> , 2013 , 27, 2042-2048	4.4	57
70	Microfluidics Underground: A Micro-Core Method for Pore Scale Analysis of Supercritical CO ₂ Reactive Transport in Saline Aquifers. <i>Journal of Fluids Engineering, Transactions of the ASME</i> , 2013 , 135,	2.1	17
69	Optothermal sample preconcentration and manipulation with temperature gradient focusing. <i>Microfluidics and Nanofluidics</i> , 2012 , 12, 221-228	2.8	15

68	Hand-powered microfluidics: A membrane pump with a patient-to-chip syringe interface. <i>Biomicrofluidics</i> , 2012 , 6, 44102	3.2	34
67	Laminated thin-film Teflon chips for petrochemical applications. <i>Lab on A Chip</i> , 2012 , 12, 4236-9	7.2	19
66	Evanescent photosynthesis: exciting cyanobacteria in a surface-confined light field. <i>Physical Chemistry Chemical Physics</i> , 2012 , 14, 4817-23	3.6	18
65	Surface-enhanced Raman scattering (SERS) optrodes for multiplexed on-chip sensing of Nile blue A and oxazine 720. <i>Lab on A Chip</i> , 2012 , 12, 1554-60	7.2	42
64	Optofluidic concentration: plasmonic nanostructure as concentrator and sensor. <i>Nano Letters</i> , 2012 , 12, 1592-6	11.5	102
63	Slab waveguide photobioreactors for microalgae based biofuel production. <i>Lab on A Chip</i> , 2012 , 12, 3740-5	3.5	31
62	Flow-directed assembly of block copolymer vesicles in the lab-on-a-chip. <i>Langmuir</i> , 2012 , 28, 15756-61	4	35
61	Culturing photosynthetic bacteria through surface plasmon resonance. <i>Applied Physics Letters</i> , 2012 , 101, 253701	3.4	21
60	Flow-directed block copolymer micelle morphologies via microfluidic self-assembly. <i>Journal of the American Chemical Society</i> , 2011 , 133, 18853-64	16.4	84
59	Geometrical Effects on the Temperature Distribution in a Half-Space Due to a Moving Heat Source. <i>Journal of Heat Transfer</i> , 2011 , 133,	1.8	9
58	Rapid Microfluidics-Based Measurement of CO ₂ Diffusivity in Bitumen. <i>Energy & Fuels</i> , 2011 , 25, 4829-4835	4.1	74
57	Optofluidics for energy applications. <i>Nature Photonics</i> , 2011 , 5, 583-590	33.9	223
56	A plate-frame flow-through microfluidic fuel cell stack. <i>Journal of Power Sources</i> , 2011 , 196, 9481-9487	8.9	45
55	Microfluidic liquid actuation through ground-directed electric discharge. <i>Microfluidics and Nanofluidics</i> , 2011 , 11, 653-662	2.8	4
54	Radial sample preconcentration. <i>Lab on A Chip</i> , 2011 , 11, 1102-9	7.2	22
53	Fractal Flow Patterns in Hydrophobic Microfluidic Pore Networks: Experimental Modeling of Two-Phase Flow in Porous Electrodes. <i>Journal of the Electrochemical Society</i> , 2010 , 157, B760	3.9	16
52	Portable audio electronics for impedance-based measurements in microfluidics. <i>Journal of Micromechanics and Microengineering</i> , 2010 , 20, 087001	2	2
51	Flow-through vs flow-over: analysis of transport and binding in nanohole array plasmonic biosensors. <i>Analytical Chemistry</i> , 2010 , 82, 10015-20	7.8	90

50	Controlled self-assembly of quantum dot-block copolymer colloids in multiphase microfluidic reactors. <i>Langmuir</i> , 2010 , 26, 716-23	4	45
49	Partial wetting gas-liquid segmented flow microreactor. <i>Lab on A Chip</i> , 2010 , 10, 1732-4	7.2	21
48	Laminar Fully Developed Flow in Periodically ConvergingDiverging Microtubes. <i>Heat Transfer Engineering</i> , 2010 , 31, 628-634	1.7	21
47	Nanohole Arrays in Metal Films as Integrated Chemical Sensors and Biosensors. <i>Springer Series on Chemical Sensors and Biosensors</i> , 2010 , 155-179	2	
46	Plasmonics 2010 , 18-1-18-37		
45	Advances in Microfluidic Fuel Cells 2009 , 99-139		6
44	Pressure Drop in Rectangular Microchannels as Compared With Theory Based on Arbitrary Cross Section. <i>Journal of Fluids Engineering, Transactions of the ASME</i> , 2009 , 131,	2.1	39
43	Microfluidic and nanofluidic integration of plasmonic substrates for biosensing 2009 ,		3
42	Microfluidic fuel cells: A review. <i>Journal of Power Sources</i> , 2009 , 186, 353-369	8.9	440
41	Attomolar protein detection using in-hole surface plasmon resonance. <i>Journal of the American Chemical Society</i> , 2009 , 131, 436-7	16.4	112
40	Nanoholes as nanochannels: flow-through plasmonic sensing. <i>Analytical Chemistry</i> , 2009 , 81, 4308-11	7.8	223
39	A microfluidic fuel cell with flow-through porous electrodes. <i>Journal of the American Chemical Society</i> , 2008 , 130, 4000-6	16.4	255
38	A new generation of sensors based on extraordinary optical transmission. <i>Accounts of Chemical Research</i> , 2008 , 41, 1049-57	24.3	423
37	Lab-on-chip methodologies for the study of transport in porous media: energy applications. <i>Lab on A Chip</i> , 2008 , 8, 689-93	7.2	77
36	Biaxial nanohole array sensing and optofluidic integration 2008 ,		2
35	Controlled self-assembly of quantum dots and block copolymers in a microfluidic device. <i>Langmuir</i> , 2008 , 24, 637-43	4	51
34	Formation and shear-induced processing of quantum dot colloidal assemblies in a multiphase microfluidic chip. <i>Langmuir</i> , 2008 , 24, 10596-603	4	45
33	Development of plasmonic substrates for biosensing 2008 ,		5

32	Nanohole arrays in metal films as optofluidic elements: progress and potential. <i>Microfluidics and Nanofluidics</i> , 2008 , 4, 107-116	2.8	70
31	An alkaline microfluidic fuel cell based on formate and hypochlorite bleach. <i>Electrochimica Acta</i> , 2008 , 54, 698-705	6.7	90
30	Dynamic Microfluidic Photomasking. <i>Journal of Microelectromechanical Systems</i> , 2007 , 16, 1145-1151	2.5	2
29	On-chip surface-based detection with nanohole arrays. <i>Analytical Chemistry</i> , 2007 , 79, 4094-100	7.8	227
28	High-performance microfluidic vanadium redox fuel cell. <i>Electrochimica Acta</i> , 2007 , 52, 4942-4946	6.7	102
27	Effect of compression on liquid water transport and microstructure of PEMFC gas diffusion layers. <i>Journal of Power Sources</i> , 2007 , 163, 784-792	8.9	245
26	Planar and three-dimensional microfluidic fuel cell architectures based on graphite rod electrodes. <i>Journal of Power Sources</i> , 2007 , 168, 379-390	8.9	107
25	Integrated electrochemical velocimetry for microfluidic devices. <i>Microfluidics and Nanofluidics</i> , 2007 , 3, 403-416	2.8	34
24	Hydrodynamic dispersion of neutral solutes in nanochannels: the effect of streaming potential. <i>Microfluidics and Nanofluidics</i> , 2007 , 3, 723-728	2.8	16
23	Planar and Three-Dimensional Microfluidic Fuel Cell Architectures 2007 , 941		
22	Hydrogen Peroxide as an Oxidant for Microfluidic Fuel Cells. <i>Journal of the Electrochemical Society</i> , 2007 , 154, B1220	3.9	100
21	High-efficiency electrokinetic micromixing through symmetric sequential injection and expansion. <i>Lab on A Chip</i> , 2006 , 6, 1033-9	7.2	45
20	Improved fuel utilization in microfluidic fuel cells: A computational study. <i>Journal of Power Sources</i> , 2005 , 143, 57-66	8.9	140
19	A sequential injection microfluidic mixing strategy. <i>Microfluidics and Nanofluidics</i> , 2005 , 1, 319-327	2.8	40
18	Thermally induced velocity gradients in electroosmotic microchannel flows: the cooling influence of optical infrastructure. <i>Experiments in Fluids</i> , 2004 , 37, 872-882	2.5	24
17	Thermal end effects on electroosmotic flow in a capillary. <i>International Journal of Heat and Mass Transfer</i> , 2004 , 47, 3145-3157	4.9	84
16	Electroosmotic flow with Joule heating effects. <i>Lab on A Chip</i> , 2004 , 4, 230-6	7.2	128
15	A miniaturized high-voltage integrated power supply for portable microfluidic applications. <i>Lab on A Chip</i> , 2004 , 4, 87-90	7.2	42

14	Microbubble lensing-induced photobleaching (EBLIP) with application to microflow visualization. <i>Experiments in Fluids</i> , 2003 , 35, 178-187	2.5	15
13	Visualization and numerical modelling of microfluidic on-chip injection processes. <i>Journal of Colloid and Interface Science</i> , 2003 , 260, 431-9	9.3	37
12	A dynamic loading method for controlling on-chip microfluidic sample injection. <i>Journal of Colloid and Interface Science</i> , 2003 , 266, 448-56	9.3	36
11	Electroosmotic velocity profiles in microchannels. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2003 , 222, 273-283	5.1	64
10	Numerical simulation of microfluidic injection processes in crossing microchannels. <i>Journal of Micromechanics and Microengineering</i> , 2003 , 13, 739-747	2	36
9	Effects of liquid conductivity differences on multi-component sample injection, pumping and stacking in microfluidic chips. <i>Lab on A Chip</i> , 2003 , 3, 173-9	7.2	18
8	Joule heating and heat transfer in poly(dimethylsiloxane) microfluidic systems. <i>Lab on A Chip</i> , 2003 , 3, 141-9	7.2	221
7	Direct and indirect electroosmotic flow velocity measurements in microchannels. <i>Journal of Colloid and Interface Science</i> , 2002 , 254, 184-9	9.3	45
6	Efficient electrosynthesis of n-propanol from carbon monoxide using a AgRuCu catalyst. <i>Nature Energy</i> ,	62.3	9
5	Downstream of the CO ₂ Electrolyzer: Assessing the Energy Intensity of Product Separation. <i>ACS Energy Letters</i> , 4405-4412	20.1	7
4	A common contaminant shifts impacts of climate change on a plant-microbe mutualism: effects of temperature, CO ₂ and leachate from tire wear particles		1
3	Glycerol Oxidation Pairs with Carbon Monoxide Reduction for Low-Voltage Generation of C ₂ and C ₃ Product Streams. <i>ACS Energy Letters</i> , 3538-3544	20.1	6
2	Past, Present, and Future of Microfluidic Fluid Analysis in the Energy Industry. <i>Energy & Fuels</i> ,	4.1	0
1	Carbon-efficient carbon dioxide electrolyzers. <i>Nature Sustainability</i> ,	22.1	7