

Antonio de Vicente

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8481943/antonio-de-vicente-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

136
papers

4,701
citations

36
h-index

64
g-index

143
ext. papers

5,788
ext. citations

4.3
avg, IF

5.58
L-index

#	Paper	IF	Citations
136	The iturin and fengycin families of lipopeptides are key factors in antagonism of <i>Bacillus subtilis</i> toward <i>Podosphaera fusca</i> . <i>Molecular Plant-Microbe Interactions</i> , 2007 , 20, 430-40	3.6	439
135	Plant protection and growth stimulation by microorganisms: biotechnological applications of <i>Bacilli</i> in agriculture. <i>Current Opinion in Biotechnology</i> , 2011 , 22, 187-93	11.4	341
134	Isolation and characterization of antagonistic <i>Bacillus subtilis</i> strains from the avocado rhizoplane displaying biocontrol activity. <i>Journal of Applied Microbiology</i> , 2007 , 103, 1950-9	4.7	172
133	Surfactin triggers biofilm formation of <i>Bacillus subtilis</i> in melon phylloplane and contributes to the biocontrol activity. <i>Environmental Microbiology</i> , 2014 , 16, 2196-211	5.2	133
132	The antagonistic strain <i>Bacillus subtilis</i> UMAF6639 also confers protection to melon plants against cucurbit powdery mildew by activation of jasmonate- and salicylic acid-dependent defence responses. <i>Microbial Biotechnology</i> , 2013 , 6, 264-74	6.3	128
131	The powdery mildew fungus <i>Podosphaera fusca</i> (synonym <i>Podosphaera xanthii</i>), a constant threat to cucurbits. <i>Molecular Plant Pathology</i> , 2009 , 10, 153-60	5.7	117
130	<i>Pseudomonas syringae</i> Diseases of Fruit Trees: Progress Toward Understanding and Control. <i>Plant Disease</i> , 2007 , 91, 4-17	1.5	107
129	The iturin-like lipopeptides are essential components in the biological control arsenal of <i>Bacillus subtilis</i> against bacterial diseases of cucurbits. <i>Molecular Plant-Microbe Interactions</i> , 2011 , 24, 1540-52	3.6	100
128	Mechanisms of resistance to QoI fungicides in phytopathogenic fungi. <i>International Microbiology</i> , 2008 , 11, 1-9	3	99
127	Enhancing Soil Quality and Plant Health Through Suppressive Organic Amendments. <i>Diversity</i> , 2012 , 4, 475-491	2.5	98
126	Screening for candidate bacterial biocontrol agents against soilborne fungal plant pathogens. <i>Plant and Soil</i> , 2011 , 340, 505-520	4.2	96
125	Biological control of peach brown rot (<i>Monilinia</i> spp.) by <i>Bacillus subtilis</i> CPA-8 is based on production of fengycin-like lipopeptides. <i>European Journal of Plant Pathology</i> , 2012 , 132, 609-619	2.1	90
124	Isolation and evaluation of antagonistic bacteria towards the cucurbit powdery mildew fungus <i>Podosphaera fusca</i> . <i>Applied Microbiology and Biotechnology</i> , 2004 , 64, 263-9	5.7	90
123	Accumulation of glutamine synthetase during early development of maritime pine (<i>Pinus pinaster</i>) seedlings. <i>Planta</i> , 1991 , 185, 372-8	4.7	90
122	Effect of lipopeptides of antagonistic strains of <i>Bacillus subtilis</i> on the morphology and ultrastructure of the cucurbit fungal pathogen <i>Podosphaera fusca</i> . <i>Journal of Applied Microbiology</i> , 2007 , 103, 969-76	4.7	86
121	Evaluation of biological control agents for managing cucurbit powdery mildew on greenhouse-grown melon. <i>Plant Pathology</i> , 2007 , 56, 976-986	2.8	72
120	GFP sheds light on the infection process of avocado roots by <i>Rosellinia necatrix</i> . <i>Fungal Genetics and Biology</i> , 2009 , 46, 137-45	3.9	63

119	Copper Resistance in <i>Pseudomonas syringae</i> Strains Isolated from Mango Is Encoded Mainly by Plasmids. <i>Phytopathology</i> , 2002 , 92, 909-16	3.8	63
118	Coliphages as an indicator of faecal pollution in water. Its relationship with indicator and pathogenic microorganisms. <i>Water Research</i> , 1987 , 21, 1473-1480	12.5	63
117	Up-regulation and localization of asparagine synthetase in tomato leaves infected by the bacterial pathogen <i>Pseudomonas syringae</i> . <i>Plant and Cell Physiology</i> , 2004 , 45, 770-80	4.9	62
116	The extracellular matrix protects <i>Bacillus subtilis</i> colonies from <i>Pseudomonas</i> invasion and modulates plant co-colonization. <i>Nature Communications</i> , 2019 , 10, 1919	17.4	59
115	Cytosolic localization in tomato mesophyll cells of a novel glutamine synthetase induced in response to bacterial infection or phosphinothricin treatment. <i>Planta</i> , 1998 , 206, 426-434	4.7	59
114	Two similar enhanced root-colonizing <i>Pseudomonas</i> strains differ largely in their colonization strategies of avocado roots and <i>Rosellinia necatrix</i> hyphae. <i>Environmental Microbiology</i> , 2008 , 10, 3295-304	5.2	58
113	Bacterial Apical Necrosis of Mango in Southern Spain: A Disease Caused by <i>Pseudomonas syringae</i> pv. <i>syringae</i> . <i>Phytopathology</i> , 1998 , 88, 614-20	3.8	56
112	A genomic region involved in the formation of adhesin fibers in <i>Bacillus cereus</i> biofilms. <i>Frontiers in Microbiology</i> , 2014 , 5, 745	5.7	55
111	Organic amendments and land management affect bacterial community composition, diversity and biomass in avocado crop soils. <i>Plant and Soil</i> , 2012 , 357, 215-226	4.2	52
110	Occurrence and distribution of resistance to QoI fungicides in populations of <i>Podosphaera fusca</i> in south central Spain. <i>European Journal of Plant Pathology</i> , 2006 , 115, 215-222	2.1	52
109	Resistance to the SDHI Fungicides Boscalid, Fluopyram, Fluxapyroxad, and Penthiopyrad in <i>Botrytis cinerea</i> from Commercial Strawberry Fields in Spain. <i>Plant Disease</i> , 2017 , 101, 1306-1313	1.5	44
108	Occurrence of races and pathotypes of cucurbit powdery mildew in southeastern Spain. <i>Phytoparasitica</i> , 2002 , 30, 459-466	1.5	44
107	Effect of mycoparasitic fungi on the development of <i>Sphaerotheca fusca</i> in melon leaves. <i>Mycological Research</i> , 2003 , 107, 64-71		43
106	Mangotoxin: a novel antimetabolite toxin produced by <i>Pseudomonas syringae</i> inhibiting ornithine/arginine biosynthesis. <i>Physiological and Molecular Plant Pathology</i> , 2003 , 63, 117-127	2.6	43
105	Comparative histochemical analyses of oxidative burst and cell wall reinforcement in compatible and incompatible melon-powdery mildew (<i>Podosphaera fusca</i>) interactions. <i>Journal of Plant Physiology</i> , 2008 , 165, 1895-905	3.6	38
104	Differential Expression of Glutamine Synthetase Isoforms in Tomato Detached Leaflets Infected with <i>Pseudomonas syringae</i> pv. <i>tomato</i> . <i>Molecular Plant-Microbe Interactions</i> , 1995 , 8, 96	3.6	38
103	Isolation and selection of plant growth-promoting rhizobacteria as inducers of systemic resistance in melon. <i>Plant and Soil</i> , 2012 , 358, 201-212	4.2	36
102	Chemical and metabolic aspects of antimetabolite toxins produced by <i>Pseudomonas syringae</i> pathovars. <i>Toxins</i> , 2011 , 3, 1089-110	4.9	36

101	Molecular characterization of a cDNA clone encoding glutamine synthetase from a gymnosperm, <i>Pinus sylvestris</i> . <i>Plant Molecular Biology</i> , 1993 , 22, 819-28	4.6	36
100	The <i>dar</i> genes of <i>Pseudomonas chlororaphis</i> PCL1606 are crucial for biocontrol activity via production of the antifungal compound 2-hexyl, 5-propyl resorcinol. <i>Molecular Plant-Microbe Interactions</i> , 2013 , 26, 554-65	3.6	34
99	Field resistance to QoI fungicides in <i>Podosphaera fusca</i> is not supported by typical mutations in the mitochondrial cytochrome b gene. <i>Pest Management Science</i> , 2008 , 64, 694-702	4.6	34
98	A nonribosomal peptide synthetase gene (<i>mgoA</i>) of <i>Pseudomonas syringae</i> pv. <i>syringae</i> is involved in mangotoxin biosynthesis and is required for full virulence. <i>Molecular Plant-Microbe Interactions</i> , 2007 , 20, 500-9	3.6	34
97	Biocontrol bacteria selected by a direct plant protection strategy against avocado white root rot show antagonism as a prevalent trait. <i>Journal of Applied Microbiology</i> , 2010 , 109, 65-78	4.7	32
96	Long-term Preservation of <i>Podosphaera fusca</i> Using Silica Gel. <i>Journal of Phytopathology</i> , 2006 , 154, 190-192	1.8	32
95	Biological control of avocado white root rot with combined applications of <i>Trichoderma</i> spp. and rhizobacteria. <i>European Journal of Plant Pathology</i> , 2014 , 138, 751-762	2.1	31
94	Comparative Genomic Analysis of <i>Pseudomonas chlororaphis</i> PCL1606 Reveals New Insight into Antifungal Compounds Involved in Biocontrol. <i>Molecular Plant-Microbe Interactions</i> , 2015 , 28, 249-60	3.6	30
93	The <i>mbo</i> operon is specific and essential for biosynthesis of mangotoxin in <i>Pseudomonas syringae</i> . <i>PLoS ONE</i> , 2012 , 7, e36709	3.7	30
92	Recruitment and rearrangement of three different genetic determinants into a conjugative plasmid increase copper resistance in <i>Pseudomonas syringae</i> . <i>Applied and Environmental Microbiology</i> , 2013 , 79, 1028-33	4.8	30
91	Transformation of undomesticated strains of <i>Bacillus subtilis</i> by protoplast electroporation. <i>Journal of Microbiological Methods</i> , 2006 , 66, 556-9	2.8	30
90	Development of <i>Sphaerotheca fusca</i> on susceptible, resistant, and temperature-sensitive resistant melon cultivars. <i>Mycological Research</i> , 2001 , 105, 1216-1222		30
89	Analysis of β tubulin-carbendazim interaction reveals that binding site for MBC fungicides does not include residues involved in fungicide resistance. <i>Scientific Reports</i> , 2018 , 8, 7161	4.9	29
88	Organic amendments to avocado crops induce suppressiveness and influence the composition and activity of soil microbial communities. <i>Applied and Environmental Microbiology</i> , 2015 , 81, 3405-18	4.8	28
87	Role of 2-hexyl, 5-propyl resorcinol production by <i>Pseudomonas chlororaphis</i> PCL1606 in the multitrophic interactions in the avocado rhizosphere during the biocontrol process. <i>FEMS Microbiology Ecology</i> , 2014 , 89, 20-31	4.3	28
86	Heavy metal toxicity and genotoxicity in water and sewage determined by microbiological methods. <i>Environmental Toxicology and Chemistry</i> , 2000 , 19, 1552-1558	3.8	28
85	Microbial Profiling of a Suppressiveness-Induced Agricultural Soil Amended with Composted Almond Shells. <i>Frontiers in Microbiology</i> , 2016 , 7, 4	5.7	28
84	Fitness Features Involved in the Biocontrol Interaction of With Host Plants: The Case Study of PcPCL1606. <i>Frontiers in Microbiology</i> , 2019 , 10, 719	5.7	27

83	Metabolic responses of avocado plants to stress induced by <i>Rosellinia necatrix</i> analysed by fluorescence and thermal imaging. <i>European Journal of Plant Pathology</i> , 2015 , 142, 625-632	2.1	27
82	Molecular architecture of bacterial amyloids in biofilms. <i>FASEB Journal</i> , 2019 , 33, 12146-12163	0.9	27
81	THE INHIBITION OF METHANOGENIC ACTIVITY FROM ANAEROBIC DOMESTIC SLUDGES AS A SIMPLE TOXICITY BIOASSAY. <i>Water Research</i> , 1998 , 32, 1338-1342	12.5	27
80	Selection for biocontrol bacteria antagonistic toward <i>Rosellinia necatrix</i> by enrichment of competitive avocado root tip colonizers. <i>Research in Microbiology</i> , 2007 , 158, 463-70	4	27
79	Contribution of mangotoxin to the virulence and epiphytic fitness of <i>Pseudomonas syringae</i> pv. <i>syringae</i> . <i>International Microbiology</i> , 2009 , 12, 87-95	3	27
78	Comparative Genomics Within the <i>Bacillus</i> Genus Reveal the Singularities of Two Robust <i>Bacillus amyloliquefaciens</i> Biocontrol Strains. <i>Molecular Plant-Microbe Interactions</i> , 2015 , 28, 1102-16	3.6	26
77	Dual functionality of the amyloid protein TasA in <i>Bacillus</i> physiology and fitness on the phylloplane. <i>Nature Communications</i> , 2020 , 11, 1859	17.4	25
76	The mangotoxin biosynthetic operon (mbo) is specifically distributed within <i>Pseudomonas syringae</i> genomospecies 1 and was acquired only once during evolution. <i>Applied and Environmental Microbiology</i> , 2013 , 79, 756-67	4.8	24
75	Characterization of Resistance to Six Chemical Classes of Site-Specific Fungicides Registered for Gray Mold Control on Strawberry in Spain. <i>Plant Disease</i> , 2016 , 100, 2234-2239	1.5	23
74	Environmentally friendly treatment alternatives to Bordeaux mixture for controlling bacterial apical necrosis (BAN) of mango. <i>Plant Pathology</i> , 2012 , 61, 665-676	2.8	23
73	Transformation of the cucurbit powdery mildew pathogen <i>Podosphaera xanthii</i> by <i>Agrobacterium tumefaciens</i> . <i>New Phytologist</i> , 2017 , 213, 1961-1973	9.8	22
72	A <i>Pseudomonas syringae</i> diversity survey reveals a differentiated phylotype of the pathovar <i>syringae</i> associated with the mango host and mangotoxin production. <i>Phytopathology</i> , 2013 , 103, 1115-29 ⁸	3.8	22
71	Light-dependent changes of tomato glutamine synthetase in response to <i>Pseudomonas syringae</i> infection or phosphinothricin treatment. <i>Physiologia Plantarum</i> , 1998 , 102, 377-384	4.6	22
70	First Report of Mango Malformation Disease Caused by <i>Fusarium mangiferae</i> in Spain. <i>Plant Disease</i> , 2012 , 96, 286	1.5	22
69	Sensitivities to DMI fungicides in populations of <i>Podosphaera fusca</i> in south central Spain. <i>Pest Management Science</i> , 2010 , 66, 801-8	4.6	21
68	Differential expression of β 1,3-glucanase in susceptible and resistant melon cultivars in response to infection by <i>Sphaerotheca fusca</i> . <i>Physiological and Molecular Plant Pathology</i> , 2002 , 61, 257-265	2.6	21
67	The role of organic amendments to soil for crop protection: Induction of suppression of soilborne pathogens. <i>Annals of Applied Biology</i> , 2020 , 176, 1-15	2.6	21
66	Fungicide Resistance in Powdery Mildew Fungi. <i>Microorganisms</i> , 2020 , 8,	4.9	20

65	The Functional Characterization of Podosphaera xanthii Candidate Effector Genes Reveals Novel Target Functions for Fungal Pathogenicity. <i>Molecular Plant-Microbe Interactions</i> , 2018 , 31, 914-931	3.6	19
64	Characterisation of the mgo operon in Pseudomonas syringae pv. syringae UMAF0158 that is required for mangotoxin production. <i>BMC Microbiology</i> , 2012 , 12, 10	4.5	19
63	Field evaluation of treatments for the control of the bacterial apical necrosis of mango (Mangifera indica) caused by Pseudomonas syringae pv. syringae. <i>European Journal of Plant Pathology</i> , 2006 , 116, 279-288	2.1	19
62	De novo Analysis of the Epiphytic Transcriptome of the Cucurbit Powdery Mildew Fungus Podosphaera xanthii and Identification of Candidate Secreted Effector Proteins. <i>PLoS ONE</i> , 2016 , 11, e0163379	3.7	19
61	Multiple displacement amplification, a powerful tool for molecular genetic analysis of powdery mildew fungi. <i>Current Genetics</i> , 2007 , 51, 209-19	2.9	18
60	62-kb plasmids harboring rulAB homologues confer UV-tolerance and epiphytic fitness to Pseudomonas syringae pv. syringae mango isolates. <i>Microbial Ecology</i> , 2008 , 56, 283-91	4.4	18
59	Mangotoxin production of Pseudomonas syringae pv. syringae is regulated by MgoA. <i>BMC Microbiology</i> , 2014 , 14, 46	4.5	17
58	Evaluation of the effectiveness of biocontrol bacteria against avocado white root rot occurring under commercial greenhouse plant production conditions. <i>Biological Control</i> , 2013 , 67, 94-100	3.8	17
57	Bioinformatics Analysis of the Complete Genome Sequence of the Mango Tree Pathogen Pseudomonas syringae pv. syringae UMAF0158 Reveals Traits Relevant to Virulence and Epiphytic Lifestyle. <i>PLoS ONE</i> , 2015 , 10, e0136101	3.7	17
56	Two genomic regions encoding exopolysaccharide production systems have complementary functions in B. cereus multicellularity and host interaction. <i>Scientific Reports</i> , 2020 , 10, 1000	4.9	15
55	Heteroplasmy for the Cytochrome b Gene in Podosphaera xanthii and its Role in Resistance to QoI Fungicides in Spain. <i>Plant Disease</i> , 2018 , 102, 1599-1605	1.5	15
54	pv. Associated With Mango Trees, a Particular Pathogen Within the "Hodgepodge" of the Complex. <i>Frontiers in Plant Science</i> , 2019 , 10, 570	6.2	15
53	Cellulose production in Pseudomonas syringae pv. syringae: a compromise between epiphytic and pathogenic lifestyles. <i>FEMS Microbiology Ecology</i> , 2015 , 91,	4.3	14
52	Biofilm formation displays intrinsic offensive and defensive features of. <i>Npj Biofilms and Microbiomes</i> , 2020 , 6, 3	8.2	14
51	Biological role of EPS from Pseudomonas syringae pv. syringae UMAF0158 extracellular matrix, focusing on a Psl-like polysaccharide. <i>Npj Biofilms and Microbiomes</i> , 2020 , 6, 37	8.2	14
50	Detection of White Root Rot in Avocado Trees by Remote Sensing. <i>Plant Disease</i> , 2019 , 103, 1119-1125	1.5	12
49	Analysis of Genetic Diversity of Fusarium tuiense, the Main Causal Agent of Mango Malformation Disease in Southern Spain. <i>Plant Disease</i> , 2016 , 100, 276-286	1.5	12
48	Complete sequence and comparative genomic analysis of eight native Pseudomonas syringae plasmids belonging to the pPT23A family. <i>BMC Genomics</i> , 2017 , 18, 365	4.5	12

47	Monitoring Methyl Benzimidazole Carbamate-Resistant Isolates of the Cucurbit Powdery Mildew Pathogen, , Using Loop-Mediated Isothermal Amplification. <i>Plant Disease</i> , 2019 , 103, 1515-1524	1.5	12
46	Characterization of biocontrol bacterial strains isolated from a suppressiveness-induced soil after amendment with composted almond shells. <i>Research in Microbiology</i> , 2017 , 168, 583-593	4	11
45	Transient transformation of <i>Podosphaera xanthii</i> by electroporation of conidia. <i>BMC Microbiology</i> , 2015 , 15, 20	4.5	11
44	More than words: the chemistry behind the interactions in the plant holobiont. <i>Environmental Microbiology</i> , 2020 , 22, 4532-4544	5.2	11
43	Further Support of Conspecificity of Oak and Mango Powdery Mildew and First Report of <i>Erysiphe quercicola</i> and <i>Erysiphe alphitoides</i> on Mango in Mainland Europe. <i>Plant Disease</i> , 2017 , 101, 1086-1093	1.5	10
42	<i>Pantoea agglomerans</i> as a New Etiological Agent of a Bacterial Necrotic Disease of Mango Trees. <i>Phytopathology</i> , 2019 , 109, 17-26	3.8	10
41	Genes Involved in the Production of Antimetabolite Toxins by <i>Pseudomonas syringae</i> Pathovars. <i>Genes</i> , 2011 , 2, 640-60	4.2	10
40	Effectors with chitinase activity (EWCA), a family of conserved, secreted fungal chitinases that suppress chitin-triggered immunity. <i>Plant Cell</i> , 2021 , 33, 1319-1340	11.6	10
39	Sclerotization as a long-term preservation method for <i>Rosellinia necatrix</i> strains. <i>Mycoscience</i> , 2012 , 53, 460-465	1.2	9
38	A method for estimation of population densities of ice nucleating active <i>Pseudomonas syringae</i> in buds and leaves of mango. <i>Journal of Applied Bacteriology</i> , 1995 , 79, 341-346		9
37	Beyond the expected: the structural and functional diversity of bacterial amyloids. <i>Critical Reviews in Microbiology</i> , 2018 , 44, 653-666	7.8	9
36	Effects of nickel and lead and a support material on the methanogenesis from sewage sludge. <i>Letters in Applied Microbiology</i> , 1996 , 23, 339-342	2.9	8
35	A Hybrid Genome Assembly Resource for , the Main Causal Agent of Powdery Mildew Disease in Cucurbits. <i>Molecular Plant-Microbe Interactions</i> , 2021 , 34, 319-324	3.6	7
34	Biological Control of Phytopathogenic Fungi by Aerobic Endospore-Formers. <i>Soil Biology</i> , 2011 , 157-180 ₁		6
33	First Report of Bacterial Leaf Spot (<i>Pseudomonas syringae</i> pv. <i>coriandricola</i>) of Coriander in Spain. <i>Journal of Phytopathology</i> , 2005 , 153, 181-184	1.8	6
32	Impact of motility and chemotaxis features of the rhizobacterium <i>Pseudomonas chlororaphis</i> PCL1606 on its biocontrol of avocado white root rot. <i>International Microbiology</i> , 2017 , 20, 95-104	3	6
31	A haustorial-expressed lytic polysaccharide monooxygenase from the cucurbit powdery mildew pathogen <i>Podosphaera xanthii</i> contributes to the suppression of chitin-triggered immunity. <i>Molecular Plant Pathology</i> , 2021 , 22, 580-601	5.7	6
30	Beyond the Wall: Exopolysaccharides in the Biofilm Lifestyle of Pathogenic and Beneficial Plant-Associated. <i>Microorganisms</i> , 2021 , 9,	4.9	6

29	Transformation by growth onto agro-infiltrated tissues (TGAT), a simple and efficient alternative for transient transformation of the cucurbit powdery mildew pathogen <i>Podosphaera xanthii</i> . <i>Molecular Plant Pathology</i> , 2018 , 19, 2502-2515	5.7	5
28	darR and darS are regulatory genes that modulate 2-hexyl, 5-propyl resorcinol transcription in <i>Pseudomonas chlororaphis</i> PCL1606. <i>Microbiology (United Kingdom)</i> , 2014 , 160, 2670-2680	2.9	5
27	<i>Pseudomonas syringae</i> pv. <i>syringae</i> as Microorganism Involved in Apical Necrosis of Mango: Characterization of Some Virulence Factors. <i>Developments in Plant Pathology</i> , 1997 , 82-87		4
26	First Occurrence of Cucurbit Powdery Mildew Caused by Race 3-5 of <i>Podosphaera fusca</i> in Spain. <i>Plant Disease</i> , 2009 , 93, 1073	1.5	4
25	Sporulation is dispensable for the vegetable-associated life cycle of the human pathogen <i>Bacillus cereus</i> . <i>Microbial Biotechnology</i> , 2021 , 14, 1550-1565	6.3	4
24	Draft Genome Sequence of the Rhizobacterium PCL1601, Displaying Biocontrol against Soilborne Phytopathogens. <i>Genome Announcements</i> , 2017 , 5,		3
23	Extracellular matrix components are required to protect <i>Bacillus subtilis</i> from T6SS-dependent <i>Pseudomonas</i> invasion and modulate co-colonization of plants		3
22	Soil Application of a Formulated Biocontrol Rhizobacterium, PCL1606, Induces Soil Suppressiveness by Impacting Specific Microbial Communities. <i>Frontiers in Microbiology</i> , 2020 , 11, 1874	5.7	3
21	Multifunctional Amyloids in the Biology of Gram-Positive Bacteria. <i>Microorganisms</i> , 2020 , 8,	4.9	3
20	Role of extracellular matrix components in the formation of biofilms and their contribution to the biocontrol activity of <i>Pseudomonas chlororaphis</i> PCL1606. <i>Environmental Microbiology</i> , 2021 , 23, 2086-2101	5.2	3
19	Bacterial extracellular matrix as a natural source of biotechnologically multivalent materials. <i>Computational and Structural Biotechnology Journal</i> , 2021 , 19, 2796-2805	6.8	3
18	A Large Tn7-like Transposon Confers Hyper-Resistance to Copper in pv. <i>syringae</i> . <i>Applied and Environmental Microbiology</i> , 2020 ,	4.8	3
17	Response of the Biocontrol Agent <i>Pseudomonas pseudoalcaligenes</i> AVO110 to <i>Rosellinia necatrix</i> Exudate. <i>Applied and Environmental Microbiology</i> , 2019 , 85,	4.8	2
16	Powdery Mildew of Dill (<i>Anethum graveolens</i>): A New Disease Caused by <i>Erysiphe heraclei</i> Detected in Spain. <i>Plant Disease</i> , 2004 , 88, 905	1.5	2
15	Dual functionality of the TasA amyloid protein in <i>Bacillus</i> physiology and fitness on the phylloplane		2
14	Chemical interplay and complementary adaptative strategies toggle bacterial antagonism and co-existence. <i>Cell Reports</i> , 2021 , 36, 109449	10.6	2
13	The race for antimicrobials in the multidrug resistance era. <i>Microbial Biotechnology</i> , 2018 , 11, 976-978	6.3	1
12	Biofilm formation displays intrinsic offensive and defensive features of <i>Bacillus cereus</i>		1

11	First Report of Fludioxonil Resistance in <i>Botrytis cinerea</i> , the Causal Agent of Gray Mold, From Strawberry Fields in Spain. <i>Plant Disease</i> , 2016 , 100, 1779-1779	1.5	1
10	The Haustorium of Phytopathogenic Fungi: A Short Overview of a Specialized Cell of Obligate Biotrophic Plant Parasites. <i>Progress in Botany Fortschritte Der Botanik</i> , 2020 , 337-355	0.6	1
9	Chemical interplay and complementary adaptative strategies toggle bacterial antagonism and co-existence		1
8	First Report of Fenpyrazamine Resistance in <i>Botrytis cinerea</i> from Strawberry Fields in Spain. <i>Plant Health Progress</i> , 2018 , 19, 45-45	1.2	1
7	Resistance to the SDHI Fungicides Boscalid and Fluopyram in Populations from Commercial Cucurbit Fields in Spain. <i>Journal of Fungi (Basel, Switzerland)</i> , 2021 , 7,	5.6	1
6	First Report of Powdery Mildew Elicited by <i>Erysiphe diffusa</i> on Papaya (<i>Carica papaya</i>) in Spain. <i>Plant Disease</i> , 2019 , 103, 2477-2477	1.5	0
5	Understanding Bacterial Physiology for Improving Full Fitness. <i>Progress in Biological Control</i> , 2020 , 47-60.	0.6	0
4	First Report of <i>Pantoea ananatis</i> Causing Necrotic Symptoms in Mango Trees in the Canary Islands, Spain. <i>Plant Disease</i> , 2019 , 103, 1017	1.5	0
3	Characterization of <i>Fusarium mangiferae</i> isolates from mango malformation disease in Southern Spain. <i>European Journal of Plant Pathology</i> , 2014 , 139, 253	2.1	
2	First Report of Powdery Mildew Elicited by <i>Podosphaera fusca</i> (Synonym <i>Podosphaera xanthii</i>) on <i>Euryops pectinatus</i> in Spain. <i>Plant Disease</i> , 2008 , 92, 835	1.5	
1	First Report of Powdery Mildew on Peppermint (<i>Mentha piperita</i>) Caused by <i>Golovinomyces biocellatus</i> in Spain. <i>Plant Disease</i> , 2019 , 103, 1427-1427	1.5	