

# Masashi Hase

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8482164/masashi-hase-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

145  
papers

4,652  
citations

27  
h-index

66  
g-index

151  
ext. papers

4,855  
ext. citations

2.6  
avg, IF

4.68  
L-index

#	Paper	IF	Citations
145	Magnetic properties of oxides with high concentrations of rare-earth elements R <sub>6</sub> AO <sub>12</sub> (R = rare-earth element, A = Mo or W). <i>Journal of Magnetism and Magnetic Materials</i> , <b>2021</b> , 523, 167539	2.8	
144	Magnetocaloric Effect in Erbium Scandium Alloys. <i>IEEE Transactions on Magnetics</i> , <b>2021</b> , 1-1	2	0
143	Data-driven determination of the spin Hamiltonian parameters and their uncertainties: The case of the zigzag-chain compound KCu <sub>4</sub> P <sub>3</sub> O <sub>12</sub> . <i>Physical Review B</i> , <b>2020</b> , 101,	3.3	2
142	Emergent spin-1 Haldane gap and ferroelectricity in a frustrated spin-1/2 ladder. <i>Physical Review B</i> , <b>2020</b> , 101,	3.3	1
141	Magnetocaloric Effect in the Double Perovskites Sr <sub>2</sub> RRuO <sub>6</sub> (R = Dy and Tb). <i>Funtai Oyobi Fumatsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy</i> , <b>2020</b> , 67, 182-187	0.2	0
140	A Possible Magnetic Structure of the Cluster-Based Haldane Compound Fedotovite K <sub>2</sub> Cu <sub>3</sub> (SO <sub>4</sub> ) <sub>3</sub> . <i>Journal of the Physical Society of Japan</i> , <b>2019</b> , 88, 094708	1.5	4
139	Reduction of the Ordered Magnetic Moment by Quantum Fluctuation in the Antiferromagnetic Spin-(5/2) Dimer Compound FeVMoO <sub>7</sub> . <i>Journal of the Physical Society of Japan</i> , <b>2019</b> , 88, 034711	1.5	
138	Magnetic and nonmagnetic impurity effects on Cu <sub>3</sub> Mo <sub>2</sub> O <sub>9</sub> . <i>Journal of Physics: Conference Series</i> , <b>2018</b> , 969, 012110	0.3	
137	<sup>133</sup> Cs-NMR study on aligned powder of competing spin chain compound Cs <sub>2</sub> Cu <sub>2</sub> Mo <sub>3</sub> O <sub>12</sub> . <i>Journal of Physics: Conference Series</i> , <b>2018</b> , 969, 012125	0.3	2
136	Magnetic properties of the antiferromagnetic spin-1/2 tetramer compound CuInVO <sub>5</sub> . <i>Journal of Physics: Conference Series</i> , <b>2018</b> , 969, 012100	0.3	
135	NMR study on the competing spin chain Rb <sub>2</sub> Cu <sub>2</sub> Mo <sub>3</sub> O <sub>12</sub> . <i>Journal of Physics: Conference Series</i> , <b>2017</b> , 828, 012016	0.3	6
134	NMR and ESR study on competing Heisenberg chain Cs <sub>2</sub> Cu <sub>2</sub> Mo <sub>3</sub> O <sub>12</sub> . <i>Journal of Physics: Conference Series</i> , <b>2017</b> , 828, 012017	0.3	2
133	Magnetism of the antiferromagnetic spin-1/2 dimer compound CrVMoO <sub>7</sub> having an antiferromagnetically ordered state. <i>Physical Review B</i> , <b>2017</b> , 95,	3.3	4
132	Rb-NMR study of the quasi-one-dimensional competing spin-chain compound Rb <sub>2</sub> Cu <sub>2</sub> Mo <sub>3</sub> O <sub>12</sub> . <i>Physical Review B</i> , <b>2017</b> , 96,	3.3	8
131	Magnetism of the spin-1 tetramer compound A <sub>2</sub> Ni <sub>2</sub> Mo <sub>3</sub> O <sub>12</sub> (A=Rb or K). <i>Physical Review B</i> , <b>2017</b> , 96,	3.3	4
130	Magnetism of the antiferromagnetic spin-1/2 tetramer compound CuInVO <sub>5</sub> . <i>Physical Review B</i> , <b>2016</b> , 94,	3.3	10
129	Magnetic structure of the spin-1/2 frustrated quasi-one-dimensional antiferromagnet Cu <sub>3</sub> Mo <sub>2</sub> O <sub>9</sub> : Appearance of a partially disordered state. <i>Physical Review B</i> , <b>2015</b> , 92,	3.3	11

128	Magnetic excitations in the spin-12 tetramer substance $\text{Cu}_2\text{Cd}_{11}\text{411B}_2\text{O}_6$ obtained by inelastic neutron scattering experiments. <i>Physical Review B</i> , <b>2015</b> , 92,	3.3	8
127	Muon-Spin Rotation in Multiferroic $\text{Cu}_3\text{Mo}_2\text{O}_9$ under Electric Fields. <i>Physics Procedia</i> , <b>2015</b> , 75, 221-229		1
126	Multiferroic Properties of $\text{Cu}_3(\text{Mo,W})_2\text{O}_9$ . <i>Physics Procedia</i> , <b>2015</b> , 75, 134-141		1
125	Science from the Initial Operation of HRC <b>2015</b> ,		4
124	Cu-NMR Study on the Quasi one Dimensional Antiferromagnet $\text{Cu}_3\text{Mo}_2\text{O}_9$ . <i>Physics Procedia</i> , <b>2015</b> , 75, 641-646		1
123	Magnetic State of the Geometrically Frustrated Quasi-One-Dimensional Spin System $\text{Cu}_3\text{Mo}_2\text{O}_9$ Studied by Thermal Conductivity. <i>Journal of the Physical Society of Japan</i> , <b>2015</b> , 84, 124601	1.5	1
122	Low Temperature Magnetic Properties of Frustrated Quantum Spin Chain System $\text{Rb}_2\text{Cu}_2\text{Mo}_3\text{O}_{12}$ <b>2014</b> ,		7
121	Direct Observation of the Ground State of a $1/3$ Quantum Magnetization Plateau in $\text{SrMn}_3\text{P}_4\text{O}_{14}$ Using Neutron Diffraction Measurements. <i>Journal of the Physical Society of Japan</i> , <b>2014</b> , 83, 104701	1.5	3
120	Raman Scattering in $(\text{Cu,Zn})_3(\text{Mo,W})_2\text{O}_9$ <b>2014</b> ,		2
119	Magnetic and Dielectric Properties in Multiferroic $\text{Cu}_3\text{Mo}_2\text{O}_9$ under High Magnetic Fields <b>2014</b> ,		2
118	Experimental confirmation of spin gap in antiferromagnetic alternating spin-32 chain substances $\text{RCrGeO}_5$ ( $\text{R}=\text{Y}$ or $\text{Sm}^{154}$ ) by inelastic neutron scattering experiments. <i>Physical Review B</i> , <b>2014</b> , 90,	3.3	5
117	Magnetism of $\text{SrM}_3\text{P}_4\text{O}_{14}$ ( $\text{M}^{2+} = 3\text{d}$ ions) investigated using neutron-scattering measurements. <i>Journal of the Korean Physical Society</i> , <b>2013</b> , 62, 1896-1899	0.6	
116	Thermal, dielectric, and magnetic properties in multiferroic $\text{Cu}_{2.85}\text{Zn}_{0.15}\text{Mo}_2\text{O}_9$ . <i>Journal of the Korean Physical Society</i> , <b>2013</b> , 63, 542-545	0.6	5
115	Magnetic Structure of $\text{SrCo}_3\text{P}_4\text{O}_{14}$ Determined from Neutron Powder Diffraction Results. <i>Journal of the Physical Society of Japan</i> , <b>2012</b> , 81, 064702	1.5	3
114	Neutron scattering studies of the spin-5/2 antiferromagnetic linear trimer substance $\text{SrMn}_3\text{P}_4\text{O}_{14}$ . <i>Journal of Physics: Conference Series</i> , <b>2012</b> , 340, 012066	0.3	0
113	Magnetic and electric properties in the distorted tetrahedral spin chain system $\text{Cu}_3\text{Mo}_2\text{O}_9$ . <i>Journal of Physics: Conference Series</i> , <b>2012</b> , 400, 032022	0.3	4
112	Magnetic Excitation and Electric Polarization in Strongly Coupled Spin Monomer and Dimer System $\text{Cu}_3\text{Mo}_2\text{O}_9$ . <i>Journal of the Physical Society of Japan</i> , <b>2012</b> , 81, 024711	1.5	26
111	NMR study on field-induced charge anomaly in $\text{Cu}_3\text{Mo}_2\text{O}_9$ . <i>Journal of Physics: Conference Series</i> , <b>2012</b> , 400, 032056	0.3	

110	NMR study on field-induced charge anomaly in Cu <sub>3</sub> Mo <sub>2</sub> O <sub>9</sub> . <i>Journal of Physics: Conference Series</i> , <b>2012</b> , 400, 032055	0.3	
109	Negative magnetization of Li <sub>2</sub> Ni <sub>2</sub> Mo <sub>3</sub> O <sub>12</sub> including two spin subsystems, distorted honeycomb lattice and linear chain. <i>Journal of Physics: Conference Series</i> , <b>2012</b> , 400, 032017	0.3	1
108	Hybridization of magnetic excitations between quasi-one-dimensional spin chains and spin dimers in Cu <sub>3</sub> Mo <sub>2</sub> O <sub>9</sub> observed using inelastic neutron scattering. <i>Physical Review B</i> , <b>2011</b> , 83,	3.3	19
107	Crystal growth of Cu <sub>3-x</sub> Zn <sub>x</sub> Mo <sub>2</sub> O <sub>9</sub> by continuous solid-state crystallization method. <i>Journal of Crystal Growth</i> , <b>2011</b> , 334, 108-112	1.6	10
106	Negative magnetization of Li <sub>2</sub> Ni <sub>2</sub> Mo <sub>3</sub> O <sub>12</sub> : A spin system composed of distorted honeycomb lattices and linear chains. <i>Physical Review B</i> , <b>2011</b> , 84,	3.3	9
105	Electric Polarization Induced by Nbl Order without Magnetic Superlattice: Experimental Study of Cu <sub>3</sub> Mo <sub>2</sub> O <sub>9</sub> and Numerical Study of a Small Spin Cluster. <i>Journal of the Physical Society of Japan</i> , <b>2011</b> , 80, 083705	1.5	31
104	Spiral magnetic structure in spin-52 frustrated trimerized chains in SrMn <sub>3</sub> P <sub>4</sub> O <sub>14</sub> . <i>Physical Review B</i> , <b>2011</b> , 84,	3.3	8
103	Magnetic excitations in the spin-52 antiferromagnetic trimer substance SrMn <sub>3</sub> P <sub>4</sub> O <sub>14</sub> . <i>Physical Review B</i> , <b>2011</b> , 84,	3.3	9
102	Triplon-spinon hybridization in Cu <sub>3</sub> Mo <sub>2</sub> O <sub>9</sub> observed using inelastic neutron scattering. <i>Journal of Physics: Conference Series</i> , <b>2010</b> , 200, 022028	0.3	7
101	Effects of magnetic field and pressure on the antiferromagnetic and weak-ferromagnetic orders in tetrahedral spin chain system Cu <sub>3</sub> Mo <sub>2</sub> O <sub>9</sub> . <i>Journal of Physics: Conference Series</i> , <b>2010</b> , 200, 022013	0.3	8
100	Magnetic structure of Cu <sub>2</sub> Cd <sub>2</sub> B <sub>2</sub> O <sub>6</sub> having magnetization plateau and antiferromagnetic long-range order. <i>Journal of Physics: Conference Series</i> , <b>2010</b> , 200, 022015	0.3	
99	High Field ESR Measurements of S=1/2 Quasi One-Dimensional Antiferromagnet Cu <sub>3</sub> Mo <sub>2</sub> O <sub>9</sub> . <i>Journal of Low Temperature Physics</i> , <b>2010</b> , 159, 32-36	1.3	8
98	High-field Magnetization of SrMn <sub>3</sub> P <sub>4</sub> O <sub>14</sub> Having Magnetization Plateau and Ferrimagnetic Long-range Order. <i>Journal of Low Temperature Physics</i> , <b>2010</b> , 159, 28-31	1.3	
97	Determination of a Spin System using Powder Neutron Scattering Measurements. <i>Hamon</i> , <b>2010</b> , 20, 119-123		
96	High-field magnetization of SrMn <sub>3</sub> P <sub>4</sub> O <sub>14</sub> exhibiting a quantum-mechanical magnetization plateau and classical magnetic long-range order. <i>Physical Review B</i> , <b>2009</b> , 80,	3.3	18
95	Low-temperature magnetization of the low-dimensional magnet Cu <sub>3</sub> Mo <sub>2</sub> O <sub>9</sub> under high magnetic fields. <i>Journal of Physics: Conference Series</i> , <b>2009</b> , 150, 042047	0.3	9
94	Magnetic structure of Cu <sub>2</sub> Cd <sub>2</sub> B <sub>2</sub> O <sub>6</sub> exhibiting a quantum-mechanical magnetization plateau and classical antiferromagnetic long-range order. <i>Physical Review B</i> , <b>2009</b> , 80,	3.3	20
93	Effects of substitution on quantum spin system having a nearly non-magnetic state and antiferromagnetic long-range order. <i>Journal of Physics: Conference Series</i> , <b>2009</b> , 150, 042050	0.3	

92	Observation of magnetic Bragg peaks in quasi-one-dimensional antiferromagnet Cu <sub>6</sub> Ge <sub>6</sub> O <sub>18</sub> -xD <sub>2</sub> O (x = 0, 6). <i>Journal of Physics: Conference Series</i> , <b>2009</b> , 150, 042051	0.3	1
91	Enhancement of Magnetic Frustration Caused by Zn Doping in Quasi-One-Dimensional Quantum Antiferromagnet Cu <sub>3</sub> Mo <sub>2</sub> O <sub>9</sub> . <i>Journal of the Physical Society of Japan</i> , <b>2008</b> , 77, 034706	1.5	24
90	Successive phase transitions to antiferromagnetic and weak-ferromagnetic long-range order in the quasi-one-dimensional antiferromagnet Cu <sub>3</sub> Mo <sub>2</sub> O <sub>9</sub> . <i>Physical Review B</i> , <b>2008</b> , 77,	3.3	38
89	Neutron scattering studies of spin-1/2 twofold-period (alternating) and threefold-period quantum antiferromagnetic chains. <i>Journal of Applied Physics</i> , <b>2008</b> , 103, 07B711	2.5	0
88	Direct observation of the energy gap generating the 1/2 magnetization plateau in the spin-1/2 trimer chain compound Cu <sub>3</sub> (P <sub>2</sub> O <sub>6</sub> OD) <sub>2</sub> by inelastic neutron scattering measurements. <i>Physical Review B</i> , <b>2007</b> , 76,	3.3	20
87	Inelastic neutron scattering study of the spin-gap cuprate AgCuPO <sub>4</sub> . <i>Physical Review B</i> , <b>2007</b> , 76,	3.3	4
86	Structural modifications caused by electrochemical lithium extraction for two types of layered LiVO <sub>2</sub> (R3̄m). <i>Journal of Power Sources</i> , <b>2007</b> , 174, 469-472	8.9	18
85	Experimental studies of magnetism of trimer chains. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2007</b> , 310, e375-e377	2.8	1
84	Effects of high pressure on : A one-dimensional system with competing ferromagnetic and antiferromagnetic interactions. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2007</b> , 310, e394-e396	2.8	4
83	High frequency ESR measurements of antiferromagnetic state in quantum spin system. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2007</b> , 310, e418-e419	2.8	5
82	Preparation and characterization of Ag-magadiite nanocomposites. <i>Journal of the European Ceramic Society</i> , <b>2007</b> , 27, 2665-2669	6	25
81	Magnetism of Cu <sub>2</sub> CdB <sub>2</sub> O <sub>6</sub> : Quantum spin system having a nearly singlet state and antiferromagnetic long-range order. <i>Journal of Applied Physics</i> , <b>2006</b> , 99, 08H504	2.5	1
80	Preparation and Electrochemical Properties of the Layered Material of Li <sub>[sub x]</sub> V <sub>[sub y]</sub> O <sub>[sub 2]</sub> (x=0.86 and y=0.8). <i>Journal of the Electrochemical Society</i> , <b>2006</b> , 153, A117	3.9	11
79	Ferrimagnetic long-range order caused by periodicity of exchange interactions in the spin-1 trimer chain compounds ANi <sub>3</sub> P <sub>4</sub> O <sub>14</sub> (A=Ca,Sr,Pb,Ba). <i>Physical Review B</i> , <b>2006</b> , 74,	3.3	14
78	1/2 magnetization plateau observed in the spin-1/2 trimer chain compound Cu <sub>3</sub> (P <sub>2</sub> O <sub>6</sub> OH) <sub>2</sub> . <i>Physical Review B</i> , <b>2006</b> , 73,	3.3	48
77	Effects of Hydrostatic Pressure on Rb <sub>2</sub> Cu <sub>2</sub> Mo <sub>3</sub> O <sub>12</sub> : a One-Dimensional System with Competing Ferromagnetic and Antiferromagnetic Interactions. <i>AIP Conference Proceedings</i> , <b>2006</b> ,	0	2
76	Studies of magnetization plateau in two cuprates. <i>Journal of Physics: Conference Series</i> , <b>2006</b> , 51, 159-162.	3	1
75	Magnetism of A <sub>2</sub> Cu <sub>2</sub> Mo <sub>3</sub> O <sub>12</sub> (A=Rb or Cs): Model compounds of a one-dimensional spin-1/2 Heisenberg system with ferromagnetic first-nearest-neighbor and antiferromagnetic second-nearest-neighbor interactions. <i>Journal of Applied Physics</i> , <b>2005</b> , 97, 10B303	2.5	19

74	Preparation and proton conductivity of monodisperse nanocrystals of pyrochlore-type antimonite acid and its niobium-substituted materials. <i>Electrochimica Acta</i> , <b>2005</b> , 50, 3205-3209	6.7	5
73	Coexistence of a nearly spin-singlet state and antiferromagnetic long-range order in quantum spin system $\text{Cu}_2\text{CdB}_2\text{O}_6$ . <i>Physical Review B</i> , <b>2005</b> , 72,	3.3	36
72	Photonic material for designing arbitrarily shaped mirrors and microcavities in two dimensions. <i>Journal of Applied Physics</i> , <b>2004</b> , 95, 4555-4558	2.5	2
71	Magnetic properties of a three-dimensional antiferromagnet formed by three bonds, $\text{Cu}_6\text{Ge}_6\text{O}_{18}\text{H}_2\text{O}$ ( $x=0\bar{B}$ ). <i>Journal of Magnetism and Magnetic Materials</i> , <b>2004</b> , 272-276, 869-871	2.8	3
70	Magnetic properties of $\text{Rb}_2\text{Cu}_2\text{Mo}_3\text{O}_{12}$ including a one-dimensional spin-1 Heisenberg system with ferromagnetic first-nearest-neighbor and antiferromagnetic second-nearest-neighbor exchange interactions. <i>Physical Review B</i> , <b>2004</b> , 70,	3.3	135
69	Magnetic properties of $\text{Cu}_6\text{Ge}_6\text{O}_{18}\text{H}_2\text{O}(x=0\bar{B})$ : A compound of $S=1/2$ Heisenberg competing antiferromagnetic chains coupled by interchain interaction. <i>Physical Review B</i> , <b>2003</b> , 68,	3.3	10
68	Photonic material for designing arbitrarily shaped waveguides in two dimensions. <i>Physical Review B</i> , <b>2003</b> , 67,	3.3	41
67	Isotropic photonic band gap and anisotropic structures in transmission spectra of two-dimensional fivefold and eightfold symmetric quasiperiodic photonic crystals. <i>Physical Review B</i> , <b>2002</b> , 66,	3.3	37
66	Muon spin relaxation in the spin-ring system $\text{Cu}_3\text{WO}_6$ : Quasistatic spin freezing at 7.0 K. <i>Physical Review B</i> , <b>2002</b> , 65,	3.3	5
65	Optical transmission spectra of two-dimensional quasiperiodic photonic crystals based on Penrose-tiling and octagonal-tiling systems. <i>Journal of Alloys and Compounds</i> , <b>2002</b> , 342, 455-459	5.7	7
64	Anomalous Softening of Spin-Phonon Coupled Mode on $\text{CuGeO}_3$ . <i>Journal of the Physical Society of Japan</i> , <b>2002</b> , 71, 2031-2034	1.5	
63	Spin-phonon coupled modes in the incommensurate phases of doped $\text{CuGeO}_3$ . <i>Physical Review B</i> , <b>2001</b> , 63,	3.3	3
62	Spin-Phonon Coupled Modes in the Incommensurate Phase of $\text{CuGeO}_3$ . <i>Journal of the Physical Society of Japan</i> , <b>2001</b> , 70, 3391-3397	1.5	3
61	Cold Neutron Inelastic Scattering Measurements of the Spin-Peierls and Antiferromagnetic Excitations in Si-doped $\text{CuGeO}_3$ Single Crystals. <i>Journal of the Physical Society of Japan</i> , <b>2000</b> , 69, 592-597	1.5	2
60	Development of novel method to create two-dimensional photonic crystals <b>2000</b> , 3990, 314		2
59	Anomalous behavior of folded phonon in spin-Peierls compound $\text{CuGeO}_3$ . <i>Physica B: Condensed Matter</i> , <b>2000</b> , 284-288, 1639-1640	2.8	
58	Far-infrared spectroscopy in the spin-Peierls compound $\text{CuGeO}_3$ under high magnetic fields. <i>Physical Review B</i> , <b>2000</b> , 62, 5191-5198	3.3	12
57	Development of Novel Method to Create Three-Dimensional Arrangements of Particles Using Dielectrophoresis in Artificially Nonuniform Electric Field. <i>Journal of Intelligent Material Systems and Structures</i> , <b>1999</b> , 10, 508-513	2.3	4

56	Coexistence of spin-Peierls and antiferromagnetic long-range orders in CuGeO <sub>3</sub> doped with impurities. <i>Journal of Magnetism and Magnetic Materials</i> , <b>1998</b> , 177-181, 611-616	2.8	8
55	Magneto-optical measurements of CuGeO <sub>3</sub> in far-infrared region. <i>Journal of Magnetism and Magnetic Materials</i> , <b>1998</b> , 177-181, 699-700	2.8	2
54	Doping effects on the folded phonon mode in the spin-Peierls systems CuGeO <sub>3</sub> and $\frac{1}{2}$ -NaV <sub>2</sub> O <sub>5</sub> . <i>Journal of Magnetism and Magnetic Materials</i> , <b>1998</b> , 177-181, 679-680	2.8	11
53	Raman scattering from magnetic excitations in Zn- and Si-doped CuGeO <sub>3</sub> . <i>Journal of Magnetism and Magnetic Materials</i> , <b>1998</b> , 177-181, 691-692	2.8	9
52	Magnetostriction measurements of CuGeO <sub>3</sub> in high magnetic fields. <i>Physica B: Condensed Matter</i> , <b>1998</b> , 246-247, 246-249	2.8	4
51	Exchange splitting in CuGeO <sub>3</sub> under ultrahigh magnetic fields. <i>Physical Review B</i> , <b>1998</b> , 57, 10276-10279	3.3	13
50	Spin-Peierls Gap and Two-Magnetic-Excitation Bound and Resonant States in Cu <sub>1-x</sub> Zn <sub>x</sub> GeO <sub>3</sub> and CuGe <sub>1-y</sub> Si <sub>y</sub> O <sub>3</sub> . <i>Journal of the Physical Society of Japan</i> , <b>1998</b> , 67, 1440-1450	1.5	17
49	Magnetic Excitations in the Si Doped Spin-Peierls Compound CuGe <sub>1-x</sub> Si <sub>x</sub> O <sub>3</sub> . <i>Journal of the Physical Society of Japan</i> , <b>1998</b> , 67, 645-650	1.5	14
48	Antiferromagnetic Order with Spatially Inhomogeneous Ordered Moment Size of Zn- and Si-Doped CuGeO <sub>3</sub> . <i>Physical Review Letters</i> , <b>1997</b> , 79, 503-506	7.4	81
47	Spin fluctuations in CuGeO <sub>3</sub> probed by light scattering. <i>Physical Review B</i> , <b>1997</b> , 55, 409-415	3.3	35
46	Spin-Peierls and antiferromagnetic phases in Cu <sub>1-x</sub> Zn <sub>x</sub> GeO <sub>3</sub> : A neutron-scattering study. <i>Physical Review B</i> , <b>1997</b> , 56, 3173-3180	3.3	101
45	Spin-singlet ground state with energy gaps in Cu <sub>2</sub> PO <sub>4</sub> : Neutron-scattering, magnetic-susceptibility, and ESR measurements. <i>Physical Review B</i> , <b>1997</b> , 56, 3231-3238	3.3	25
44	Spin-Peierls transition in CuGeO <sub>3</sub> . <i>Physica B: Condensed Matter</i> , <b>1997</b> , 237-238, 123-126	2.8	5
43	Neutron-Scattering Study of Magnetic Excitation in Six-Spin-Ring System Cu <sub>3</sub> WO <sub>6</sub> . <i>Journal of the Physical Society of Japan</i> , <b>1996</b> , 65, 372-375	1.5	3
42	Neutron-Scattering Study of Magnetism in Single-Crystal Cu <sub>1-x</sub> Zn <sub>x</sub> GeO <sub>3</sub> . <i>Journal of the Physical Society of Japan</i> , <b>1996</b> , 65, 1392-1398	1.5	104
41	Dimerized ground state and magnetic excitations in CaCuGe <sub>2</sub> O <sub>6</sub> . <i>Physical Review B</i> , <b>1996</b> , 53, 11642-11646	3.3	26
40	Effect of Impurity on Magnetic Phase of Spin-Peierls System; Magnetization of Cu <sub>1-x</sub> Zn <sub>x</sub> GeO <sub>3</sub> . <i>Journal of the Physical Society of Japan</i> , <b>1996</b> , 65, 273-279	1.5	21
39	Magnetostriction and Thermal Expansion Measurements of CuGeO <sub>3</sub> . <i>Journal of the Physical Society of Japan</i> , <b>1996</b> , 65, 2783-2785	1.5	8

38	Far-infrared spectroscopy in high magnetic fields. <i>Physica B: Condensed Matter</i> , <b>1996</b> , 216, 354-357	2.8	6
37	Raman-scattering study of CuGeO <sub>3</sub> . <i>Physica B: Condensed Matter</i> , <b>1996</b> , 219-220, 104-106	2.8	12
36	Observation of an antiferromagnetic resonance in the spin-Peierls compound CuGeO <sub>3</sub> doped with Zn. <i>Physical Review B</i> , <b>1996</b> , 54, R3722-R3725	3.3	35
35	New phase diagram of Zn-doped CuGeO <sub>3</sub> . <i>Physical Review B</i> , <b>1996</b> , 54, R6835-R6837	3.3	80
34	Magnetic phase transitions in CuGeO <sub>3</sub> in high magnetic fields. <i>Physica B: Condensed Matter</i> , <b>1995</b> , 211, 175-179	2.8	9
33	Faraday rotation and magnetization in CuGeO <sub>3</sub> in ultra-high magnetic fields. <i>Physica B: Condensed Matter</i> , <b>1995</b> , 211, 184-186	2.8	9
32	Lattice-dynamics and spin-excitations in the spin-Peierls compound CuGeO <sub>3</sub> . <i>Physica B: Condensed Matter</i> , <b>1995</b> , 213-214, 284-287	2.8	6
31	Antiferromagnetic long-range order caused by nonmagnetic impurities; magnetization of single-crystal Cu <sub>1-x</sub> Zn <sub>x</sub> GeO <sub>3</sub> . <i>Physica B: Condensed Matter</i> , <b>1995</b> , 215, 164-170	2.8	93
30	Spin-singlet ground state with energy gap in Cu <sub>3</sub> WO <sub>6</sub> : A new kind of an RVB state?. <i>Physica B: Condensed Matter</i> , <b>1995</b> , 215, 325-328	2.8	5
29	Spin-Peierls and spin-glass phases in pure and doped CuGeO <sub>3</sub> : a BR study. <i>Journal of Magnetism and Magnetic Materials</i> , <b>1995</b> , 140-144, 1687-1688	2.8	12
28	Effect of substitution on magnetic properties of CuGeO <sub>3</sub> . <i>Journal of Magnetism and Magnetic Materials</i> , <b>1995</b> , 140-144, 1691-1692	2.8	9
27	Large length-scale fluctuations at the spin-Peierls transition in CuGeO <sub>3</sub> . <i>Physical Review B</i> , <b>1995</b> , 52, 15420-15425	3.3	37
26	Observation of magnetization saturation of CuGeO <sub>3</sub> in ultrahigh magnetic fields up to 500 T. <i>Physical Review B</i> , <b>1995</b> , 52, 12749-12754	3.3	45
25	Characterization of the structural and magnetic fluctuations near the spin-Peierls transition in CuGeO <sub>3</sub> . <i>Physical Review B</i> , <b>1995</b> , 52, 15412-15419	3.3	18
24	Spectroscopic study of the electronic states of single-crystal CuGeO <sub>3</sub> . <i>Physical Review B</i> , <b>1995</b> , 52, 295-298	3.3	37
23	Discovery of a spin-singlet ground state with an energy gap in CaCuGe <sub>2</sub> O <sub>6</sub> . <i>Physical Review B</i> , <b>1995</b> , 52, 3533-3539	3.3	59
22	Structural properties of a low-dimensional magnet CuGeO <sub>3</sub> . <i>Synthetic Metals</i> , <b>1995</b> , 71, 1811-1812	3.6	
21	Phase Diagram of Spin-Peierls Cuprate CuGeO <sub>3</sub> Based on AC Susceptibility in High Magnetic Fields. <i>Journal of the Physical Society of Japan</i> , <b>1994</b> , 63, 1218-1219	1.5	17



20	Raman-scattering study of CuGeO <sub>3</sub> in the spin-Peierls phase. <i>Physical Review B</i> , <b>1994</b> , 50, 16468-16474	3.3	88
19	Dimerization of CuGeO <sub>3</sub> in the spin-Peierls state. <i>Physical Review Letters</i> , <b>1994</b> , 73, 736-739	7.4	247
18	Thermal contraction at the spin-Peierls transition in CuGeO <sub>3</sub> . <i>Physical Review B</i> , <b>1994</b> , 50, 12606-12610	3.3	46
17	Soft longitudinal modes in spin-singlet CuGeO <sub>3</sub> . <i>Physical Review B</i> , <b>1994</b> , 50, 1278-1281	3.3	109
16	Effect of magnetic field on a spin-peierls cuprate, CuGeO <sub>3</sub> . <i>Journal of Superconductivity and Novel Magnetism</i> , <b>1994</b> , 7, 295-297		
15	Spin-Peierls transition in a cuprate CuGeO <sub>3</sub> . <i>Physica B: Condensed Matter</i> , <b>1994</b> , 194-196, 269-270	2.8	2
14	Magnetization of pure and Zn-doped spin-Peierls cuprate CuGeO <sub>3</sub> in high magnetic field. <i>Physica B: Condensed Matter</i> , <b>1994</b> , 201, 167-170	2.8	6
13	AC susceptibility in the spin-Peierls compound CuGeO <sub>3</sub> under high magnetic fields. <i>Physica B: Condensed Matter</i> , <b>1994</b> , 201, 171-173	2.8	4
12	Far-infrared ESR study of cuprate compounds. <i>Physica B: Condensed Matter</i> , <b>1994</b> , 201, 174-177	2.8	10
11	Cu Nuclear Quadrupole Resonance Study of CuGeO <sub>3</sub> . <i>Journal of the Physical Society of Japan</i> , <b>1994</b> , 63, 872-875	1.5	33
10	Heat Capacity in an Inorganic Spin-Peierls System CuGeO <sub>3</sub> . <i>Journal of the Physical Society of Japan</i> , <b>1994</b> , 63, 365-366	1.5	20
9	Observation of the spin-Peierls transition in linear Cu <sup>2+</sup> (spin-1/2) chains in an inorganic compound CuGeO <sub>3</sub> . <i>Physical Review Letters</i> , <b>1993</b> , 70, 3651-3654	7.4	1348
8	Magnetic phase diagram of the spin-Peierls cuprate CuGeO <sub>3</sub> . <i>Physical Review B</i> , <b>1993</b> , 48, 9616-9619	3.3	190
7	Effects of substitution of Zn for Cu in the spin-Peierls cuprate, CuGeO <sub>3</sub> : The suppression of the spin-Peierls transition and the occurrence of a new spin-glass state. <i>Physical Review Letters</i> , <b>1993</b> , 71, 4059-4062	7.4	292
6	Doping effects on the anisotropic magnetic susceptibility in single-crystal La <sub>2-x</sub> Sr <sub>x</sub> CuO <sub>4</sub> . <i>Physica C: Superconductivity and Its Applications</i> , <b>1992</b> , 193, 365-370	1.3	26
5	Anisotropic susceptibility in the normal state and superconducting fluctuation-induced diamagnetism of single-crystal La <sub>2-x</sub> Sr <sub>x</sub> CuO <sub>4</sub> . <i>Physica C: Superconductivity and Its Applications</i> , <b>1991</b> , 185-189, 1855-1856	1.3	7
4	Physical properties of Bi <sub>2</sub> Sr <sub>2</sub> Ca <sub>n-1</sub> Cu <sub>n</sub> O <sub>y</sub> (n=1,2,3). <i>Physical Review B</i> , <b>1990</b> , 41, 6418-6434	3.3	283
3	Substitution of 3d metals for Cu in Bi <sub>2</sub> (Sr <sub>0.6</sub> Ca <sub>0.4</sub> ) <sub>3</sub> Cu <sub>2</sub> O <sub>y</sub> . <i>Physical Review B</i> , <b>1990</b> , 41, 4112-4117	3.3	125

2 Unusual Physical Properties of  $\text{Bi}_2\text{Sr}_2\text{Ca}_{n-1}\text{Cu}_n\text{O}_y$  Family Materials **1990**, 525-528

1 Effect of substitution of 3d metals for Cu in  $\text{Bi}_2(\text{Sr}_{0.6}\text{Ca}_{0.4})_3\text{Cu}_2\text{O}_y$ . *Physica C: Superconductivity and Its Applications*, **1989**, 162-164, 981-982

13 23