Randy Ewoldt

List of Publications by Citations

Source: https://exaly.com/author-pdf/8483848/randy-ewoldt-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

109 4,749 32 67 g-index

120 5,562 5.8 6.04 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
109	A review of nonlinear oscillatory shear tests: Analysis and application of large amplitude oscillatory shear (LAOS). <i>Progress in Polymer Science</i> , 2011 , 36, 1697-1753	29.6	852
108	New measures for characterizing nonlinear viscoelasticity in large amplitude oscillatory shear. <i>Journal of Rheology</i> , 2008 , 52, 1427-1458	4.1	613
107	Helicobacter pylori moves through mucus by reducing mucin viscoelasticity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 14321-6	11.5	269
106	Large amplitude oscillatory shear of pseudoplastic and elastoviscoplastic materials. <i>Rheologica Acta</i> , 2010 , 49, 191-212	2.3	201
105	Rheology of gastric mucin exhibits a pH-dependent sol-gel transition. <i>Biomacromolecules</i> , 2007 , 8, 1580	-6 .9	190
104	Describing and prescribing the constitutive response of yield stress fluids using large amplitude oscillatory shear stress (LAOStress). <i>Journal of Rheology</i> , 2013 , 57, 27-70	4.1	177
103	Rheological fingerprinting of gastropod pedal mucus and synthetic complex fluids for biomimicking adhesive locomotion. <i>Soft Matter</i> , 2007 , 3, 634-643	3.6	160
102	Low-dimensional intrinsic material functions for nonlinear viscoelasticity. <i>Rheologica Acta</i> , 2013 , 52, 20 ⁻⁷	1-22-319	104
101	Large amplitude oscillatory shear flow of gluten dough: A model power-law gel. <i>Journal of Rheology</i> , 2011 , 55, 627-654	4.1	103
100	On secondary loops in LAOS via self-intersection of Lissajous B owditch curves. <i>Rheologica Acta</i> , 2010 , 49, 213-219	2.3	100
99	Defining nonlinear rheological material functions for oscillatory shear. <i>Journal of Rheology</i> , 2013 , 57, 177-195	4.1	98
98	Experimental Challenges of Shear Rheology: How to Avoid Bad Data 2015 , 207-241		98
97	A microcomposite hydrogel for repeated on-demand ultrasound-triggered drug delivery. <i>Biomaterials</i> , 2010 , 31, 5208-17	15.6	91
96	Mapping thixo-elasto-visco-plastic behavior. <i>Rheologica Acta</i> , 2017 , 56, 195-210	2.3	60
95	Quantifying compressive forces between living cell layers and within tissues using elastic round microgels. <i>Nature Communications</i> , 2018 , 9, 1878	17.4	60
94	Mechanically active materials in three-dimensional mesostructures. Science Advances, 2018, 4, eaat8313	3 14.3	57
93	Design of yield-stress fluids: a rheology-to-structure inverse problem. <i>Soft Matter</i> , 2017 , 13, 7578-7594	3.6	56

(2019-2016)

92	Temporal Modulation of Stem Cell Activity Using Magnetoactive Hydrogels. <i>Advanced Healthcare Materials</i> , 2016 , 5, 2536-2544	10.1	54
91	Nonlinear viscoelastic biomaterials: meaningful characterization and engineering inspiration. <i>Integrative and Comparative Biology</i> , 2009 , 49, 40-50	2.8	48
90	Precision rheometry: Surface tension effects on low-torque measurements in rotational rheometers. <i>Journal of Rheology</i> , 2013 , 57, 1515-1532	4.1	45
89	The general low-frequency prediction for asymptotically nonlinear material functions in oscillatory shear. <i>Journal of Rheology</i> , 2014 , 58, 891-910	4.1	44
88	How Dr. Malcom M. Cross may have tackled the development of An apparent viscosity function for shear thickening fluids Journal of Non-Newtonian Fluid Mechanics, 2011, 166, 1421-1424	2.7	44
87	Solution Properties and Practical Limits of Concentrated Electrolytes for Nonaqueous Redox Flow Batteries. <i>Journal of Physical Chemistry C</i> , 2018 , 122, 8159-8172	3.8	42
86	Nanometer-scale flow of molten polyethylene from a heated atomic force microscope tip. <i>Nanotechnology</i> , 2012 , 23, 215301	3.4	41
85	Constitutive model fingerprints in medium-amplitude oscillatory shear. <i>Journal of Rheology</i> , 2015 , 59, 557-592	4.1	40
84	Turbulent and transitional velocity measurements in a rectangular microchannel using microscopic particle image velocimetry. <i>Experimental Thermal and Fluid Science</i> , 2005 , 29, 435-446	3	40
83	Non-linear viscoelasticity of hagfish slime. <i>International Journal of Non-Linear Mechanics</i> , 2011 , 46, 627	-63.6	39
82	A simple thixotropic Discoelastic constitutive model produces unique signatures in large-amplitude oscillatory shear (LAOS). <i>Journal of Non-Newtonian Fluid Mechanics</i> , 2014 , 208-209, 27-41	2.7	37
81	Regulating dynamic signaling between hematopoietic stem cells and niche cells via a hydrogel matrix. <i>Biomaterials</i> , 2017 , 125, 54-64	15.6	36
80	Effect of the environmental humidity on the bulk, interfacial and nanoconfined properties of an ionic liquid. <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 22719-30	3.6	36
79	Dynamic Remodeling of Covalent Networks via Ring-Opening Metathesis Polymerization. <i>ACS Macro Letters</i> , 2018 , 7, 933-937	6.6	35
78	Extremely Soft: Design with Rheologically Complex Fluids. Soft Robotics, 2014, 1, 12-20	9.2	33
77	Designing and transforming yield-stress fluids. <i>Current Opinion in Solid State and Materials Science</i> , 2019 , 23, 100758	12	32
76	Flow accelerates adhesion between functional polyethylene and polyurethane. <i>AICHE Journal</i> , 2011 , 57, 3496-3506	3.6	31
75	Linear and nonlinear rheology and structural relaxation in dense glassy and jammed soft repulsive pNIPAM microgel suspensions. <i>Soft Matter</i> , 2019 , 15, 1038-1052	3.6	29

74	From ultra-soft slime to hard {alpha}-keratins: The many lives of intermediate filaments. <i>Integrative and Comparative Biology</i> , 2009 , 49, 32-9	2.8	29
73	Controllable adhesion using field-activated fluids. <i>Physics of Fluids</i> , 2011 , 23, 073104	4.4	28
72	Particle-Free Emulsions for 3D Printing Elastomers. <i>Advanced Functional Materials</i> , 2018 , 28, 1707032	15.6	26
71	Acid-Triggered, Acid-Generating, and Self-Amplifying Degradable Polymers. <i>Journal of the American Chemical Society</i> , 2019 , 141, 2838-2842	16.4	25
70	Asymmetric surface textures decrease friction with Newtonian fluids in full film lubricated sliding contact. <i>Tribology International</i> , 2016 , 97, 490-498	4.9	25
69	Operating windows for oscillatory interfacial shear rheology. <i>Journal of Rheology</i> , 2020 , 64, 141-160	4.1	25
68	A strain stiffening theory for transient polymer networks under asymptotically nonlinear oscillatory shear. <i>Journal of Rheology</i> , 2017 , 61, 643-665	4.1	24
67	Modulating Noncovalent Cross-links with Molecular Switches. <i>Journal of the American Chemical Society</i> , 2019 , 141, 3597-3604	16.4	24
66	Assessing the impact of electrolyte conductivity and viscosity on the reactor cost and pressure drop of redox-active polymer flow batteries. <i>Journal of Power Sources</i> , 2017 , 361, 334-344	8.9	24
65	Quantitative rheological model selection: Good fits versus credible models using Bayesian inference. <i>Journal of Rheology</i> , 2015 , 59, 667-701	4.1	23
64	Extending yield-stress fluid paradigms. <i>Journal of Rheology</i> , 2018 , 62, 357-369	4.1	23
63	Inferring the Nonlinear Mechanisms of a Reversible Network. <i>Macromolecules</i> , 2018 , 51, 8772-8789	5.5	21
62	Dynamic mechanical measurement of the viscoelasticity of single adherent cells. <i>Applied Physics Letters</i> , 2016 , 108, 093701	3.4	19
61	Modulation of the Electrochemical Reactivity of Solubilized Redox Active Polymers via Polyelectrolyte Dynamics. <i>Journal of the American Chemical Society</i> , 2018 , 140, 2093-2104	16.4	18
60	A critical gel fluid with high extensibility: The rheology of chewing gum. <i>Journal of Rheology</i> , 2014 , 58, 821-838	4.1	18
59	Reactive coupling between immiscible polymer chains: Acceleration by compressive flow. <i>AICHE Journal</i> , 2013 , 59, 3391-3402	3.6	18
58	Plasmonic optical trapping in biologically relevant media. <i>PLoS ONE</i> , 2014 , 9, e93929	3.7	18
57	Sticking and splashing in yield-stress fluid drop impacts on coated surfaces. <i>Physics of Fluids</i> , 2015 , 27, 043101	4.4	16

(2016-2016)

56	Non-integer asymptotic scaling of a thixotropic-viscoelastic model in large-amplitude oscillatory shear. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 2016 , 227, 80-89	2.7	15
55	Vibration of fresh concrete understood through the paradigm of granular physics. <i>Cement and Concrete Research</i> , 2019 , 115, 31-42	10.3	15
54	Frequency-sweep medium-amplitude oscillatory shear (MAOS). Journal of Rheology, 2018, 62, 277-293	4.1	15
53	Time-strain separability in medium-amplitude oscillatory shear. <i>Physics of Fluids</i> , 2019 , 31, 021213	4.4	14
52	Single-point parallel disk correction for asymptotically nonlinear oscillatory shear. <i>Rheologica Acta</i> , 2015 , 54, 223-233	2.3	14
51	Automatic control: the vertebral column of dogfish sharks behaves as a continuously variable transmission with smoothly shifting functions. <i>Journal of Experimental Biology</i> , 2016 , 219, 2908-2919	3	14
50	Shear stress characteristics of microtextured surfaces in gap-controlled hydrodynamic lubrication. <i>Tribology International</i> , 2015 , 82, 123-132	4.9	13
49	Dual function organic active materials for nonaqueous redox flow batteries. <i>Materials Advances</i> , 2021 , 2, 1390-1401	3.3	12
48	First-harmonic nonlinearities can predict unseen third-harmonics in medium-amplitude oscillatory shear (MAOS) 2018 , 30, 1-10		11
47	Nonlinear viscoelasticity of fat crystal networks. <i>Rheologica Acta</i> , 2018 , 57, 251-266	2.3	10
46	Base-triggered self-amplifying degradable polyurethanes with the ability to translate local stimulation to continuous long-range degradation. <i>Chemical Science</i> , 2020 , 11, 3326-3331	9.4	9
45	An Ontology for Large Amplitude Oscillatory Shear Flow. AIP Conference Proceedings, 2008,	Ο	9
44	On fitting data for parameter estimates: residual weighting and data representation. <i>Rheologica Acta</i> , 2019 , 58, 341-359	2.3	8
43	Design and fabrication of ceramic beads by the vibration method. <i>Journal of the European Ceramic Society</i> , 2015 , 35, 3587-3594	6	8
42	Self-Assembled Solute Networks in Crowded Electrolyte Solutions and Nanoconfinement of Charged Redoxmer Molecules. <i>Journal of Physical Chemistry B</i> , 2020 , 124, 10226-10236	3.4	8
41	Viscous flow properties and hydrodynamic diameter of phenothiazine-based redox-active molecules in different supporting salt environments. <i>Physics of Fluids</i> , 2020 , 32, 083108	4.4	8
40	Predictions for the northern coast of the shear rheology map: XXLAOS. <i>Journal of Fluid Mechanics</i> , 2016 , 798, 1-4	3.7	8
39	Setting Material Function Design Targets for Linear Viscoelastic Materials and Structures. <i>Journal of Mechanical Design, Transactions of the ASME</i> , 2016 , 138,	3	8

38	Continuous relaxation spectra for constitutive models in medium-amplitude oscillatory shear. <i>Journal of Rheology</i> , 2018 , 62, 1271-1298	4.1	8
37	Crowded electrolytes containing redoxmers in different states of charge: Solution structure, properties, and fundamental limits on energy density. <i>Journal of Molecular Liquids</i> , 2021 , 334, 116533	6	8
36	Design-Driven Modeling of Surface-Textured Full-Film Lubricated Sliding: Validation and Rationale of Nonstandard Thrust Observations. <i>Tribology Letters</i> , 2017 , 65, 1	2.8	7
35	Enhancing Full-Film Lubrication Performance Via Arbitrary Surface Texture Design. <i>Journal of Mechanical Design, Transactions of the ASME</i> , 2017 , 139,	3	7
34	Unravelling hagfish slime. Journal of the Royal Society Interface, 2019, 16, 20180710	4.1	7
33	Self-adaptive hydrogels to mineralization. <i>Soft Matter</i> , 2017 , 13, 5469-5480	3.6	7
32	Integration of colloids into a semi-flexible network of fibrin. Soft Matter, 2017, 13, 1430-1443	3.6	6
31	Thermoresponsive Stiffening with Microgel Particles in a Semiflexible Fibrin Network. <i>Macromolecules</i> , 2019 , 52, 3029-3041	5.5	6
30	Questioning a fundamental assumption of rheology: Observation of noninteger power expansions. <i>Journal of Rheology</i> , 2020 , 64, 625-635	4.1	6
29	The weakly nonlinear response and nonaffine interpretation of the JohnsonBegalman/GordonBchowalter model. <i>Journal of Rheology</i> , 2020 , 64, 1409-1424	4.1	6
28	Designing Complex Fluids. Annual Review of Fluid Mechanics, 2022, 54,	22	6
27	Concentration-independent mechanics and structure of hagfish slime. <i>Acta Biomaterialia</i> , 2018 , 79, 123	3- 13 48	6
26	Viscoplastic drop impact on thin films. Journal of Fluid Mechanics, 2020, 891,	3.7	5
25	Simultaneous design of non-Newtonian lubricant and surface texture using surrogate-based multiobjective optimization. <i>Structural and Multidisciplinary Optimization</i> , 2019 , 60, 99-116	3.6	4
24	Field sensitivity of flow predictions to rheological parameters. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 2018 , 257, 71-82	2.7	4
23	Intrinsic nonlinearities in the mechanics of hard sphere suspensions. <i>Soft Matter</i> , 2016 , 12, 7655-62	3.6	4
22	A Multiobjective Adaptive Surrogate Modeling-Based Optimization (MO-ASMO) Framework Using Efficient Sampling Strategies 2017 ,		4
21	Probing Shear-Banding Transitions of Entangled Liquids Using Large Amplitude Oscillatory Shearing (LAOS) Deformations. <i>AIP Conference Proceedings</i> , 2008 ,	О	4

20	Efficient Optimal Surface Texture Design Using Linearization 2018, 632-647		4
19	Linear and nonlinear viscoelasticity of concentrated thermoresponsive microgel suspensions. Journal of Colloid and Interface Science, 2021, 601, 886-898	9.3	4
18	Mapping linear viscoelasticity for design and tactile intuition. <i>Applied Rheology</i> , 2019 , 29, 141-161	1.2	3
17	TEMPO allegro: liquid catholyte redoxmers for nonaqueous redox flow batteries. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 16769-16775	13	3
16	Uncertainty propagation in simulation predictions of generalized Newtonian fluid flows. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 2019 , 271, 104138	2.7	2
15	Low Reynolds number friction reduction with polymers and textures. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 2019 , 273, 104167	2.7	2
14	QUANTITATIVE MEASURES OF YIELD-STRESS FLUID DROP IMPACTS ON COATED SURFACES. <i>Atomization and Sprays</i> , 2017 , 27, 337-343	1.2	2
13	On Using Adaptive Surrogate Modeling in Design for Efficient Fluid Power 2015 ,		2
12	Early-Stage Design of Rheologically Complex Materials via Material Function Design Targets 2013,		2
11	Particle contact dynamics as the origin for noninteger power expansion rheology in attractive suspension networks. <i>Journal of Rheology</i> , 2022 , 66, 17-30	4.1	2
10	Experimental Protocols for Studying Organic Non-aqueous Redox Flow Batteries. <i>ACS Energy Letters</i> ,3932-3943	20.1	2
9	Shape Parameterization Comparison for Full-Film Lubrication Texture Design 2016,		2
8	Self-Regulative Direct Ink Writing of Frontally Polymerizing Thermoset Polymers. <i>Advanced Materials Technologies</i> ,2200230	6.8	2
7	Simultaneous Design of Non-Newtonian Lubricant and Surface Texture Using Surrogate-Based Optimization 2018 ,		1
6	Optomechanical microrheology of single adherent cancer cells. APL Bioengineering, 2018, 2, 016108	6.6	1
5	Impacts of yield-stress fluid drops on permeable mesh substrates. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 2016 , 238, 107-114	2.7	1
4	Emulsions: Particle-Free Emulsions for 3D Printing Elastomers (Adv. Funct. Mater. 21/2018). <i>Advanced Functional Materials</i> , 2018 , 28, 1870141	15.6	1
3	Exploiting Nonlinear Elasticity for Anomalous Magnetoresponsive Stiffening. <i>ACS Macro Letters</i> , 2020 , 9, 1632-1637	6.6	1

3D Printing High-Resolution Conductive Elastomeric Structures with a Solid Particle-Free Emulsion Ink. *Advanced Engineering Materials*,2100902

3.5 1

Do-it-yourself rheometry. *Physics of Fluids*, **2022**, 34, 053105

4.4 1