

# Svetlana Kulevanova

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8486505/publications.pdf>

Version: 2024-02-01

44  
papers

723  
citations

516561

16  
h-index

552653

26  
g-index

44  
all docs

44  
docs citations

44  
times ranked

1120  
citing authors

#	ARTICLE	IF	CITATIONS
1	Determination of phenolic compounds in methanolic extracts of flowering stems and rosette leaves of <i>Sideritis raeseri</i> . <i>Makedonsko Farmaceutvski Bilten</i> , 2022, 66, 15-16.	0.0	0
2	Volatile aroma compounds of flowering stems and rosette leaves of <i>Sideritis raeseri</i> , Headspace GC/FID/MS profile. <i>Makedonsko Farmaceutvski Bilten</i> , 2022, 66, 35-36.	0.0	0
3	Distribution of total phenols, flavonoids and hypericin in different plant organs of wild-growing St. John's-wort ( <i>Hypericum perforatum</i> L., Hypericaceae) from North Macedonia. <i>Makedonsko Farmaceutvski Bilten</i> , 2019, 65, 39-47.	0.0	2
4	Chemical Characterization and Antioxidant Activity of Mountain Pine ( <i>Pinus mugo</i> Turra, Pinaceae) from Republic of Macedonia. <i>Records of Natural Products</i> , 2018, 13, 50-63.	1.3	14
5	Assay for Opium Alkaloids. , 2016, , 1051-1060.		1
6	Headspace screening: A novel approach for fast quality assessment of the essential oil from culinary sage. <i>Food Chemistry</i> , 2016, 202, 133-140.	4.2	3
7	Chemotaxonomic contribution to the <i>Sideritis</i> species dilemma on the Balkans. <i>Biochemical Systematics and Ecology</i> , 2015, 61, 477-487.	0.6	29
8	Essential Oils and Chemical Diversity of Southeast European Populations of <i>Salvia officinalis</i> L.. <i>Chemistry and Biodiversity</i> , 2015, 12, 1025-1039.	1.0	25
9	Flavonoids and Other Phenolic Compounds in Needles of <i>Pinus peuce</i> and Other Pine Species from the Macedonian Flora. <i>Natural Product Communications</i> , 2015, 10, 1934578X1501000.	0.2	21
10	Chemical composition and antimicrobial activity of essential oils of <i>Juniperus excelsa</i> Bieb. (Cupressaceae) grown in R. Macedonia. <i>Pharmacognosy Research (discontinued)</i> , 2015, 7, 74.	0.3	29
11	Fingerprinting of morphine using chromatographic purity profiling and multivariate data analysis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015, 109, 18-27.	1.4	19
12	Essential oil composition of indigenous populations of <i>Hypericum perforatum</i> L. from southern Albania. <i>Macedonian Journal of Chemistry and Chemical Engineering</i> , 2015, 34, 333.	0.2	7
13	Comparative Study of Balkan <i>Sideritis</i> Species from Albania, Bulgaria and Macedonia. <i>European Journal of Medicinal Plants</i> , 2015, 5, 328-340.	0.5	11
14	Aroma Compounds of Mountain Tea ( <i>Sideritis scardica</i> and <i>S. raeseri</i> ) from Western Balkan. <i>Natural Product Communications</i> , 2014, 9, 1934578X1400900.	0.2	6
15	Chemical Composition and Antimicrobial Activity of the Essential Oils of <i>Pinus peuce</i> (Pinaceae) Growing Wild in R. Macedonia. <i>Natural Product Communications</i> , 2014, 9, 1934578X1400901.	0.2	8
16	Polyphenols in Representative <i>Teucrium</i> Species in the Flora of R. Macedonia: LC/DAD/ESI-MS Profile and Content. <i>Natural Product Communications</i> , 2014, 9, 1934578X1400900.	0.2	15
17	Chemical characterization of <i>Centaurium erythraea</i> L. and its effects on carbohydrate and lipid metabolism in experimental diabetes. <i>Journal of Ethnopharmacology</i> , 2014, 152, 71-77.	2.0	32
18	Resource assessment and economic potential of bilberries ( <i>Vaccinium myrtillus</i> and <i>Vaccinium</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62	2.5	12

#	ARTICLE	IF	CITATIONS
19	Chemometric approach for development, optimization and validation of HILIC methods used for the determination of alkaloids from poppy straw. <i>Macedonian Journal of Chemistry and Chemical Engineering</i> , 2014, 33, 73.	0.2	4
20	Volatile aroma compounds in infusions of stems and rosette leaves of <i>Sideritis raeseri</i> Boiss. & Heldr. from R. Macedonia, Albania and Greece. <i>Makedonsko Farmaceutski Bilten</i> , 2014, 60, 27-33.	0.0	2
21	Polyphenolic characterization and chromatographic methods for fast assessment of culinary <i>Salvia</i> species from South East Europe. <i>Journal of Chromatography A</i> , 2013, 1282, 38-45.	1.8	71
22	Chemical Characterization, Mineral Content and Radical Scavenging Activity of <i>Sideritis scardica</i> and <i>S. raeseri</i> from R. Macedonia and R. Albania. <i>Natural Product Communications</i> , 2013, 8, 1934578X1300800.	0.2	11
23	Development and Validation of a Reversed-Phase HPLC Method for Determination of Alkaloids from <i>Papaver somniferum</i> L. (Papaveraceae). <i>Journal of AOAC INTERNATIONAL</i> , 2012, 95, 399-405.	0.7	26
24	Chemometric approach for development, optimization, and validation of different chromatographic methods for separation of opium alkaloids. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 403, 1117-1129.	1.9	29
25	Essential oil composition of wild growing Sage from R. Macedonia. <i>Makedonsko Farmaceutski Bilten</i> , 2012, 57, 71-76.	0.0	6
26	HPLC and UV-spectrophotometry analysis of flavonoids in spray-dried and freeze-dried extracts of <i>Teucrium polium</i> L. (Lamiaceae). <i>Makedonsko Farmaceutski Bilten</i> , 2012, 58, 39-44.	0.0	3
27	Effects of <i>Teucrium polium</i> spp. flavonoids on the lipid and carbohydrate metabolism in rats. <i>Pharmaceutical Biology</i> , 2011, 49, 885-892.	1.3	24
28	Dietary Burden of Phenolics per Serving of "Mountain Tea" ( <i>Sideritis</i> ) from Macedonia and Correlation to Antioxidant Activity. <i>Natural Product Communications</i> , 2011, 6, 1934578X1100600.	0.2	12
29	Phenolic Compounds of Mountain Tea from the Balkans: LC/DAD/ESI/MS <sup>n</sup> Profile and Content. <i>Natural Product Communications</i> , 2011, 6, 1934578X1100600.	0.2	32
30	Potential bioactive phenolics of Macedonian <i>Sideritis</i> species used for medicinal "Mountain Tea". <i>Food Chemistry</i> , 2011, 125, 13-20.	4.2	57
31	Essential oils composition of <i>Pinus peuce</i> Griseb. (Pinaceae) growing on Pelister Mtn., Republic of Macedonia. <i>Makedonsko Farmaceutski Bilten</i> , 2011, 56, 13-22.	0.0	5
32	Chemical composition of ultrasonic-assisted n-hexane extracts of <i>Sideritis scardica</i> Grieseb. and <i>Sideritis raeseri</i> Boiss. & Heldr. (Lamiaceae) from Macedonia and Albania. <i>Makedonsko Farmaceutski Bilten</i> , 2011, 56, 45-56.	0.0	5
33	Determination of relative response factors of the opium alkaloids with HPLC-DAD. <i>Makedonsko Farmaceutski Bilten</i> , 2011, 57, 37-41.	0.0	0
34	Phenolic compounds of mountain tea from the Balkans: LC/DAD/ESI/MS <sup>n</sup> profile and content. <i>Natural Product Communications</i> , 2011, 6, 21-30.	0.2	20
35	Seasonal variation of flavonoids in <i>Teucrium polium</i> L. (Lamiaceae). <i>Makedonsko Farmaceutski Bilten</i> , 2009, 55, 33-40.	0.0	2
36	QSRR of Flavones: Evaluation of Substituent Contributions to RP HPLC Retention. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2007, 30, 1035-1049.	0.5	11

#	ARTICLE	IF	CITATIONS
37	Hepatoprotective effect of the ethyl acetate extract of <i>Teucrium polium</i> L. against carbontetrachloride-induced hepatic injury in rats. <i>Acta Pharmaceutica</i> , 2007, 57, 241-248.	0.9	42
38	In vitro antioxidant activity of some <i>Teucrium</i> species (Lamiaceae). <i>Acta Pharmaceutica</i> , 2005, 55, 207-14.	0.9	67
39	ASSAY OF FLAVONOLS AND QUANTIFICATION OF QUERCETIN IN MEDICINAL PLANTS BY HPLC WITH LIV-DIODE ARRAY DETECTION. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2001, 24, 2283-2292.	0.5	20
40	IDENTIFICATION, ISOLATION, AND DETERMINATION OF FLAVONES IN <i>ORIGANUM VULGARE</i> FROM MACEDONIAN FLORA. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2001, 24, 589-600.	0.5	15
41	Determination of flavones in species of <i>Thymus</i> L. (Lamiaceae) from Macedonian flora. <i>Makedonsko Farmaceutski Bilten</i> , 2001, 47, 9-14.	0.0	0
42	Composition of the Essential Oils of <i>Thymus jankae</i> Chel. var. <i>jankae</i> , <i>T. jankae</i> var. <i>pantotrichus</i> Ronn. and <i>T. jankae</i> var. <i>patentipilus</i> Lyka from Macedonia. <i>Journal of Essential Oil Research</i> , 1998, 10, 191-194.	1.3	7
43	Composition of the Essential Oil of <i>Thymus albanus</i> ssp. <i>albanus</i> H. Braun from Macedonia. <i>Journal of Essential Oil Research</i> , 1998, 10, 335-336.	1.3	8
44	Composition of the Essential Oil from <i>Thymus moesiacus</i> from Macedonia. <i>Planta Medica</i> , 1996, 62, 78-79.	0.7	10