

Irina Gyllenhammar

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8487569/publications.pdf>

Version: 2024-02-01

15
papers

669
citations

759233

12
h-index

996975

15
g-index

15
all docs

15
docs citations

15
times ranked

1144
citing authors

#	ARTICLE	IF	CITATIONS
1	Diverging temporal trends of human exposure to bisphenols and plastizisers, such as phtalates, caused by substitution of legacy EDCs?. Environmental Research, 2017, 153, 48-54.	7.5	100
2	4-Nonylphenol and bisphenol A in Swedish food and exposure in Swedish nursing women. Environment International, 2012, 43, 21-28.	10.0	87
3	Influence of contaminated drinking water on perfluoroalkyl acid levels in human serum – A case study from Uppsala, Sweden. Environmental Research, 2015, 140, 673-683.	7.5	87
4	Temporal trends of suspect- and target-per/polyfluoroalkyl substances (PFAS), extractable organic fluorine (EOF) and total fluorine (TF) in pooled serum from first-time mothers in Uppsala, Sweden, 1996–2017. Environmental Sciences: Processes and Impacts, 2020, 22, 1071-1083.	3.5	74
5	Reproductive toxicity in <i>Xenopus tropicalis</i> after developmental exposure to environmental concentrations of ethynylestradiol. Aquatic Toxicology, 2009, 91, 171-178.	4.0	68
6	Perfluoroalkyl acid levels in first-time mothers in relation to offspring weight gain and growth. Environment International, 2018, 111, 191-199.	10.0	54
7	Perfluoroalkyl Acids (PFAAs) in Serum from 2–4-Month-Old Infants: Influence of Maternal Serum Concentration, Gestational Age, Breast-Feeding, and Contaminated Drinking Water. Environmental Science & Technology, 2018, 52, 7101-7110.	10.0	47
8	Clotrimazole exposure modulates aromatase activity in gonads and brain during gonadal differentiation in <i>Xenopus tropicalis</i> frogs. Aquatic Toxicology, 2009, 91, 102-109.	4.0	41
9	Perfluoroalkyl Acids (PFAAs) in Children’s Serum and Contribution from PFAA-Contaminated Drinking Water. Environmental Science & Technology, 2019, 53, 11447-11457.	10.0	26
10	Determinants of serum concentrations of perfluoroalkyl acids (PFAAs) in school children and the contribution of low-level PFAA-contaminated drinking water. Environmental Sciences: Processes and Impacts, 2020, 22, 930-944.	3.5	21
11	Demographic, life-style and physiological determinants of serum per- and polyfluoroalkyl substance (PFAS) concentrations in a national cross-sectional survey of Swedish adolescents. Environmental Research, 2022, 208, 112674.	7.5	21
12	Are temporal trends of some persistent organochlorine and organobromine compounds in Swedish breast milk slowing down?. Environmental Research, 2021, 197, 111117.	7.5	18
13	Total mercury in hair as biomarker for methylmercury exposure among women in central Sweden – a 23 year long temporal trend study. Environmental Pollution, 2021, 268, 115712.	7.5	13
14	Serum levels of unconjugated bisphenol A are below 0.2 ng/ml in Swedish nursing women when contamination is minimized. Environment International, 2014, 64, 56-60.	10.0	7
15	Healthy eating index and diet diversity score as determinants of serum perfluoroalkyl acid (PFAA) concentrations in a national survey of Swedish adolescents. Environmental Research, 2022, 212, 113170.	7.5	5