

Irina Gyllenhammar

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8487569/publications.pdf>

Version: 2024-02-01

15
papers

669
citations

759233

12
h-index

996975

15
g-index

15
all docs

15
docs citations

15
times ranked

1144
citing authors

#	ARTICLE	IF	CITATIONS
1	Demographic, life-style and physiological determinants of serum per- and polyfluoroalkyl substance (PFAS) concentrations in a national cross-sectional survey of Swedish adolescents. <i>Environmental Research</i> , 2022, 208, 112674.	7.5	21
2	Healthy eating index and diet diversity score as determinants of serum perfluoroalkyl acid (PFAA) concentrations in a national survey of Swedish adolescents. <i>Environmental Research</i> , 2022, 212, 113170.	7.5	5
3	Total mercury in hair as biomarker for methylmercury exposure among women in central Sweden – a 23 year long temporal trend study. <i>Environmental Pollution</i> , 2021, 268, 115712.	7.5	13
4	Are temporal trends of some persistent organochlorine and organobromine compounds in Swedish breast milk slowing down?. <i>Environmental Research</i> , 2021, 197, 111117.	7.5	18
5	Temporal trends of suspect- and target-per/polyfluoroalkyl substances (PFAS), extractable organic fluorine (EOF) and total fluorine (TF) in pooled serum from first-time mothers in Uppsala, Sweden, 1996–2017. <i>Environmental Sciences: Processes and Impacts</i> , 2020, 22, 1071-1083.	3.5	74
6	Determinants of serum concentrations of perfluoroalkyl acids (PFAAs) in school children and the contribution of low-level PFAA-contaminated drinking water. <i>Environmental Sciences: Processes and Impacts</i> , 2020, 22, 930-944.	3.5	21
7	Perfluoroalkyl Acids (PFAAs) in Children’s Serum and Contribution from PFAA-Contaminated Drinking Water. <i>Environmental Science & Technology</i> , 2019, 53, 11447-11457.	10.0	26
8	Perfluoroalkyl acid levels in first-time mothers in relation to offspring weight gain and growth. <i>Environment International</i> , 2018, 111, 191-199.	10.0	54
9	Perfluoroalkyl Acids (PFAAs) in Serum from 2–4-Month-Old Infants: Influence of Maternal Serum Concentration, Gestational Age, Breast-Feeding, and Contaminated Drinking Water. <i>Environmental Science & Technology</i> , 2018, 52, 7101-7110.	10.0	47
10	Diverging temporal trends of human exposure to bisphenols and plastizisers, such as phthalates, caused by substitution of legacy EDCs?. <i>Environmental Research</i> , 2017, 153, 48-54.	7.5	100
11	Influence of contaminated drinking water on perfluoroalkyl acid levels in human serum – A case study from Uppsala, Sweden. <i>Environmental Research</i> , 2015, 140, 673-683.	7.5	87
12	Serum levels of unconjugated bisphenol A are below 0.2 ng/ml in Swedish nursing women when contamination is minimized. <i>Environment International</i> , 2014, 64, 56-60.	10.0	7
13	4-Nonylphenol and bisphenol A in Swedish food and exposure in Swedish nursing women. <i>Environment International</i> , 2012, 43, 21-28.	10.0	87
14	Reproductive toxicity in <i>Xenopus tropicalis</i> after developmental exposure to environmental concentrations of ethynylestradiol. <i>Aquatic Toxicology</i> , 2009, 91, 171-178.	4.0	68
15	Clotrimazole exposure modulates aromatase activity in gonads and brain during gonadal differentiation in <i>Xenopus tropicalis</i> frogs. <i>Aquatic Toxicology</i> , 2009, 91, 102-109.	4.0	41