

Iqbal Hosen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8488932/publications.pdf>

Version: 2024-02-01

25
papers

613
citations

1307594

7
h-index

677142

22
g-index

25
all docs

25
docs citations

25
times ranked

757
citing authors

#	ARTICLE	IF	CITATIONS
1	Molecular phylogenetic analyses redefine seven major clades and reveal 22 new generic clades in the fungal family Boletaceae. <i>Fungal Diversity</i> , 2014, 69, 93-115.	12.3	183
2	Fungal diversity notes 491-602: taxonomic and phylogenetic contributions to fungal taxa. <i>Fungal Diversity</i> , 2017, 83, 1-261.	12.3	180
3	DNA Sequence Analyses Reveal Abundant Diversity, Endemism and Evidence for Asian Origin of the Porcini Mushrooms. <i>PLoS ONE</i> , 2012, 7, e37567.	2.5	79
4	Borofutus, a new genus of Boletaceae from tropical Asia: phylogeny, morphology and taxonomy. <i>Fungal Diversity</i> , 2013, 58, 215-226.	12.3	66
5	Phylloporus gajari, a new species of the family Boletaceae from Bangladesh. <i>Mycoscience</i> , 2015, 56, 584-589.	0.8	10
6	Two new species of <i>Phylloporus</i> from Bangladesh, with morphological and molecular evidence. <i>Mycologia</i> , 2017, 109, 277-286.	1.9	10
7	<i>Amanita cinereovelata</i> , a new species of <i>Amanita</i> section <i>Lepidella</i> from Bangladesh. <i>Mycological Progress</i> , 2015, 14, 1.	1.4	9
8	<i>Amanita tullossiana</i> , a new species, and two new records of <i>Amanita</i> section <i>Lepidella</i> from north-western Himalaya, India. <i>MycologyKeys</i> , 2018, 37, 73-92.	1.9	7
9	<i>Coniolepiota</i> and <i>Spongodes</i> (Agaricaceae), Tj ETQq1 1 0.784314 0.3 / Overlock 10	0.3	6
10	<i>Amanita rufobrunnescens</i> , a new species of <i>Amanita</i> section <i>Amidella</i> from South China. <i>Phytotaxa</i> , 2016, 243, 147.	0.3	6
11	<i>Pluteus squarrosus</i> sp. nov. (<i>Pluteus</i> sect. <i>Celluloderma</i> , <i>Pluteaceae</i>) from northeast China. <i>Nordic Journal of Botany</i> , 2019, 37, .	0.5	6
12	<i>Kaziboletus</i> , a new boletoid genus of Boletaceae associated with <i>Shorea robusta</i> in Bangladesh. <i>Mycological Progress</i> , 2021, 20, 1145-1156.	1.4	6
13	<i>Clarkeinda trachodes</i> (Agaricales, Basidiomycetes), first record from Bangladesh. <i>Mycotaxon</i> , 2012, 118, 331-336.	0.3	5
14	<i>Xanthagaricus caeruleus</i> , a new species with ink-blue lamellae from southeast China. <i>Mycoscience</i> , 2018, 59, 188-192.	0.8	5
15	A preliminary report of <i>Gymnopus</i> sect. <i>Impudicae</i> (Omphalotaceae) from China. <i>Phytotaxa</i> , 2021, 497, 263-276.	0.3	5
16	The first ITS phylogeny of the genus <i>Cantharocybe</i> (Agaricales, Hygrophoraceae) with a new record of <i>C. virosa</i> from Bangladesh. <i>MycologyKeys</i> , 0, 14, 37-50.	1.9	5
17	Two new species of <i>Xanthagaricus</i> and some notes on <i>Heinemannomyces</i> from Asia. <i>MycologyKeys</i> , 2017, 28, 1-18.	1.9	5
18	<i>Hygrocybe umbilicata</i> sp. nov., with first generic report for Bangladesh and its phylogenetic placement. <i>Phytotaxa</i> , 2016, 280, 70.	0.3	4

#	ARTICLE	IF	CITATIONS
19	Two new species of Amanita (Amanitaceae) from North-western Himalaya, India. Phytotaxa, 2018, 367, 219.	0.3	4
20	Type studies of Rossbeevera bispora, and a new species of Rossbeevera from south China. MycoKeys, 2019, 51, 15-28.	1.9	4
21	<i>Thelephora austrosinensis</i> (Thelephoraceae) a new species close to <i>T. ganbajun</i> from southern China. Phytotaxa, 2020, 471, 208-220.	0.3	3
22	First report of Limacella from Bangladesh, with a new species description. Phytotaxa, 2017, 332, 280.	0.3	2
23	Physiological variability and in vitro antifungal activity against Botrytis cinerea causing botrytis gray mold of chickpea (<i>Cicer arietinum</i> L.). Spanish Journal of Agricultural Research, 2010, 8, 750.	0.6	2
24	<i>Pluteus brunneoalbus</i> , a new species, and <i>P. sepiicolor</i> , a new record for China. Plant Systematics and Evolution, 2021, 307, 1.	0.9	1
25	<i>Tylopilus glutinosus</i> , a new species of Boletaceae from Bangladesh. Nordic Journal of Botany, 0, , .	0.5	0