

Iqbal Hosen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8488932/publications.pdf>

Version: 2024-02-01

25

papers

613

citations

1307594

7

h-index

677142

22

g-index

25

all docs

25

docs citations

25

times ranked

757

citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | A preliminary report of Gymnopus sect. Impudicae (Omphalotaceae) from China. Phytotaxa, 2021, 497, 263-276. | 0.3 | 5 |
| 2 | Kaziboletus, a new boletoid genus of Boletaceae associated with <i>Shorea robusta</i> in Bangladesh. Mycological Progress, 2021, 20, 1145-1156. | 1.4 | 6 |
| 3 | <i>Pluteus brunneoalbus</i> , a new species, and <i>P. sepiicolor</i> , a new record for China. Plant Systematics and Evolution, 2021, 307, 1. | 0.9 | 1 |
| 4 | <p>Thelephora austrosinensis (Thelephoraceae), a new species close to T. ganbajun from southern China</p>. Phytotaxa, 2020, 471, 208-220. | 0.3 | 3 |
| 5 | <i>Pluteus squarrosus</i> sp. nov. (<i>Pluteus</i> sect. <i>Celluloderma</i> , <i>Pluteaceae</i>) from northeast China. Nordic Journal of Botany, 2019, 37, . | 0.5 | 6 |
| 6 | Type studies of <i>Rossbeevera bispora</i> , and a new species of <i>Rossbeevera</i> from south China. MycoKeys, 2019, 51, 15-28. | 1.9 | 4 |
| 7 | <i>Xanthagaricus caeruleus</i> , a new species with ink-blue lamellae from southeast China. Mycoscience, 2018, 59, 188-192. | 0.8 | 5 |
| 8 | Two new species of <i>Amanita</i> (Amanitaceae) from North-western Himalaya, India. Phytotaxa, 2018, 367, 219. | 0.3 | 4 |
| 9 | <i>Amanita tullossiana</i> , a new species, and two new records of <i>Amanita</i> section <i>Lepidella</i> from north-western Himalaya, India. MycoKeys, 2018, 37, 73-92. | 1.9 | 7 |
| 10 | Fungal diversity notes 491–602: taxonomic and phylogenetic contributions to fungal taxa. Fungal Diversity, 2017, 83, 1-261. | 12.3 | 180 |
| 11 | Two new species of <i>Phylloporus</i> from Bangladesh, with morphological and molecular evidence. Mycologia, 2017, 109, 277-286. | 1.9 | 10 |
| 12 | First report of <i>Limacella</i> from Bangladesh, with a new species description. Phytotaxa, 2017, 332, 280. | 0.3 | 2 |
| 13 | Two new species of <i>Xanthagaricus</i> and some notes on <i>Heinemannomyces</i> from Asia. MycoKeys, 2017, 28, 1-18. | 1.9 | 5 |
| 14 | <i>Amanita rufobrunnescens</i> , a new species of <i>Amanita</i> section <i>Amidella</i> from South China. Phytotaxa, 2016, 243, 147. | 0.3 | 6 |
| 15 | <i>Hygrocybe umbilicata</i> sp. nov., with first generic report for Bangladesh and its phylogenetic placement. Phytotaxa, 2016, 280, 70. | 0.3 | 4 |
| 16 | <i>Phylloporus gajari</i> , a new species of the family Boletaceae from Bangladesh. Mycoscience, 2015, 56, 584-589. | 0.8 | 10 |
| 17 | <i>Amanita cinereovelata</i> , a new species of <i>Amanita</i> section <i>Lepidella</i> from Bangladesh. Mycological Progress, 2015, 14, 1. | 1.4 | 9 |
| 18 | Molecular phylogenetic analyses redefine seven major clades and reveal 22 new generic clades in the fungal family Boletaceae. Fungal Diversity, 2014, 69, 93-115. | 12.3 | 183 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Borofutus, a new genus of Boletaceae from tropical Asia: phylogeny, morphology and taxonomy. Fungal Diversity, 2013, 58, 215-226. | 12.3 | 66 |
| 20 | <I>Coniolepiota</I> <I>spongodes</I> (<I>Agaricaceae</I>;) Tj ETQq0 0 0 rgBT /Overlock 10 T _f 50 702 T _{0.3} | | |
| 21 | <i>Clarkeinda trachodes</i> (<i>Agaricales</i>, <i>Basidiomycetes</i>), first record from Bangladesh. Mycotaxon, 2012, 118, 331-336. | 0.3 | 5 |
| 22 | DNA Sequence Analyses Reveal Abundant Diversity, Endemism and Evidence for Asian Origin of the Porcini Mushrooms. PLoS ONE, 2012, 7, e37567. | 2.5 | 79 |
| 23 | Physiological variability and in vitro antifungal activity against <i>Botrytis cinerea</i> causing botrytis gray mold of chickpea (<i>Cicer arietinum</i> L.). Spanish Journal of Agricultural Research, 2010, 8, 750. | 0.6 | 2 |
| 24 | The first ITS phylogeny of the genus <i>Cantharocybe</i> (Agaricales, Hygrophoraceae) with a new record of <i>C. virosa</i> from Bangladesh. MycoKeys, 0, 14, 37-50. | 1.9 | 5 |
| 25 | Tylopilus glutinosus , a new species of Boletaceae from Bangladesh. Nordic Journal of Botany, 0, , . | 0.5 | 0 |