
Victor J Pop

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8489423/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	Low maternal free thyroxine concentrations during early pregnancy are associated with impaired psychomotor development in infancy. Clinical Endocrinology, 1999, 50, 149-155.	2.4	863
2	Maternal hypothyroxinaemia during early pregnancy and subsequent child development: a 3â€year followâ€up study. Clinical Endocrinology, 2003, 59, 282-288.	2.4	626
3	Efficacy of Self-guided Internet-Based Cognitive Behavioral Therapy in the Treatment of Depressive Symptoms. JAMA Psychiatry, 2017, 74, 351.	11.0	560
4	Validation of the Edinburgh Depression Scale during pregnancy. Journal of Psychosomatic Research, 2011, 70, 385-389.	2.6	443
5	Internet-Based Cognitive Behavioral Therapy for Depression. JAMA Psychiatry, 2021, 78, 361.	11.0	398
6	Characteristics of the Edinburgh post natal depression scale in The Netherlands. Journal of Affective Disorders, 1992, 26, 105-110.	4.1	248
7	Neonatal Effects of Maternal Hypothyroxinemia During Early Pregnancy. Pediatrics, 2006, 117, 161-167.	2.1	210
8	The Alberta Pregnancy Outcomes and Nutrition (APrON) cohort study: rationale and methods. Maternal and Child Nutrition, 2014, 10, 44-60.	3.0	146
9	Thyroid peroxidase antibodies during gestation are a marker for subsequent depression postpartum. European Journal of Endocrinology, 2001, 145, 579-584.	3.7	134
10	Effect of low-dose selenium on thyroid autoimmunity and thyroid function in UK pregnant women with mild-to-moderate iodine deficiency. European Journal of Nutrition, 2016, 55, 55-61.	3.9	120
11	Screening for antenatal depression with the Edinburgh Depression Scale. Journal of Psychosomatic Obstetrics and Gynaecology, 2009, 30, 238-243.	2.1	115
12	Is self-guided internet-based cognitive behavioural therapy (iCBT) harmful? An individual participant data meta-analysis. Psychological Medicine, 2018, 48, 2456-2466.	4.5	106
13	Dismantling, optimising, and personalising internet cognitive behavioural therapy for depression: a systematic review and component network meta-analysis using individual participant data. Lancet Psychiatry,the, 2021, 8, 500-511.	7.4	105
14	Thyroid autoimmunity impairs the thyroidal response to hCG: two population-based prospective cohort studies. Journal of Clinical Endocrinology and Metabolism, 2017, 102, jc.2016-2942.	3.6	77
15	Prevalence of autoimmune thyroid dysfunction in postpartum psychosis. British Journal of Psychiatry, 2011, 198, 264-268.	2.8	76
16	Mindfulness-based cognitive therapy for people with diabetes and emotional problems: Long-term follow-up findings from the DiaMind randomized controlled trial. Journal of Psychosomatic Research, 2014, 77, 81-84.	2.6	71
17	Development of a Smoking Abstinence Self-efficacy Questionnaire. International Journal of Behavioral Medicine, 2013, 20, 444-449.	1.7	68
18	Prenatal depression, mode of delivery and perinatal dissociation as predictors of postpartum posttraumatic stress: an empirical study. Clinical Psychology and Psychotherapy, 2005, 12, 297-312.	2.7	56

VICTOR J POP

#	Article	IF	CITATIONS
19	Dose Dependency and a Functional Cutoff for TPO-Antibody Positivity During Pregnancy. Journal of Clinical Endocrinology and Metabolism, 2018, 103, 778-789.	3.6	52
20	Maternal thyroid parameters, body mass index and subsequent weight gain during pregnancy in healthy euthyroid women. Clinical Endocrinology, 2013, 79, 577-583.	2.4	47
21	Maternal hypothyroxinaemia during (early) gestation. Lancet, The, 2005, 365, 1604-1606.	13.7	42
22	Low concentrations of maternal thyroxin during early gestation: a risk factor of breech presentation?. BJOG: an International Journal of Obstetrics and Gynaecology, 2004, 111, 925-930.	2.3	35
23	Internet administration of the Edinburgh Depression Scale. Journal of Affective Disorders, 2008, 106, 301-305.	4.1	35
24	The Relation Between Gestational Thyroid Parameters and Depression: A Reflection of the Downregulation of the Immune System During Pregnancy?. Thyroid, 2006, 16, 485-492.	4.5	33
25	Risk and protective factors for pre―and postnatal bonding. Infant Mental Health Journal, 2019, 40, 768-785.	1.8	32
26	Neonatal thyroid screening results are related to gestational maternal thyroid function. Clinical Endocrinology, 2011, 75, 382-387.	2.4	28
27	Should all pregnant women be screened for hypothyroidism?. Lancet, The, 1999, 354, 1224-1225.	13.7	24
28	Does Mindfulness-Based Cognitive Therapy benefit all people with diabetes and comorbid emotional complaints equally? Moderators in the DiaMind trial. Journal of Psychosomatic Research, 2016, 91, 40-47.	2.6	24
29	Validation of a short form Three Facet Mindfulness Questionnaire (TFMQ-SF) in pregnant women. Personality and Individual Differences, 2016, 93, 118-124.	2.9	24
30	Thyroid disease symptoms during early pregnancy do not identify women with thyroid hypofunction that should be treated. Clinical Endocrinology, 2017, 87, 838-843.	2.4	23
31	Prevalence of psychological distress in elderly hypertension patients in primary care. Netherlands Heart Journal, 2014, 22, 71-76.	0.8	22
32	Mindfulness facets as differential mediators of short and long-term effects of Mindfulness-Based Cognitive Therapy in diabetes outpatients: Findings from the DiaMind randomized trial. Journal of Psychosomatic Research, 2016, 85, 44-50.	2.6	22
33	Development of the Childbirth Perception Scale (CPS): perception of delivery and the first postpartum week. Archives of Women's Mental Health, 2014, 17, 411-421.	2.6	21
34	SARS oVâ€2 during pregnancy and associated outcomes: Results from an ongoing prospective cohort. Paediatric and Perinatal Epidemiology, 2022, 36, 466-475.	1.7	17
35	The Attitude Toward Hypothyroidism During Early Gestation: Time for a Change of Mind?. Thyroid, 2014, 24, 1541-1546.	4.5	15
36	Maternal thyrotropin is independently related to Small for Gestational Age neonates at term. Clinical Endocrinology, 2015, 82, 254-259.	2.4	15

VICTOR J POP

#	Article	IF	CITATIONS
37	The Brabant study: design of a large prospective perinatal cohort study among pregnant women investigating obstetric outcome from a biopsychosocial perspective. BMJ Open, 2020, 10, e038891.	1.9	14
38	A new concept of maternity blues: Is there a subgroup of women with rapid cycling mood symptoms?. Journal of Affective Disorders, 2015, 177, 74-79.	4.1	13
39	Plasma mineral (selenium, zinc or copper) concentrations in the general pregnant population, adjusted for supplement intake, in relation to thyroid function. British Journal of Nutrition, 2021, 125, 71-78.	2.3	13
40	Maternal thyroid hormone concentration during late gestation is associated with foetal position at birth. Clinical Endocrinology, 2009, 71, 746-751.	2.4	11
41	Psychosocial health care needs of people with type 2 diabetes in primary care: Views of patients and health care providers. Journal of Advanced Nursing, 2019, 75, 1702-1712.	3.3	11
42	Maternal thyroid function and the outcome of external cephalic version: a prospective cohort study. BMC Pregnancy and Childbirth, 2011, 11, 10.	2.4	10
43	Longitudinal Trajectories of Gestational Thyroid Function: A New Approach to Better Understand Changes in Thyroid Function. Journal of Clinical Endocrinology and Metabolism, 2018, 103, 2889-2900.	3.6	10
44	Screening for and subsequent participation in a trial for depression and anxiety in people with type 2 diabetes treated in primary care: Who do we reach?. Primary Care Diabetes, 2017, 11, 273-280.	1.8	9
45	Maternal cognitive function during pregnancy in relation to hypo―and hyperthyroxinemia. Clinical Endocrinology, 2019, 91, 824-833.	2.4	9
46	The effect of an animation video on consultation time, anxiety and satisfaction in women with abnormal cervical cytology. Preventive Medicine Reports, 2019, 13, 238-243.	1.8	9
47	Increase of depressive symptomatology during pregnancy over 25 years' time in four population based cohorts. Journal of Affective Disorders, 2019, 259, 175-179.	4.1	7
48	Patient-reported outcomes in primary care patients with COPD: psychometric properties and usefulness of the Clinical COPD Questionnaire (CCQ). A cross-sectional study. Npj Primary Care Respiratory Medicine, 2014, 24, 14027.	2.6	6
49	Obsessive-compulsive personality disorder symptoms as a risk factor for postpartum depressive symptoms. Archives of Women's Mental Health, 2019, 22, 475-483.	2.6	6
50	Electrocardiography for the detection of left ventricular hypertrophy in an elderly population with long-standing hypertension in primary care: a secondary analysis of the CHELLO cohort study. BMJ Open, 2020, 10, e038824.	1.9	5
51	Management strategy in case of meconium stained amniotic fluid. Early Human Development, 2014, 90, 341-342.	1.8	4
52	Increased maternal TSH and decreased maternal FT4 are associated with a higher operative delivery rate in low-risk pregnancies: A prospective cohort study. BMC Pregnancy and Childbirth, 2015, 15, 267.	2.4	4
53	Psychometric adequacy of the Persian adapted version of the Tilburg pregnancy distress scale (P-TPDS). BMC Pregnancy and Childbirth, 2021, 21, 281.	2.4	4
54	Determinants of pain perception after external cephalic version in pregnant women. Midwifery, 2014, 30, e102-e107.	2.3	3

VICTOR J POP

#	Article	IF	CITATIONS
55	Maternal thyrotrophin in euthyroid women is related to meconium stained amniotic fluid in women who deliver at or over 41weeks of gestation. Early Human Development, 2014, 90, 329-332.	1.8	1
56	PS11 - 51. Prevalence and determinants of diabetes-specific emotional distress: primary care and secondary care patients with type 2 diabetes mellitus compared. Nederlands Tijdschrift Voor Diabetologie, 2012, 10, 133-134.	0.0	0
57	Did the classical concept of meconium according to Aristotle induce not only the fetus into sleep, but also us, researchers and clinicians?. Early Human Development, 2014, 90, 323-324.	1.8	0
58	The Authors Reply. American Journal of Epidemiology, 2015, 182, 896-897.	3.4	0