

Ming-Shun Hsieh

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8490258/ming-shun-hsieh-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

26

papers

181

citations

8

h-index

12

g-index

29

ext. papers

241

ext. citations

3.5

avg, IF

3.04

L-index

#	Paper	IF	Citations
26	Risk for hypoglycemic emergency with levofloxacin use, a population-based propensity score matched nested case-control study.. <i>PLoS ONE</i> , 2022 , 17, e0266471	3.7	1
25	Association between thiazolidinedione use and rheumatoid arthritis risk in patients with type II diabetes, a population-based, case-control study. <i>International Journal of Clinical Practice</i> , 2021 , 75, e13804	2.9	1
24	Type 2 Diabetic Sepsis Patients Have a Lower Mortality Rate in Pioglitazone Use: A Nationwide 15-Year Propensity Score Matching Observational Study in Taiwan. <i>Emergency Medicine International</i> , 2021 , 2021, 4916777	1.4	1
23	Occurrence and Impact of Gastrointestinal Bleeding and Major Adverse Cardiovascular Events during Sepsis: A 15-Year Observational Study. <i>Emergency Medicine International</i> , 2020 , 2020, 9685604	1.4	0
22	Emphysematous cystitis. <i>Cmaj</i> , 2020 , 192, E313	3.5	1
21	Risk of anemia in morbidly obese patients after bariatric surgery in Taiwan. <i>World Journal of Diabetes</i> , 2020 , 11, 447-458	4.7	
20	Preadmission Antihypertensive Drug Use and Sepsis Outcome: Impact of Angiotensin-Converting Enzyme Inhibitors (ACEIs) and Angiotensin Receptor Blockers (ARBs). <i>Shock</i> , 2020 , 53, 407-415	3.4	23
19	Step-down units are cost-effective alternatives to coronary care units with non-inferior outcomes in the management of ST-elevation myocardial infarction patients after successful primary percutaneous coronary intervention. <i>Internal and Emergency Medicine</i> , 2020 , 15, 59-66	3.7	2
18	Hospital outcomes and cumulative burden from complications in type 2 diabetic sepsis patients: a cohort study using administrative and hospital-based databases. <i>Therapeutic Advances in Endocrinology and Metabolism</i> , 2019 , 10, 2042018819875406	4.5	8
17	Risk of cholecystectomy in morbidly obese patients after bariatric surgery in Taiwan. <i>Obesity Research and Clinical Practice</i> , 2019 , 13, 191-196	5.4	2
16	Emergency Department Visits and Disease Burden Attributable to Ambulatory Care Sensitive Conditions in Elderly Adults. <i>Scientific Reports</i> , 2019 , 9, 3811	4.9	17
15	Clinical features, management, and outcome of iliopsoas abscess associated with cardiovascular disorders: a hospital-based observational case series study. <i>BMC Musculoskeletal Disorders</i> , 2019 , 20, 474	2.8	5
14	Forgone Health and Economic Benefits Associated with Socioeconomic Differences in Organized Cervical Cancer Screening. <i>Asian Pacific Journal of Cancer Prevention</i> , 2019 , 20, 3755-3762	1.7	
13	Predicting need for intensive care unit admission in adult emphysematous pyelonephritis patients at emergency departments: comparison of five scoring systems. <i>Scientific Reports</i> , 2019 , 9, 16618	4.9	7
12	Statins improve the long-term prognosis in patients who have survived sepsis: A nationwide cohort study in Taiwan (STROBE complaint). <i>Medicine (United States)</i> , 2019 , 98, e15253	1.8	2
11	Exploiting Honokiol-induced ER stress CHOP activation inhibits the growth and metastasis of melanoma by suppressing the MITF and Eatenin pathways. <i>Cancer Letters</i> , 2019 , 442, 113-125	9.9	18
10	Diabetes Shared Care Program (DSCP) and risk of infection mortality: a nationwide cohort study using administrative claims data in Taiwan. <i>BMJ Open</i> , 2018 , 8, e021382	3	5

9	Performance Assessment of the Mortality in Emergency Department Sepsis Score, Modified Early Warning Score, Rapid Emergency Medicine Score, and Rapid Acute Physiology Score in Predicting Survival Outcomes of Adult Renal Abscess Patients in the Emergency Department. <i>BioMed Research International</i> , 2018 , 2018, 6983568	3	10
8	Selective serotonin reuptake inhibitors and the risk of hepatocellular carcinoma in hepatitis B virus-infected patients. <i>Cancer Management and Research</i> , 2017 , 9, 709-720	3.6	14
7	Association between hyperglycaemic crisis and long-term major adverse cardiovascular events: a nationwide population-based, propensity score-matched, cohort study. <i>BMJ Open</i> , 2016 , 6, e012233	3	4
6	Trends of CT utilisation in an emergency department in Taiwan: a 5-year retrospective study. <i>BMJ Open</i> , 2016 , 6, e010973	3	10
5	Contrast Medium Exposure During Computed Tomography and Risk of Development of End-Stage Renal Disease in Patients With Chronic Kidney Disease: A Nationwide Population-Based, Propensity Score-Matched, Longitudinal Follow-Up Study. <i>Medicine (United States)</i> , 2016 , 95, e3388	1.8	17
4	Concurrent emphysematous pyelonephritis, cystitis, and iliopsoas abscess from discitis in a diabetic woman. <i>International Journal of Infectious Diseases</i> , 2016 , 51, 105-106	10.5	1
3	Iodinated Contrast Medium Exposure During Computed Tomography Increase the Risk of Subsequent Development of Thyroid Disorders in Patients Without Known Thyroid Disease: A Nationwide Population-Based, Propensity Score-Matched, Longitudinal Follow-Up Study. <i>Medicine (United States)</i> , 2015 , 94, e2279	1.8	8
2	Features and treatment modality of iliopsoas abscess and its outcome: a 6-year hospital-based study. <i>BMC Infectious Diseases</i> , 2013 , 13, 578	4	23
1	An 80-year-old man with acute onset of right upper limb weakness. <i>Emergency Medicine Journal</i> , 2013 , 30, 508-508	1.5	