## Edward R Mariano

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8490664/publications.pdf

Version: 2024-02-01

269 papers

6,211 citations

43 h-index 102487 66 g-index

273 all docs

273 docs citations

times ranked

273

3344 citing authors

#	Article	IF	CITATIONS
1	Ambulatory Continuous Femoral Nerve Blocks Decrease Time to Discharge Readiness after Tricompartment Total Knee Arthroplasty. Anesthesiology, 2008, 108, 703-713.	2.5	205
2	Anaesthetic care of patients undergoing primary hip and knee arthroplasty: consensus recommendations from the International Consensus on Anaesthesia-Related Outcomes after Surgery group (ICAROS) based on a systematic review and meta-analysis. British Journal of Anaesthesia, 2019, 123, 269-287.	3.4	186
3	Inpatient Falls after Total Knee Arthroplasty. Anesthesiology, 2014, 120, 551-563.	2.5	159
4	Interfascial Plane Blocks. Regional Anesthesia and Pain Medicine, 2018, 43, 341-346.	2.3	150
5	Association of Multimodal Pain Management Strategies with Perioperative Outcomes and Resource Utilization. Anesthesiology, 2018, 128, 891-902.	2.5	142
6	Continuous Femoral Nerve Blocks. Anesthesiology, 2011, 115, 774-781.	2.5	139
7	Standardizing nomenclature in regional anesthesia: an ASRA-ESRA Delphi consensus study of abdominal wall, paraspinal, and chest wall blocks. Regional Anesthesia and Pain Medicine, 2021, 46, 571-580.	2.3	131
8	Continuous Interscalene Brachial Plexus Block via an Ultrasound-Guided Posterior Approach: A Randomized, Triple-Masked, Placebo-Controlled Study. Anesthesia and Analgesia, 2009, 108, 1688-1694.	2.2	121
9	Continuous Adductor Canal Blocks Are Superior to Continuous Femoral Nerve Blocks in Promoting Early Ambulation After TKA. Clinical Orthopaedics and Related Research, 2014, 472, 1377-1383.	1.5	117
10	A multicenter, randomized, triple-masked, placebo-controlled trial of the effect of ambulatory continuous femoral nerve blocks on discharge-readiness following total knee arthroplasty in patients on general orthopaedic wards. Pain, 2010, 150, 477-484.	4.2	113
11	The Risk of Falls After Total Knee Arthroplasty with the Use of a Femoral Nerve Block Versus an Adductor Canal Block: A Double-Blinded Randomized Controlled Study. Anesthesia and Analgesia, 2016, 122, 1696-1703.	2.2	110
12	Ambulatory Continuous Posterior Lumbar Plexus Nerve Blocks after Hip Arthroplasty. Anesthesiology, 2008, 109, 491-501.	2.5	107
13	An international multidisciplinary consensus statement on the prevention of opioidâ€related harm in adult surgical patients. Anaesthesia, 2021, 76, 520-536.	3.8	102
14	The Effects of Local Anesthetic Concentration and Dose on Continuous Infraclavicular Nerve Blocks: A Multicenter, Randomized, Observer-Masked, Controlled Study. Anesthesia and Analgesia, 2009, 108, 345-350.	2.2	100
15	Continuous Peripheral Nerve Blocks. Anesthesiology, 2010, 112, 347-354.	2.5	100
16	Future directions in regional anaesthesia: not just for the cognoscenti. Anaesthesia, 2020, 75, 293-297.	3.8	83
17	Designing the ideal perioperative pain management plan starts with multimodal analgesia. Korean Journal of Anesthesiology, 2018, 71, 345-352.	2.5	80
18	Electrical Stimulation Versus Ultrasound Guidance for Popliteal-Sciatic Perineural Catheter Insertion. Regional Anesthesia and Pain Medicine, 2009, 34, 480-485.	2.3	79

#	Article	IF	CITATIONS
19	Ultrasound Guidance Versus Electrical Stimulation for Femoral Perineural Catheter Insertion. Journal of Ultrasound in Medicine, 2009, 28, 1453-1460.	1.7	79
20	Peripheral nerve block anesthesia/analgesia for patients undergoing primary hip and knee arthroplasty: recommendations from the International Consensus on Anesthesia-Related Outcomes after Surgery (ICAROS) group based on a systematic review and meta-analysis of current literature. Regional Anesthesia and Pain Medicine, 2021, 46, 971-985.	2.3	77
21	Ultrasound Guidance Versus Electrical Stimulation for Infraclavicular Brachial Plexus Perineural Catheter Insertion. Journal of Ultrasound in Medicine, 2009, 28, 1211-1218.	1.7	75
22	The Effects of Varying Local Anesthetic Concentration and Volume on Continuous Popliteal Sciatic Nerve Blocks: A Dual-Center, Randomized, Controlled Study. Anesthesia and Analgesia, 2008, 107, 701-707.	2.2	68
23	Time-to-Cessation of Postoperative Opioids: A Population-Level Analysis of the Veterans Affairs Health Care System. Pain Medicine, 2016, 17, 1732-1743.	1.9	68
24	Ultrasound-Guided Perineural Catheter Insertion. Regional Anesthesia and Pain Medicine, 2010, 35, 123-126.	2.3	66
25	Acute Pain Medicine in the United States: A Status Report. Pain Medicine, 2015, 16, 1806-1826.	1.9	64
26	Hospitalization Costs of Total Knee Arthroplasty With a Continuous Femoral Nerve Block Provided Only in the Hospital Versus on an Ambulatory Basis: A Retrospective, Case-Control, Cost-Minimization Analysis. Regional Anesthesia and Pain Medicine, 2007, 32, 46-54.	2.3	62
27	Lack of Association Between the Use of Nerve Blockade and the Risk of Postoperative Chronic Opioid Use Among Patients Undergoing Total Knee Arthroplasty: Evidence From the Marketscan Database. Anesthesia and Analgesia, 2017, 125, 999-1007.	2.2	62
28	Interscalene Perineural Catheter Placement Using an Ultrasound-Guided Posterior Approach. Regional Anesthesia and Pain Medicine, 2009, 34, 60-63.	2.3	61
29	A Randomized Comparison of Infraclavicular and Supraclavicular Continuous Peripheral Nerve Blocks for Postoperative Analgesia. Regional Anesthesia and Pain Medicine, 2011, 36, 26-31.	2.3	61
30	Continuous Femoral Versus Posterior Lumbar Plexus Nerve Blocks for Analgesia After Hip Arthroplasty. Anesthesia and Analgesia, 2011, 113, 897-903.	2.2	61
31	Patient education and engagement in postoperative pain management decreases opioid use following knee replacement surgery. Patient Education and Counseling, 2019, 102, 383-387.	2.2	59
32	Comparing two posterior quadratus lumborum block approaches with low thoracic erector spinae plane block: an anatomic study. Regional Anesthesia and Pain Medicine, 2019, 44, 549-555.	2.3	58
33	Update on Selective Regional Analgesia for Hip Surgery Patients. Anesthesiology Clinics, 2018, 36, 403-415.	1.4	56
34	Ultrasound-Guided Transversus Abdominis Plane Catheters and Ambulatory Perineural Infusions for Outpatient Inguinal Hernia Repair. Regional Anesthesia and Pain Medicine, 2010, 35, 556-558.	2.3	53
35	Anesthesia-controlled time and turnover time for ambulatory upper extremity surgery performed with regional versus general anesthesia. Journal of Clinical Anesthesia, 2009, 21, 253-257.	1.6	52
36	Comparative efficacy of ultrasound-guided and stimulating popliteal-sciatic perineural catheters for postoperative analgesia. Canadian Journal of Anaesthesia, 2010, 57, 919-926.	1.6	52

#	Article	IF	CITATIONS
37	An Analysis of Factors Influencing Postanesthesia Recovery After Pediatric Ambulatory Tonsillectomy and Adenoidectomy. Anesthesia and Analgesia, 2007, 104, 784-789.	2.2	51
38	Best multimodal analgesic protocol for total knee arthroplasty. Pain Management, 2015, 5, 185-196.	1.5	51
39	Implementation of the IPACK (Infiltration between the Popliteal Artery and Capsule of the Knee) block into a multimodal analgesic pathway for total knee replacement. Korean Journal of Anesthesiology, 2019, 72, 238-244.	2.5	49
40	A Randomized Comparison of Proximal and Distal Ultrasoundâ€Guided Adductor Canal Catheter Insertion Sites for Knee Arthroplasty. Journal of Ultrasound in Medicine, 2014, 33, 1653-1662.	1.7	48
41	A Trainee-Based Randomized Comparison of Stimulating Interscalene Perineural Catheters With a New Technique Using Ultrasound Guidance Alone. Journal of Ultrasound in Medicine, 2010, 29, 329-336.	1.7	46
42	A comparison of three methods for estimating appropriate tracheal tube depth in children. Paediatric Anaesthesia, 2005, 15, 846-851.	1.1	45
43	Bilateral infraorbital nerve blocks decrease postoperative pain but do not reduce time to discharge following outpatient nasal surgery. Canadian Journal of Anaesthesia, 2009, 56, 584-589.	1.6	45
44	Lack of Association Between the Use of Nerve Blockade and the Risk of Persistent Opioid Use Among Patients Undergoing Shoulder Arthroplasty: Evidence From the Marketscan Database. Anesthesia and Analgesia, 2017, 125, 1014-1020.	2.2	45
45	Assessment of Intercostal Nerve Block Analgesia for Thoracic Surgery. JAMA Network Open, 2021, 4, e2133394.	5.9	45
46	Long-Term Pain, Stiffness, and Functional Disability After Total Knee Arthroplasty With and Without an Extended Ambulatory Continuous Femoral Nerve Block. Regional Anesthesia and Pain Medicine, 2011, 36, 116-120.	2.3	44
47	Anesthetic Management of Infants with Palliated Hypoplastic Left Heart Syndrome Undergoing Laparoscopic Nissen Fundoplication. Anesthesia and Analgesia, 2005, 100, 1631-1633.	2.2	41
48	Prepuncture Ultrasound Imaging to Predict Transverse Process and Lumbar Plexus Depth for Psoas Compartment Block and Perineural Catheter Insertion. Anesthesia and Analgesia, 2010, 110, 1725-1728.	2.2	41
49	Anesthetic Concerns for Robot-Assisted Laparoscopy in an Infant. Anesthesia and Analgesia, 2004, 99, 1665-1667.	2.2	40
50	Regional anaesthesia in the obese patient: Lost landmarks and evolving ultrasound guidance. Bailliere's Best Practice and Research in Clinical Anaesthesiology, 2011, 25, 61-72.	4.0	39
51	Updates on multimodal analgesia and regional anesthesia for total knee arthroplasty patients. Bailliere's Best Practice and Research in Clinical Anaesthesiology, 2019, 33, 111-123.	4.0	39
52	Health-Related Quality of Life After Tricompartment Knee Arthroplasty With and Without an Extended-Duration Continuous Femoral Nerve Block: A Prospective, 1-Year Follow-Up of a Randomized, Triple-Masked, Placebo-Controlled Study. Anesthesia and Analgesia, 2009, 108, 1320-1325.	2.2	38
53	Pecto-intercostal Fascial Block for Acute Poststernotomy Pain: A Case Report. A& A Practice, 2018, 10, 319-322.	0.4	38
54	Adductor Canal Block for Total Knee Arthroplasty. Anesthesiology, 2014, 120, 530-532.	2.5	36

#	Article	IF	CITATIONS
55	Making It Work: Setting up a Regional Anesthesia Program that Provides Value. Anesthesiology Clinics, 2008, 26, 681-692.	1.4	35
56	Treating Intractable Phantom Limb Pain with Ambulatory Continuous Peripheral Nerve Blocks: A Pilot Study. Pain Medicine, 2013, 14, 935-942.	1.9	35
57	A multisociety organizational consensus process to define guiding principles for acute perioperative pain management. Regional Anesthesia and Pain Medicine, 2022, 47, 118-127.	2.3	35
58	Feasibility of ultrasound-guided peripheral nerve block catheters for pain control on pediatric medical missions in developing countries. Paediatric Anaesthesia, 2008, 18, 598-601.	1.1	34
59	I Tweet, Therefore I Learn: An Analysis of Twitter Use Across Anesthesiology Conferences. Anesthesia and Analgesia, 2020, 130, 333-340.	2.2	34
60	Ultrasound-Guided (Needle-in-Plane) Perineural Catheter Insertion. Regional Anesthesia and Pain Medicine, 2011, 36, 261-265.	2.3	32
61	Preliminary Experience Using Eyeâ€Tracking Technology to Differentiate Novice and Expert Image Interpretation for Ultrasoundâ€Guided Regional Anesthesia. Journal of Ultrasound in Medicine, 2018, 37, 329-336.	1.7	32
62	Continuous regional anesthesia: a review of perioperative outcome benefits. Minerva Anestesiologica, 2017, 83, 1089-1100.	1.0	31
63	Thoracic and lumbar paravertebral blocks for outpatient lithotripsy. Journal of Clinical Anesthesia, 2007, 19, 149-151.	1.6	30
64	A Randomized Comparison of Long-and Short-Axis Imaging for In-Plane Ultrasound-Guided Femoral Perineural Catheter Insertion. Journal of Ultrasound in Medicine, 2013, 32, 149-156.	1.7	30
65	Ultrasound and its evolution in perioperative regional anesthesia and analgesia. Bailliere's Best Practice and Research in Clinical Anaesthesiology, 2014, 28, 29-39.	4.0	30
66	The role of regional analgesia in personalized postoperative pain management. Korean Journal of Anesthesiology, 2020, 73, 363-371.	2.5	30
67	Feasibility of eye-tracking technology to quantify expertise in ultrasound-guided regional anesthesia. Journal of Anesthesia, 2016, 30, 530-533.	1.7	29
68	Why the Perioperative Surgical Home Makes Sense for Veterans Affairs Health Care. Anesthesia and Analgesia, 2015, 120, 1163-1166.	2.2	28
69	Design and Implementation of a Perioperative Surgical Home at a Veterans Affairs Hospital. Seminars in Cardiothoracic and Vascular Anesthesia, 2016, 20, 133-140.	1.0	28
70	Upgrading a Social Media Strategy to Increase Twitter Engagement During the Spring Annual Meeting of the American Society of Regional Anesthesia and Pain Medicine. Regional Anesthesia and Pain Medicine, 2017, 42, 283-288.	2.3	28
71	Perioperative Surgical Home and the Integral Role of Pain Medicine. Pain Medicine, 2015, 16, 1666-1672.	1.9	27
72	Simulation in teaching regional anesthesia: current perspectives. Local and Regional Anesthesia, 2015, 8, 33.	1.3	27

#	Article	IF	CITATIONS
73	Pain Management in Breast Surgery: Recommendations of a Multidisciplinary Expert Panel—The American Society of Breast Surgeons. Annals of Surgical Oncology, 2020, 27, 4588-4602.	1.5	27
74	Health-Related Quality of Life After Hip Arthroplasty With and Without an Extended-Duration Continuous Posterior Lumbar Plexus Nerve Block: A Prospective, 1-Year Follow-Up of a Randomized, Triple-Masked, Placebo-Controlled Study. Anesthesia and Analgesia, 2009, 109, 586-591.	2.2	26
75	An In Vitro Study to Evaluate the Utility of the "Air Test―to Infer Perineural Catheter Tip Location. Journal of Ultrasound in Medicine, 2013, 32, 529-533.	1.7	26
76	Do Hospitals Performing Frequent Neuraxial Anesthesia for Hip and Knee Replacements Have Better Outcomes?. Anesthesiology, 2018, 129, 428-439.	2.5	26
77	Ultrasoundâ€guided perineural catheter and local anesthetic infusion in the perioperative management of pediatric limb salvage: a case report. Paediatric Anaesthesia, 2009, 19, 905-907.	1.1	25
78	Comparative-Effectiveness of Simulation-Based Deliberate Practice Versus Self-Guided Practice on Resident Anesthesiologists' Acquisition of Ultrasound-Guided Regional Anesthesia Skills. Regional Anesthesia and Pain Medicine, 2016, 41, 151-157.	2.3	25
79	"Going Fishingâ€â€"The Practice of Reporting Secondary Outcomes as Separate Studies. Regional Anesthesia and Pain Medicine, 2007, 32, 183-185.	2.3	24
80	A Multidisciplinary Patient-Specific Opioid Prescribing and Tapering Protocol Is Associated with a Decrease in Total Opioid Dose Prescribed for Six Weeks After Total Hip Arthroplasty. Pain Medicine, 2020, 21, 1474-1481.	1.9	24
81	Impact of an Opioid Safety Initiative on Patients Undergoing Total Knee Arthroplasty. Anesthesiology, 2019, 131, 369-380.	2.5	23
82	Making a business plan for starting a transitional pain service within the US healthcare system. Regional Anesthesia and Pain Medicine, 2021, 46, rapm-2021-102669.	2.3	23
83	Effects of Local Anesthetic Concentration and Dose on Continuous Interscalene Nerve Blocks. Regional Anesthesia and Pain Medicine, 2008, 33, 518-525.	2.3	22
84	Continuous Transversus Abdominis Plane (TAP) Blocks for Postoperative Pain Control after Hernia Surgery: A Randomized, Triple-Masked, Placebo-Controlled Study. Pain Medicine, 2014, 15, 1957-1964.	1.9	22
85	Overdose Risk Associated with Opioid Use upon Hospital Discharge in Veterans Health Administration Surgical Patients. Pain Medicine, 2019, 20, 1020-1031.	1.9	22
86	Contemporary training methods in regional anaesthesia: fundamentals and innovations. Anaesthesia, 2021, 76, 53-64.	3.8	22
87	Effects of Local Anesthetic Concentration and Dose on Continuous Interscalene Nerve Blocks: A Dual-Center, Randomized, Observer-Masked, Controlled Study. Regional Anesthesia and Pain Medicine, 2008, 33, 518-525.	2.3	21
88	Using postoperative pain trajectories to define the role of regional analgesia in personalised pain medicine. Anaesthesia, 2021, 76, 165-169.	3.8	21
89	Successful Thoracoscopic Repair of Esophageal Atresia with Tracheoesophageal Fistula in a Newborn with Single Ventricle Physiology. Anesthesia and Analgesia, 2005, 101, 1000-1002.	2.2	20
90	Preliminary Study of Ergonomic Behavior During Simulated Ultrasound-Guided Regional Anesthesia Using a Head-Mounted Display. Journal of Ultrasound in Medicine, 2012, 31, 1277-1280.	1.7	20

#	Article	IF	Citations
91	Evaluation of a Standardized Program for Training Practicing Anesthesiologists in Ultrasoundâ€Guided Regional Anesthesia Skills. Journal of Ultrasound in Medicine, 2015, 34, 1883-1893.	1.7	20
92	Availability and Readability of Online Patient Education Materials Regarding Regional Anesthesia Techniques for Perioperative Pain Management. Pain Medicine, 2017, 18, pnw179.	1.9	20
93	The Perioperative Surgical Home model facilitates change implementation in anesthetic technique within a clinical pathway for total knee arthroplasty. Healthcare, 2016, 4, 334-339.	1.3	20
94	Opioidâ€free anaesthesia – what would Inigo Montoya say?. Anaesthesia, 2019, 74, 560-563.	3.8	20
95	The External Oblique Intercostal Block: Anatomic Evaluation and Case Series. Pain Medicine, 2021, 22, 2436-2442.	1.9	20
96	"Going Fishingâ€â€"The Practice of Reporting Secondary Outcomes as Separate Studies. Regional Anesthesia and Pain Medicine, 2007, 32, 183-185.	2.3	19
97	A Randomized Clinical Trial Comparing the Effectiveness of Ultrasound Guidance Versus Nerve Stimulation for Lateral Poplitealâ€Sciatic Nerve Blocks in Obese Patients. Journal of Ultrasound in Medicine, 2014, 33, 1057-1063.	1.7	19
98	How Social Media Is Changing the Practice of Regional Anesthesiology. Current Anesthesiology Reports, 2017, 7, 238-245.	2.0	19
99	Adherence to a Multimodal Analgesic Clinical Pathway. Regional Anesthesia and Pain Medicine, 2017, 42, 368-371.	2.3	19
100	Virtual reality distraction decreases routine intravenous sedation and procedure-related pain during preoperative adductor canal catheter insertion: a retrospective study. Korean Journal of Anesthesiology, 2017, 70, 439.	2.5	19
101	A Triple-Masked, Randomized Controlled Trial Comparing Ultrasound-Guided Brachial Plexus and Distal Peripheral Nerve Block Anesthesia for Outpatient Hand Surgery. Anesthesiology Research and Practice, 2014, 2014, 1-7.	0.7	17
102	Guidelines for Fellowship Training in Regional Anesthesiology and Acute Pain Medicine. Regional Anesthesia and Pain Medicine, 2015, 40, 213-217.	2.3	17
103	A pragmatic approach to evaluating new techniques in regional anesthesia and acute pain medicine. Pain Management, 2018, 8, 475-485.	1.5	17
104	A Commonsense Patient-Centered Approach to Multimodal Analgesia Within Surgical Enhanced Recovery Protocols , Journal of Pain Research, 2019, Volume 12, 3461-3466.	2.0	17
105	Implementation of a patient-specific tapering protocol at discharge decreases total opioid dose prescribed for 6 weeks after elective primary spine surgery. Regional Anesthesia and Pain Medicine, 2020, 45, 474-478.	2.3	17
106	Transesophageal Echocardiography Assessment of Severe Aortic Regurgitation in Type A Aortic Dissection Caused by a Prolapsed Circumferential Intimal Flap. Journal of Cardiothoracic and Vascular Anesthesia, 2007, 21, 85-87.	1.3	16
107	Peripheral nerve catheters and local anesthetic infiltration in perioperative analgesia. Bailliere's Best Practice and Research in Clinical Anaesthesiology, 2014, 28, 41-57.	4.0	16
108	Development and validation of a predictive model for American Society of Anesthesiologists Physical Status. BMC Health Services Research, 2019, 19, 859.	2.2	16

#	Article	IF	Citations
109	An ultrasound-guided fascia iliaca catheter technique does not impair ambulatory ability within a clinical pathway for total hip arthroplasty. Korean Journal of Anesthesiology, 2016, 69, 368.	2.5	16
110	Preliminary Experience With a Novel Ultrasound-Guided Supraclavicular Perineural Catheter Insertion Technique for Perioperative Analgesia of the Upper Extremity. Journal of Ultrasound in Medicine, 2010, 29, 1481-1485.	1.7	15
111	Choice of loco-regional anesthetic technique affects operating room efficiency for carpal tunnel release. Journal of Anesthesia, 2013, 27, 611-614.	1.7	15
112	Racism in Pain Medicine: We Can and Should Do More. Mayo Clinic Proceedings, 2021, 96, 1394-1400.	3.0	15
113	Advancing towards the next frontier in regional anaesthesia. Anaesthesia, 2021, 76, 3-7.	3.8	15
114	Essential elements of an outpatient total joint replacement programme. Current Opinion in Anaesthesiology, 2019, 32, 643-648.	2.0	15
115	Ambulatory continuous peripheral nerve blocks to treat postamputation phantom limb pain: a multicenter, randomized, quadruple-masked, placebo-controlled clinical trial. Pain, 2021, 162, 938-955.	4.2	15
116	Best Practices, Research Gaps, and Future Priorities to Support Tapering Patients on Long-Term Opioid Therapy for Chronic Non-Cancer Pain in Outpatient Settings. NAM Perspectives, 2020, 2020, .	2.9	15
117	Quality of Patient Education Materials on Safe Opioid Management in the Acute Perioperative Period: What Do Patients Find Online?. Pain Medicine, 2020, 21, 171-175.	1.9	14
118	The opioid sparing effect of erector spinae plane block for various surgeries: a meta-analysis of randomized-controlled trials. Minerva Anestesiologica, 2021, 87, 903-914.	1.0	14
119	Pneumothorax Following Infraclavicular Brachial Plexus Block for Hand Surgery. Orthopedics, 2008, 31, .	1.1	14
120	Continuous Interscalene Nerve Block Following Adhesive Capsulitis Manipulation. Regional Anesthesia and Pain Medicine, 2013, 38, 171-172.	2.3	13
121	The Perioperative Surgical Home Is Not Just a Name. Anesthesia and Analgesia, 2017, 125, 1443-1445.	2.2	13
122	Opioid Stewardship Program and Postoperative Adverse Events. Anesthesiology, 2020, 132, 1558-1568.	2.5	13
123	Scheduling Elective Pediatric Procedures That Require Anesthesia: The Perspective of Parents. Anesthesia and Analgesia, 2006, 103, 1426-1431.	2.2	12
124	A randomized comparison of long-axis and short-axis imaging for in-plane ultrasound-guided popliteal-sciatic perineural catheter insertion. Journal of Anesthesia, 2014, 28, 854-860.	1.7	12
125	The road to accreditation for fellowship training in regional anesthesiology and acute pain medicine. Current Opinion in Anaesthesiology, 2018, 31, 643-648.	2.0	12
126	What's in a Word? Qualitative and Quantitative Analysis of Leadership Language in Anesthesiology Resident Feedback. Journal of Graduate Medical Education, 2019, 11, 44-52.	1.3	12

#	Article	IF	Citations
127	Replacement of Fascia Iliaca Catheters with Continuous Erector Spinae Plane Blocks Within a Clinical Pathway Facilitates Early Ambulation After Total Hip Arthroplasty. Pain Medicine, 2020, 21, 2423-2429.	1.9	12
128	Comparison of Procedural Times for Ultrasound-Guided Perineural Catheter Insertion in Obese and Nonobese Patients. Journal of Ultrasound in Medicine, 2011, 30, 1357-1361.	1.7	11
129	Developing a Multidisciplinary Fall Reduction Program for Lower-Extremity Joint Arthroplasty Patients. Anesthesiology Clinics, 2014, 32, 853-864.	1.4	11
130	Comparative Effectiveness of Infraclavicular and Supraclavicular Perineural Catheters for Ultrasoundâ€Guided Throughâ€theâ€Catheter Bolus Anesthesia. Journal of Ultrasound in Medicine, 2015, 34, 333-340.	1.7	11
131	The rise and fall of the COVID-19 aerosol box through the lens of Twitter. Journal of Clinical Anesthesia, 2021, 69, 110145.	1.6	11
132	A retrospective comparative provider workload analysis for femoral nerve and adductor canal catheters following knee arthroplasty. Journal of Anesthesia, 2015, 29, 303-307.	1.7	10
133	Preoperative Treatment of Obstructive Sleep Apnea With Positive Airway Pressure is Associated With Decreased Incidence of Atrial Fibrillation After Cardiac Surgery. Journal of Cardiothoracic and Vascular Anesthesia, 2017, 31, 1250-1256.	1.3	10
134	Problem with the Pecs II block: the long thoracic nerve is collateral damage. Regional Anesthesia and Pain Medicine, 2019, 44, 817-818.	2.3	10
135	Are Case Volume and Facility Complexity Level Associated With Postoperative Complications After Hip Fracture Surgery in the Veterans Affairs Healthcare System?. Clinical Orthopaedics and Related Research, 2019, 477, 177-190.	1.5	10
136	COVID-19: bringing out the best in anesthesiologists and looking toward the future. Regional Anesthesia and Pain Medicine, 2020, 45, 586-588.	2.3	10
137	Care of the Patient With a Peripheral Nerve Block. Journal of Perianesthesia Nursing, 2019, 34, 16-26.	0.7	9
138	Non-Fellowship regional anesthesia training and assessment: an international Delphi study on a consensus curriculum. Regional Anesthesia and Pain Medicine, 2021, 46, 867-873.	2.3	9
139	Cannabinoid and Opioid Use Among Total Joint Arthroplasty Patients: A 6-Year, Single-Institution Study. Orthopedics, 2021, 44, e101-e106.	1.1	9
140	Leveraging video telehealth for the transitional pain service in response to COVID-19. Regional Anesthesia and Pain Medicine, 2021, 46, 460.2-461.	2.3	9
141	Implementation of clinical practice changes by experienced anesthesiologists after simulation-based ultrasound-guided regional anesthesia training. Korean Journal of Anesthesiology, 2017, 70, 318.	2.5	9
142	Continuous Lesser Palatine Nerve Block for Postoperative Analgesia After Uvulopalatopharyngoplasty. Clinical Journal of Pain, 2013, 29, e35-e38.	1.9	8
143	Ultrasound-guided Continuous Median Nerve Block to Facilitate Intensive Hand Rehabilitation. Clinical Journal of Pain, 2013, 29, 86-88.	1.9	8
144	A Pilot In Vitro Evaluation of the "Air Test―for Perineural Catheter Tip Localization by a Novice Regional Anesthesiologist. Journal of Ultrasound in Medicine, 2014, 33, 2197-2200.	1.7	8

#	Article	IF	CITATIONS
145	Application of Echogenic Technology for Catheters Used in Ultrasoundâ€Guided Continuous Peripheral Nerve Blocks. Journal of Ultrasound in Medicine, 2014, 33, 905-911.	1.7	8
146	A pilot study to assess adductor canal catheter tip migration in a cadaver model. Journal of Anesthesia, 2015, 29, 308-312.	1.7	8
147	Development of technologies for placement of perineural catheters. Journal of Anesthesia, 2016, 30, 138-147.	1.7	8
148	We Asked the Experts: The WHO Surgical Safety Checklist and the COVID-19 Pandemic: Recommendations for Content and Implementation Adaptations. World Journal of Surgery, 2021, 45, 1293-1296.	1.6	8
149	Moving anesthesiology educational resources to the point of care: experience with a pediatric anesthesia mobile app. Korean Journal of Anesthesiology, 2018, 71, 192-200.	2.5	8
150	A Randomized Controlled Trial Evaluating the See, Tilt, Align, and Rotate (STAR) Maneuver on Skill Acquisition for Simulated Ultrasoundâ€Guided Interventional Procedures. Journal of Ultrasound in Medicine, 2015, 34, 1019-1026.	1.7	7
151	Perioperative Pain Management for Total Knee Arthroplasty: Need More Focus on the Forest and Less on the Trees. Anesthesiology, 2018, 128, 420-421.	2.5	7
152	Outcomes of Ambulatory Upper Extremity Surgery Patients Discharged Home with Perineural Catheters from a Veterans Health Administration Medical Center. Pain Medicine, 2019, 20, 2256-2262.	1.9	7
153	Peripheral nerve blocks are not associated with increased risk of perioperative peripheral nerve injury in a Veterans Affairs inpatient surgical population. Regional Anesthesia and Pain Medicine, 2019, 44, 81-85.	2.3	7
154	A little better is still better: using marginal gains to enhance â€enhanced recovery' after surgery. Regional Anesthesia and Pain Medicine, 2020, 45, 173-175.	2.3	7
155	Can bedside patient-reported numbness predict postoperative ambulation ability for total knee arthroplasty patients with nerve block catheters?. Korean Journal of Anesthesiology, 2016, 69, 32.	2.5	7
156	Evaluating Clinical Research and Bloodletting. (Seriously). Regional Anesthesia and Pain Medicine, 2010, 35, 488-489.	2.3	6
157	Updated Guide to Billing for Regional Anesthesia (United States). International Anesthesiology Clinics, 2011, 49, 84-93.	0.8	6
158	Invasive Mechanical Ventilation in California Over 2000-2009: Implications for Emergency Medicine. Western Journal of Emergency Medicine, 2015, 16, 696-706.	1.1	6
159	Comparison of catheter tip migration using flexible and stimulating catheters inserted into the adductor canal in a cadaver model. Journal of Anesthesia, 2015, 29, 471-474.	1.7	6
160	A matched case–control comparison of hospital costs and outcomes for knee replacement patients admitted postoperatively to acute care versus rehabilitation. Journal of Anesthesia, 2017, 31, 785-788.	1.7	6
161	Using eye tracking technology to compare the effectiveness of malignant hyperthermia cognitive aid design. Korean Journal of Anesthesiology, 2018, 71, 317-322.	2.5	6
162	Preoperative Ultrasound-Guided Botulinum Toxin A Injection Facilitates Closure of a Complex Abdominal Wall Hernia: A Case Report. A& A Practice, 2019, 13, 193-196.	0.4	6

#	Article	IF	CITATIONS
163	Perioperative Opioid Prescribing Patterns and Readmissions After Total Knee Arthroplasty in a National Cohort of Veterans Health Administration Patients. Pain Medicine, 2020, 21, 595-603.	1.9	6
164	How Twitter conversations using hashtags #regionalanesthesia and #regionalanaesthesia have changed in the COVID-19 era. Regional Anesthesia and Pain Medicine, 2020, 45, 765-766.	2.3	6
165	History and evolution of regional anesthesiology and acute pain medicine fellowship training. Regional Anesthesia and Pain Medicine, 2020, 45, 311-314.	2.3	6
166	Automated text messaging follow-up for patients who receive peripheral nerve blocks. Regional Anesthesia and Pain Medicine, 2021, 46, 524-528.	2.3	6
167	Immediate Effects of a Continuous Peripheral Nerve Block on Postamputation Phantom and Residual Limb Pain: Secondary Outcomes From a Multicenter Randomized Controlled Clinical Trial. Anesthesia and Analgesia, 2021, 133, 1019-1027.	2.2	6
168	A tale of two surges: messaging app and public COVID-19 data summarize one anesthesiology practice's pandemic year in review. Canadian Journal of Anaesthesia, 2021, 68, 1828-1830.	1.6	6
169	Believe the hype? An evaluation of Twitter activity and publication trends related to the erector spinae plane block. Journal of Clinical Anesthesia, 2021, 75, 110499.	1.6	6
170	Teaching an old pain medicine society new tweets: integrating social media into continuing medical education. Korean Journal of Anesthesiology, 2019, 72, 409-412.	2.5	6
171	Five-year follow-up to assess long-term sustainability of changing clinical practice regarding anesthesia and regional analgesia for lower extremity arthroplasty. Korean Journal of Anesthesiology, 2020, 73, 401-407.	2,5	6
172	Regional anesthesia techniques and postoperative delirium: systematic review and meta-analysis. Minerva Anestesiologica, 2022, 88, .	1.0	6
173	Posterior lumbar plexus perineural catheter insertion by ultrasound guidance alone. Acta Anaesthesiologica Scandinavica, 2011, 55, 1031-1032.	1.6	5
174	Cómo pueden beneficiarse los médicos académicos de las redes sociales. Revista Española De AnestesiologÃa Y Reanimación, 2018, 65, 103-107.	0.3	5
175	Regional Anesthesia and Readmission Rates After Total Knee Arthroplasty. Anesthesia and Analgesia, 2019, 128, 1319-1327.	2.2	5
176	The future of education in anesthesiology is social. International Anesthesiology Clinics, 2020, 58, 52-57.	0.8	5
177	Collateral Damage as Crises Collide: Perioperative Opioids in the COVID-19 Era. Pain Medicine, 2020, 21, 3248-3249.	1.9	5
178	Six tips for successful virtual anesthesiology interviews in the COVID-19 era and beyond. Canadian Journal of Anaesthesia, 2021, 68, 1093-1095.	1.6	5
179	Continuous Versus Single-Injection Peripheral Nerve Blocks: A Prospective Cohort Study Comparing Procedural Time and Estimated Personnel Cost. Open Anesthesiology Journal, 2015, 9, 1-5.	0.4	5
180	Vascular Surgery Patients Prescribed Preoperative $\hat{I}^2$ -Blockers Experienced a Decrease in the Maximal Heart Rate Observed During Induction of General Anesthesia. Journal of Cardiothoracic and Vascular Anesthesia, 2012, 26, 414-419.	1.3	4

#	Article	IF	CITATIONS
181	A Randomized Doubleâ€Blinded Trial on the Effects of Ultrasound Transducer Orientation on Teaching and Learning Ultrasoundâ€Guided Regional Anesthesia. Journal of Ultrasound in Medicine, 2016, 35, 1509-1516.	1.7	4
182	Education in Ultrasound-Guided Regional Anesthesia. Regional Anesthesia and Pain Medicine, 2016, 41, 663-664.	2.3	4
183	Comparative Effectiveness of Two Ultrasoundâ€Guided Regional Block Techniques for Surgical Anesthesia in Open Unilateral Inguinal Hernia Repair. Journal of Ultrasound in Medicine, 2016, 35, 177-182.	1.7	4
184	Spinal anesthesia increases the rate of opioid-free recovery after transurethral urologic surgery. Journal of Clinical Anesthesia, 2020, 60, 109-110.	1.6	4
185	Utility of videolaryngoscopy for diagnostic and therapeutic interventions in head and neck surgery. American Journal of Otolaryngology - Head and Neck Medicine and Surgery, 2020, 41, 102284.	1.3	4
186	Erector spinae plane: a collapsible potential space. Regional Anesthesia and Pain Medicine, 2020, 45, 562-563.	2.3	4
187	The effect of passive muscle mobilization on the distribution of local anesthetics after supra-inguinal fascia iliaca compartment block, a pilot case study. Journal of Clinical Anesthesia, 2021, 68, 110100.	1.6	4
188	Enhanced recovery pathways and patientâ€reported outcome measures in gynaecological oncology. Anaesthesia, 2021, 76, 131-138.	3.8	4
189	A Pilot Project Using Eye-Tracking Technology to Design a Standardised Anaesthesia Workspace. Turkish Journal of Anaesthesiology and Reanimation, 2018, 46, 411-415.	0.8	4
190	Opioid-free anesthesia in oncologic surgery: the rules of the game. Journal of Anesthesia, Analgesia and Critical Care, 2022, 2, .	1.3	4
191	Conflicting Results in Clinical Research: Is the Proof in the P Value, the Study Design, or the Pudding?. Regional Anesthesia and Pain Medicine, 2007, 32, 179-182.	2.3	3
192	The Expanding Role of Multimodal Analgesia in Acute Perioperative Pain Management. Advances in Anesthesia, 2013, 31, 119-136.	0.9	3
193	What Can Regional Anesthesiology and Acute Pain Medicine Learn from "Big Data�. Anesthesiology Clinics, 2018, 36, 467-478.	1.4	3
194	A short, sustainable intervention to help reduce day of surgery smoking rates among patients undergoing elective surgery. Journal of Clinical Anesthesia, 2019, 58, 35-36.	1.6	3
195	A Multidisciplinary Perioperative Intervention to Improve Positive Airway Pressure Adherence in Patients With Obstructive Sleep Apnea. A& A Practice, 2020, 14, 119-122.	0.4	3
196	Regional anesthesia educational material utilization varies by World Bank income category: A mobile health application data study. PLoS ONE, 2021, 16, e0244860.	2.5	3
197	The expanding role of chronic pain interventions in multimodal perioperative pain management: a narrative review. Postgraduate Medicine, 2022, 134, 449-457.	2.0	3
198	Making the case for a procedure-specific definition of chronic postoperative opioid use. Regional Anesthesia and Pain Medicine, 2020, 45, 922-923.	2.3	3

#	Article	IF	CITATIONS
199	A comparison of strength for two continuous peripheral nerve block catheter dressings. Korean Journal of Anesthesiology, 2016, 69, 506.	2.5	3
200	Randomized comparison of popliteal-sciatic perineural catheter tip migration and dislocation in a cadaver model using two catheter designs. Korean Journal of Anesthesiology, 2017, 70, 72.	2.5	3
201	Single-injection regional analgesia techniques for mastectomy surgery. European Journal of Anaesthesiology, 2022, 39, 591-601.	1.7	3
202	Regional anesthesia and enhanced recovery after colorectal surgery: are we asking the right questions?. Regional Anesthesia and Pain Medicine, 2022, 47, 279-281.	2.3	3
203	Is there a correlation between Altmetric Attention Scores and citation count in <i>Regional Anesthesia and Pain Medicine</i> journal articles?. Regional Anesthesia and Pain Medicine, 2022, 47, 649-650.	2.3	3
204	Comparing axillary with infraclavicular perineural catheters for postâ€operative analgesia. Acta Anaesthesiologica Scandinavica, 2011, 55, 1283-1284.	1.6	2
205	Perioperative Surgical Home Reduces Rapid Response Calls to a Postoperative Surgical Ward: How Anesthesiologists Are Improving the Inpatient Safety Net. Seminars in Cardiothoracic and Vascular Anesthesia, 2018, 22, 345-352.	1.0	2
206	Regional Anesthesiology and Acute Pain Medicine in the Era ofÂValue-Based Health Care. Anesthesiology Clinics, 2018, 36, xiii-xiv.	1.4	2
207	How anesthesiologists adapted to a nationwide spinal bupivacaine drug shortage. Journal of Clinical Anesthesia, 2020, 61, 109668.	1.6	2
208	Patient experiences following botulinum toxin A injection for complex abdominal wall hernia repair. Journal of Clinical Anesthesia, 2020, 66, 109956.	1.6	2
209	In reply: Three (more) tips to reduce socioeconomic bias in virtual anesthesiology interviews. Canadian Journal of Anaesthesia, 2021, 68, 1298-1299.	1.6	2
210	Eight years and already a classic: marking the rise of ultrasoundâ€guided fascial plane blocks for chest wall surgery. Anaesthesia, 2021, 76, 1129-1133.	3.8	2
211	Fighting burnout in the COVID-19 era is a family matter. Journal of Clinical Anesthesia, 2021, 72, 110293.	1.6	2
212	PECS2 or PICK2. Regional Anesthesia and Pain Medicine, 2022, 47, 450.2-451.	2.3	2
213	Hospitalization Costs of Total Knee Arthroplasty With a Continuous Femoral Nerve Block Provided Only in the Hospital Versus on an Ambulatory Basis. Regional Anesthesia and Pain Medicine, 2007, 32, 46-54.	2.3	1
214	Continuous peripheral nerve blocks in acute pain management. European Journal of Pain Supplements, 2010, 4, 239-244.	0.0	1
215	Epidural Catheter Removal in Patients on Warfarin Thromboprophylaxis. Regional Anesthesia and Pain Medicine, 2011, 36, 632.	2.3	1
216	Editorial Comment. A & A Case Reports, 2014, 3, 160-161.	0.7	1

#	Article	IF	Citations
217	Effectiveness of preoperative beta-blockade on intra-operative heart rate in vascular surgery cases conducted under regional or local anesthesia. SpringerPlus, 2014, 3, 227.	1.2	1
218	Inpatient Falls After Total Knee Arthroplasty. Survey of Anesthesiology, 2014, 58, 199.	0.1	1
219	Improving Mastery Learning With Comparative Effectiveness. Academic Medicine, 2016, 91, 752-752.	1.6	1
220	Comparative Echogenicity of an Epidural Catheter and 2 New Catheters Designed for Ultrasoundâ€Guided Continuous Peripheral Nerve Blocks. Journal of Ultrasound in Medicine, 2017, 36, 2571-2576.	1.7	1
221	Medical education research methodology: accuracy and design. Regional Anesthesia and Pain Medicine, 2019, 44, 534.1-534.	2.3	1
222	Practice Patterns in Perioperative Nonopioid Analgesic Administration by Anesthesiologists in a Veterans Affairs Hospital. Pain Medicine, 2020, 21, e208-e214.	1.9	1
223	Reply to Dr Price: Interfascial plane blocks – a Time to Pause. Regional Anesthesia and Pain Medicine, 2019, 44, 138.2-138.	2.3	1
224	Regional Anesthesia. Anesthesiology, 2019, 131, 1205-1206.	2.5	1
225	Are anesthesiology societies at risk of becoming obsolete? Perspectives on challenges and opportunities for moving forward. International Anesthesiology Clinics, 2020, 58, 70-77.	0.8	1
226	Assessing the current status of continuous peripheral nerve blocks in clinical practice in North America, a survey approach. Journal of Clinical Anesthesia, 2020, 65, 109870.	1.6	1
227	Daring discourse – no: cannabinoids should not be used for acute postoperative pain management. Regional Anesthesia and Pain Medicine, 2020, 45, 520-523.	2.3	1
228	Analysis of the gender distribution of industry- and society-sponsored webinar faculty during the COVID-19 pandemic. Journal of Clinical Anesthesia, 2020, 67, 110040.	1.6	1
229	Fasten your seatbelts: innovation in regional anaesthesia is a bumpy ride. Anaesthesia, 2020, 75, 447-450.	3.8	1
230	The #ASRASpring20 conference was canceled due to COVID-19 but the science survives and thrives. Regional Anesthesia and Pain Medicine, 2021, 46, 374-375.	2.3	1
231	Educating Nurses on Intravenous Lidocaine for Postoperative Pain Management. Pain Management Nursing, 2021, 22, 94-99.	0.9	1
232	Preliminary analysis of factors affecting publication of abstracts presented during the 2017 American Society of Regional Anesthesia and Pain Medicine spring annual meeting. Regional Anesthesia and Pain Medicine, 2022, 47, 192-193.	2.3	1
233	A field on fire: Why has there been so much attention focused on burnout among anesthesiologists?. Journal of Clinical Anesthesia, 2021, 73, 110356.	1.6	1
234	The Future of Pain Medicine. ASA Monitor, 2021, 85, 35-37.	0.1	1

#	Article	IF	CITATIONS
235	Perioperative management of quadriceps tendon rupture in a patient recovering from COVID-19 pneumonia: A case report. Journal of Clinical Anesthesia, 2021, 75, 110548.	1.6	1
236	Conflicting Results in Clinical Research. Regional Anesthesia and Pain Medicine, 2007, 32, 179-182.	2.3	0
237	In Response:. Anesthesia and Analgesia, 2009, 109, 1348-1349.	2.2	0
238	Reply to Dr. Borgeat. Regional Anesthesia and Pain Medicine, 2010, 35, 120-122.	2.3	0
239	Brachial plexus blocks: techniques above the clavicle. , 2011, , 552-569.		0
240	Is There a Role for Regional Anesthesia in the Obese Patient?. , 2013, , 227-238.		0
241	Association of age and packed red blood cell transfusion to 1â€year survival – an observational study of <scp>ICU</scp> patients. Transfusion Medicine, 2013, 23, 231-237.	1.1	0
242	Upper Extremity Blocks. , 2014, , 716-731.e3.		0
243	Orthopedic Anesthesia. Anesthesiology Clinics, 2014, 32, xiii-xiv.	1.4	O
244	Use of a home positive airway pressure device during intraoperativeÂmonitored anesthesia care for outpatient surgery. Journal of Anesthesia, 2016, 30, 707-710.	1.7	0
245	Six Month Follow-Up of a Patient With a Retained Fascia Iliaca Catheter. A& A Practice, 2018, 10, 107-109.	0.4	O
246	Preventing persistent pain after breast cancer surgery: still more work to be done. Minerva Anestesiologica, 2018, 84, 771-772.	1.0	0
247	Continuous Peripheral Nerve Blocks. , 2018, , 135-140.e2.		0
248	Ultrasound-Guided Continuous Peripheral Nerve Blocks. , 2018, , 217-226.		0
249	Regional Anesthesia. Anesthesiology Clinics, 2018, 36, i.	1.4	0
250	In Response. Anesthesia and Analgesia, 2018, 126, 732-732.	2.2	0
251	Patientâ€eentred care in regional anaesthesia – a reply. Anaesthesia, 2019, 74, 1343-1344.	3.8	O
252	Aiming to Refine the Interscalene Block. Anesthesiology, 2019, 131, 1207-1209.	2.5	0

#	Article	IF	Citations
253	Erector spinae plane block catheter for postoperative pain management after open cholecystectomy in Zimbabwe. Journal of Clinical Anesthesia, 2020, 61, 109678.	1.6	O
254	Development and Deployment of an Intraoperative Clinical Summary Document: A Veterans Health Care Affairs Perspective. ACI Open, 2020, 04, e30-e34.	0.5	0
255	An analysis of perioperative eye injury in a veterans affairs inpatient surgical population. Journal of Clinical Anesthesia, 2020, 66, 109913.	1.6	0
256	The effect of intraoperative intravenous acetaminophen on intraoperative and postoperative opioid use and pain scores in minimally invasive spine surgery. Journal of Clinical Anesthesia, 2020, 65, 109748.	1.6	0
257	Pilot study to correlate objective eye-tracking data with timed subjective task completion using five local anesthetic systemic toxicity cognitive aids. Regional Anesthesia and Pain Medicine, 2021, 46, rapm-2021-102547.	2.3	0
258	Evaluation of trends in continuous peripheral nerve block utilization for total knee arthroplasty within and outside the Veterans Affairs Healthcare System. Regional Anesthesia and Pain Medicine, 2022, 47, rapm-2021-102731.	2.3	0
259	In reply: â€~automating patient outcomes: next frontier?'. Regional Anesthesia and Pain Medicine, 2021, , rapm-2021-102992.	2.3	0
260	Appropriate Endotracheal Tube Placement in Children: Don't Throw Away Your Stethoscopes Yet!. Anesthesiology, 2009, 110, 433-434.	2.5	0
261	Ultrasound-Guided Continuous Peripheral Nerve Blocks. , 2011, , 259-272.		0
262	Continuous peripheral nerve blocks. , 2011, , 234-237.		0
263	In Reply. Anesthesiology, 2014, 121, 669-669.	2.5	0
264	Standardizing nomenclature for fascial plane blocks: the destination not the journey. Regional Anesthesia and Pain Medicine, 2022, 47, 341.2-342.	2.3	0
265	A Comparative Utility Score for Digital Health Tools. Journal of Medical Systems, 2022, 46, 34.	3.6	0
266	Looking backward to move forward in perioperative pain management?. Regional Anesthesia and Pain Medicine, 0, , rapm-2022-103805.	2.3	0
267	Single-center cross-sectional study of high opioid prescribing among U.S. veterans with peripheral arterial disease. Regional Anesthesia and Pain Medicine, 2022, 47, 651-652.	2.3	0
268	A simple checkbox reminder may influence postoperative opioid prescribing behaviour in acute pain service clinicians. Anaesthesia, 2022, 77, 1167-1169.	3.8	0
269	Role of social networks in regional anesthesia research: a case study of the erector spinae plane block. Regional Anesthesia and Pain Medicine, 2022, 47, 701-702.	2.3	0