

# Changxin Gao

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8491217/publications.pdf>

Version: 2024-02-01

106  
papers

4,454  
citations

279701

23  
h-index

168321

53  
g-index

108  
all docs

108  
docs citations

108  
times ranked

2985  
citing authors

#	ARTICLE	IF	CITATIONS
1	Pose-Guided Hierarchical Semantic Decomposition and Composition for Human Parsing. IEEE Transactions on Cybernetics, 2023, 53, 1641-1652.	6.2	2
2	Instance-Based Feature Pyramid for Visual Object Tracking. IEEE Transactions on Circuits and Systems for Video Technology, 2022, 32, 3774-3787.	5.6	4
3	D2T: A Framework For transferring detection to tracking. Pattern Recognition, 2022, 126, 108544.	5.1	1
4	Norm-Aware Margin Assignment for Person Re-Identification. IEEE Signal Processing Letters, 2022, 29, 1292-1296.	2.1	1
5	Rotated Feature Network for Multiorientation Object Detection of Remote-Sensing Images. IEEE Geoscience and Remote Sensing Letters, 2021, 18, 33-37.	1.4	17
6	CondNet: Conditional Classifier for Scene Segmentation. IEEE Signal Processing Letters, 2021, 28, 758-762.	2.1	10
7	Latent Distribution-Based 3D Hand Pose Estimation From Monocular RGB Images. IEEE Transactions on Circuits and Systems for Video Technology, 2021, 31, 4883-4894.	5.6	8
8	Viewpoint Transform Matching model for person re-identification. Neurocomputing, 2021, 433, 19-27.	3.5	5
9	BiSeNet V2: Bilateral Network with Guided Aggregation for Real-Time Semantic Segmentation. International Journal of Computer Vision, 2021, 129, 3051-3068.	10.9	542
10	CSENet: Cascade semantic erasing network for weakly-supervised semantic segmentation. Neurocomputing, 2021, 453, 885-895.	3.5	7
11	Temporal Context Aggregation Network for Temporal Action Proposal Refinement. , 2021, , .		85
12	Lite-HRNet: A Lightweight High-Resolution Network. , 2021, , .		159
13	Self-Supervised Learning for Semi-Supervised Temporal Action Proposal. , 2021, , .		34
14	Weakly Supervised Person Search with Region Siamese Networks. , 2021, , .		12
15	Weakly Supervised Text-based Person Re-Identification. , 2021, , .		8
16	OadTR: Online Action Detection with Transformers. , 2021, , .		47
17	Exemplar-Based Recursive Instance Segmentation With Application to Plant Image Analysis. IEEE Transactions on Image Processing, 2020, 29, 389-404.	6.0	13
18	Semi-Supervised Image Dehazing. IEEE Transactions on Image Processing, 2020, 29, 2766-2779.	6.0	133

#	ARTICLE	IF	CITATIONS
19	Complementation-Reinforced Attention Network for Person Re-Identification. IEEE Transactions on Circuits and Systems for Video Technology, 2020, 30, 3433-3445.	5.6	25
20	Hard sample mining makes person re-identification more efficient and accurate. Neurocomputing, 2020, 382, 259-267.	3.5	20
21	Joint Analysis and Weighted Synthesis Sparsity Priors for Simultaneous Denoising and Destriping Optical Remote Sensing Images. IEEE Transactions on Geoscience and Remote Sensing, 2020, 58, 6958-6982.	2.7	82
22	Keypoint-Based Feature Matching For Partial Person Re-Identification. , 2020, , .		4
23	Domain Adaptation for Image Dehazing. , 2020, , .		235
24	Context Prior for Scene Segmentation. , 2020, , .		156
25	Structure-aware human pose estimation with graph convolutional networks. Pattern Recognition, 2020, 106, 107410.	5.1	54
26	Joint image deblurring and matching with feature-based sparse representation prior. Pattern Recognition, 2020, 103, 107300.	5.1	16
27	Dynamic Scene Deblurring by Depth Guided Model. IEEE Transactions on Image Processing, 2020, 29, 5273-5288.	6.0	29
28	GLNet: Global Local Network for Weakly Supervised Action Localization. IEEE Transactions on Multimedia, 2020, 22, 2610-2622.	5.2	15
29	Pose-guided spatiotemporal alignment for video-based person Re-identification. Information Sciences, 2020, 527, 176-190.	4.0	16
30	Joint image restoration and matching method based on distance-weighted sparse representation prior. Pattern Recognition Letters, 2020, 135, 160-166.	2.6	2
31	Adversarial Semantic Data Augmentation for Human Pose Estimation. Lecture Notes in Computer Science, 2020, , 606-622.	1.0	32
32	Representative Graph Neural Network. Lecture Notes in Computer Science, 2020, , 379-396.	1.0	26
33	Relevant region prediction for crowd counting. Neurocomputing, 2020, 407, 399-408.	3.5	23
34	End-to-End Blurry Template Matching Method Based on Siamese Networks. Lecture Notes in Computer Science, 2020, , 222-233.	1.0	0
35	HTSTL: Head-and-Tail Search Network With Scale-Transfer Layer for Traffic Sign Text Detection. IEEE Access, 2019, 7, 118333-118342.	2.6	3
36	Learning What and Where from Attributes to Improve Person Re-Identification. , 2019, , .		10

#	ARTICLE	IF	CITATIONS
37	Superpixel-Based Temporally Aligned Representation for Video-Based Person Re-Identification. <i>Sensors</i> , 2019, 19, 3861.	2.1	4
38	Scale Pyramid Network for Crowd Counting. , 2019, , .		86
39	Unidirectional variation and deep CNN denoiser priors for simultaneously destriping and denoising optical remote sensing images. <i>International Journal of Remote Sensing</i> , 2019, 40, 5737-5748.	1.3	63
40	FUsing Global and Semantic-Part Features with Multiple Granularities for Person Re-Identification. , 2019, , .		3
41	TACNet: Transition-Aware Context Network for Spatio-Temporal Action Detection. , 2019, , .		33
42	Blind Image Deblurring via Deep Discriminative Priors. <i>International Journal of Computer Vision</i> , 2019, 127, 1025-1043.	10.9	78
43	Spatial and class structure regularized sparse representation graph for semi-supervised hyperspectral image classification. <i>Pattern Recognition</i> , 2018, 81, 81-94.	5.1	57
44	Representation Space-Based Discriminative Graph Construction for Semisupervised Hyperspectral Image Classification. <i>IEEE Signal Processing Letters</i> , 2018, 25, 35-39.	2.1	3
45	Equidistance constrained metric learning for person re-identification. <i>Pattern Recognition</i> , 2018, 74, 38-51.	5.1	44
46	Learning a Discriminative Feature Network for Semantic Segmentation. , 2018, , .		532
47	Improving Person Re-Identification by Adaptive Hard Sample Mining. , 2018, , .		3
48	Light YOLO for High-Speed Gesture Recognition. , 2018, , .		9
49	Optical remote sensing image enhancement with weak structure preservation via spatially adaptive gamma correction. <i>Infrared Physics and Technology</i> , 2018, 94, 38-47.	1.3	70
50	Iterative weighted sparse representation for X-ray cardiovascular angiogram image denoising over learned dictionary. <i>IET Image Processing</i> , 2018, 12, 254-261.	1.4	68
51	Progressive Dual-Domain Filter for Enhancing and Denoising Optical Remote-Sensing Images. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2018, 15, 759-763.	1.4	85
52	Chronological Video Synopsis via Events Rearrangement Optimization. <i>Chinese Journal of Electronics</i> , 2018, 27, 399-404.	0.7	8
53	BiSeNet: Bilateral Segmentation Network for Real-Time Semantic Segmentation. <i>Lecture Notes in Computer Science</i> , 2018, , 334-349.	1.0	990
54	Detection of vehicle parts based on Faster R-CNN and relative position information. , 2018, , .		0

#	ARTICLE	IF	CITATIONS
55	Selecting good regions to deblur via relative total variation. , 2018, , .		0
56	Scene text detection by leveraging multi-channel information and local context. , 2018, , .		0
57	Vehicle parts detection based on Faster - RCNN with location constraints of vehicle parts feature point. , 2018, , .		2
58	Learning deep features with adaptive triplet loss for person reidentification. , 2018, , .		0
59	Week texture objects pose estimation based on 3D model. , 2018, , .		0
60	Robust Visual Tracking Using Exemplar-Based Detectors. IEEE Transactions on Circuits and Systems for Video Technology, 2017, 27, 300-312.	5.6	18
61	A discriminant sparse representation graph-based semi-supervised learning for hyperspectral image classification. Multimedia Tools and Applications, 2017, 76, 10959-10971.	2.6	9
62	DeepList: Learning Deep Features With Adaptive Listwise Constraint for Person Reidentification. IEEE Transactions on Circuits and Systems for Video Technology, 2017, 27, 513-524.	5.6	51
63	Online Unsupervised Learning Classification of Pedestrian and Vehicle for Video Surveillance. Chinese Journal of Electronics, 2017, 26, 145-151.	0.7	7
64	Group Sparse-Based Mid-Level Representation for Action Recognition. IEEE Transactions on Systems, Man, and Cybernetics: Systems, 2017, 47, 660-672.	5.9	17
65	Local Fractional Order Derivative Vector Quantization Pattern for Face Recognition. Lecture Notes in Computer Science, 2017, , 234-247.	1.0	1
66	Fast Online Video Synopsis Based on Potential Collision Graph. IEEE Signal Processing Letters, 2017, 24, 22-26.	2.1	27
67	A low-cost real-time face tracking system for ITSs and SDASs. Software - Practice and Experience, 2017, 47, 1111-1126.	2.5	4
68	Probabilistic class structure regularized sparse representation graph for semi-supervised hyperspectral image classification. Pattern Recognition, 2017, 63, 102-114.	5.1	42
69	Graph coloring based surveillance video synopsis. Neurocomputing, 2017, 225, 64-79.	3.5	39
70	Discriminative Part Selection For Human Action Recognition. IEEE Transactions on Multimedia, 2017, , 1-1.	5.2	9
71	Vehicle re-identification by fusing multiple deep neural networks. , 2017, , .		12
72	Data Association Based Multi-target Tracking Using a Joint Formulation. Lecture Notes in Computer Science, 2017, , 240-255.	1.0	1

#	ARTICLE	IF	CITATIONS
73	Enhancement of ELDA Tracker Based on CNN Features and Adaptive Model Update. <i>Sensors</i> , 2016, 16, 545.	2.1	3
74	Hough Forest-based Association Framework with Occlusion Handling for Multi-Target Tracking. <i>IEEE Signal Processing Letters</i> , 2016, 23, 257-261.	2.1	4
75	A Computational Model for Object-Based Visual Saliency: Spreading Attention Along Gestalt Cues. <i>IEEE Transactions on Multimedia</i> , 2016, 18, 273-286.	5.2	31
76	Face recognition with Riesz binary pattern. , 2016, 51, 196-201.		8
77	Collaborative multicue fusion using the cross-diffusion process for salient object detection. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2016, 33, 404.	0.8	5
78	Completed local similarity pattern for color image recognition. <i>Neurocomputing</i> , 2016, 182, 111-117.	3.5	16
79	LEDTD: Local edge direction and texture descriptor for face recognition. <i>Signal Processing: Image Communication</i> , 2016, 41, 40-45.	1.8	15
80	A Remote Sensing Image Fusion Method Based on the Analysis Sparse Model. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2016, 9, 439-453.	2.3	31
81	Similarity Learning with Top-heavy Ranking Loss for Person Re-identification. <i>IEEE Signal Processing Letters</i> , 2016, 23, 84-88.	2.1	14
82	Multitarget Tracking Using Hough Forest Random Field. <i>IEEE Transactions on Circuits and Systems for Video Technology</i> , 2016, 26, 2028-2042.	5.6	10
83	Mid-level parts mined by feature selection for action recognition. , 2015, , .		1
84	DeNet: An explicit distance ensemble model for person re-identification. , 2015, , .		0
85	Text detection approach based on confidence map and context information. <i>Neurocomputing</i> , 2015, 157, 153-165.	3.5	25
86	Scene Text Identification by Leveraging Mid-level Patches and Context Information. <i>IEEE Signal Processing Letters</i> , 2015, 22, 963-967.	2.1	4
87	Action recognition through discovering distinctive action parts. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2015, 32, 173.	0.8	9
88	A Discriminant Sparse Representation Graph-Based Semi-Supervised Learning for Hyperspectral Image Classification. <i>Communications in Computer and Information Science</i> , 2015, , 160-167.	0.4	1
89	Biologically Inspired Scene Context for Object Detection Using a Single Instance. <i>PLoS ONE</i> , 2014, 9, e98447.	1.1	3
90	Exemplar-based linear discriminant analysis for robust object tracking. , 2014, , .		4

#	ARTICLE	IF	CITATIONS
91	Discovering distinctive action parts for action recognition. , 2014, , .		1
92	Semi-supervised Discriminant Analysis and Sparse Representation-based self-training for Face Recognition. Optik, 2014, 125, 2170-2174.	1.4	5
93	A hierarchical feature graph matching method for recognition of complex human activities. Optik, 2014, 125, 4347-4351.	1.4	1
94	Hough Voting with Distinctive Mid-Level Parts for Object Detection. Communications in Computer and Information Science, 2014, , 305-313.	0.4	0
95	Multi-structure local binary patterns for texture classification. Pattern Analysis and Applications, 2013, 16, 595-607.	3.1	16
96	A hybrid approach for text detection in natural scenes. Proceedings of SPIE, 2013, , .	0.8	2
97	Instance-based attention: where could humans look first when searching for an object instance. Optics Letters, 2012, 37, 76.	1.7	4
98	Biologically inspired template matching using scene context. , 2011, , .		2
99	Locally Adaptive Shearlet Denoising Based on Bayesian MAP Estimate. , 2011, , .		3
100	On selection and combination of weak learners in AdaBoost. Pattern Recognition Letters, 2010, 31, 991-1001.	2.6	18
101	Cascade of hierarchical context and appearance for object detection. Optical Engineering, 2010, 49, 037003.	0.5	3
102	Textured image segmentation based on modulation models. Optical Engineering, 2010, 49, 097009.	0.5	2
103	Biologically Inspired Class-Specific Codebook Construction. , 2009, , .		0
104	Generic object recognition with biologically-inspired features. , 2009, , .		1
105	Class-specific codebook construction for biologically inspired recognition. , 2009, , .		0
106	Object detection with geometric context of keypoints described as lifetime. , 2009, , .		0