

Marjolein Y Berger

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/849199/publications.pdf>

Version: 2024-02-01

64
papers

1,245
citations

430442

18
h-index

414034

32
g-index

67
all docs

67
docs citations

67
times ranked

1713
citing authors

#	ARTICLE	IF	CITATIONS
1	One year effectiveness of an app-based treatment for urinary incontinence in comparison to care as usual in Dutch general practice: A pragmatic randomised controlled trial over 12 months. BJOG: an International Journal of Obstetrics and Gynaecology, 2022, 129, 1474-1480.	1.1	11
2	Cost-effectiveness of physiotherapy in childhood functional constipation: a randomized controlled trial in primary care. Family Practice, 2022, 39, 662-668.	0.8	3
3	Improved health status of severe COPD patients after being included in an integrated primary care service: A prospective cohort study. European Journal of General Practice, 2022, 28, 66-74.	0.9	2
4	Cost-effectiveness of an app-based treatment for urinary incontinence in comparison with care as usual in Dutch general practice: a pragmatic randomised controlled trial over 12 months. BJOG: an International Journal of Obstetrics and Gynaecology, 2022, 129, 1538-1545.	1.1	7
5	Added value of CRP to clinical features when assessing appendicitis in children. European Journal of General Practice, 2022, 28, 95-101.	0.9	6
6	Levonorgestrel-releasing intrauterine system versus endometrial ablation for heavy menstrual bleeding. American Journal of Obstetrics and Gynecology, 2021, 224, 187.e1-187.e10.	0.7	20
7	Developing a clinical prediction rule for repeated consultations with functional somatic symptoms in primary care: a cohort study. BMJ Open, 2021, 11, e040730.	0.8	3
8	Diagnostic accuracy of follow-up tests for detecting colorectal cancer recurrences in primary care: A systematic review and meta-analysis. European Journal of Cancer Care, 2021, 30, e13432.	0.7	6
9	App-Based Treatment in Primary Care for Urinary Incontinence: A Pragmatic, Randomized Controlled Trial. Annals of Family Medicine, 2021, 19, 102-109.	0.9	19
10	Cost-effectiveness of oral ondansetron for children with acute gastroenteritis in primary care: a randomised controlled trial. British Journal of General Practice, 2021, 71, e736-e743.	0.7	3
11	Oral ondansetron for paediatric gastroenteritis in primary care: a randomised controlled trial. British Journal of General Practice, 2021, 71, e728-e735.	0.7	7
12	Couple-based expanded carrier screening provided by general practitioners to couples in the Dutch general population: psychological outcomes and reproductive intentions. Genetics in Medicine, 2021, 23, 1761-1768.	1.1	10
13	Appendicitis in children with acute abdominal pain in primary care, a retrospective cohort study. Family Practice, 2021, 38, 758-765.	0.8	4
14	Home-based Physical Activity to Alleviate Fatigue in Cancer Survivors: A Systematic Review and Meta-analysis. Medicine and Science in Sports and Exercise, 2021, 53, 2661-2674.	0.2	16
15	Barriers and Facilitators Associated With App-Based Treatment for Female Urinary Incontinence: Mixed Methods Evaluation. JMIR MHealth and UHealth, 2021, 9, e25878.	1.8	5
16	Intrapartum synthetic oxytocin, behavioral and emotional problems in children, and the role of postnatal depressive symptoms, postnatal anxiety and mother-to-infant bonding: A Dutch prospective cohort study. Midwifery, 2021, 100, 103045.	1.0	10
17	Recommendations for clinical research in children presenting to primary care out-of-hours services: a randomised controlled trial with parallel cohort study. BJGP Open, 2021, 5, bjgopen20X101154.	0.9	5
18	Explanations for medically unexplained symptoms: a qualitative study on GPs in daily practice consultations. Family Practice, 2020, 37, 124-130.	0.8	6

#	ARTICLE	IF	CITATIONS
19	GP-provided couple-based expanded preconception carrier screening in the Dutch general population: who accepts the test-offer and why?. <i>European Journal of Human Genetics</i> , 2020, 28, 182-192.	1.4	15
20	Physiotherapy for Children with Functional Constipation: A Pragmatic Randomized Controlled Trial in Primary Care. <i>Journal of Pediatrics</i> , 2020, 216, 25-31.e2.	0.9	11
21	Quality of life in children with functional constipation: Are child self-reports and parent proxy-reports interchangeable?. <i>Journal of Pediatrics</i> , 2020, 217, 216.	0.9	0
22	Long-term survivors of early breast cancer treated with chemotherapy are characterized by a pro-inflammatory biomarker profile compared to matched controls. <i>European Journal of Heart Failure</i> , 2020, 22, 1239-1246.	2.9	30
23	Development of a risk classification model in early pregnancy to screen for suboptimal postnatal mother-to-infant bonding: A prospective cohort study. <i>PLoS ONE</i> , 2020, 15, e0241574.	1.1	4
24	Referral rates for children with acute gastroenteritis: a retrospective cohort study. <i>BJGP Open</i> , 2020, 4, bjgpopen20X101053.	0.9	3
25	Factors affecting patient recruitment to trials: qualitative research in general practice. <i>BJGP Open</i> , 2020, 4, bjgpopen20X101056.	0.9	10
26	Continuity of care and referral rate: challenges for the future of health care. <i>Family Practice</i> , 2019, 36, 162-165.	0.8	14
27	Development of practical recommendations for diagnostic accuracy studies in low-prevalence situations. <i>Journal of Clinical Epidemiology</i> , 2019, 114, 38-48.	2.4	25
28	Correlates of prenatal and postnatal mother-to-infant bonding quality: A systematic review. <i>PLoS ONE</i> , 2019, 14, e0222998.	1.1	110
29	Addressing transition to motherhood, guideline adherence by midwives in prenatal booking visits: Findings from video recordings. <i>Midwifery</i> , 2019, 69, 76-83.	1.0	9
30	Predictors of Success for Pelvic Floor Muscle Training in Pelvic Organ Prolapse. <i>Physical Therapy</i> , 2019, 99, 109-117.	1.1	10
31	The impact of a mobile application-based treatment for urinary incontinence in adult women: Design of a mixed-methods randomized controlled trial in a primary care setting. <i>Neurourology and Urodynamics</i> , 2018, 37, 2167-2176.	0.8	21
32	Physiotherapy plus conventional treatment versus conventional treatment only in the treatment of functional constipation in children: design of a randomized controlled trial and cost-effectiveness study in primary care. <i>BMC Pediatrics</i> , 2018, 18, 249.	0.7	5
33	Effects of Shared Decision Making on Distress and Health Care Utilization Among Patients With Lung Cancer: A Systematic Review. <i>Journal of Pain and Symptom Management</i> , 2018, 56, 975-987.e5.	0.6	12
34	Pelvic Physiotherapy in Children With Functional Constipation: Promising But More Research Needed. <i>Gastroenterology</i> , 2017, 152, 2080-2081.	0.6	8
35	Incidence and treatment of heavy menstrual bleeding in general practice. <i>Family Practice</i> , 2017, 34, 673-678.	0.8	17
36	Long-term outcome of cardiac function in a population-based cohort of breast cancer survivors: A cross-sectional study. <i>European Journal of Cancer</i> , 2017, 81, 56-65.	1.3	29

#	ARTICLE	IF	CITATIONS
37	Is the hymen a suitable cut-off point for clinically relevant pelvic organ prolapse?. <i>Maturitas</i> , 2017, 99, 86-91.	1.0	3
38	<i>Dientamoeba fragilis</i> colonization is not associated with gastrointestinal symptoms in children at primary care level. <i>Family Practice</i> , 2017, 34, 25-29.	0.8	34
39	Patients'™ views on general practitioners'™ role during treatment and follow-up of colorectal cancer: a qualitative study. <i>Family Practice</i> , 2017, 34, 234-238.	0.8	26
40	Use of Laboratory Markers in Addition to Symptoms for Diagnosis of Inflammatory Bowel Disease in Children. <i>JAMA Pediatrics</i> , 2017, 171, 984.	3.3	33
41	Minimal important change in the pelvic floor distress inventory-20 among women opting for conservative prolapse treatment. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 216, 397.e1-397.e7.	0.7	21
42	Predictors of unsuccessful pessary fitting in women with prolapse: a cross-sectional study in general practice. <i>International Urogynecology Journal</i> , 2017, 28, 307-313.	0.7	31
43	Diagnostic test strategies in children at increased risk of inflammatory bowel disease in primary care. <i>PLoS ONE</i> , 2017, 12, e0189111.	1.1	10
44	Systematic review on shared decision making for patients with lung cancer: Effects on distress and health care utilization.. <i>Journal of Clinical Oncology</i> , 2017, 35, 31-31.	0.8	4
45	C-Reactive Protein Level as Diagnostic Marker in Young Febrile Children Presenting in a General Practice Out-of-Hours Service. <i>Journal of the American Board of Family Medicine</i> , 2016, 29, 460-468.	0.8	9
46	Authors' reply re: Cost-effectiveness of a proactive approach of urinary incontinence in women. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016, 123, 2229-2230.	1.1	1
47	Diagnostic Accuracy of Fecal Calprotectin for Pediatric Inflammatory Bowel Disease in Primary Care: A Prospective Cohort Study. <i>Annals of Family Medicine</i> , 2016, 14, 437-445.	0.9	27
48	Evaluation of point-of-care test calprotectin and lactoferrin for inflammatory bowel disease among children with chronic gastrointestinal symptoms. <i>Family Practice</i> , 2016, 34, cmw079.	0.8	6
49	Defining trajectories in older adults with back pain presenting in general practice. <i>Age and Ageing</i> , 2016, 45, 878-883.	0.7	26
50	End-of-Life Preferences in Advanced Cancer Patients. <i>Journal of Palliative Medicine</i> , 2016, 19, 6-6.	0.6	0
51	Noninvasive Tests for Inflammatory Bowel Disease: A Meta-analysis. <i>Pediatrics</i> , 2016, 137, .	1.0	50
52	Prevalence and "Red Flags" Regarding Specified Causes of Back Pain in Older Adults Presenting in General Practice. <i>Physical Therapy</i> , 2016, 96, 305-312.	1.1	50
53	Patients' preferences for post-treatment breast cancer follow-up in primary care vs. secondary care: a qualitative study. <i>Health Expectations</i> , 2015, 18, 2192-2201.	1.1	33
54	Towards a differentiated capitation system: relation between patient characteristics, contacts and costs. <i>Family Practice</i> , 2015, 32, 545-550.	0.8	2

#	ARTICLE	IF	CITATIONS
55	Predictors of Chronic Abdominal Pain Affecting the Well-Being of Children in Primary Care. <i>Annals of Family Medicine</i> , 2015, 13, 158-163.	0.9	15
56	Translation of clinical prediction rules for febrile children to primary care practice: an observational cohort study. <i>British Journal of General Practice</i> , 2015, 65, e224-e233.	0.7	6
57	Predicting prolonged duration of fever in children: a cohort study in primary care. <i>British Journal of General Practice</i> , 2015, 65, e578-e584.	0.7	1
58	Active encouragement of older women with urinary incontinence in primary care to undergo diagnosis and treatment: A matched-pair cluster randomized controlled trial. <i>Maturitas</i> , 2015, 80, 212-219.	1.0	11
59	Alarming Signs and Symptoms in Febrile Children in Primary Care: An Observational Cohort Study in The Netherlands. <i>PLoS ONE</i> , 2014, 9, e88114.	1.1	2
60	Current and future use of point-of-care tests in primary care: an international survey in Australia, Belgium, The Netherlands, the UK and the USA. <i>BMJ Open</i> , 2014, 4, e005611-e005611.	0.8	131
61	Effect of pelvic floor muscle training compared with watchful waiting in older women with symptomatic mild pelvic organ prolapse: randomised controlled trial in primary care. <i>BMJ</i> , The, 2014, 349, g7378-g7378.	3.0	70
62	Pelvic floor muscle training versus watchful waiting or pessary treatment for pelvic organ prolapse (POPPS): Design and participant baseline characteristics of two parallel pragmatic randomized controlled trials in primary care. <i>Maturitas</i> , 2014, 77, 168-173.	1.0	27
63	Systematic screening for urinary incontinence in older women: Who could benefit from it?. <i>Scandinavian Journal of Primary Health Care</i> , 2012, 30, 21-28.	0.6	36
64	Value of Abdominal Radiography, Colonic Transit Time, and Rectal Ultrasound Scanning in the Diagnosis of Idiopathic Constipation in Children: A Systematic Review. <i>Journal of Pediatrics</i> , 2012, 161, 44-50.e2.	0.9	103