Ricardo J. Cassella

List of Publications by Citations

Source: https://exaly.com/author-pdf/8492524/ricardo-j-cassella-publications-by-citations.pdf

Version: 2024-04-11

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

126
papers2,211
citations26
h-index37
g-index136
ext. papers2,378
ext. citations4.7
avg, IF5.14
L-index

#	Paper	IF	Citations
126	Synthesis and application of a functionalized resin for flow injection/F AAS copper determination in waters. <i>Talanta</i> , 2005 , 67, 121-8	6.2	99
125	Employment of polyurethane foam for the adsorption of Methylene Blue in aqueous medium. Journal of Hazardous Materials, 2008 , 159, 580-6	12.8	89
124	Multivariate technique for optimization of digestion procedure by focussed microwave system for determination of Mn, Zn and Fe in food samples using FAAS. <i>Talanta</i> , 2006 , 68, 1083-8	6.2	73
123	Extraction induced by emulsion breaking: a novel strategy for the trace metals determination in diesel oil samples by electrothermal atomic absorption spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 2010 , 25, 1704	3.7	56
122	Multivariate optimization of a liquid-liquid extraction of the EPA-PAHs from natural contaminated waters prior to determination by liquid chromatography with fluorescence detection. <i>Talanta</i> , 2008 , 74, 1392-9	6.2	55
121	Separation of Malachite Green and Methyl Green cationic dyes from aqueous medium by adsorption on Amberlite XAD-2 and XAD-4 resins using sodium dodecylsulfate as carrier. <i>Chemical Engineering Journal</i> , 2011 , 171, 532-540	14.7	52
120	Application of the extraction induced by emulsion breaking for the determination of chromium and manganese in edible oils by electrothermal atomic absorption spectrometry. <i>Talanta</i> , 2012 , 99, 104-12	6.2	44
119	Polyurethane foam as a sorbent for continuous flow analysis: Preconcentration and spectrophotometric determination of zinc in biological materials. <i>Analytica Chimica Acta</i> , 1998 , 366, 263	3-269	43
118	Flow injection determination of cobalt after its sorption onto polyurethane foam loaded with 2-(2-thiazolylazo)-p-cresol (TAC). <i>Talanta</i> , 2001 , 54, 61-7	6.2	40
117	Extraction induced by emulsion breaking for metals determination in diesel oil by ICP-MS. <i>Journal of Analytical Atomic Spectrometry</i> , 2012 , 27, 364-370	3.7	39
116	Multivariate optimization of the determination of zinc in diesel oil employing a novel extraction strategy based on emulsion breaking. <i>Analytica Chimica Acta</i> , 2011 , 690, 79-85	6.6	39
115	An on-line solid phase extraction system using polyurethane foam for the spectrophotometric determination of nickel in silicates and alloys. <i>Analytica Chimica Acta</i> , 1999 , 378, 287-292	6.6	38
114	Novel extraction induced by emulsion breaking as a tool for the determination of trace concentrations of Cu, Mn and Ni in biodiesel by electrothermal atomic absorption spectrometry. <i>Talanta</i> , 2013 , 117, 32-8	6.2	37
113	Determination of arsenic in petroleum refinery streams by electrothermal atomic absorption spectrometry after multivariate optimization based on Doehlert design. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2002 , 57, 1967-1978	3.1	36
112	Extraction induced by emulsion breaking as a tool for Ca and Mg determination in biodiesel by fast sequential flame atomic absorption spectrometry (FS-FAAS) using Co as internal standard. <i>Microchemical Journal</i> , 2014 , 117, 172-177	4.8	32
111	Application of the extraction induced by emulsion breaking for the determination of Cu, Fe and Mn in used lubricating oils by flame atomic absorption spectrometry. <i>Talanta</i> , 2013 , 110, 21-7	6.2	32
110	Direct determination of arsenic and antimony in naphtha by electrothermal atomic absorption spectrometry with microemulsion sample introduction and iridium permanent modifier. <i>Analytical and Bioanalytical Chemistry</i> , 2004 , 379, 66-71	4.4	32

(2000-1999)

109	polyurethane foam: determination of zinc in waters and biological materials. <i>Journal of Analytical Atomic Spectrometry</i> , 1999 , 14, 1749-1753	3.7	32	
108	Polyurethane foam loaded with SDS for the adsorption of cationic dyes from aqueous medium: Multivariate optimization of the loading process. <i>Journal of Hazardous Materials</i> , 2009 , 167, 653-9	12.8	30	
107	Determination of Cu, Fe, Mn and Zn by flame atomic absorption spectrometry in multivitamin/multimineral dosage forms or tablets after an acidic extraction. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007 , 43, 304-10	3.5	30	
106	Flow injection-FTIR determination of dithiocarbamatepesticides. <i>Analyst, The</i> , 2000 , 125, 1829-1833	5	30	
105	Selectivity enhancement in spectrophotometry: on-line interference suppression using polyurethane foam minicolumn for aluminum determination with Methyl Thymol Blue. <i>Analyst, The</i> , 1999 , 124, 805-808	5	28	
104	Extraction induced by emulsion breaking for determination of Ba, Ca, Mg and Na in crude oil by inductively coupled plasma optical emission spectrometry. <i>Microchemical Journal</i> , 2016 , 124, 338-343	4.8	27	
103	Optimization of an open-focused microwave oven digestion procedure for determination of metals in diesel oil by inductively coupled plasma optical emission spectrometry. <i>Journal of Hazardous Materials</i> , 2007 , 149, 67-74	12.8	27	
102	Determination of sulfide in waters by flow-injection solid phase spectrophotometry. <i>Analyst, The</i> , 2000 , 125, 1835-1838	5	27	
101	Development of a method for total Hg determination in oil samples by cold vapor atomic absorption spectrometry after its extraction induced by emulsion breaking. <i>Talanta</i> , 2015 , 132, 733-8	6.2	26	
100	Determination of chloride in brazilian crude oils by ion chromatography after extraction induced by emulsion breaking. <i>Journal of Chromatography A</i> , 2016 , 1458, 112-7	4.5	26	
99	Application of a four-variables Doehlert design for the multivariate optimization of copper determination in petroleum-derived insulating oils by GFAAS employing the dilute-and-shot approach. <i>Fuel</i> , 2013 , 105, 503-511	7.1	26	
98	Determination of metals in soft drinks packed in different materials by ETAAS. <i>Food Chemistry</i> , 2015 , 185, 488-94	8.5	25	
97	Adsorption of paraquat from aqueous medium by Amberlite XAD-2 and XAD-4 resins using dodecylsulfate as counter ion. <i>Chemical Engineering Journal</i> , 2013 , 215-216, 691-698	14.7	25	
96	Precipitation-dissolution system for silver preconcentration and determination by flow injection flame atomic absorption spectrometry. <i>Talanta</i> , 2002 , 56, 673-80	6.2	25	
95	Multivariate optimization of a spectrophotometric method for copper determination in Brazilian sugar-cane spirits using the Doehlert design. <i>Microchemical Journal</i> , 2011 , 99, 118-124	4.8	24	
94	A novel strategy based on in-syringe dispersive liquid-liquid microextraction for the determination of nickel in chocolate samples. <i>Talanta</i> , 2019 , 193, 23-28	6.2	24	
93	Determination of inorganic mercury in petroleum production water by inductively coupled plasma optical emission spectrometry following photochemical vapor generation. <i>Journal of Analytical Atomic Spectrometry</i> , 2016 , 31, 751-758	3.7	23	
92	Retention of carbaryl by polyether type polyurethanefoam: a critical study. <i>Analyst, The</i> , 2000 , 125, 257	-361	23	

91	Direct determination of lead in produced waters from petroleum exploration by electrothermal atomic absorption spectrometry X-ray fluorescence using IrW permanent modifier combined with hydrofluoric acid. <i>Analytica Chimica Acta</i> , 2005 , 545, 85-91	6.6	22
90	Speciation of inorganic antimony (III & V) employing polyurethane foam loaded with bromopyrogallol red. <i>Talanta</i> , 2016 , 150, 539-45	6.2	21
89	Multiple response optimization for Cu, Fe and Pb determination in naphtha by graphite furnace atomic absorption spectrometry with sample injection as detergent emulsion. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy,</i> 2011 , 66, 338-344	3.1	21
88	Solid phase extraction of Cu(II) as diethyldithiocarbamate (DDTC) complex by polyurethane foam. Journal of the Brazilian Chemical Society, 2003 , 14, 728-733	1.5	21
87	Novel extraction induced by microemulsion breaking: a model study for Hg extraction from Brazilian gasoline. <i>Talanta</i> , 2017 , 162, 249-255	6.2	20
86	Direct determination of vanadium in high saline produced waters from offshore petroleum exploration by electrothermal atomic absorption spectrometry. <i>Talanta</i> , 2006 , 69, 48-54	6.2	20
85	Focussed microwave-assisted sample preparation: total phenol determination in petroleum refinery effluents by flow injection spectrophotometry. <i>Microchemical Journal</i> , 2004 , 78, 35-40	4.8	20
84	Modeling, kinetic, and equilibrium characterization of paraquat adsorption onto polyurethane foam using the ion-pairing technique. <i>Journal of Environmental Management</i> , 2015 , 156, 200-8	7.9	19
83	Determination of lead by electrothermal atomic absorption spectrometry employing a novel sampling strategy of polyurethane foam impregnated with thiazolylazo-p-cresol (TAC). <i>Journal of the Brazilian Chemical Society</i> , 2004 , 15, 96-102	1.5	19
82	Polyurethane foam functionalized with phenylfluorone for online preconcentration and determination of copper and cadmium in water samples by flame atomic absorption spectrometry. <i>Microchemical Journal</i> , 2018 , 138, 92-97	4.8	18
81	Rapid on-line sample dissolution assisted by focused microwave radiation for silicate analysis employing flame atomic absorption spectrometry: iron determination. <i>Talanta</i> , 2004 , 62, 807-11	6.2	18
80	Development of a focused ultrasound-assisted extraction method for the determination of trace concentrations of Cr and Mn in pharmaceutical formulations by ETAAS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013 , 74, 284-90	3.5	17
79	Adsorption of the herbicides diquat and difenzoquat on polyurethane foam: Kinetic, equilibrium and computational studies. <i>Ecotoxicology and Environmental Safety</i> , 2017 , 145, 597-604	7	17
78	Characterization of solid-phase extraction of Fe(III) by unloaded polyurethane foam as thiocyanate complex. <i>Journal of Colloid and Interface Science</i> , 2007 , 315, 63-9	9.3	17
77	Extraction induced by emulsion breaking: A model study on metal extraction from mineral oil. <i>Fuel</i> , 2018 , 215, 592-600	7.1	16
76	Estuarine sediment quality assessment by Fourier-transform infrared spectroscopy. <i>Vibrational Spectroscopy</i> , 2010 , 53, 204-213	2.1	16
75	Multivariate optimization of a microwave-assisted leaching procedure using dilute acid solutions, for FAAS determination of Cu, Fe, Mn, and Zn in multivitamin/multimineral supplements. <i>Analytical and Bioanalytical Chemistry</i> , 2007 , 387, 1113-20	4.4	16
74	Solid-Phase Extraction of Cd(II) as Diethyldithiocarbamate Complex by Polyurethane Foam: Kinetic and Thermodynamic Characterization. <i>Separation Science and Technology</i> , 2004 , 39, 2695-2709	2.5	16

73	Stabilization of aviation gasoline as detergent emulsion for lead determination by electrothermal atomic absorption spectrometry. <i>Fuel Processing Technology</i> , 2011 , 92, 933-938	7.2	15	
72	Development of an integrated flow injection system for the electro-oxidative leaching of uranium from geological samples and its spectrophotometric determination with Arsenazo III. <i>Analytica Chimica Acta</i> , 2008 , 620, 89-96	6.6	15	
71	Selenium determination by electrothermal atomic absorption spectrometry in petroleum refinery aqueous streams containing volatile organic compounds. <i>Microchemical Journal</i> , 2002 , 71, 21-28	4.8	15	
70	Novel extraction induced by microemulsion breaking for Cu, Ni, Pb and V determination in ethanol-containing gasoline by graphite furnace atomic absorption spectrometry. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2019 , 151, 33-40	3.1	15	
69	Direct determination of Cu and Fe in jet fuel by electrothermal atomic absorption spectrometry with injection of sample as detergent emulsions. <i>Fuel</i> , 2011 , 90, 1215-1220	7.1	14	
68	On Line Dissolution of ZnS For Sulfide Determination in Stabilized Water Samples with Zinc Acetate, Using Spectrophotometry by Methylene Blue Method. <i>Spectroscopy Letters</i> , 1999 , 32, 469-484	1.1	14	
67	An ionic liquid-based microextraction method for the determination of Cu and Ni in high-salinity produced water from offshore petroleum exploration by GF AAS. <i>Analytical Methods</i> , 2015 , 7, 6848-685	5 ^{3.2}	13	
66	Novel approach for the determination of azithromycin in pharmaceutical formulations by Fourier transform infrared spectroscopy in film-through transmission mode. <i>Microchemical Journal</i> , 2013 , 110, 301-307	4.8	13	
65	Flow injection/atomic absorption spectrometric determination of zineb in commercial formulations of pesticide based on slurry sampling. <i>Analytical Sciences</i> , 2002 , 18, 1253-6	1.7	13	
64	Determination of cocaine in Real banknotes circulating at the State of Rio de Janeiro, Brazil. <i>Forensic Science International</i> , 2015 , 251, 50-5	2.6	12	
63	A simple analytical method for determining inorganic anions and formate in virgin olive oils by capillary electrophoresis with capacitively coupled contactless conductivity detection. <i>Food Control</i> , 2015 , 57, 327-332	6.2	12	
62	Direct determination of sorbitol and sodium glutamate by attenuated total reflectance Fourier transform infrared spectroscopy (ATR-FTIR) in the thermostabilizer employed in the production of yellow-fever vaccine. <i>Talanta</i> , 2016 , 152, 33-8	6.2	12	
61	Removal of Malachite Green from Aqueous Medium Employing Polyurethane Foam as Adsorbent and Sodium Dodecylsulfate as Carrier. <i>Water, Air, and Soil Pollution</i> , 2012 , 223, 1303-1313	2.6	12	
60	Diffuse reflectance determination of Malachite Green using polyurethane foam as solid support and sodium dodecylsulfate as counter ion. <i>Talanta</i> , 2011 , 85, 749-53	6.2	12	
59	Study of Rhodamine B Retention by Polyurethane Foam from Aqueous Medium in Presence of Sodium Dodecylsulfate. <i>Separation Science and Technology</i> , 2009 , 44, 3128-3149	2.5	12	
58	On-line preconcentration and determination of Zn in natural water samples employing a styrene-divinylbenzene functionalized resin and flame atomic absorption spectrometry. <i>Analytical Sciences</i> , 2005 , 21, 939-44	1.7	12	
57	A novel sampling strategy for cobalt determination by ETAAS using polyurethane foam. <i>Journal of Analytical Atomic Spectrometry</i> , 2002 , 17, 258-262	3.7	12	
56	Removal of basic violet 3 dye from aqueous media using a steel industry residue as solid phase. Journal of Environmental Chemical Engineering, 2016, 4, 4184-4193	6.8	11	

55	Polyurethane foam loaded with sodium dodecylsulfate for the extraction of SquatSpesticides from aqueous medium: Optimization of loading conditions. <i>Ecotoxicology and Environmental Safety</i> , 2016 , 131, 72-8	7	11
54	Determination of rosuvastatin in urine by spectrofluorimetry after liquid-liquid extraction and derivatization in acidic medium. <i>Journal of Fluorescence</i> , 2013 , 23, 49-55	2.4	11
53	Novel spectrophotometric method for the determination of aluminum in soda drinks packed in cans and plastic bottles. <i>Journal of Hazardous Materials</i> , 2010 , 181, 485-90	12.8	11
52	Determination of total protein in hyperimmune serum samples by near-infrared spectrometry and multivariate calibration. <i>Analytical Biochemistry</i> , 2010 , 397, 175-80	3.1	11
51	Combined use of Pd and HF as chemical modifiers for the determination of total chromium in produced waters from petroleum exploration by ET AAS. <i>Microchemical Journal</i> , 2008 , 89, 116-122	4.8	11
50	On-line solid phase extraction with polyurethane foam: trace level spectrophotometric determination of iron in natural waters and biological materials. <i>Journal of Environmental Monitoring</i> , 2002 , 4, 522-7		11
49	Spectrophotometric determination of carbaryl by on-line elution after its preconcentration onto polyurethane foam. <i>Talanta</i> , 2000 , 52, 717-25	6.2	11
48	Novel spectrophotometric method for the determination of azithromycin in pharmaceutical formulations based on its charge transfer reaction with quinalizarin. <i>Journal of the Brazilian Chemical Society</i> , 2010 , 21, 1664-1671	1.5	11
47	Determination of Cr and Mn in moisturizing creams by graphite furnace atomic absorption spectrometry through direct introduction of the samples in the form of emulsions. <i>Microchemical Journal</i> , 2016 , 127, 1-6	4.8	10
46	Simultaneous determination of potassium, sodium, calcium, and magnesium in virgin olive oils by capillary electrophoresis with capacitively coupled contactless conductivity detection. <i>Analytical Methods</i> , 2014 , 6, 3629-3633	3.2	10
45	Direct determination of manganese in produced waters from petroleum exploration by Electrothermal Atomic Absorption Spectrometry using Ir-W as permanent modifier. <i>Talanta</i> , 2011 , 85, 415-9	6.2	10
44	Development of a reversed FIA system for the spectrophotometric determination of Sb(III) and total Sb in antileishmanial drugs. <i>Talanta</i> , 2007 , 71, 1047-53	6.2	10
43	Flow injection spectrophotometric determination of copper in petroleum refinery wastewaters. <i>Microchemical Journal</i> , 2002 , 72, 17-26	4.8	10
42	Extraction induced by microemulsion breaking as a novel tool for the simultaneous determination of Cd, Mn, Pb and Sb in gasoline samples by ICP-MS and discrete sample introduction. <i>Talanta</i> , 2020 , 206, 120230	6.2	10
41	Estudo da sor B do corante catiBico violeta cristal por espuma de poliuretano em meio aquoso contendo dodecilsulfato de sBio. <i>Quimica Nova</i> , 2009 , 32, 2039-2045	1.6	9
40	Childhood retroperitoneal lymphangioma presenting following minor trauma. <i>Injury</i> , 1999 , 30, 380-3	2.5	9
39	Polycyclic aromatic hydrocarbons in bays of the Rio de Janeiro state coast, SE - Brazil: Effects on catfishes. <i>Environmental Research</i> , 2020 , 181, 108959	7.9	9
38	Bioproducts from the pyrolysis of castor seed cake: Basic dye adsorption capacity of biochar and antifungal activity of the aqueous phase. <i>Journal of Environmental Chemical Engineering</i> , 2021 , 9, 10482	25 ^{6.8}	9

37	Determination of acetate and formate in vegetable oils by ion chromatography after multivariate optimization of the extraction process using a Doehlert design. <i>Food Chemistry</i> , 2018 , 269, 252-257	8.5	9
36	Solventless determination of total anionic surfactants in waters using polyurethane foam as support and analysis of digital images. <i>Microchemical Journal</i> , 2015 , 119, 44-50	4.8	8
35	Development of an ultrasonic slurry sampling method for the determination of Cu and Mn in antibiotic tablets by electrothermal atomic absorption spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 66, 197-203	3.5	8
34	Sorption of the herbicides diquat and difenzoquat from aqueous medium by polymeric resins in the presence of sodium dodecylsulfate: Kinetic and mechanistic study. <i>Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes,</i> 2016 , 51, 482-9	2.2	8
33	Study of the extraction of Ca, Mg and Zn from different types of lubricating oils (mineral, semi-synthetic and synthetic) employing the emulsion breaking strategy. <i>Microchemical Journal</i> , 2019 , 145, 1112-1118	4.8	8
32	Pressure variation in-syringe dispersive liquid-liquid microextraction associated with digital image colorimetry: Determination of cobalt in food samples. <i>Microchemical Journal</i> , 2020 , 157, 105064	4.8	7
31	Ultrasensitive and rapid immuno-detection of human IgE anti-therapeutic horse sera using an electrochemical immunosensor. <i>Analytical Biochemistry</i> , 2017 , 538, 13-19	3.1	7
30	Determination of lithium in pharmaceutical formulations used in the treatment of bipolar disorder by flow injection analysis with spectrophotometric detection. <i>Talanta</i> , 2007 , 73, 613-20	6.2	7
29	Determination of Total Fluoride in Oral Products by Using of Potentiometry With Ion Selective Electrode: A Critical Study. <i>Analytical Letters</i> , 2000 , 33, 819-829	2.2	7
28	A batch and fixed bed column study for fluorescein removal using chitosan modified by epichlorohydrin. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2018 , 53, 55-64	2.3	6
27	Optimization of a methodology for sampling of five polycyclic aromatic hydrocarbons in saline waters using a semipermeable membrane device. <i>Microchemical Journal</i> , 2015 , 122, 96-101	4.8	5
26	Distribution of copper in the vicinity of a deactivated mining site at Caraj® in the Amazon region of Brazil. <i>Journal of Hazardous Materials</i> , 2007 , 142, 543-9	12.8	5
25	Evaluation of Extraction Induced by Emulsion Breaking for Ni and V Extraction from Off-Shore Brazilian Crude Oils. <i>Energy & Energy</i> 33, 10435-10441	4.1	5
24	Extraction Induced by Microemulsion Breaking: A Novel Strategy for Mg, Mn, and Zn Extraction from Ethyl Alcohol-Containing Gasoline. <i>Energy & Energy & 2019</i> , 33, 3916-3924	4.1	4
23	Fluorescence determination of azithromycin in pharmaceutical formulations by using the synchronous scanning approach after its acid derivatization. <i>Journal of Fluorescence</i> , 2013 , 23, 31-9	2.4	4
22	Titanium-zinc polycitrate precursor: Influence of thermal treatment on structural, thermal, optical characteristics of zinc titanates. <i>Materials Chemistry and Physics</i> , 2019 , 236, 121768	4.4	3
21	Evaluation of a semi-permeable membrane device (SPMD) for passive sampling of solar filters from swimming pool waters and determination by HPLC-DAD. <i>Journal of Chromatography A</i> , 2019 , 1600, 23-3	3 2 ^{1.5}	3
20	Development of a non-destructive method for determining protein nitrogen in a yellow fever vaccine by near infrared spectroscopy and multivariate calibration. <i>Spectrochimica Acta - Part A:</i> Molecular and Biomolecular Spectroscopy, 2018 , 201, 170-177	4.4	3

19	Study of passive sampling of polycyclic aromatic hydrocarbons in gas phase using Amberlite XAD resins as filling materials of semipermeable membranes. <i>Microchemical Journal</i> , 2013 , 110, 494-500	4.8	3
18	Determinaß espectrofotomtrica de cefalexina em formulaßs farmacüticas explorando a sua reaß de transferficia de carga com a quinalizarina. <i>Quimica Nova</i> , 2010 , 33, 914-919	1.6	3
17	Avaliaß de mtodos de extraß para a determinaß de cromo e nquel em formulaßs farmacüticas e em mattias-primas usadas na fabricaß de medicamentos ibase de cefalexina e ciprofloxacino. <i>Quimica Nova</i> , 2012 , 35, 1858-1864	1.6	3
16	Spectrophotometric Determination of Azithromycin in Pharmaceutical Formulations Employing the Reaction with Alizarin. <i>Revista Virtual De Quimica</i> , 2019 , 11, 1081-1096	1.3	3
15	Cadmium(II) determination in production waters from petroleum exploration after its separation from the highly saline matrix mediated by a semipermeable membrane device. <i>Microchemical Journal</i> , 2020 , 152, 104310	4.8	3
14	Passive sampling of toluene (and benzene) in indoor air using a semipermeable membrane device. <i>Ecotoxicology and Environmental Safety</i> , 2021 , 208, 111707	7	3
13	Microwave-Assisted Extraction of Chloride Followed by Ion Chromatography as an Alternative to the ASTM D6470 Method for the Determination of Crude Oil Salinity. <i>Energy & amp; Fuels</i> , 2020 , 34, 68	44 ⁴ 6 ¹ 85	0 2
12	Development of an extraction method for the determination of inorganic anions (chloride, sulfate and phosphate) in edible oils from different origins by ion chromatography. <i>Journal of Food Science and Technology</i> , 2018 , 55, 3922-3929	3.3	2
11	Spectrophotometric determination of rosuvastatin in pharmaceutical formulations using quinalizarin. <i>Brazilian Journal of Pharmaceutical Sciences</i> , 2017 , 53,	1.8	2
10	Direct determination of sitagliptin in pharmaceutical formulations and its determination in urine after solid-phase extraction by spectrofluorimetry. <i>Luminescence</i> , 2013 , 28, 873-8	2.5	2
9	Merging Zones FIA System for the Spectrophotometric Determination of Sb(III) and Total Sb in Drugs Used in the Treatment of Leishmaniasis. <i>Spectroscopy Letters</i> , 2006 , 39, 769-784	1.1	2
8	Renewable column on-line magnetic preconcentration of Cd(II) using FeO nanoparticles functionalized with l-glutamine for determination by flame atomic absorption spectrometry. <i>Talanta</i> , 2021 , 222, 121519	6.2	2
7	Use of a versatile, easy, and rapid atmospheric monitor (VERAM) passive samplers for pesticide determination in continental waters. <i>Analytical and Bioanalytical Chemistry</i> , 2016 , 408, 8495-8503	4.4	1
6	Development of a flow-injection analysis system with fluorescence detection for gatifloxacin determination in organized medium. <i>Luminescence</i> , 2015 , 30, 337-42	2.5	1
5	In-syringe dispersive liquid-liquid microextraction. <i>Talanta</i> , 2022 , 238, 123002	6.2	1
4	Evaluation of Copper and Manganese Concentrations in Commercial Fruit Juices and Nectars Consumed in Brazil by GF AAS. <i>Journal of Analytical Methods in Chemistry</i> , 2020 , 2020, 8816068	2	1
3	Simultaneous Voltammetric Determination of Cd2+ and Pb2+ in Gasoline Samples Employing a Chemically Modified Acrylonitrile-Butadiene-Styrene (ABS) Composite Electrode. <i>Electroanalysis</i> , 2021 , 33, 682-694	3	1
2	Extraction of permethrin from impregnated fabrics for determination by ultra-high performance liquid chromatography with diode array detection. <i>Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes,</i> 2021 , 56, 483-489	2.2	

Determination of adulterants of cocaine in Real banknotes in Brazil by HPLC-DAD. *Microchemical Journal*, **2022**, 178, 107401

4.8