Ricardo J. Cassella

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8492524/ricardo-j-cassella-publications-by-year.pdf

Version: 2024-04-11

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

126 26 2,211 37 g-index h-index citations papers 136 2,378 5.14 4.7 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
126	In-syringe dispersive liquid-liquid microextraction. <i>Talanta</i> , 2022 , 238, 123002	6.2	1
125	Determination of adulterants of cocaine in Real banknotes in Brazil by HPLC-DAD. <i>Microchemical Journal</i> , 2022 , 178, 107401	4.8	
124	Extraction of permethrin from impregnated fabrics for determination by ultra-high performance liquid chromatography with diode array detection. <i>Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes</i> , 2021 , 56, 483-489	2.2	
123	Renewable column on-line magnetic preconcentration of Cd(II) using FeO nanoparticles functionalized with l-glutamine for determination by flame atomic absorption spectrometry. <i>Talanta</i> , 2021 , 222, 121519	6.2	2
122	Bioproducts from the pyrolysis of castor seed cake: Basic dye adsorption capacity of biochar and antifungal activity of the aqueous phase. <i>Journal of Environmental Chemical Engineering</i> , 2021 , 9, 10482	5 6.8	9
121	Simultaneous Voltammetric Determination of Cd2+ and Pb2+ in Gasoline Samples Employing a Chemically Modified Acrylonitrile-Butadiene-Styrene (ABS) Composite Electrode. <i>Electroanalysis</i> , 2021 , 33, 682-694	3	1
120	Passive sampling of toluene (and benzene) in indoor air using a semipermeable membrane device. <i>Ecotoxicology and Environmental Safety</i> , 2021 , 208, 111707	7	3
119	Microwave-Assisted Extraction of Chloride Followed by Ion Chromatography as an Alternative to the ASTM D6470 Method for the Determination of Crude Oil Salinity. <i>Energy & Energy & Ene</i>	4 ⁴ 6 ⁷ 850) 2
118	Pressure variation in-syringe dispersive liquid-liquid microextraction associated with digital image colorimetry: Determination of cobalt in food samples. <i>Microchemical Journal</i> , 2020 , 157, 105064	4.8	7
117	Polycyclic aromatic hydrocarbons in bays of the Rio de Janeiro state coast, SE - Brazil: Effects on catfishes. <i>Environmental Research</i> , 2020 , 181, 108959	7.9	9
116	Evaluation of Copper and Manganese Concentrations in Commercial Fruit Juices and Nectars Consumed in Brazil by GF AAS. <i>Journal of Analytical Methods in Chemistry</i> , 2020 , 2020, 8816068	2	1
115	Cadmium(II) determination in production waters from petroleum exploration after its separation from the highly saline matrix mediated by a semipermeable membrane device. <i>Microchemical Journal</i> , 2020 , 152, 104310	4.8	3
114	Extraction induced by microemulsion breaking as a novel tool for the simultaneous determination of Cd, Mn, Pb and Sb in gasoline samples by ICP-MS and discrete sample introduction. <i>Talanta</i> , 2020 , 206, 120230	6.2	10
113	Titanium-zinc polycitrate precursor: Influence of thermal treatment on structural, thermal, optical characteristics of zinc titanates. <i>Materials Chemistry and Physics</i> , 2019 , 236, 121768	4.4	3
112	Evaluation of a semi-permeable membrane device (SPMD) for passive sampling of solar filters from swimming pool waters and determination by HPLC-DAD. <i>Journal of Chromatography A</i> , 2019 , 1600, 23-3	21 ·5	3
111	Extraction Induced by Microemulsion Breaking: A Novel Strategy for Mg, Mn, and Zn Extraction from Ethyl Alcohol-Containing Gasoline. <i>Energy & Energy & Ener</i>	4.1	4
110	Spectrophotometric Determination of Azithromycin in Pharmaceutical Formulations Employing the Reaction with Alizarin. <i>Revista Virtual De Quimica</i> , 2019 , 11, 1081-1096	1.3	3

109	Evaluation of Extraction Induced by Emulsion Breaking for Ni and V Extraction from Off-Shore Brazilian Crude Oils. <i>Energy & Energy</i> 33, 10435-10441	4.1	5
108	Study of the extraction of Ca, Mg and Zn from different types of lubricating oils (mineral, semi-synthetic and synthetic) employing the emulsion breaking strategy. <i>Microchemical Journal</i> , 2019 , 145, 1112-1118	4.8	8
107	Novel extraction induced by microemulsion breaking for Cu, Ni, Pb and V determination in ethanol-containing gasoline by graphite furnace atomic absorption spectrometry. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2019 , 151, 33-40	3.1	15
106	A novel strategy based on in-syringe dispersive liquid-liquid microextraction for the determination of nickel in chocolate samples. <i>Talanta</i> , 2019 , 193, 23-28	6.2	24
105	Extraction induced by emulsion breaking: A model study on metal extraction from mineral oil. <i>Fuel</i> , 2018 , 215, 592-600	7.1	16
104	Polyurethane foam functionalized with phenylfluorone for online preconcentration and determination of copper and cadmium in water samples by flame atomic absorption spectrometry. <i>Microchemical Journal</i> , 2018 , 138, 92-97	4.8	18
103	A batch and fixed bed column study for fluorescein removal using chitosan modified by epichlorohydrin. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2018 , 53, 55-64	2.3	6
102	Development of an extraction method for the determination of inorganic anions (chloride, sulfate and phosphate) in edible oils from different origins by ion chromatography. <i>Journal of Food Science and Technology</i> , 2018 , 55, 3922-3929	3.3	2
101	Development of a non-destructive method for determining protein nitrogen in a yellow fever vaccine by near infrared spectroscopy and multivariate calibration. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2018 , 201, 170-177	4.4	3
100	Determination of acetate and formate in vegetable oils by ion chromatography after multivariate optimization of the extraction process using a Doehlert design. <i>Food Chemistry</i> , 2018 , 269, 252-257	8.5	9
99	Ultrasensitive and rapid immuno-detection of human IgE anti-therapeutic horse sera using an electrochemical immunosensor. <i>Analytical Biochemistry</i> , 2017 , 538, 13-19	3.1	7
98	Adsorption of the herbicides diquat and difenzoquat on polyurethane foam: Kinetic, equilibrium and computational studies. <i>Ecotoxicology and Environmental Safety</i> , 2017 , 145, 597-604	7	17
97	Novel extraction induced by microemulsion breaking: a model study for Hg extraction from Brazilian gasoline. <i>Talanta</i> , 2017 , 162, 249-255	6.2	20
96	Spectrophotometric determination of rosuvastatin in pharmaceutical formulations using quinalizarin. <i>Brazilian Journal of Pharmaceutical Sciences</i> , 2017 , 53,	1.8	2
95	Extraction induced by emulsion breaking for determination of Ba, Ca, Mg and Na in crude oil by inductively coupled plasma optical emission spectrometry. <i>Microchemical Journal</i> , 2016 , 124, 338-343	4.8	27
94	Removal of basic violet 3 dye from aqueous media using a steel industry residue as solid phase. <i>Journal of Environmental Chemical Engineering</i> , 2016 , 4, 4184-4193	6.8	11
93	Determination of chloride in brazilian crude oils by ion chromatography after extraction induced by emulsion breaking. <i>Journal of Chromatography A</i> , 2016 , 1458, 112-7	4.5	26
92	Use of a versatile, easy, and rapid atmospheric monitor (VERAM) passive samplers for pesticide determination in continental waters. <i>Analytical and Bioanalytical Chemistry</i> , 2016 , 408, 8495-8503	4.4	1

91	Polyurethane foam loaded with sodium dodecylsulfate for the extraction of SquatSpesticides from aqueous medium: Optimization of loading conditions. <i>Ecotoxicology and Environmental Safety</i> , 2016 , 131, 72-8	7	11
90	Determination of inorganic mercury in petroleum production water by inductively coupled plasma optical emission spectrometry following photochemical vapor generation. <i>Journal of Analytical Atomic Spectrometry</i> , 2016 , 31, 751-758	3.7	23
89	Determination of Cr and Mn in moisturizing creams by graphite furnace atomic absorption spectrometry through direct introduction of the samples in the form of emulsions. <i>Microchemical Journal</i> , 2016 , 127, 1-6	4.8	10
88	Direct determination of sorbitol and sodium glutamate by attenuated total reflectance Fourier transform infrared spectroscopy (ATR-FTIR) in the thermostabilizer employed in the production of yellow-fever vaccine. <i>Talanta</i> , 2016 , 152, 33-8	6.2	12
87	Speciation of inorganic antimony (III & V) employing polyurethane foam loaded with bromopyrogallol red. <i>Talanta</i> , 2016 , 150, 539-45	6.2	21
86	Sorption of the herbicides diquat and difenzoquat from aqueous medium by polymeric resins in the presence of sodium dodecylsulfate: Kinetic and mechanistic study. <i>Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes,</i> 2016 , 51, 482-9	2.2	8
85	Determination of cocaine in Real banknotes circulating at the State of Rio de Janeiro, Brazil. <i>Forensic Science International</i> , 2015 , 251, 50-5	2.6	12
84	An ionic liquid-based microextraction method for the determination of Cu and Ni in high-salinity produced water from offshore petroleum exploration by GF AAS. <i>Analytical Methods</i> , 2015 , 7, 6848-685	5 ^{3.2}	13
83	Optimization of a methodology for sampling of five polycyclic aromatic hydrocarbons in saline waters using a semipermeable membrane device. <i>Microchemical Journal</i> , 2015 , 122, 96-101	4.8	5
82	Determination of metals in soft drinks packed in different materials by ETAAS. <i>Food Chemistry</i> , 2015 , 185, 488-94	8.5	25
81	A simple analytical method for determining inorganic anions and formate in virgin olive oils by capillary electrophoresis with capacitively coupled contactless conductivity detection. <i>Food Control</i> , 2015 , 57, 327-332	6.2	12
80	Modeling, kinetic, and equilibrium characterization of paraquat adsorption onto polyurethane foam using the ion-pairing technique. <i>Journal of Environmental Management</i> , 2015 , 156, 200-8	7.9	19
79	Solventless determination of total anionic surfactants in waters using polyurethane foam as support and analysis of digital images. <i>Microchemical Journal</i> , 2015 , 119, 44-50	4.8	8
78	Development of a method for total Hg determination in oil samples by cold vapor atomic absorption spectrometry after its extraction induced by emulsion breaking. <i>Talanta</i> , 2015 , 132, 733-8	6.2	26
77	Development of a flow-injection analysis system with fluorescence detection for gatifloxacin determination in organized medium. <i>Luminescence</i> , 2015 , 30, 337-42	2.5	1
76	Simultaneous determination of potassium, sodium, calcium, and magnesium in virgin olive oils by capillary electrophoresis with capacitively coupled contactless conductivity detection. <i>Analytical Methods</i> , 2014 , 6, 3629-3633	3.2	10
75	Extraction induced by emulsion breaking as a tool for Ca and Mg determination in biodiesel by fast sequential flame atomic absorption spectrometry (FS-FAAS) using Co as internal standard. Microchemical Journal, 2014, 117, 172-177	4.8	32
74	Fluorescence determination of azithromycin in pharmaceutical formulations by using the synchronous scanning approach after its acid derivatization. <i>Journal of Fluorescence</i> , 2013 , 23, 31-9	2.4	4

(2011-2013)

73	Determination of rosuvastatin in urine by spectrofluorimetry after liquid-liquid extraction and derivatization in acidic medium. <i>Journal of Fluorescence</i> , 2013 , 23, 49-55	2.4	11
72	Novel extraction induced by emulsion breaking as a tool for the determination of trace concentrations of Cu, Mn and Ni in biodiesel by electrothermal atomic absorption spectrometry. <i>Talanta</i> , 2013 , 117, 32-8	6.2	37
71	Adsorption of paraquat from aqueous medium by Amberlite XAD-2 and XAD-4 resins using dodecylsulfate as counter ion. <i>Chemical Engineering Journal</i> , 2013 , 215-216, 691-698	14.7	25
70	Development of a focused ultrasound-assisted extraction method for the determination of trace concentrations of Cr and Mn in pharmaceutical formulations by ETAAS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013 , 74, 284-90	3.5	17
69	Novel approach for the determination of azithromycin in pharmaceutical formulations by Fourier transform infrared spectroscopy in film-through transmission mode. <i>Microchemical Journal</i> , 2013 , 110, 301-307	4.8	13
68	Application of the extraction induced by emulsion breaking for the determination of Cu, Fe and Mn in used lubricating oils by flame atomic absorption spectrometry. <i>Talanta</i> , 2013 , 110, 21-7	6.2	32
67	Application of a four-variables Doehlert design for the multivariate optimization of copper determination in petroleum-derived insulating oils by GFAAS employing the dilute-and-shot approach. <i>Fuel</i> , 2013 , 105, 503-511	7.1	26
66	Study of passive sampling of polycyclic aromatic hydrocarbons in gas phase using Amberlite XAD resins as filling materials of semipermeable membranes. <i>Microchemical Journal</i> , 2013 , 110, 494-500	4.8	3
65	Direct determination of sitagliptin in pharmaceutical formulations and its determination in urine after solid-phase extraction by spectrofluorimetry. <i>Luminescence</i> , 2013 , 28, 873-8	2.5	2
64	Development of an ultrasonic slurry sampling method for the determination of Cu and Mn in antibiotic tablets by electrothermal atomic absorption spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 66, 197-203	3.5	8
63	Removal of Malachite Green from Aqueous Medium Employing Polyurethane Foam as Adsorbent and Sodium Dodecylsulfate as Carrier. <i>Water, Air, and Soil Pollution</i> , 2012 , 223, 1303-1313	2.6	12
62	Extraction induced by emulsion breaking for metals determination in diesel oil by ICP-MS. <i>Journal of Analytical Atomic Spectrometry</i> , 2012 , 27, 364-370	3.7	39
61	Application of the extraction induced by emulsion breaking for the determination of chromium and manganese in edible oils by electrothermal atomic absorption spectrometry. <i>Talanta</i> , 2012 , 99, 104-12	6.2	44
60	Avaliab de mtodos de extrab para a determinab de cromo e nquel em formulabs farmacuticas e em matrias-primas usadas na fabricab de medicamentos base de cefalexina e ciprofloxacino. <i>Quimica Nova</i> , 2012 , 35, 1858-1864	1.6	3
59	Direct determination of manganese in produced waters from petroleum exploration by Electrothermal Atomic Absorption Spectrometry using Ir-W as permanent modifier. <i>Talanta</i> , 2011 , 85, 415-9	6.2	10
58	Diffuse reflectance determination of Malachite Green using polyurethane foam as solid support and sodium dodecylsulfate as counter ion. <i>Talanta</i> , 2011 , 85, 749-53	6.2	12
57	Multivariate optimization of the determination of zinc in diesel oil employing a novel extraction strategy based on emulsion breaking. <i>Analytica Chimica Acta</i> , 2011 , 690, 79-85	6.6	39
56	Separation of Malachite Green and Methyl Green cationic dyes from aqueous medium by adsorption on Amberlite XAD-2 and XAD-4 resins using sodium dodecylsulfate as carrier. <i>Chemical Engineering Journal</i> , 2011 , 171, 532-540	14.7	52

55	Direct determination of Cu and Fe in jet fuel by electrothermal atomic absorption spectrometry with injection of sample as detergent emulsions. <i>Fuel</i> , 2011 , 90, 1215-1220	7.1	14
54	Stabilization of aviation gasoline as detergent emulsion for lead determination by electrothermal atomic absorption spectrometry. <i>Fuel Processing Technology</i> , 2011 , 92, 933-938	7.2	15
53	Multivariate optimization of a spectrophotometric method for copper determination in Brazilian sugar-cane spirits using the Doehlert design. <i>Microchemical Journal</i> , 2011 , 99, 118-124	4.8	24
52	Multiple response optimization for Cu, Fe and Pb determination in naphtha by graphite furnace atomic absorption spectrometry with sample injection as detergent emulsion. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy,</i> 2011 , 66, 338-344	3.1	21
51	Estuarine sediment quality assessment by Fourier-transform infrared spectroscopy. <i>Vibrational Spectroscopy</i> , 2010 , 53, 204-213	2.1	16
50	Determinaß espectrofotomtrica de cefalexina em formulaßs farmacüticas explorando a sua reaß de transferücia de carga com a quinalizarina. <i>Quimica Nova</i> , 2010 , 33, 914-919	1.6	3
49	Extraction induced by emulsion breaking: a novel strategy for the trace metals determination in diesel oil samples by electrothermal atomic absorption spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 2010 , 25, 1704	3.7	56
48	Novel spectrophotometric method for the determination of aluminum in soda drinks packed in cans and plastic bottles. <i>Journal of Hazardous Materials</i> , 2010 , 181, 485-90	12.8	11
47	Determination of total protein in hyperimmune serum samples by near-infrared spectrometry and multivariate calibration. <i>Analytical Biochemistry</i> , 2010 , 397, 175-80	3.1	11
46	Novel spectrophotometric method for the determination of azithromycin in pharmaceutical formulations based on its charge transfer reaction with quinalizarin. <i>Journal of the Brazilian Chemical Society</i> , 2010 , 21, 1664-1671	1.5	11
45	Estudo da sor ® do corante cati ® ico violeta cristal por espuma de poliuretano em meio aquoso contendo dodecilsulfato de s ® io. <i>Quimica Nova</i> , 2009 , 32, 2039-2045	1.6	9
44	Polyurethane foam loaded with SDS for the adsorption of cationic dyes from aqueous medium: Multivariate optimization of the loading process. <i>Journal of Hazardous Materials</i> , 2009 , 167, 653-9	12.8	30
43	Study of Rhodamine B Retention by Polyurethane Foam from Aqueous Medium in Presence of Sodium Dodecylsulfate. <i>Separation Science and Technology</i> , 2009 , 44, 3128-3149	2.5	12
42	Multivariate optimization of a liquid-liquid extraction of the EPA-PAHs from natural contaminated waters prior to determination by liquid chromatography with fluorescence detection. <i>Talanta</i> , 2008 , 74, 1392-9	6.2	55
41	Employment of polyurethane foam for the adsorption of Methylene Blue in aqueous medium. Journal of Hazardous Materials, 2008 , 159, 580-6	12.8	89
40	Development of an integrated flow injection system for the electro-oxidative leaching of uranium from geological samples and its spectrophotometric determination with Arsenazo III. <i>Analytica Chimica Acta</i> , 2008 , 620, 89-96	6.6	15
39	Combined use of Pd and HF as chemical modifiers for the determination of total chromium in produced waters from petroleum exploration by ET AAS. <i>Microchemical Journal</i> , 2008 , 89, 116-122	4.8	11
38	Determination of Cu, Fe, Mn and Zn by flame atomic absorption spectrometry in multivitamin/multimineral dosage forms or tablets after an acidic extraction. <i>Journal of Pharmaceutical and Biomedical Analysis</i> 2007 , 43, 304-10	3.5	30

(2003-2007)

37	Distribution of copper in the vicinity of a deactivated mining site at Caraj in the Amazon region of Brazil. <i>Journal of Hazardous Materials</i> , 2007 , 142, 543-9	12.8	5
36	Optimization of an open-focused microwave oven digestion procedure for determination of metals in diesel oil by inductively coupled plasma optical emission spectrometry. <i>Journal of Hazardous Materials</i> , 2007 , 149, 67-74	12.8	27
35	Characterization of solid-phase extraction of Fe(III) by unloaded polyurethane foam as thiocyanate complex. <i>Journal of Colloid and Interface Science</i> , 2007 , 315, 63-9	9.3	17
34	Multivariate optimization of a microwave-assisted leaching procedure using dilute acid solutions, for FAAS determination of Cu, Fe, Mn, and Zn in multivitamin/multimineral supplements. <i>Analytical and Bioanalytical Chemistry</i> , 2007 , 387, 1113-20	4.4	16
33	Development of a reversed FIA system for the spectrophotometric determination of Sb(III) and total Sb in antileishmanial drugs. <i>Talanta</i> , 2007 , 71, 1047-53	6.2	10
32	Determination of lithium in pharmaceutical formulations used in the treatment of bipolar disorder by flow injection analysis with spectrophotometric detection. <i>Talanta</i> , 2007 , 73, 613-20	6.2	7
31	Merging Zones FIA System for the Spectrophotometric Determination of Sb(III) and Total Sb in Drugs Used in the Treatment of Leishmaniasis. <i>Spectroscopy Letters</i> , 2006 , 39, 769-784	1.1	2
30	Multivariate technique for optimization of digestion procedure by focussed microwave system for determination of Mn, Zn and Fe in food samples using FAAS. <i>Talanta</i> , 2006 , 68, 1083-8	6.2	73
29	Direct determination of vanadium in high saline produced waters from offshore petroleum exploration by electrothermal atomic absorption spectrometry. <i>Talanta</i> , 2006 , 69, 48-54	6.2	20
28	Synthesis and application of a functionalized resin for flow injection/F AAS copper determination in waters. <i>Talanta</i> , 2005 , 67, 121-8	6.2	99
27	On-line preconcentration and determination of Zn in natural water samples employing a styrene-divinylbenzene functionalized resin and flame atomic absorption spectrometry. <i>Analytical Sciences</i> , 2005 , 21, 939-44	1.7	12
26	Direct determination of lead in produced waters from petroleum exploration by electrothermal atomic absorption spectrometry X-ray fluorescence using IrW permanent modifier combined with hydrofluoric acid. <i>Analytica Chimica Acta</i> , 2005 , 545, 85-91	6.6	22
25	Determination of lead by electrothermal atomic absorption spectrometry employing a novel sampling strategy of polyurethane foam impregnated with thiazolylazo-p-cresol (TAC). <i>Journal of the Brazilian Chemical Society</i> , 2004 , 15, 96-102	1.5	19
24	Direct determination of arsenic and antimony in naphtha by electrothermal atomic absorption spectrometry with microemulsion sample introduction and iridium permanent modifier. <i>Analytical and Bioanalytical Chemistry</i> , 2004 , 379, 66-71	4.4	32
23	Focussed microwave-assisted sample preparation: total phenol determination in petroleum refinery effluents by flow injection spectrophotometry. <i>Microchemical Journal</i> , 2004 , 78, 35-40	4.8	20
22	Solid-Phase Extraction of Cd(II) as Diethyldithiocarbamate Complex by Polyurethane Foam: Kinetic and Thermodynamic Characterization. <i>Separation Science and Technology</i> , 2004 , 39, 2695-2709	2.5	16
21	Rapid on-line sample dissolution assisted by focused microwave radiation for silicate analysis employing flame atomic absorption spectrometry: iron determination. <i>Talanta</i> , 2004 , 62, 807-11	6.2	18
20	Solid phase extraction of Cu(II) as diethyldithiocarbamate (DDTC) complex by polyurethane foam. <i>Journal of the Brazilian Chemical Society</i> , 2003 , 14, 728-733	1.5	21

19	Determination of arsenic in petroleum refinery streams by electrothermal atomic absorption spectrometry after multivariate optimization based on Doehlert design. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2002 , 57, 1967-1978	3.1	36
18	Selenium determination by electrothermal atomic absorption spectrometry in petroleum refinery aqueous streams containing volatile organic compounds. <i>Microchemical Journal</i> , 2002 , 71, 21-28	4.8	15
17	Flow injection spectrophotometric determination of copper in petroleum refinery wastewaters. <i>Microchemical Journal</i> , 2002 , 72, 17-26	4.8	10
16	Flow injection/atomic absorption spectrometric determination of zineb in commercial formulations of pesticide based on slurry sampling. <i>Analytical Sciences</i> , 2002 , 18, 1253-6	1.7	13
15	A novel sampling strategy for cobalt determination by ETAAS using polyurethane foam. <i>Journal of Analytical Atomic Spectrometry</i> , 2002 , 17, 258-262	3.7	12
14	On-line solid phase extraction with polyurethane foam: trace level spectrophotometric determination of iron in natural waters and biological materials. <i>Journal of Environmental Monitoring</i> , 2002 , 4, 522-7		11
13	Precipitation-dissolution system for silver preconcentration and determination by flow injection flame atomic absorption spectrometry. <i>Talanta</i> , 2002 , 56, 673-80	6.2	25
12	Flow injection determination of cobalt after its sorption onto polyurethane foam loaded with 2-(2-thiazolylazo)-p-cresol (TAC). <i>Talanta</i> , 2001 , 54, 61-7	6.2	40
11	Determination of Total Fluoride in Oral Products by Using of Potentiometry With Ion Selective Electrode: A Critical Study. <i>Analytical Letters</i> , 2000 , 33, 819-829	2.2	7
10	Spectrophotometric determination of carbaryl by on-line elution after its preconcentration onto polyurethane foam. <i>Talanta</i> , 2000 , 52, 717-25	6.2	11
9	Determination of sulfide in waters by flow-injection solid phase spectrophotometry. <i>Analyst, The</i> , 2000 , 125, 1835-1838	5	27
8	Flow injection-FTIR determination of dithiocarbamatepesticides. <i>Analyst, The</i> , 2000 , 125, 1829-1833	5	30
7	Retention of carbaryl by polyether type polyurethanefoam: a critical study. <i>Analyst, The</i> , 2000 , 125, 257	- ≩ 61	23
6	On Line Dissolution of ZnS For Sulfide Determination in Stabilized Water Samples with Zinc Acetate, Using Spectrophotometry by Methylene Blue Method. <i>Spectroscopy Letters</i> , 1999 , 32, 469-484	1.1	14
5	An on-line solid phase extraction system using polyurethane foam for the spectrophotometric determination of nickel in silicates and alloys. <i>Analytica Chimica Acta</i> , 1999 , 378, 287-292	6.6	38
4	Childhood retroperitoneal lymphangioma presenting following minor trauma. <i>Injury</i> , 1999 , 30, 380-3	2.5	9
3	Selectivity enhancement in spectrophotometry: on-line interference suppression using polyurethane foam minicolumn for aluminum determination with Methyl Thymol Blue. <i>Analyst, The,</i> 1999 , 124, 805-808	5	28
2	On-line preconcentration system for flame atomic absorption spectrometry using unloaded polyurethane foam: determination of zinc in waters and biological materials. <i>Journal of Analytical Atomic Spectrometry</i> , 1999 , 14, 1749-1753	3.7	32

LIST OF PUBLICATIONS

Polyurethane foam as a sorbent for continuous flow analysis: Preconcentration and spectrophotometric determination of zinc in biological materials. *Analytica Chimica Acta*, **1998**, 366, 263-269 43 1