

# Gi-Sik Min

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8492670/publications.pdf>

Version: 2024-02-01

59  
papers

781  
citations

471061

17  
h-index

610482

24  
g-index

59  
all docs

59  
docs citations

59  
times ranked

646  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Two new <i>Scolecopsis</i> species (Annelida: Spionidae) from the Yellow Sea in Korea. <i>Zootaxa</i> , 2022, 5092, 221-237.  | 0.2 | 3         |
| 2  | <i>Eobathynella gwangjuensis</i> sp. nov., a new species of Parabathynellidae (Crustacea, Bathynellacea) from South Korea. <i>Zootaxa</i> , 2022, 5138, 549-562.  | 0.2 | 2         |
| 3  | <i>Anteholosticha foissneri</i> n. sp., a marine hypotrich ciliate (Ciliophora: Spirotrichea) from Vietnam: Morphology, morphogenesis, and molecular phylogeny. <i>European Journal of Protistology</i> , 2021, 78, 1257-68.  | 0.5 | 22        |
| 4  | The complete mitochondrial genome of <i>Boccardiella hamata</i> (Annelida: Polychaeta: Spionida). <i>Mitochondrial DNA Part B: Resources</i> , 2021, 6, 2646-2647.  | 0.2 | 1         |
| 5  | Complete mitochondrial genome of <i>Pseudocrangonyx joolaei</i> (Crustacea: Amphipoda:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 6   | 0.2 | 0         |
| 6  | The complete mitochondrial genome of <i>Jesogammarus</i> ( <i>Jesogammarus</i> ) <i>hinumensis</i> (Crustacea: Amphipoda: Anisogammaridae). <i>Mitochondrial DNA Part B: Resources</i> , 2020, 5, 2436-2437.  | 0.2 | 0         |
| 7  | A new species of the genus <i>Pseudocrangonyx</i> (Crustacea: Amphipoda:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 6   | 0.2 | 0         |
| 8  | The complete mitochondrial genome of the South American freshwater crayfish, <i>Parastacus nicoleti</i> (Crustacea, Decapoda, Parastacidae). <i>Mitochondrial DNA Part B: Resources</i> , 2020, 5, 208-209.   | 0.2 | 4         |
| 9  | The complete mitochondrial genome of the Antarctic marine triclad, <i>Obrimoposthia Wandeli</i> (Platyhelminthes, Tricladida, Maricola). <i>Mitochondrial DNA Part B: Resources</i> , 2019, 4, 2515-2516.   | 0.2 | 4         |
| 10 | A study on the non-monophyletic genera <i>Australothrix</i> and <i>Holostichides</i> based on multigene and morphological analyses with a reexamination of type materials (Protozoa: Ciliophora). <i>Molecular Phylogenetics and Evolution</i> , 2019, 139, 106538. | 1.2 | 7         |
| 11 | The complete mitochondrial genome of <i>Gruberia lanceolata</i> (Gruber, 1884) Kahl, 1932 (Ciliophora: Heterotrichea). <i>Mitochondrial DNA Part B: Resources</i> , 2019, 4, 3443-3445.   | 0.2 | 3         |
| 12 | Morphology and molecular phylogeny of <i>Oxytricha seokmoensis</i> sp. nov. (Hypotrichia: Oxytrichidae), with notes on its morphogenesis. <i>European Journal of Protistology</i> , 2019, 71, 125641.   | 0.5 | 21        |
| 13 | The complete mitochondrial genome of Korean endemic species, <i>Timarete posteria</i> (Polychaeta,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 6   | 0.2 | 2         |
| 14 | Morphology and Molecular Phylogeny of Two New Terrestrial Ciliates, <i>Australocirrus rubrus</i> n. sp. and <i>Notohymena gangwonensis</i> n. sp. (Ciliophora: Oxytrichidae), from South Korea. <i>Journal of Eukaryotic Microbiology</i> , 2019, 66, 740-751.      | 0.8 | 12        |
| 15 | The mitochondrial genome of the ciliate <i>Pseudourostyla cristata</i> (Ciliophora, Urostylida). <i>Mitochondrial DNA Part B: Resources</i> , 2019, 4, 66-67.   | 0.2 | 7         |
| 16 | Utility of mitochondrial <i>CO1</i> sequences for species discrimination of Spirotrichea ciliates (Protozoa, Ciliophora). <i>Mitochondrial DNA Part A: DNA Mapping, Sequencing, and Analysis</i> , 2019, 30, 148-155.   | 0.7 | 26        |
| 17 | The complete mitochondrial genome of <i>Belzebub intermedius</i> (Decapoda, Dendrobranchiata,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 6  | 0.2 | 1         |
| 18 | The complete mitochondrial genome of <i>Pseudocrangonyx daejeonensis</i> (Crustacea: Amphipoda:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 6   | 0.2 | 4         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | A new species of the genus <i>Pseudocrangonyx</i> (Crustacea, Amphipoda, Pseudocrangonyctidae) from Korea. <i>ZooKeys</i> , 2018, 735, 27-44.  | 0.5 | 11        |
| 20 | Morphology and Molecular Phylogeny of Two New Ciliates, <i>Holostichides heterotypicus</i> n. sp. and <i>Holosticha muuiensis</i> n. sp. (Ciliophora: Urostylida). <i>Journal of Eukaryotic Microbiology</i> , 2017, 64, 873-884.  | 0.8 | 14        |
| 21 | The complete mitochondrial genome of epitokous <i>Nereis</i> species (Phyllococida, Nereididae) from Dok-do, Korea. <i>Mitochondrial DNA Part B: Resources</i> , 2017, 2, 751-752.   | 0.2 | 3         |
| 22 | Complete mitochondrial genome of the feather mite <i>Ardeacarus ardeae</i> (Acari, Sarcoptiformes). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i>  | 0.2 | 13        |
| 23 | The complete mitochondrial genomes of two talitrid amphipods, <i>Platorchestia japonica</i> and <i>P. parapacifica</i> (Crustacea, Amphipoda). <i>Mitochondrial DNA Part B: Resources</i> , 2017, 2, 757-758.  | 0.2 | 7         |
| 24 | <i>Arcturina serrulatus</i> sp. nov. and a new record of <i>Limnoria rhombipunctata</i> (Crustacea). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i>   | 0.2 | 2         |
| 25 | First Insights into the Subterranean Crustacean Bathynellacea Transcriptome: Transcriptionally Reduced Opsin Repertoire and Evidence of Conserved Homeostasis Regulatory Mechanisms. <i>PLoS ONE</i> , 2017, 12, e0170424.   | 1.1 | 11        |
| 26 | The complete mitochondrial genome of the Japanese fan lobster <i>Ibacus ciliatus</i> (Crustacea). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i>  | 0.6 | 6         |
| 27 | The complete mitochondrial genome of squat lobster, <i>Munida gregaria</i> (Anomura). <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50</i>   | 0.2 | 8         |
| 28 | The complete mitochondrial genome of the mysid shrimp, <i>Neomysis japonica</i> (Crustacea). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i>   | 0.7 | 16        |
| 29 | Two complete chloroplast genome sequences of <i>Cannabis sativa</i> varieties. <i>Mitochondrial DNA Part A: DNA Mapping, Sequencing, and Analysis</i> , 2016, 27, 2835-2837.   | 0.7 | 28        |
| 30 | Morphological reports of four ciliates (Ciliophora) from coastal marine and brackish water habitats in Korea. <i>Journal of Species Research</i> , 2016, 5, 514-516.   | 0.1 | 3         |
| 31 | Morphology and Molecular Phylogeny of Two New Brackish Water Ciliates of <i>Bakuella</i> (Ciliophora: Urostylida: Bakuellidae) from South Korea. <i>Journal of Eukaryotic Microbiology</i> , 2015, 62, 799-809.  | 0.8 | 13        |
| 32 | Two new species, <i>Caenanthura koreana</i> sp. nov. and <i>Apanthura koreaensis</i> sp. nov. (Crustacea: Isopoda: Anthuridae) from South Korea. <i>Zootaxa</i> , 2015, 3937, 362.   | 0.2 | 5         |
| 33 | A new species and ten new records of bdelloid rotifers from Korea. <i>Zootaxa</i> , 2015, 3964, 211-27.  | 0.2 | 8         |
| 34 | Morphology and Molecular Phylogeny of <i>Pseudocyrtohymena koreana</i> n. g., n. sp. and Antarctic <i>Neokeronopsis asiatica</i> Foissner et Al., 2010 (Ciliophora, Sporadotrichida), with a Brief Discussion of the <i>Cyrtohymena</i> Undulating Membranes Pattern. <i>Journal of Eukaryotic Microbiology</i> , 2015, 62, 280-297. | 0.8 | 20        |
| 35 | Patchy-distributed ciliate (Protozoa) diversity of eight polar communities as determined by 454 amplicon pyrosequencing. <i>Animal Cells and Systems</i> , 2015, 19, 339-349.  | 0.8 | 4         |
| 36 | Two new species of hyperbenthic calanoid copepods (Crustacea: Calanoida: Arietellidae) from South Korea. <i>Journal of Natural History</i> , 2014, 48, 523-542.  | 0.2 | 4         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Phylogeny of Rhigonematomorpha based on the complete mitochondrial genome of <i>Rhigonema thysanophora</i> (Nematoda: Chromadorea). <i>Zoologica Scripta</i> , 2014, 43, 289-303.  | 0.7 | 23        |
| 38 | The complete mitochondrial genome of Arctic <i>Calanus hyperboreus</i> (Copepoda, Calanoida) reveals characteristic patterns in calanoid mitochondrial genome. <i>Gene</i> , 2013, 520, 64-72.   | 1.0 | 12        |
| 39 | The complete mitochondrial genome of the subarctic red king crab, <i>Paralithodes camtschaticus</i> (Decapoda, Anomura). <i>Mitochondrial DNA</i> , 2013, 24, 350-352.   | 0.6 | 15        |
| 40 | A new beach-hopper, <i>Platorchestia parapacifica</i> n. sp. (Amphipoda: Talitridae), from South Korea, with molecular phylogeny of the genus <i>Platorchestia</i> . <i>Journal of Crustacean Biology</i> , 2013, 33, 828-842.   | 0.3 | 8         |
| 41 | Morphology, Morphogenesis, and Molecular Phylogeny of <i>Anteholosticha multicirrata</i> n. sp. (Ciliophora, Spirotrichea) with a Note on Morphogenesis of <i>Anteholosticha pulchra</i> (Kahl, 1932) Berger, 2003. <i>Journal of Eukaryotic Microbiology</i> , 2013, 60, 564-577. | 0.8 | 30        |
| 42 | Genetic compatibility between <i>Anopheles lesteri</i> from Korea and <i>Anopheles paraliae</i> from Thailand. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2013, 108, 312-320.   | 0.8 | 18        |
| 43 | New Record of Two Marine Ciliates (Ciliophora: Spirotrichea) in South Korea. <i>Animal Systematics, Evolution and Diversity</i> , 2013, 29, 144-151.   | 0.2 | 6         |
| 44 | Development of Single-Nucleotide Polymorphism-Based Phylum-Specific PCR Amplification Technique: Application to the Community Analysis Using Ciliates as a Reference Organism. <i>Molecules and Cells</i> , 2012, 34, 383-392.   | 1.0 | 14        |
| 45 | Complete mitochondrial genome of the northern mauxia shrimp <i>Acetes chinensis</i> (Decapoda). <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10</i>   | 0.6 | 13        |
| 46 | The complete mitochondrial genome sequence of <i>Oncicola luehei</i> (Acanthocephala). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 387 Td (Arch</i><br>2012, 61, 307-316.  | 0.6 | 30        |
| 47 | Morphology, morphogenesis, and molecular phylogeny of a new brackish water ciliate, <i>Pseudourostyla cristatoidea</i> n. sp., from Songjiho lagoon on the coast of East Sea, South Korea. <i>Zootaxa</i> , 2012, 3334, 42.  | 0.2 | 19        |
| 48 | The mitochondrial genomes of <i>Cambaroides similis</i> and <i>Procambarus clarkii</i> (Decapoda). <i>Tj ETQq0 0 0 rgBT /Overlock 10 T</i>   | 0.7 | 30        |
| 49 | Redescription of Two Urostyleid Ciliates (Ciliophora: Urostyleida), <i>Anteholosticha pulchra</i> and <i>Metaurostyleopsis struederkypkeae</i> from Korea. <i>Animal Systematics, Evolution and Diversity</i> , 2012, 28, 20-28.   | 0.2 | 9         |
| 50 | Single-cell PCR on protargol-impregnated euplotid ciliates: a combined approach of morphological and molecular taxonomy. <i>Animal Cells and Systems</i> , 2011, 15, 251-258.  | 0.8 | 7         |
| 51 | The complete mitochondrial genome of the American lobster, <i>Homarus americanus</i> (Crustacea). <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10</i>   | 0.6 | 21        |
| 52 | Isolation and characterization of microsatellite loci in the Korean crayfish, <i>Cambaroides similis</i> and application to natural population analysis. <i>Animal Cells and Systems</i> , 2011, 15, 37-43.  | 0.8 | 9         |
| 53 | Susceptibility of <i>Anopheles campestris</i> -like and <i>Anopheles barbirostris</i> species complexes to <i>Plasmodium falciparum</i> and <i>Plasmodium vivax</i> in Thailand. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2011, 106, 105-112.                                   | 0.8 | 32        |
| 54 | The complete mitochondrial genome of the Japanese mud shrimp <i>Upogebia major</i> (Crustacea, Decapoda). <i>Mitochondrial DNA</i> , 2011, 22, 94-96.  | 0.6 | 10        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | New Record of Two Apokeronopsis Species (Ciliophora: Urostylida: Pseudokeronopsidae) from Korea. <i>Animal Systematics, Evolution and Diversity</i> , 2011, 27, 115-122.   | 0.2 | 7         |
| 56 | Eurotatorian paraphyly: Revisiting phylogenetic relationships based on the complete mitochondrial genome sequence of <i>Rotaria rotatoria</i> (Bdelloidea: Rotifera: Syndermata). <i>BMC Genomics</i> , 2009, 10, 533.   | 1.2 | 50        |
| 57 | Taxonomic Redescriptions of Two Ciliates, <i>Protogastrostyla pulchra</i> n. g., n. comb. and <i>Hemigastrostyla enigmatica</i> (Ciliophora: Spirotrichea, Stichotrichia), with Phylogenetic Analyses Based on 18S and 28S rRNA Gene Sequences. <i>Journal of Eukaryotic Microbiology</i> , 2007, 54, 468-478. | 0.8 | 78        |
| 58 | Establishment of a Self-Mating Mosquito Colony of <i>Anopheles sinensis</i> From Korea. <i>Entomological Research</i> , 2003, 33, 267-271.   | 0.6 | 19        |
| 59 | Intraspecific hybridization of <i>Anopheles sinensis</i> (Diptera: Culicidae) strains from Thailand and Korea. <i>Molecules and Cells</i> , 2002, 14, 198-204.   | 1.0 | 24        |