

# Xike Gao

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8493201/publications.pdf>

Version: 2024-02-01

89  
papers

4,268  
citations

126907

33  
h-index

110387

64  
g-index

92  
all docs

92  
docs citations

92  
times ranked

4476  
citing authors

#	ARTICLE	IF	CITATIONS
1	Critical Role of Alkyl Chain Branching of Organic Semiconductors in Enabling Solution-Processed N-Channel Organic Thin-Film Transistors with Mobility of up to $3.50 \text{ cm}^2/\text{Vs}$ . <i>Journal of the American Chemical Society</i> , 2013, 135, 2338-2349.	13.7	379
2	Highly efficient photothermal nanoagent achieved by harvesting energy via excited-state intramolecular motion within nanoparticles. <i>Nature Communications</i> , 2019, 10, 768.	12.8	296
3	Core-Expanded Naphthalene Diimides Fused with 2-(1,3-Dithiol-2-Ylidene)Malonitrile Groups for High-Performance, Ambient-Stable, Solution-Processed n-Channel Organic Thin Film Transistors. <i>Journal of the American Chemical Society</i> , 2010, 132, 3697-3699.	13.7	274
4	Development of n-type organic semiconductors for thin film transistors: a viewpoint of molecular design. <i>Journal of Materials Chemistry C</i> , 2014, 2, 3099-3117.	5.5	238
5	Application of Azulene in Constructing Organic Optoelectronic Materials: New Tricks for an Old Dog. <i>ChemPlusChem</i> , 2017, 82, 945-956.	2.8	178
6	Incorporation of 2,6-Connected Azulene Units into the Backbone of Conjugated Polymers: Towards High-Performance Organic Optoelectronic Materials. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 1322-1326.	13.8	160
7	Core-Expanded Naphthalene Diimides Fused with Sulfur Heterocycles and End-Capped with Electron-Withdrawing Groups for Air-Stable Solution-Processed n-Channel Organic Thin Film Transistors. <i>Chemistry of Materials</i> , 2011, 23, 1204-1215.	6.7	147
8	High mobility organic semiconductors for field-effect transistors. <i>Science China Chemistry</i> , 2015, 58, 947-968.	8.2	129
9	Azulene-Based $\pi$ -Functional Materials: Design, Synthesis, and Applications. <i>Accounts of Chemical Research</i> , 2021, 54, 1737-1753.	15.6	118
10	An Abnormal 3.7-Volt O <sub>3</sub> -Type Sodium-Ion Battery Cathode. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 8178-8183.	13.8	109
11	Dicyanomethylene-Substituted Fused Tetrathienoquinoid for High-Performance, Ambient-Stable, Solution-Processable n-Channel Organic Thin-Film Transistors. <i>Chemistry of Materials</i> , 2011, 23, 3138-3140.	6.7	105
12	Biazulene diimides: a new building block for organic electronic materials. <i>Chemical Science</i> , 2016, 7, 6701-6705.	7.4	103
13	Modulated Thermoelectric Properties of Organic Semiconductors Using Field-Effect Transistors. <i>Advanced Functional Materials</i> , 2015, 25, 3004-3012.	14.9	94
14	First Synthesis of 2,3,6,7-Tetrabromonaphthalene Diimide. <i>Organic Letters</i> , 2007, 9, 3917-3920.	4.6	93
15	Monolayer Two-dimensional Molecular Crystals for an Ultrasensitive OFET-based Chemical Sensor. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 4380-4384.	13.8	90
16	Rational Design of Perylene-diimide-Substituted Triphenylethylene to Electron Transporting Aggregation-Induced Emission Luminogens (AIEgens) with High Mobility and Near-Infrared Emission. <i>Advanced Functional Materials</i> , 2018, 28, 1705609.	14.9	82
17	Azulene-Pyridine-Fused Heteroaromatics. <i>Journal of the American Chemical Society</i> , 2020, 142, 13598-13605.	13.7	76
18	Thieno[3,4-c]pyrrole-4,6-dione Containing Copolymers for High Performance Field-Effect Transistors. <i>Macromolecules</i> , 2013, 46, 3887-3894.	4.8	68

#	ARTICLE	IF	CITATIONS
19	Anthra[2,3- <i>b</i> ]benzo[ <i>d</i> ]thiophene: An Air-Stable Asymmetric Organic Semiconductor with High Mobility at Room Temperature. <i>Chemistry of Materials</i> , 2008, 20, 4188-4190.	6.7	65
20	One-Pot Synthesis of Core-Expanded Naphthalene Diimides: Enabling <i>N</i> -Substituent Modulation for Diverse n-Type Organic Materials. <i>Organic Letters</i> , 2012, 14, 292-295.	4.6	63
21	Azulene-Based BN-Heteroaromatics. <i>Journal of Organic Chemistry</i> , 2020, 85, 70-78.	3.2	57
22	1,2,5,6-Naphthalenediimide Based Donor-Acceptor Copolymers Designed from Isomer Chemistry for Organic Semiconducting Materials. <i>Macromolecules</i> , 2013, 46, 7705-7714.	4.8	56
23	Alkyl Chain Orientations in Dicyanomethylene-Substituted 2,5-Di(thiophen-2-yl)thieno[3,2- <i>b</i> ]thienoquinoid: Impact on Solid-State and Thin-Film Transistor Performance. <i>Advanced Functional Materials</i> , 2013, 23, 2277-2284.	14.9	56
24	Linear benzene-fused bis(tetrathiafulvalene) compounds for solution processed organic field-effect transistors. <i>Journal of Materials Chemistry</i> , 2007, 17, 736-743.	6.7	51
25	Novel copolymers incorporating dithieno[3,2- <i>b</i> :2- <i>3'</i> - <i>d</i> ]thiophene moieties for air-stable and high performance organic field-effect transistors. <i>Journal of Materials Chemistry</i> , 2008, 18, 3426.	6.7	49
26	6,6'-Diaryl-substituted azulene diimides for solution-processable high-performance n-type organic semiconductors. <i>Materials Chemistry Frontiers</i> , 2018, 2, 975-985.	5.9	47
27	Azulene-Embedded [ <i>n</i> ]Helicenes ( <i>n</i> =5, 6 and 7). <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	13.8	46
28	A facile synthesis of linear benzene-fused bis(tetrathiafulvalene) compounds and their application for organic field-effect transistors. <i>Chemical Communications</i> , 2006, , 2750.	4.1	45
29	Synthesis and properties of fluorene or carbazole-based and dicyanovinyl-capped n-type organic semiconductors. <i>Journal of Materials Chemistry</i> , 2008, 18, 1131.	6.7	42
30	Incorporation of 2,6-Connected Azulene Units into the Backbone of Conjugated Polymers: Towards High-Performance Organic Optoelectronic Materials. <i>Angewandte Chemie</i> , 2018, 130, 1336-1340.	2.0	40
31	Naphthalenediimides Fused with 2-(1,3-Dithiol-2-ylidene)acetonitrile: Strong Electron-Deficient Building Blocks for High-Performance n-Type Polymeric Semiconductors. <i>ACS Macro Letters</i> , 2014, 3, 1174-1177.	4.8	39
32	Sub-5 nm single crystalline organic p-n heterojunctions. <i>Nature Communications</i> , 2021, 12, 2774.	12.8	39
33	Scanning Kelvin Probe Microscopy Investigation of the Role of Minority Carriers on the Switching Characteristics of Organic Field-Effect Transistors. <i>Advanced Materials</i> , 2016, 28, 4713-4719.	21.0	34
34	High performance organic thin film transistor based on pentacene derivative: 6,13-dichloropentacene. <i>Journal of Materials Chemistry</i> , 2012, 22, 10496.	6.7	33
35	A Class of Electron-Transporting Vinylous Tetrathiafulvalenes Constructed by the Dimerization of Core-Expanded Naphthalenediimides. <i>Organic Letters</i> , 2017, 19, 468-471.	4.6	33
36	Incorporation of 1,3-Free-2,6-Connected Azulene Units into the Backbone of Conjugated Polymers: Improving Proton Responsiveness and Electrical Conductivity. <i>ACS Macro Letters</i> , 2019, 8, 1360-1364.	4.8	33

#	ARTICLE	IF	CITATIONS
37	Enhanced Thermoelectric Performance of n-Type Organic Semiconductor via Electric Field Modulated Photo-Thermoelectric Effect. <i>Advanced Materials</i> , 2020, 32, e2000273.	21.0	31
38	High-Performance Organic Semiconducting Polymers by a Resonance-Assisted Hydrogen Bonding Approach. <i>Chemistry of Materials</i> , 2021, 33, 580-588.	6.7	31
39	A non-planar pentaphenylbenzene functionalized benzo[2,1,3]thiadiazole derivative as a novel red molecular emitter for non-doped organic light-emitting diodes. <i>Journal of Materials Chemistry</i> , 2008, 18, 2709.	6.7	30
40	Highly efficient blue electrophosphorescent devices with a new series of host materials: polyphenylene-dendronized oxadiazole derivatives. <i>Journal of Materials Chemistry</i> , 2007, 17, 3788.	6.7	28
41	Incorporation of benzothiadiazole into the backbone of 1,2,5,6-naphthalenediimide based copolymers, enabling much improved film crystallinity and charge carrier mobility. <i>Polymer Chemistry</i> , 2016, 7, 573-579.	3.9	28
42	High-performance n-type organic thin-film phototransistors based on a core-expanded naphthalene diimide. <i>Applied Physics Letters</i> , 2013, 103, .	3.3	27
43	Recent Advances in Molecular Design of Organic Thermoelectric Materials. <i>CCS Chemistry</i> , 2021, 3, 2212-2225.	7.8	26
44	A facile synthesis of 2,3,6,7-tetrabromonaphthalene diimides toward new $\pi$ -extended naphthalene diimides. <i>Tetrahedron Letters</i> , 2013, 54, 2271-2273.	1.4	24
45	An Abnormal 3.7-Volt O <sub>3</sub> -Type Sodium-Ion Battery Cathode. <i>Angewandte Chemie</i> , 2018, 130, 8310-8315.	2.0	23
46	Phase Transitions and Anisotropic Thermal Expansion in High Mobility Core-Expanded Naphthalene Diimide Thin Film Transistors. <i>Advanced Functional Materials</i> , 2014, 24, 7211-7220.	14.9	22
47	Flexible Monolayer Molecular Crystal-Field Effect Transistors for Ultrasensitive and Selective Detection of Dimethoate. <i>Advanced Electronic Materials</i> , 2020, 6, 2000579.	5.1	22
48	A solution-processable dicyano-substituted quinoidal oligothiophene for air-stable ambipolar organic field-effect transistors. <i>Journal of Materials Chemistry C</i> , 2013, 1, 5128.	5.5	21
49	Naphthalene Diimides Endcapped with Ethynylazulene: Molecular Design, Synthesis and Properties. <i>Chinese Journal of Organic Chemistry</i> , 2017, 37, 711.	1.3	21
50	Organic field-effect transistors based on tetrathiafulvalene derivatives. <i>Pure and Applied Chemistry</i> , 2008, 80, 2405-2423.	1.9	20
51	Azulene-Containing Squaraines for Photoacoustic Imaging and Photothermal Therapy. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 19192-19203.	8.0	20
52	Effect of Alkyl-Chain Length on Charge Transport Properties of Organic Semiconductors and Organic Field-Effect Transistors. <i>Advanced Electronic Materials</i> , 2018, 4, 1800175.	5.1	19
53	Large $\pi$ -extended donor-acceptor polymers for highly efficient in vivo near-infrared photoacoustic imaging and photothermal tumor therapy. <i>Science China Chemistry</i> , 2021, 64, 2180-2192.	8.2	17
54	Enantiopure <i>versus</i> racemic naphthalene diimide-based n-type organic semiconductors: effect on charge transport. <i>Journal of Materials Chemistry C</i> , 2019, 7, 2659-2665.	5.5	16

#	ARTICLE	IF	CITATIONS
55	Azulene-Embedded [5,6]Helicenes (n=5, 6 and 7). <i>Angewandte Chemie</i> , 2022, 134, .	2.0	14
56	High-performance n-channel field effect transistors based on solution-processed dicyanomethylene-substituted tetrathienoquinoid. <i>RSC Advances</i> , 2014, 4, 16939-16943.	3.6	13
57	Design, Synthesis and Field Effect Characteristics of Diazulene Diimides Bridged by Aromatic Group. <i>Acta Chimica Sinica</i> , 2020, 78, 788.	1.4	13
58	Design, Synthesis and Properties of 2/6-Aryl Substituted Azulene Derivatives. <i>Chinese Journal of Organic Chemistry</i> , 2018, 38, 2680.	1.3	13
59	Incorporation of Electron-Rich Indacenodithiophene Units into the Backbone of 2,6-Azulene-Based Conjugated Polymers for Proton-Responsive Materials and p-Type Polymeric Semiconductors. , 2022, 4, 392-400.		13
60	New Core-Expanded Naphthalene Diimides for n-Channel Organic Thin Film Transistors. <i>Chinese Journal of Chemistry</i> , 2013, 31, 1428-1438.	4.9	12
61	Synthesis of largely $\pi$ -extended naphthalenediimides via C-H activation towards highly soluble and narrow band-gap organic optoelectronic materials. <i>Organic Chemistry Frontiers</i> , 2017, 4, 823-827.	4.5	12
62	Azulenoisindigo: A building block for $\pi$ -functional materials with reversible redox behavior and proton responsiveness. <i>Chinese Chemical Letters</i> , 2022, 33, 2147-2150.	9.0	12
63	Linking polythiophene chains with vinylene-bridges: A way to improve charge transport in polymer field-effect transistors. <i>Journal of Polymer Science Part A</i> , 2009, 47, 1381-1392.	2.3	11
64	Synthesis of monolateral and bilateral sulfur-heterocycle fused naphthalene diimides (NDIs) from monobromo and dibromo NDIs. <i>Organic Chemistry Frontiers</i> , 2015, 2, 372-377.	4.5	11
65	Dithieno[3,2-a:3',2'-j][5,6,11,12]chrysene diimides and their molecular energy level regulation. <i>Materials Chemistry Frontiers</i> , 2017, 1, 1635-1640.	5.9	11
66	New $\pi$ -Extended Naphthalene Diimides for High-Performance n-Type Organic Semiconductors with NIR Absorption Properties. <i>Asian Journal of Organic Chemistry</i> , 2018, 7, 2279-2284.	2.7	10
67	Core-expanded naphthalenediimide derivatives as non-fullerene electron transport materials for inverted perovskite solar cells. <i>Organic Electronics</i> , 2018, 61, 113-118.	2.6	10
68	Dithieno[3,2-a:3',2'-j][5,6,11,12]chrysene diimides: a versatile electron-deficient building block for polymeric semiconductors. <i>Chemical Communications</i> , 2019, 55, 10234-10237.	4.1	10
69	Monolayer Two-dimensional Molecular Crystals for an Ultrasensitive OFET-based Chemical Sensor. <i>Angewandte Chemie</i> , 2020, 132, 4410-4414.	2.0	10
70	Tuning the Charge Transport Property of Naphthalene Diimide Derivatives by Changing the Substituted Position of Fluorine Atom on Molecular Backbone. <i>Chinese Journal of Chemistry</i> , 2014, 32, 1057-1064.	4.9	9
71	New ladder-type conjugated polymer with broad absorption, high thermal stability, and low band gap. <i>Journal of Polymer Science Part A</i> , 2012, 50, 4272-4276.	2.3	8
72	Extremely simple phenothiazine molecules with room-temperature phosphorescence for understanding mechanoluminescence excitation process. <i>Science China Chemistry</i> , 2018, 61, 641-642.	8.2	8

#	ARTICLE	IF	CITATIONS
73	Electron-Deficient Contorted Polycyclic Aromatic Hydrocarbon via One-Pot Annulative Extension of Perylene Diimide. <i>Organic Letters</i> , 2022, 24, 2414-2419.	4.6	8
74	Dipole-improved gating of azulene-based single-molecule transistors. <i>Journal of Materials Chemistry C</i> , 2022, 10, 7803-7809.	5.5	8
75	2,6-Azulene-based Homopolymers: Design, Synthesis, and Application in Proton Exchange Membrane Fuel Cells. <i>ACS Macro Letters</i> , 2022, 11, 680-686.	4.8	8
76	From Homochiral Assembly to Heterochiral Assembly: A Leap in Charge Transport Properties of Binaphthol-Based Axially Chiral Materials. <i>Langmuir</i> , 2019, 35, 6188-6195.	3.5	6
77	Synthesis and Physicochemical Properties of Strong Electron Acceptor 14,14,15,15-tetracyano-6,13-pentacenequinodimethane (TCPQ) Diimide. <i>European Journal of Organic Chemistry</i> , 2012, 2012, 6136-6139.	2.4	5
78	Organic Electronics: Ultrathin Film Organic Transistors: Precise Control of Semiconductor Thickness via Spin-Coating (Adv. Mater. 10/2013). <i>Advanced Materials</i> , 2013, 25, 1370-1370.	21.0	5
79	Selenium-containing core-expanded naphthalene diimides for high performance n-type organic semiconductors. <i>Science China Chemistry</i> , 2020, 63, 1182-1190.	8.2	5
80	Channel Organic Transistors Processed from Halogen-Free Solvents: Solvent Effect on Thin-Film Morphology and Charge Transport. <i>Chinese Journal of Chemistry</i> , 2016, 34, 689-695.	4.9	4
81	Organic crystalline monolayers for ideal behaviours in organic field-effect transistors. <i>Journal of Materials Chemistry C</i> , 2021, 9, 12057-12062.	5.5	3
82	Zwitterionic side chain-modified conjugated polymers with greatly enhanced ambipolar charge-transport mobilities. <i>Chemical Communications</i> , 2021, 57, 11181-11184.	4.1	3
83	Design, Synthesis and Properties of Indacenodithiophene Derivatives End-Capped with Azulene. <i>Chinese Journal of Organic Chemistry</i> , 2020, 40, 3916.	1.3	3
84	Atropisomeric Conjugated Diimides: A Class of Thermally Responsive Organic Semiconductors. , 2022, 4, 363-369.		3
85	A dithieno[3,2- <i>a</i> :3',2'- <i>b'</i> ][5,6,11,12]chrysene diimide based polymer as an electron transport layer for efficient inverted perovskite solar cells. <i>Journal of Materials Chemistry C</i> , 2022, 10, 2703-2710.	5.5	2
86	Synthesis and Field-Effect Characteristics of the Chiral Naphthalene Diimide Derivatives. <i>Chinese Journal of Organic Chemistry</i> , 2021, 41, 4400.	1.3	2
87	Design, Synthesis and Properties of Azulene-Based BN-[4]Helicenes. <i>Acta Chimica Sinica</i> , 2022, 80, 29.	1.4	2
88	Achieve Better Performance of Inverted Perovskite Solar Cells by Using the Fluorinated Polymer as the Electron Transporting Layer. <i>ACS Applied Energy Materials</i> , 0, , .	5.1	2
89	Rhodanine-Bridged Core-Expanded Naphthalene Diimide Derivatives for n-Type Semiconductors. <i>Organic Materials</i> , 2020, 02, 165-172.	2.0	0