

Ryan G Wagner

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8493594/ryan-g-wagner-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

88

papers

1,951

citations

22

h-index

42

g-index

93

ext. papers

2,594

ext. citations

5

avg, IF

4.47

L-index

#	Paper	IF	Citations
88	Profile: Agincourt health and socio-demographic surveillance system. <i>International Journal of Epidemiology</i> , 2012 , 41, 988-1001	7.8	325
87	Prevalence of active convulsive epilepsy in sub-Saharan Africa and associated risk factors: cross-sectional and case-control studies. <i>Lancet Neurology</i> , 2013 , 12, 253-63	24.1	201
86	The effect of a conditional cash transfer on HIV incidence in young women in rural South Africa (HPTN 068): a phase 3, randomised controlled trial. <i>The Lancet Global Health</i> , 2016 , 4, e978-e988	13.6	149
85	Regional and Sex Differences in the Prevalence and Awareness of Hypertension: An H3Africa AWI-Gen Study Across 6 Sites in Sub-Saharan Africa. <i>Global Heart</i> , 2017 , 12, 81-90	2.9	71
84	HPTN 068: A Randomized Control Trial of a Conditional Cash Transfer to Reduce HIV Infection in Young Women in South Africa-Study Design and Baseline Results. <i>AIDS and Behavior</i> , 2016 , 20, 1863-82	4.3	68
83	Cohort Profile: Health and Ageing in Africa: A Longitudinal Study of an INDEPTH Community in South Africa (HAALSI). <i>International Journal of Epidemiology</i> , 2018 , 47, 689-690j	7.8	66
82	Exposure to multiple parasites is associated with the prevalence of active convulsive epilepsy in sub-Saharan Africa. <i>PLoS Neglected Tropical Diseases</i> , 2014 , 8, e2908	4.8	62
81	Clinical features, proximate causes, and consequences of active convulsive epilepsy in Africa. <i>Epilepsia</i> , 2014 , 55, 76-85	6.4	54
80	Closing the mental health treatment gap in South Africa: a review of costs and cost-effectiveness. <i>Global Health Action</i> , 2014 , 7, 23431	3	51
79	Cardiometabolic risk in a population of older adults with multiple co-morbidities in rural south africa: the HAALSI (Health and Aging in Africa: longitudinal studies of INDEPTH communities) study. <i>BMC Public Health</i> , 2017 , 17, 206	4.1	50
78	The ART Advantage: Health Care Utilization for Diabetes and Hypertension in Rural South Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2017 , 75, 561-567	3.1	40
77	Childhood deprivation and later-life cognitive function in a population-based study of older rural South Africans. <i>Social Science and Medicine</i> , 2017 , 190, 20-28	5.1	33
76	Prevalence and risk factors for active convulsive epilepsy in rural northeast South Africa. <i>Epilepsy Research</i> , 2014 , 108, 782-91	3	33
75	A comparative analysis of national HIV policies in six African countries with generalized epidemics. <i>Bulletin of the World Health Organization</i> , 2015 , 93, 457-67	8.2	33
74	Prevalence and factors associated with convulsive status epilepticus in Africans with epilepsy. <i>Neurology</i> , 2015 , 84, 1838-45	6.5	28
73	HIV self-testing: South African young adults recommendations for ease of use, test kit contents, accessibility, and supportive resources. <i>BMC Public Health</i> , 2019 , 19, 123	4.1	27
72	Conditional cash transfers and the reduction in partner violence for young women: an investigation of causal pathways using evidence from a randomized experiment in South Africa (HPTN 068). <i>Journal of the International AIDS Society</i> , 2018 , 21 Suppl 1, e25043	5.4	27

71	HIV self-testing among young women in rural South Africa: A randomized controlled trial comparing clinic-based HIV testing to the choice of either clinic testing or HIV self-testing with secondary distribution to peers and partners. <i>EclinicalMedicine</i> , 2020 , 21, 100327	11.3	27
70	Chronic multimorbidity among older adults in rural South Africa. <i>BMJ Global Health</i> , 2019 , 4, e001386	6.6	27
69	Hypertension management in a population of older adults in rural South Africa. <i>Journal of Hypertension</i> , 2017 , 35, 1283-1289	1.9	23
68	Moving from medical to health systems classifications of deaths: extending verbal autopsy to collect information on the circumstances of mortality. <i>Global Health Research and Policy</i> , 2016 , 1, 2	7.6	22
67	Implications of scaling up cardiovascular disease treatment in South Africa: a microsimulation and cost-effectiveness analysis. <i>The Lancet Global Health</i> , 2019 , 7, e270-e280	13.6	22
66	Mixed methods inquiry into traditional healersTreatment of mental, neurological and substance abuse disorders in rural South Africa. <i>PLoS ONE</i> , 2017 , 12, e0188433	3.7	21
65	Health care utilization and outpatient, out-of-pocket costs for active convulsive epilepsy in rural northeastern South Africa: a cross-sectional Survey. <i>BMC Health Services Research</i> , 2016 , 16, 208	2.9	21
64	Mortality from external causes in Africa and Asia: evidence from INDEPTH Health and Demographic Surveillance System Sites. <i>Global Health Action</i> , 2014 , 7, 25366	3	20
63	Performance of self-reported HIV status in determining true HIV status among older adults in rural South Africa: a validation study. <i>Journal of the International AIDS Society</i> , 2017 , 20, 21691	5.4	19
62	Traditional healer treatment of HIV persists in the era of ART: a mixed methods study from rural South Africa. <i>BMC Complementary and Alternative Medicine</i> , 2017 , 17, 434	4.7	19
61	Cognitive Function and Impairment in Older, Rural South African Adults: Evidence from "Health and Aging in Africa: A Longitudinal Study of an INDEPTH Community in Rural South Africa". <i>Neuroepidemiology</i> , 2019 , 52, 32-40	5.4	19
60	Cash Transfers, Young Women's Economic Well-Being, and HIV Risk: Evidence from HPTN 068. <i>AIDS and Behavior</i> , 2019 , 23, 1178-1194	4.3	18
59	Incidence, Remission and Mortality of Convulsive Epilepsy in Rural Northeast South Africa. <i>PLoS ONE</i> , 2015 , 10, e0129097	3.7	17
58	Asymptomatic transmission and high community burden of seasonal influenza in an urban and a rural community in South Africa, 2017-18 (PHIRST): a population cohort study. <i>The Lancet Global Health</i> , 2021 , 9, e863-e874	13.6	17
57	Regional and sex-specific variation in BMI distribution in four sub-Saharan African countries: The H3Africa AWI-Gen study. <i>Global Health Action</i> , 2018 , 11, 1556561	3	17
56	Differing Methods and Definitions Influence DALY estimates: Using Population-Based Data to Calculate the Burden of Convulsive Epilepsy in Rural South Africa. <i>PLoS ONE</i> , 2015 , 10, e0145300	3.7	16
55	Burden of epilepsy in rural Kenya measured in disability-adjusted life years. <i>Epilepsia</i> , 2014 , 55, 1626-33	6.4	16
54	Village community mobilization is associated with reduced HIV incidence in young South African women participating in the HPTN 068 study cohort. <i>Journal of the International AIDS Society</i> , 2018 , 21 Suppl 7, e25182	5.4	15

53	Interviewer-driven variability in social network reporting: results from Health and Aging in Africa: a Longitudinal Study of an INDEPTH community (HAALSI) in South Africa. <i>Field Methods</i> , 2018 , 30, 140-154 ²⁻⁵	14
52	Electroencephalographic features of convulsive epilepsy in Africa: A multicentre study of prevalence, pattern and associated factors. <i>Clinical Neurophysiology</i> , 2016 , 127, 1099-1107	4.3 14
51	ART Denial: Results of a Home-Based Study to Validate Self-reported Antiretroviral Use in Rural South Africa. <i>AIDS and Behavior</i> , 2019 , 23, 2072-2078	4.3 14
50	Cash transfers for HIV prevention: what do young women spend it on? Mixed methods findings from HPTN 068. <i>BMC Public Health</i> , 2017 , 18, 10	4.1 13
49	Classical Cardiovascular Risk Factors and HIV are Associated With Carotid Intima-Media Thickness in Adults From Sub-Saharan Africa: Findings From H3Africa AWI-Gen Study. <i>Journal of the American Heart Association</i> , 2019 , 8, e011506	6 13
48	Magnitude and factors associated with nonadherence to antiepileptic drug treatment in Africa: A cross-sectional multisite study. <i>Epilepsia Open</i> , 2017 , 2, 226-235	4 13
47	Initiating a participatory action research process in the Agincourt health and socio-demographic surveillance site. <i>Journal of Global Health</i> , 2017 , 7, 010413	4.3 12
46	Community perspectives on HIV, violence and health surveillance in rural South Africa: a participatory pilot study. <i>Journal of Global Health</i> , 2016 , 6, 010406	4.3 11
45	Depressive Symptoms and Their Relation to Age and Chronic Diseases Among Middle-Aged and Older Adults in Rural South Africa. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019 , 74, 957-963	6.4 11
44	Assessing risk for HIV infection among adolescent girls in South Africa: an evaluation of the VOICE risk score (HPTN 068). <i>Journal of the International AIDS Society</i> , 2019 , 22, e25359	5.4 10
43	Evaluation of the Tsima community mobilization intervention to improve engagement in HIV testing and care in South Africa: study protocol for a cluster randomized trial. <i>Implementation Science</i> , 2017 , 12, 9	8.4 10
42	Evidence for sample selection effect and Hawthorne effect in behavioural HIV prevention trial among young women in a rural South African community. <i>BMJ Open</i> , 2018 , 8, e019167	3 9
41	Sociodemographic, socioeconomic, clinical and behavioural predictors of body mass index vary by sex in rural South African adults-findings from the AWI-Gen study. <i>Global Health Action</i> , 2018 , 11, 154943 ⁶	9
40	Executive function associated with sexual risk in young South African women: Findings from the HPTN 068 cohort. <i>PLoS ONE</i> , 2018 , 13, e0195217	3.7 9
39	Depression and Incident HIV in Adolescent Girls and Young Women in HIV Prevention Trials Network 068: Targets for Prevention and Mediating Factors. <i>American Journal of Epidemiology</i> , 2020 , 189, 422-432	3.8 8
38	The Impact of a Conditional Cash Transfer on Multidimensional Deprivation of Young Women: Evidence from South Africa's HTPN 068. <i>Social Indicators Research</i> , 2020 , 151, 865-895	2.7 7
37	Does Partner Selection Mediate the Relationship Between School Attendance and HIV/Herpes Simplex Virus-2 Among Adolescent Girls and Young Women in South Africa: An Analysis of HIV Prevention Trials Network 068 Data. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018 , 79, 20-27	3.1 7
36	Social contact, social support, and cognitive health in a population-based study of middle-aged and older men and women in rural South Africa. <i>Social Science and Medicine</i> , 2020 , 260, 113167	5.1 7

35	HIV treatment cascade for older adults in rural South Africa. <i>Sexually Transmitted Infections</i> , 2020 , 96, 271-276	2.8	7
34	A Successful Failure: Missing the MDG4 Target for Under-Five Mortality in South Africa. <i>PLoS Medicine</i> , 2015 , 12, e1001926	11.6	6
33	Cohort profile: A Prospective Household cohort study of Influenza, Respiratory syncytial virus and other respiratory pathogens community burden and Transmission dynamics in South Africa, 2016-2018. <i>Influenza and Other Respiratory Viruses</i> , 2021 , 15, 789-803	5.6	6
32	Education modifies the relationship between height and cognitive function in a cross-sectional population-based study of older adults in Rural South Africa. <i>European Journal of Epidemiology</i> , 2019 , 34, 131-139	12.1	6
31	Epilepsy care cascade, treatment gap and its determinants in rural South Africa. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2020 , 80, 175-180	3.2	5
30	The Mediating Role of Partner Selection in the Association Between Transactional Sex and HIV Incidence Among Young Women. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2020 , 83, 103-110	3.1	4
29	Cognitive differences associated with HIV serostatus and antiretroviral therapy use in a population-based sample of older adults in South Africa. <i>Scientific Reports</i> , 2020 , 10, 16625	4.9	4
28	Throwing the bones to diagnose HIV: Views of rural South African traditional healers on undertaking HIV counselling and testing. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2021 , 33, 1316-1320	2.2	4
27	Cognitive function and cardiometabolic disease risk factors in rural South Africa: baseline evidence from the HAALSI study. <i>BMC Public Health</i> , 2019 , 19, 1579	4.1	4
26	Disparity in Educational Attainment Partially Explains Cognitive Gender Differences in Older Rural South Africans. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2020 , 75, e161-e173	4.6	3
25	Adverse childhood experiences and domain-specific cognitive function in a population-based study of older adults in rural South Africa. <i>Psychology and Aging</i> , 2020 , 35, 818-830	3.6	3
24	Self-Esteem as an Indicator of Transactional Sex Among Young Women in Rural South Africa (HPTN 068). <i>AIDS and Behavior</i> , 2020 , 24, 823-826	4.3	3
23	Traditional healers use of personal protective equipment: a qualitative study in rural South Africa. <i>BMC Health Services Research</i> , 2020 , 20, 655	2.9	3
22	Associations of Father and Adult Male Presence with First Pregnancy and HIV Infection: Longitudinal Evidence from Adolescent Girls and Young Women in Rural South Africa (HPTN 068). <i>AIDS and Behavior</i> , 2021 , 25, 2177-2194	4.3	3
21	Systolic blood pressure and six-year mortality in South Africa: Evidence from a country-wide population-based cohort study.. <i>The Lancet Healthy Longevity</i> , 2021 , 2, e78-e86	9.5	3
20	Mental health and well-being of older adults living with HIV in sub-Saharan Africa: a systematic review. <i>BMJ Open</i> , 2021 , 11, e052810	3	3
19	The association between perceived household educational support and HIV risk in young women in a rural South African community (HPTN 068): A cross sectional study. <i>PLoS ONE</i> , 2019 , 14, e0210632	3.7	2
18	The relationships between cognitive function, literacy and HIV status knowledge among older adults in rural South Africa. <i>Journal of the International AIDS Society</i> , 2020 , 23, e25457	5.4	2

17	Pensions and Low Sodium Salt: A Qualitative Evaluation of a New Strategy for Managing Hypertension in Rural South Africa. <i>Current Aging Science</i> , 2018 , 11, 140-146	2.2	2
16	An unrecognized key population? Traditional treatment practices associated with HIV risk among traditional healers in rural South Africa. <i>Aids</i> , 2020 , 34, 2313-2317	3.5	2
15	Executive function in HIV-affected children and adolescents: a systematic review and meta-analyses. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2021 , 33, 833-857	2.2	2
14	Validation of Oxford Cognitive Screen: Executive Function (OCS-EF), a tablet-based executive function assessment tool amongst adolescent females in rural South Africa. <i>International Journal of Psychology</i> , 2021 , 56, 895-907	1.9	2
13	Estimating the burden of cardiovascular risk in community dwellers over 40 years old in South Africa, Kenya, Burkina Faso and Ghana. <i>BMJ Global Health</i> , 2021 , 6,	6.6	2
12	The worldwide epilepsy treatment gap: A systematic review and recommendations for revised definitions - A report from the ILAE Epidemiology Commission.. <i>Epilepsia</i> , 2022 ,	6.4	1
11	Understanding non-communicable diseases: combining health surveillance with local knowledge to improve rural primary health care in South Africa. <i>Global Health Action</i> , 2021 , 14, 1852781	3	1
10	Concordance between fasting plasma glucose and HbA in the diagnosis of diabetes in black South African adults: a cross-sectional study. <i>BMJ Open</i> , 2021 , 11, e046060	3	1
9	Community health workers to improve adherence to anti-seizure medication in rural South Africa: Is it cost-effective?. <i>Epilepsia</i> , 2021 , 62, 98-106	6.4	1
8	Longitudinal Trajectories of Physical Intimate Partner Violence Among Adolescent Girls in Rural South Africa: Findings From HPTN 068. <i>Journal of Adolescent Health</i> , 2020 , 67, 69-75	5.8	0
7	Echocardiographic and Electrocardiographic Abnormalities Among Elderly Adults With Cardiovascular Disease in Rural South Africa. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2021 , 14, e007847	5.8	0
6	Do You See What Eye See? Measurement, Correlates, and Functional Associations of Objective and Self-Reported Vision Impairment in Aging South Africans. <i>Journal of Aging and Health</i> , 2021 , 33, 803-816	2.6	0
5	Incidence of Cognitive Impairment during Aging in Rural South Africa: Evidence from HAALSI, 2014 to 2019. <i>Neuroepidemiology</i> , 2021 , 55, 100-108	5.4	0
4	Healer-led vs. clinician-led training to improve personal protective equipment use among traditional healers in South Africa: a randomized controlled trial protocol. <i>Global Health Action</i> , 2021 , 14, 1898131	3	0
3	Questioning a South African hypertension threshold of 150 mm Hg [AuthorsReply]. <i>The Lancet Healthy Longevity</i> , 2021 , 2, e248	9.5	
2	The relationship between executive function, risky behaviour and HIV in young women from the HPTN 068 study in rural South Africa. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2021 , 33, 682-692	2.2	
1	Adolescents Understanding of obesity: a qualitative study from rural South Africa. <i>Global Health Action</i> , 2021 , 14, 1968598	3	