

# Johannes M Giesinger

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8495151/publications.pdf>

Version: 2024-02-01

93  
papers

3,527  
citations

186265

28  
h-index

155660

55  
g-index

101  
all docs

101  
docs citations

101  
times ranked

4519  
citing authors

#	ARTICLE	IF	CITATIONS
1	The "Forgotten Joint" as the Ultimate Goal in Joint Arthroplasty. <i>Journal of Arthroplasty</i> , 2012, 27, 430-436.e1.	3.1	512
2	Replication and validation of higher order models demonstrated that a summary score for the EORTC QLQ-C30 is robust. <i>Journal of Clinical Epidemiology</i> , 2016, 69, 79-88.	5.0	306
3	Thresholds for clinical importance were established to improve interpretation of the EORTC QLQ-C30 in clinical practice and research. <i>Journal of Clinical Epidemiology</i> , 2020, 118, 1-8.	5.0	184
4	Taste Alterations in Cancer Patients Receiving Chemotherapy: A Neglected Side Effect?. <i>Oncologist</i> , 2010, 15, 913-920.	3.7	159
5	The Computer-based Health Evaluation Software (CHES): a software for electronic patient-reported outcome monitoring. <i>BMC Medical Informatics and Decision Making</i> , 2012, 12, 126.	3.0	138
6	Comparative responsiveness of outcome measures for total knee arthroplasty. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 184-189.	1.3	131
7	WOMAC, EQ-5D and Knee Society Score Thresholds for Treatment Success After Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2015, 30, 2154-2158.	3.1	115
8	Thresholds for clinical importance for four key domains of the EORTC QLQ-C30: physical functioning, emotional functioning, fatigue and pain. <i>Health and Quality of Life Outcomes</i> , 2016, 14, 87.	2.4	95
9	Implementation of Computer-Based Quality-of-Life Monitoring in Brain Tumor Outpatients in Routine Clinical Practice. <i>Journal of Pain and Symptom Management</i> , 2010, 39, 219-229.	1.2	77
10	The use of EORTC measures in daily clinical practice – A synopsis of a newly developed manual. <i>European Journal of Cancer</i> , 2016, 68, 73-81.	2.8	75
11	Persistent quality of life impairments in differentiated thyroid cancer patients: results from a monitoring programme. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2015, 42, 1179-1188.	6.4	69
12	The EORTC CAT Core – The computer adaptive version of the EORTC QLQ-C30 questionnaire. <i>European Journal of Cancer</i> , 2018, 100, 8-16.	2.8	68
13	Association of psychological status and patient-reported physical outcome measures in joint arthroplasty: a lack of divergent validity. <i>Health and Quality of Life Outcomes</i> , 2013, 11, 64.	2.4	65
14	Is the toxicity of adjuvant aromatase inhibitor therapy underestimated? Complementary information from patient-reported outcomes (PROs). <i>Breast Cancer Research and Treatment</i> , 2011, 128, 553-561.	2.5	63
15	Patient-Reported Outcomes as Independent Prognostic Factors for Survival in Oncology: Systematic Review and Meta-Analysis. <i>Value in Health</i> , 2021, 24, 250-267.	0.3	63
16	Quality of Life Trajectory in Patients with Advanced Cancer during the Last Year of Life. <i>Journal of Palliative Medicine</i> , 2011, 14, 904-912.	1.1	60
17	Do neurooncological patients and their significant others agree on quality of life ratings?. <i>Health and Quality of Life Outcomes</i> , 2009, 7, 87.	2.4	49
18	Monitoring physical and psychosocial symptom trajectories in ovarian cancer patients receiving chemotherapy. <i>BMC Cancer</i> , 2012, 12, 77.	2.6	45

#	ARTICLE	IF	CITATIONS
19	Translation, cross-cultural adaption and validation of the French version of the Forgotten Joint Score in total hip arthroplasty. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2018, 104, 657-661.	2.0	43
20	Factors Predicting the Forgotten Joint Score After Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2016, 31, 1927-1932.	3.1	42
21	Past and Current Practice of Patient-Reported Outcome Measurement in Randomized Cancer Clinical Trials: A Systematic Review. <i>Value in Health</i> , 2021, 24, 585-591.	0.3	42
22	Assessing quality of life on the day of chemotherapy administration underestimates patientsâ€™ true symptom burden. <i>BMC Cancer</i> , 2014, 14, 758.	2.6	35
23	The EORTC computer-adaptive tests measuring physical functioning and fatigue exhibited high levels of measurement precision and efficiency. <i>Journal of Clinical Epidemiology</i> , 2013, 66, 330-339.	5.0	33
24	Clinical performance of all-ceramic inlay and onlay restorations in posterior teeth. <i>International Journal of Prosthodontics</i> , 2012, 25, 395-402.	1.7	33
25	Validation of the German version of the Kujala score in patients with patellofemoral instability: a prospective multi-centre study. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2018, 138, 527-535.	2.4	32
26	Fatigue in Patients with Lung Cancer Is Related with Accelerated Tryptophan Breakdown. <i>PLoS ONE</i> , 2012, 7, e36956.	2.5	32
27	Quality of life across chemotherapy lines in patients with cancers of the pancreas and biliary tract. <i>BMC Cancer</i> , 2012, 12, 390.	2.6	31
28	Adherence evaluation of endocrine treatment in breast cancer: methodological aspects. <i>BMC Cancer</i> , 2012, 12, 474.	2.6	30
29	Development Of A Computer-Adaptive Version Of The Forgotten Joint Score. <i>Journal of Arthroplasty</i> , 2013, 28, 418-422.	3.1	30
30	Development of an item bank for the EORTC Role Functioning Computer Adaptive Test (EORTC RF-CAT). <i>Health and Quality of Life Outcomes</i> , 2016, 14, 72.	2.4	29
31	Cross-cultural development of an EORTC questionnaire to assess health-related quality of life in patients with testicular cancer: the EORTC QLQ-TC26. <i>Quality of Life Research</i> , 2013, 22, 369-378.	3.1	28
32	Quality of life across chemotherapy lines in patients with advanced colorectal cancer: a prospective single-center observational study. <i>Supportive Care in Cancer</i> , 2016, 24, 667-674.	2.2	28
33	The cancer patientâ€™s perspective of COVIDâ€“19â€“induced distressâ€“A crossâ€“sectional study and a longitudinal comparison of HRQOL assessed before and during the pandemic. <i>Cancer Medicine</i> , 2021, 10, 3928-3937.	2.8	28
34	Are gender-associated differences in quality of life in colorectal cancer patients disease-specific?. <i>Quality of Life Research</i> , 2009, 18, 547-555.	3.1	27
35	Development of a screening tool for the identification of psychooncological treatment need in breast cancer patients. <i>Psycho-Oncology</i> , 2009, 18, 974-983.	2.3	27
36	The EORTC emotional functioning computerized adaptive test: phases Iâ€“III of a crossâ€“cultural item bank development. <i>Psycho-Oncology</i> , 2014, 23, 397-403.	2.3	27

#	ARTICLE	IF	CITATIONS
37	Joint awareness after ACL reconstruction: patient-reported outcomes measured with the Forgotten Joint Score-12. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 1454-1460.	4.2	27
38	Stress Enhances Proinflammatory Platelet Activity: the Impact of Acute and Chronic Mental Stress. <i>Journal of NeuroImmune Pharmacology</i> , 2021, 16, 500-512.	4.1	27
39	Global differences in the treatment of Legg-Ångström-Perthes disease: a comprehensive review. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2021, 141, 1-16.	2.4	25
40	Cross-cultural development of an item list for computer-adaptive testing of fatigue in oncological patients. <i>Health and Quality of Life Outcomes</i> , 2011, 9, 19.	2.4	24
41	Loss of Correction After Chevron Osteotomy for Hallux Valgus as a Function of Preoperative Deformity. <i>Foot and Ankle International</i> , 2019, 40, 287-296.	2.3	24
42	Psychometric evaluation of the EORTC computerized adaptive test (CAT) fatigue item pool. <i>Quality of Life Research</i> , 2013, 22, 2443-2454.	3.1	22
43	International validation of the EORTC CAT Core: a new adaptive instrument for measuring core quality of life domains in cancer. <i>Quality of Life Research</i> , 2020, 29, 1405-1417.	3.1	21
44	Instant dentin hypersensitivity relief of a single topical application of an in-office desensitizing paste containing 8% arginine and calcium carbonate: A split-mouth, randomized-controlled study. <i>Acta Odontologica Scandinavica</i> , 2013, 71, 994-999.	1.6	20
45	An emotional functioning item bank of 24 items for computerized adaptive testing (CAT) was established. <i>Journal of Clinical Epidemiology</i> , 2016, 70, 90-100.	5.0	20
46	Normative data for the EORTC QLQ-C30 from the Austrian general population. <i>Health and Quality of Life Outcomes</i> , 2020, 18, 275.	2.4	20
47	Towards the Implementation of Quality of Life Monitoring in Daily Clinical Routine: Methodological Issues and Clinical Implication. <i>Breast Care</i> , 2009, 4, 148-154.	1.4	18
48	Black medicine: an observational study of doctors' coffee purchasing patterns at work. <i>BMJ</i> , The, 2015, 351, h6446.	6.0	18
49	Validation of the European Organisation for Research and Treatment of Cancer Quality of Life Questionnaire Core 30 Summary Score in Patients With Hematologic Malignancies. <i>Value in Health</i> , 2019, 22, 1303-1310.	0.3	18
50	The use of tibial tuberosity-trochlear groove indices based on joint size in lower limb evaluation. <i>International Orthopaedics</i> , 2018, 42, 995-1000.	1.9	17
51	Bioprofiling of platelets in medicated patients with depression. <i>Journal of Affective Disorders</i> , 2015, 172, 81-88.	4.1	16
52	A cross-cultural convergent parallel mixed methods study of what makes a cancer-related symptom or functional health problem clinically important. <i>Psycho-Oncology</i> , 2018, 27, 548-555.	2.3	16
53	International phase IV validation study of an EORTC quality of life questionnaire for testicular cancer patients: the EORTC QLQ-TC26. <i>BMC Cancer</i> , 2018, 18, 1104.	2.6	15
54	Impact of Blinding on Patient-Reported Outcome Differences Between Treatment Arms in Cancer Randomized Controlled Trials. <i>Journal of the National Cancer Institute</i> , 2022, 114, 471-474.	6.3	15

#	ARTICLE	IF	CITATIONS
55	Knee Extensor Strength and Gait Characteristics After Minimally Invasive Unicompartmental Knee Arthroplasty vs Minimally Invasive Total Knee Arthroplasty: A Nonrandomized Controlled Trial. <i>Journal of Arthroplasty</i> , 2016, 31, 1711-1716.	3.1	14
56	Does Obesity Interfere With Anastrozole Treatment? Positive Association Between Body Mass Index and Anastrozole Plasma Levels. <i>Clinical Breast Cancer</i> , 2014, 14, 291-296.	2.4	13
57	Effect of Knee Brace Type on Braking Response Time During Automobile Driving. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2015, 31, 404-409.	2.7	13
58	How should we assess patient-reported outcomes in the onco-hematology clinic?. <i>Current Opinion in Supportive and Palliative Care</i> , 2018, 12, 522-529.	1.3	13
59	Differences in Patient-Reported Outcomes That Are Most Frequently Detected in Randomized Controlled Trials in Patients With Solid Tumors: A Pooled Analysis of 229 Trials. <i>Value in Health</i> , 2020, 23, 666-673.	0.3	13
60	Thresholds for clinical importance were defined for the European Organisation for Research and Treatment of Cancer Computer Adaptive Testing Core Quality of Life domains in oncology clinical practice and research. <i>Journal of Clinical Epidemiology</i> , 2020, 117, 117-125.	5.0	12
61	Differences in case mix and outcomes between Swiss and Scottish total knee arthroplasty patients. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 1797-1804.	4.2	12
62	EORTC QLQ-C30 general population normative data for Italy by sex, age and health condition: an analysis of 1,036 individuals. <i>BMC Public Health</i> , 2022, 22, .	2.9	12
63	Evaluation of Noncompletion Bias and Long-Term Adherence in a 10-Year Patient-Reported Outcome Monitoring Program in Clinical Routine. <i>Value in Health</i> , 2017, 20, 610-617.	0.3	11
64	General Spanish population normative data analysis for the EORTC QLQ-C30 by sex, age, and health condition. <i>Health and Quality of Life Outcomes</i> , 2021, 19, 208.	2.4	11
65	Influence of achieved paternity on quality of life in testicular cancer survivors. <i>BJU International</i> , 2013, 111, E207-12.	2.5	10
66	Time to health-related quality of life improvement analysis was developed to enhance evaluation of modern anticancer therapies. <i>Journal of Clinical Epidemiology</i> , 2020, 127, 9-18.	5.0	10
67	Do patients consider computer-adaptive measures more appropriate than static questionnaires?. <i>Journal of Patient-Reported Outcomes</i> , 2019, 3, 7.	1.9	9
68	Evaluating the Thresholds for Clinical Importance of the EORTC QLQ-C15-PAL in Patients Receiving Palliative Treatment. <i>Journal of Palliative Medicine</i> , 2021, 24, 397-404.	1.1	9
69	Single-item satisfaction scores mask large variations in pain, function and joint awareness in patients following total joint arthroplasty. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2020, 30, 267-274.	1.4	8
70	Acute and Chronic Mental Stress both Influence Levels of Neurotransmitter Precursor Amino Acids and Derived Biogenic Amines. <i>Brain Sciences</i> , 2020, 10, 322.	2.3	8
71	Using the Computer-based Health Evaluation System (CHES) to Support Self-management of Symptoms and Functional Health: Evaluation of Hematological Patient Use of a Web-Based Patient Portal. <i>Journal of Medical Internet Research</i> , 2021, 23, e26022.	4.3	8
72	Patient-reported outcome reference values for patients after kidney transplantation. <i>Wiener Klinische Wochenschrift</i> , 2014, 126, 15-22.	1.9	7

#	ARTICLE	IF	CITATIONS
73	Cancer patients'™ understanding of longitudinal EORTC QLQ-C30 scores presented as bar charts. Patient Education and Counseling, 2016, 99, 2012-2017.	2.2	7
74	Chemotherapy line-associated differences in quality of life in patients with advanced cancer. Supportive Care in Cancer, 2012, 20, 2399-2405.	2.2	6
75	Effect of surgical shoes on brake response time after first metatarsal osteotomy" a prospective cohort study. Journal of Orthopaedic Surgery and Research, 2016, 11, 14.	2.3	6
76	Investigating Trends in the Quality of Reporting of Patient-Reported Outcomes in Oncology Over Time: Analysis of 631 Randomized Controlled Trials Published Between 2004 and 2019. Value in Health, 2021, 24, 1715-1719.	0.3	6
77	Identifying health-related quality of life cut-off scores that indicate the need for supportive care in young adults with cancer. Quality of Life Research, 2022, 31, 2717-2727.	3.1	6
78	Psychiatric consultation-liaison interventions: Recollection, perception and outcome. Journal of Psychosomatic Research, 2013, 75, 184-186.	2.6	5
79	Functional health and symptoms in Spain before and during the COVID-19 pandemic. BMC Public Health, 2021, 21, 837.	2.9	5
80	Differential changes in platelet reactivity induced by acute physical compared to persistent mental stress. Physiology and Behavior, 2015, 151, 284-291.	2.1	4
81	Does preoperative deformity diminish radiographic outcome after hallux valgus correction with scarf osteotomy?. Foot and Ankle Surgery, 2020, 26, 425-431.	1.7	4
82	Machine learning in oncology" Perspectives in patient-reported outcome research. Onkologie, 2021, 27, 150-155.	0.7	4
83	Technological developments enable measuring and using patient-reported outcomes data in orthopaedic clinical practice. World Journal of Orthopedics, 2020, 11, 584-594.	1.8	4
84	Health-Related Quality of Life Assessment in Patients with Myelodysplastic Syndromes: Evidence from Randomized Clinical Trials. Clinical Practice and Epidemiology in Mental Health, 2021, 17, 307-314.	1.2	4
85	Development of an item list to assess the forgotten joint concept in shoulder patients. BMC Musculoskeletal Disorders, 2015, 16, 67.	1.9	3
86	Osteoprotegerin Levels Decrease in Abstinent Alcohol"Dependent Patients. Alcoholism: Clinical and Experimental Research, 2016, 40, 1235-1240.	2.4	3
87	Temporary postoperative treatment with compartment-unloading knee braces or wedge insoles does not improve clinical outcome after partial meniscectomy. Knee Surgery, Sports Traumatology, Arthroscopy, 2019, 27, 814-821.	4.2	3
88	Cancer patient satisfaction with health care professional communication: An international EORTC study. Psycho-Oncology, 2022, 31, 541-547.	2.3	3
89	Evaluating the use of the EORTC patient-reported outcome measures for improving inter-rater reliability of CTCAE ratings in a mixed population of cancer patients: study protocol for a randomized controlled trial. Trials, 2020, 21, 849.	1.6	2
90	Estimating seroprevalence of SARS-CoV-2 antibodies using three self-reported symptoms: development of a prediction model based on data from Ischgl, Austria. Epidemiology and Infection, 2021, 149, e52.	2.1	2

#	ARTICLE	IF	CITATIONS
91	Neurotransmitter Precursor Amino Acid Ratios Show Differential, Inverse Correlations with Depression Severity in the Low and High Depression Score Range. International Journal of Tryptophan Research, 2021, 14, 117864692110392.	2.3	2
92	Electronic Patient-Reported Outcome Monitoring (ePROM) in Brain Tumour Patients. , 2012, , 223-230.		2
93	Usability evaluation of the Computer-Based Health Evaluation System (CHES) eDiary for patients with faecal incontinence: a pilot study. BMC Medical Informatics and Decision Making, 2022, 22, 81.	3.0	1