

# Daniel Shai

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8495249/publications.pdf>

Version: 2024-02-01

20  
papers

100  
citations

1478505

6  
h-index

1474206

9  
g-index

21  
all docs

21  
docs citations

21  
times ranked

91  
citing authors

#	ARTICLE	IF	CITATIONS
1	Ovaries of patients recently treated with alkylating agent chemotherapy indicate the presence of acute follicle activation, elucidating its role among other proposed mechanisms of follicle loss. <i>Fertility and Sterility</i> , 2021, 115, 1239-1249.	1.0	16
2	Does birthweight have a role in the effect of episiotomy on anal sphincter injury?. <i>Archives of Gynecology and Obstetrics</i> , 2020, 301, 171-177.	1.7	12
3	Risk factors for obstetric anal sphincter injury among parous women. <i>Archives of Gynecology and Obstetrics</i> , 2021, 303, 709-714.	1.7	10
4	Prediction of adverse neonatal outcome among newborns born through meconium-stained amniotic fluid. <i>International Journal of Gynecology and Obstetrics</i> , 2021, 154, 515-520.	2.3	9
5	Macular Hole Surgery with Internal Limiting Membrane Peeling Facilitated by Membrane-Blue® versus Membrane-Blue-Dual®: A Retrospective Comparative Study. <i>Journal of Ophthalmology</i> , 2016, 2016, 1-6.	1.3	8
6	Personalized charts for the fetal corpus callosum length. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019, 32, 3931-3938.	1.5	8
7	Risk of anal sphincter injury in trial of labor post cesarean section. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021, 100, 147-153.	2.8	6
8	The safety of early pregnancy exposure to granisetron. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2020, 245, 35-38.	1.1	5
9	Isolated oligohydramnios should induction be offered after 36 weeks?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2022, 35, 4507-4512.	1.5	5
10	Chorioamnionitis at latent phase more than doubles the risk for cesarean delivery compared to chorioamnionitis at active phase. <i>Archives of Gynecology and Obstetrics</i> , 2021, 303, 905-910.	1.7	5
11	The association of vacuum-assisted delivery and shoulder dystocia among macrosomic newborns: a retrospective study. <i>Archives of Gynecology and Obstetrics</i> , 2021, 304, 117-123.	1.7	4
12	Correlation between fetal mild ventriculomegaly and biometric parameters. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019, 32, 243-247.	1.5	3
13	The association between vacuum-assisted vaginal delivery and anal sphincter injury. <i>International Urogynecology Journal</i> , 2020, 32, 1771-1777.	1.4	3
14	Single- versus multiple-dose methotrexate in cesarean scar pregnancies management: treatment and reproductive outcomes. <i>Archives of Gynecology and Obstetrics</i> , 2021, 303, 1255-1261.	1.7	3
15	Risk factors for obstetric anal sphincter injury among women undergoing a trial of labor after cesarean. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2021, 260, 37-41.	1.1	1
16	Fertility and pregnancy complications following chorioamnionitis. <i>Human Fertility</i> , 2021, , 1-4.	1.7	1
17	Vaginal birth after cesarean in women with no prior vaginal delivery carrying a large for gestational age baby. <i>Birth</i> , 2021, , .	2.2	1
18	Is it safe to perform amnioinfusion in the presence of suspected intraamniotic infection?. <i>International Journal of Gynecology and Obstetrics</i> , 2020, 151, 225-230.	2.3	0

#	ARTICLE	IF	CITATIONS
19	Single-dose methotrexate-based protocol for the treatment of caesarean scar pregnancy and successive pregnancy outcomes. <i>Human Fertility</i> , 2021, , 1-7.	1.7	0
20	Predictive value of new onset versus primary meconium-stained amniotic fluid. <i>Birth</i> , 2022, , .	2.2	0