

Aileen McGonigal

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/849638/aileen-mcgonigal-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

145
papers

4,976
citations

39
h-index

67
g-index

164
ext. papers

6,298
ext. citations

4.7
avg, IF

5.55
L-index

#	Paper	IF	Citations
145	Frontal lobe seizures: overview and update.. <i>Journal of Neurology</i> , 2022 , 1	5.5	0
144	Screening for epilepsy-specific anxiety symptoms: French validation of the EASI.. <i>Epilepsy and Behavior</i> , 2022 , 128, 108585	3.2	1
143	Automated video analysis of emotion and dystonia in epileptic seizures. <i>Epilepsy Research</i> , 2022 , 1069533		
142	De novo psychosis after left temporal lobectomy: a case of forced normalization?. <i>Epileptic Disorders</i> , 2021 ,	1.9	1
141	Epileptogenic networks in drug-resistant epilepsy with amygdala enlargement: Assessment with stereo-EEG and 7 T MRI. <i>Clinical Neurophysiology</i> , 2021 , 133, 94-103	4.3	
140	How to do things with words: Two seminars on the naming of functional (psychogenic, non-epileptic, dissociative, conversion,)seizures. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2021 , 93, 102-110	3.2	2
139	The Ictal Signature of Thalamus and Basal Ganglia in Focal Epilepsy: A SEEG Study. <i>Neurology</i> , 2021 , 96, e280-e293	6.5	16
138	Interictal F-FDG brain PET metabolism in patients with postictal EEG suppression. <i>Epilepsy and Behavior</i> , 2021 , 116, 107742	3.2	2
137	Gamma-band activities in the context of pain: A signal from brain or muscle?. <i>Neurophysiologie Clinique</i> , 2021 , 51, 287-289	2.7	1
136	On seizure semiology. <i>Epilepsia</i> , 2021 , 62, 2019-2035	6.4	6
135	Epileptic hypothalamic hamartomas impact of topography on clinical presentation and radiosurgical outcome. <i>Epilepsy Research</i> , 2021 , 173, 106624	3	1
134	Use of suggestive seizure manipulation methods in the investigation of patients with possible psychogenic nonepileptic seizures-An international ILAE survey. <i>Epilepsia Open</i> , 2021 , 6, 472-482	4	1
133	Symptom network analysis of the sleep disorders diagnostic criteria based on the clinical text of the ICSD-3. <i>Journal of Sleep Research</i> , 2021 , e13435	5.8	1
132	Post-traumatic stress disorder (PTSD) in patients with epilepsy. <i>Epilepsy and Behavior</i> , 2021 , 121, 108083	3.2	3
131	Intellectual outcome from 1 to 5 years after epilepsy surgery in 81 children and adolescents: A longitudinal study. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2021 , 91, 384-392	3.2	1
130	Symptom network analysis of anxiety and depression in epilepsy. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2021 , 92, 211-215	3.2	1
129	Relationship between PET metabolism and SEEG epileptogenicity in focal lesional epilepsy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020 , 47, 3130-3142	8.8	9

128	Quantitative analysis of hyperkinetic seizures and correlation with seizure onset zone. <i>Epilepsia</i> , 2020 , 61, 1019-1026	6.4	13
127	Semiology and Epileptic Networks. <i>Neurosurgery Clinics of North America</i> , 2020 , 31, 373-385	4	5
126	Rhythmic rocking stereotypies in frontal lobe seizures: A quantified video study. <i>Neurophysiologie Clinique</i> , 2020 , 50, 75-80	2.7	5
125	"Stop playing ping-pong! Epi-Psy, an effective discipline to promote" Comment on "Psychiatric comorbidities go unrecognized in patients with epilepsy: You see what you know". <i>Epilepsy and Behavior</i> , 2020 , 104, 106937	3.2	3
124	Anatomical electroclinical correlations during an SEEG-recorded seizure with autoscopic hallucination. <i>Epileptic Disorders</i> , 2020 , 22, 817-822	1.9	1
123	Stereoelectroencephalography (SEEG) and epilepsy surgery in posttraumatic epilepsy: A multicenter retrospective study. <i>Epilepsy and Behavior</i> , 2020 , 112, 107378	3.2	1
122	Prefrontal seizure classification based on stereo-EEG quantification and automatic clustering. <i>Epilepsy and Behavior</i> , 2020 , 112, 107436	3.2	5
121	Ictal blinking in focal seizures: Insights from SEEG recordings. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2020 , 81, 21-28	3.2	5
120	Neural correlates of rhythmic rocking in prefrontal seizures. <i>Neurophysiologie Clinique</i> , 2020 , 50, 331-338	2.7	4
119	Transient cortico-cortical disconnection during psychogenic nonepileptic seizures (PNES). <i>Epilepsia</i> , 2020 , 61, e101-e106	6.4	4
118	Use of Polyvinyl Alcohol Sponge Cubes for Vagal Nerve Stimulation: A Suggestion for the Wrapping Step. Technical Note and Step-by-Step Operative Technique. <i>Operative Neurosurgery</i> , 2020 , 18, 487-495	1.6	4
117	Semiologic subgroups of insulo-opercular seizures based on connectional architecture atlas. <i>Epilepsia</i> , 2020 , 61, 984-994	6.4	12
116	Electrical stimulation for seizure induction during SEEG exploration: a useful predictor of postoperative seizure recurrence?. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2020 ,	5.5	7
115	In Reply: Predictive Factors of Surgical Outcome in Frontal Lobe Epilepsy Explored with Stereoelectroencephalography. <i>Neurosurgery</i> , 2019 , 85, E790	3.2	1
114	Hiding in Plain Sight: Functional Neurological Disorders in the News. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2019 , 31, 361-367	2.7	11
113	Can histologically normal epileptogenic zone share common electrophysiological phenotypes with focal cortical dysplasia? SEEG-based study in MRI-negative epileptic patients. <i>Journal of Neurology</i> , 2019 , 266, 1907-1918	5.5	3
112	The Relationship Between Epilepsy and Anxiety Disorders. <i>Current Psychiatry Reports</i> , 2019 , 21, 40	9.1	26
111	The effect of medial pulvinar stimulation on temporal lobe seizures. <i>Epilepsia</i> , 2019 , 60, e25-e30	6.4	23

110	Screening for depression in youth with epilepsy: Psychometric analysis of NDDI-E-Y and NDDI-E in a French population. <i>Epilepsy and Behavior</i> , 2019 , 98, 19-26	3.2	
109	Electroclinical features of insulo-opercular epilepsy: an SEEG and PET study. <i>Annals of Clinical and Translational Neurology</i> , 2019 , 6, 1165-1177	5.3	13
108	Epileptogenicity and surgical outcome in post stroke drug resistant epilepsy in children and adults. <i>Epilepsy Research</i> , 2019 , 155, 106155	3	6
107	Postictal stereo-EEG changes following bilateral tonic-clonic seizures. <i>Epilepsia</i> , 2019 , 60, 1743-1745	6.4	4
106	Brain connectivity changes during ictal coughing 2019 , 21, 353-357		2
105	Deep brain activities can be detected with magnetoencephalography. <i>Nature Communications</i> , 2019 , 10, 971	17.4	79
104	Superior Frontal Sulcus Focal Cortical Dysplasia Type II: An MRI, PET, and Quantified SEEG Study. <i>Frontiers in Neurology</i> , 2019 , 10, 1253	4.1	2
103	Association of Valproic Acid With Central Sleep Apnea Syndrome: Two Case Reports. <i>Journal of Clinical Psychopharmacology</i> , 2019 , 39, 681-684	1.7	3
102	Postictal electroencephalographic (EEG) suppression: A stereo-EEG study of 100 focal to bilateral tonic-clonic seizures. <i>Epilepsia</i> , 2019 , 60, 63-73	6.4	17
101	Using EEG-based brain computer interface and neurofeedback targeting sensorimotor rhythms to improve motor skills: Theoretical background, applications and prospects. <i>Neurophysiologie Clinique</i> , 2019 , 49, 125-136	2.7	29
100	The repertoire of seizure onset patterns in human focal epilepsies: Determinants and prognostic values. <i>Epilepsia</i> , 2019 , 60, 85-95	6.4	50
99	Subjective and physiological response to emotions in temporal lobe epilepsy and psychogenic non-epileptic seizures. <i>Journal of Affective Disorders</i> , 2019 , 244, 46-53	6.6	9
98	The role of stereoelectroencephalography (SEEG) in reevaluation of epilepsy surgery failures. <i>Epilepsy and Behavior</i> , 2018 , 81, 86-93	3.2	14
97	Comparative risk of major congenital malformations with eight different antiepileptic drugs: a prospective cohort study of the EURAP registry. <i>Lancet Neurology</i> , 2018 , 17, 530-538	24.1	202
96	Reply to "are spikes noninferior to high-frequency oscillations?". <i>Annals of Neurology</i> , 2018 , 83, 870-871	9.4	1
95	Screening for Anxiety and Depression in Epilepsy. <i>Canadian Journal of Neurological Sciences</i> , 2018 , 45, 481-482	1	1
94	Surgical technique. <i>Neurophysiologie Clinique</i> , 2018 , 48, 39-46	2.7	9
93	The different patterns of seizure-induced aphasia in temporal lobe epilepsies. <i>Epilepsy and Behavior</i> , 2018 , 78, 256-264	3.2	14

92	French guidelines on stereoelectroencephalography (SEEG). <i>Neurophysiologie Clinique</i> , 2018 , 48, 5-13	2.7	107
91	Depression in people with epilepsy: How much do Asian colleagues acknowledge it?. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2018 , 57, 45-49	3.2	10
90	Predictive Factors of Surgical Outcome in Frontal Lobe Epilepsy Explored with Stereoelectroencephalography. <i>Neurosurgery</i> , 2018 , 83, 217-225	3.2	28
89	A case-control study of skin conductance biofeedback on seizure frequency and emotion regulation in drug-resistant temporal lobe epilepsy. <i>International Journal of Psychophysiology</i> , 2018 , 123, 103-110	2.9	10
88	Tailored suprasular partial hemispherotomy: a new functional disconnection technique for stroke-induced refractory epilepsy. <i>Journal of Neurosurgery: Pediatrics</i> , 2018 , 22, 601-609	2.1	5
87	Interictal stereotactic-EEG functional connectivity in refractory focal epilepsies. <i>Brain</i> , 2018 , 141, 2966-2980	2.8	64
86	High-frequency oscillations are not better biomarkers of epileptogenic tissues than spikes. <i>Annals of Neurology</i> , 2018 , 83, 84-97	9.4	75
85	Early onset motor semiology in seizures triggered by cortical stimulation during SEEG. <i>Epilepsy and Behavior</i> , 2018 , 88, 262-267	3.2	8
84	Screening for depression in youth with epilepsy: The NDDI-E-Y. <i>Epilepsia</i> , 2018 , 59, 1999-2000	6.4	2
83	Correct Diagnosis of Psychogenic Nonepileptic Seizures. <i>International Journal of Epilepsy</i> , 2018 , 05, 112-113	1.3	113
82	Recommendations for the use of electroencephalography and evoked potentials in comatose patients. <i>Neurophysiologie Clinique</i> , 2018 , 48, 143-169	2.7	38
81	Ultra-short screening instruments for major depressive episode and generalized anxiety disorder in epilepsy: The NDDIE-2 and the GAD-SI. <i>Journal of Affective Disorders</i> , 2017 , 210, 237-240	6.6	6
80	Stress regulation in drug-resistant epilepsy. <i>Epilepsy and Behavior</i> , 2017 , 71, 39-50	3.2	24
79	Safety and efficacy of Gamma Knife radiosurgery in hypothalamic hamartomas with severe epilepsies: A prospective trial in 48 patients and review of the literature. <i>Epilepsia</i> , 2017 , 58 Suppl 2, 60-71	6.4	40
78	Defining epileptogenic networks: Contribution of SEEG and signal analysis. <i>Epilepsia</i> , 2017 , 58, 1131-1147	7.4	206
77	The "Proust phenomenon": Odor-evoked autobiographical memories triggered by direct amygdala stimulation in human. <i>Cortex</i> , 2017 , 90, 173-175	3.8	36
76	Radiosurgery for epilepsy: Systematic review and International Stereotactic Radiosurgery Society (ISRS) practice guideline. <i>Epilepsy Research</i> , 2017 , 137, 123-131	3	32
75	Spontaneous seizure remission following status epilepticus in drug-resistant epilepsy due to focal cortical dysplasia. <i>Epilepsy Research</i> , 2017 , 137, 73-77	3	0

74	Brain connectivity changes during ictal aggression (a strangulation attempt). <i>Epileptic Disorders</i> , 2017 , 19, 367-373	1.9	4
73	Epileptogenic networks in nodular heterotopia: A stereoelectroencephalography study. <i>Epilepsia</i> , 2017 , 58, 2112-2123	6.4	35
72	Evaluating quality of life in epilepsy: The role of screening for adverse drug effects, depression, and anxiety. <i>Epilepsy and Behavior</i> , 2017 , 75, 18-24	3.2	26
71	Hyperkinetic motor seizures: a common semiology generated by two different cortical seizure origins. <i>Epileptic Disorders</i> , 2017 , 19, 362-366	1.9	3
70	Altered synchrony and loss of consciousness during frontal lobe seizures. <i>Clinical Neurophysiology</i> , 2016 , 127, 1170-1175	4.3	14
69	The role of sub-hippocampal versus hippocampal regions in bitemporal lobe epilepsies. <i>Clinical Neurophysiology</i> , 2016 , 127, 2992-2999	4.3	3
68	Seizure-onset patterns in focal cortical dysplasia and neurodevelopmental tumors: Relationship with surgical prognosis and neuropathologic subtypes. <i>Epilepsia</i> , 2016 , 57, 1426-35	6.4	75
67	Validation of the Generalized Anxiety Disorder-7 (GAD-7) among Chinese people with epilepsy. <i>Epilepsy Research</i> , 2016 , 120, 31-6	3	169
66	Self-control of epileptic seizures by nonpharmacological strategies. <i>Epilepsy and Behavior</i> , 2016 , 55, 157-64	3.4	22
65	Positron emission tomography in patients with psychogenic non-epileptic seizures. <i>Neuropsychiatric Disease and Treatment</i> , 2016 , 12, 777-8	3.1	
64	Validation of rapid suicidality screening in epilepsy using the NDDIE. <i>Epilepsia</i> , 2016 , 57, 949-55	6.4	37
63	Anti-tumor necrosis factor alpha therapy (adalimumab) in Rasmussen's encephalitis: An open pilot study. <i>Epilepsia</i> , 2016 , 57, 956-66	6.4	43
62	Stereoelectroencephalography: Interpretation. <i>Journal of Clinical Neurophysiology</i> , 2016 , 33, 503-510	2.2	31
61	Rapid detection of generalized anxiety disorder and major depression in epilepsy: Validation of the GAD-7 as a complementary tool to the NDDI-E in a French sample. <i>Epilepsy and Behavior</i> , 2016 , 57, 211-216	3.2	86
60	A cross-sectional survey on French psychiatrists' knowledge and perceptions of psychogenic nonepileptic seizures. <i>Epilepsy and Behavior</i> , 2016 , 60, 21-26	3.2	16
59	Unmasking Partial Seizure after Deep Brain Stimulation for Treatment-Resistant Depression: A Case Report. <i>Brain Stimulation</i> , 2016 , 9, 636-8	5.1	6
58	How does vagal nerve stimulation (VNS) change EEG brain functional connectivity?. <i>Epilepsy Research</i> , 2016 , 126, 141-6	3	25
57	Occipital and occipital "plus" epilepsies: A study of involved epileptogenic networks through SEEG quantification. <i>Epilepsy and Behavior</i> , 2016 , 62, 104-14	3.2	28

56	Responders to vagus nerve stimulation (VNS) in refractory epilepsy have reduced interictal cortical synchronicity on scalp EEG. <i>Epilepsy Research</i> , 2015 , 113, 98-103	3	44
55	Epilepsie : pour une séméiologie neuropsychiatrique de la dépression. <i>Annales Medico-Psychologiques</i> , 2015 , 173, 738-742	0.2	1
54	Use of suggestion methods to induce psychogenic non-epileptic seizures. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2015 , 32, 47-8	3.2	0
53	18FDG-PET in different subtypes of temporal lobe epilepsy: SEEG validation and predictive value. <i>Epilepsia</i> , 2015 , 56, 414-21	6.4	39
52	Resting cortical PET metabolic changes in psychogenic non-epileptic seizures (PNES). <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2015 , 86, 1106-12	5.5	48
51	Electroencephalographic neurofeedback: Level of evidence in mental and brain disorders and suggestions for good clinical practice. <i>Neurophysiologie Clinique</i> , 2015 , 45, 423-33	2.7	58
50	One step closer to a global tool for rapid screening of major depression in epilepsy: validation of the French NDDI-E. <i>Epilepsy and Behavior</i> , 2015 , 44, 11-6	3.2	41
49	Beyond the lesion: the epileptogenic networks around cavernous angiomas. <i>Epilepsy Research</i> , 2014 , 108, 701-8	3	30
48	Emergence of semiology in epileptic seizures. <i>Epilepsy and Behavior</i> , 2014 , 38, 94-103	3.2	60
47	Skin conductance biofeedback training in adults with drug-resistant temporal lobe epilepsy and stress-triggered seizures: a proof-of-concept study. <i>Epilepsy and Behavior</i> , 2014 , 41, 244-50	3.2	26
46	Parietal seizures mimicking psychogenic nonepileptic seizures. <i>Epilepsia</i> , 2014 , 55, 196-7	6.4	2
45	Long-term effectiveness of dopamine agonists and monoamine oxidase B inhibitors compared with levodopa as initial treatment for Parkinson's disease (PD MED): a large, open-label, pragmatic randomised trial. <i>Lancet, The</i> , 2014 , 384, 1196-205	40	216
44	Frontal lobe seizures: from clinical semiology to localization. <i>Epilepsia</i> , 2014 , 55, 264-77	6.4	128
43	Alteration of consciousness in focal epilepsy: the global workspace alteration theory. <i>Epilepsy and Behavior</i> , 2014 , 30, 17-23	3.2	18
42	Gamma knife radiosurgery of paracentral epilepsy. <i>Stereotactic and Functional Neurosurgery</i> , 2014 , 92, 346-53	1.6	10
41	Prefrontal seizures manifesting as motor stereotypies. <i>Movement Disorders</i> , 2014 , 29, 1181-5	7	18
40	Real-time magnetic resonance-guided stereotactic laser amygdalohippocampotomy for mesial temporal lobe epilepsy. <i>Neurosurgery</i> , 2014 , 74, 569-84; discussion 584-5	3.2	265
39	Reversible antisocial behavior in ventromedial prefrontal lobe epilepsy. <i>Epilepsy and Behavior</i> , 2013 , 29, 367-73	3.2	23

38	Epileptogenic networks in seizures arising from motor systems. <i>Epilepsy Research</i> , 2013 , 106, 92-102	3	25
37	Diagnosis and outcome of SCN4A-related severe neonatal episodic laryngospasm (SNEL): 2 new cases. <i>Pediatrics</i> , 2013 , 132, e784-7	7.4	28
36	Consciousness, Epilepsy and Intracranial EEG 2013 , 99-114		
35	Rhinal-hippocampal interactions during dJ̄vu. <i>Clinical Neurophysiology</i> , 2012 , 123, 489-95	4.3	46
34	Alteration of global workspace during loss of consciousness: a study of parietal seizures. <i>Epilepsia</i> , 2012 , 53, 2104-10	6.4	33
33	Metabolic brain PET pattern underlying hyperkinetic seizures. <i>Epilepsy Research</i> , 2012 , 101, 237-45	3	16
32	Ictal "hemiballic-like" movement: lateralizing and localizing value. <i>Epilepsia</i> , 2012 , 53, e41-5	6.4	4
31	Subclinical abnormal gyration pattern, a potential anatomic marker of epileptogenic zone in patients with magnetic resonance imaging-negative frontal lobe epilepsy. <i>Neurosurgery</i> , 2011 , 69, 80-93; discussion 93-4	3.2	22
30	Smart phone, smart science: how the use of smartphones can revolutionize research in cognitive science. <i>PLoS ONE</i> , 2011 , 6, e24974	3.7	110
29	dJ̄vu in temporal lobe epilepsy: metabolic pattern of cortical involvement in patients with normal brain MRI. <i>Neuropsychologia</i> , 2010 , 48, 2174-81	3.2	53
28	Generalized convulsive status epilepticus management in adults: a cohort study with evaluation of professional practice. <i>Epilepsia</i> , 2010 , 51, 2159-67	6.4	62
27	From mesial temporal lobe to temporoperisylvian seizures: a quantified study of temporal lobe seizure networks. <i>Epilepsia</i> , 2010 , 51, 2147-58	6.4	79
26	Local and remote epileptogenicity in focal cortical dysplasias and neurodevelopmental tumours. <i>Brain</i> , 2009 , 132, 3072-86	11.2	117
25	Source localization of scalp-EEG interictal spikes in posterior cortex epilepsies investigated by HR-EEG and SEEG. <i>Epilepsia</i> , 2009 , 50, 276-89	6.4	43
24	Neural networks underlying hyperkinetic seizures of "temporal lobe" origin. <i>Epilepsy Research</i> , 2009 , 86, 200-8	3	56
23	Fulminant adult-onset subacute sclerosing panencephalitis: a case report. <i>BMJ Case Reports</i> , 2009 , 2009,	0.9	3
22	Functional interactions in brain networks underlying epileptic seizures in bilateral diffuse periventricular heterotopia. <i>Clinical Neurophysiology</i> , 2008 , 119, 212-23	4.3	35
21	3D model fitting for facial expression analysis under uncontrolled imaging conditions 2008 ,		6

20	MRI-negative prefrontal epilepsy due to cortical dysplasia explored by stereoelectroencephalography (SEEG). <i>Epileptic Disorders</i> , 2008 , 10, 330-8	1.9	9
19	The dreamy state: hallucinations of autobiographic memory evoked by temporal lobe stimulations and seizures. <i>Brain</i> , 2007 , 130, 88-99	11.2	118
18	Clinical and anatomic characteristics of humming and singing in partial seizures. <i>Neurology</i> , 2007 , 69, 490-2	6.5	20
17	Stereoelectroencephalography in presurgical assessment of MRI-negative epilepsy. <i>Brain</i> , 2007 , 130, 3169-83	11.2	193
16	Reply: On the Role of Medial Pulvinar Thalamic (PuM) Nucleus in Temporal Lobe Epilepsy. <i>Brain</i> , 2007 , 130, e72-e72	11.2	
15	What is the significance of interictal water diffusion changes in frontal lobe epilepsies?. <i>NeuroImage</i> , 2007 , 35, 28-37	7.9	38
14	The role of corticothalamic coupling in human temporal lobe epilepsy. <i>Brain</i> , 2006 , 129, 1917-28	11.2	249
13	Electric source imaging in frontal lobe epilepsy. <i>Journal of Clinical Neurophysiology</i> , 2006 , 23, 358-70	2.2	51
12	Gender differences in psychogenic non-epileptic seizures. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2005 , 14, 33-9	3.2	80
11	Physiology of frontal lobe seizures: pre-ictal, ictal and inter-ictal relationships. <i>Supplements To Clinical Neurophysiology</i> , 2004 , 57, 400-7		10
10	Use of short term video EEG in the diagnosis of attack disorders. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2004 , 75, 771-2	5.5	48
9	Cortical stimulation study of the role of rhinal cortex in déjà vu and reminiscence of memories. <i>Neurology</i> , 2004 , 63, 858-64	6.5	105
8	Resolution of transverse sinus stenosis in idiopathic intracranial hypertension after L-P shunt. <i>Neurology</i> , 2004 , 62, 514-5	6.5	53
7	Frontal Lobe Epilepsy: Seizure Semiology and Presurgical Evaluation. <i>Practical Neurology</i> , 2004 , 4, 260-273	3.4	14
6	Semiologic and electrophysiologic correlations in temporal lobe seizure subtypes. <i>Epilepsia</i> , 2004 , 45, 1590-9	6.4	154
5	Misdiagnosis of epilepsy in patients prescribed anticonvulsant drugs for other reasons. <i>BMJ, The</i> , 2003 , 326, 326-7	5.9	11
4	Facioscapulohumeral muscular dystrophy and myasthenia gravis co-existing in the same patient: a case report. <i>Journal of Neurology</i> , 2002 , 249, 219-20	5.5	9
3	Outpatient video EEG recording in the diagnosis of non-epileptic seizures: a randomised controlled trial of simple suggestion techniques. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2002 , 72, 549-557	5.5	70

