

Tiziano Barbui

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8496580/publications.pdf>

Version: 2024-02-01

146
papers

18,953
citations

22153

59
h-index

11939

134
g-index

146
all docs

146
docs citations

146
times ranked

7221
citing authors

#	ARTICLE	IF	CITATIONS
1	JAK Inhibition with Ruxolitinib versus Best Available Therapy for Myelofibrosis. <i>New England Journal of Medicine</i> , 2012, 366, 787-798.	27.0	1,543
2	Efficacy and Safety of Low-Dose Aspirin in Polycythemia Vera. <i>New England Journal of Medicine</i> , 2004, 350, 114-124.	27.0	911
3	International Consensus Classification of Myeloid Neoplasms and Acute Leukemias: integrating morphologic, clinical, and genomic data. <i>Blood</i> , 2022, 140, 1200-1228.	1.4	814
4	Hydroxyurea for Patients with Essential Thrombocythemia and a High Risk of Thrombosis. <i>New England Journal of Medicine</i> , 1995, 332, 1132-1137.	27.0	787
5	Philadelphia-Negative Classical Myeloproliferative Neoplasms: Critical Concepts and Management Recommendations From European LeukemiaNet. <i>Journal of Clinical Oncology</i> , 2011, 29, 761-770.	1.6	724
6	Cardiovascular Events and Intensity of Treatment in Polycythemia Vera. <i>New England Journal of Medicine</i> , 2013, 368, 22-33.	27.0	664
7	Vascular and Neoplastic Risk in a Large Cohort of Patients With Polycythemia Vera. <i>Journal of Clinical Oncology</i> , 2005, 23, 2224-2232.	1.6	631
8	Long-term survival and blast transformation in molecularly annotated essential thrombocythemia, polycythemia vera, and myelofibrosis. <i>Blood</i> , 2014, 124, 2507-2513.	1.4	575
9	Development and validation of an International Prognostic Score of thrombosis in World Health Organization "essential thrombocythemia (IPSET-thrombosis). <i>Blood</i> , 2012, 120, 5128-5133.	1.4	461
10	Survival and Disease Progression in Essential Thrombocythemia Are Significantly Influenced by Accurate Morphologic Diagnosis: An International Study. <i>Journal of Clinical Oncology</i> , 2011, 29, 3179-3184.	1.6	441
11	Clinical profile of homozygous JAK2 617V>F mutation in patients with polycythemia vera or essential thrombocythemia. <i>Blood</i> , 2007, 110, 840-846.	1.4	419
12	Philadelphia chromosome-negative classical myeloproliferative neoplasms: revised management recommendations from European LeukemiaNet. <i>Leukemia</i> , 2018, 32, 1057-1069.	7.2	415
13	The 2016 WHO classification and diagnostic criteria for myeloproliferative neoplasms: document summary and in-depth discussion. <i>Blood Cancer Journal</i> , 2018, 8, 15.	6.2	404
14	Acute leukemia in polycythemia vera: an analysis of 1638 patients enrolled in a prospective observational study. <i>Blood</i> , 2005, 105, 2664-2670.	1.4	389
15	Risk factors for arterial and venous thrombosis in WHO-defined essential thrombocythemia: an international study of 891 patients. <i>Blood</i> , 2011, 117, 5857-5859.	1.4	376
16	MIPSS70: Mutation-Enhanced International Prognostic Score System for Transplantation-Age Patients With Primary Myelofibrosis. <i>Journal of Clinical Oncology</i> , 2018, 36, 310-318.	1.6	373
17	Leukocytosis as a major thrombotic risk factor in patients with polycythemia vera. <i>Blood</i> , 2007, 109, 2446-2452.	1.4	356
18	Myeloproliferative Neoplasm (MPN) Symptom Assessment Form Total Symptom Score: Prospective International Assessment of an Abbreviated Symptom Burden Scoring System Among Patients With MPNs. <i>Journal of Clinical Oncology</i> , 2012, 30, 4098-4103.	1.6	344

#	ARTICLE	IF	CITATIONS
19	Recurrent thrombosis in patients with polycythemia vera and essential thrombocythemia: incidence, risk factors, and effect of treatments. <i>Haematologica</i> , 2008, 93, 372-380.	3.5	316
20	Myeloproliferative neoplasms and thrombosis. <i>Blood</i> , 2013, 122, 2176-2184.	1.4	303
21	Leukocytosis is a risk factor for thrombosis in essential thrombocythemia: interaction with treatment, standard risk factors, and Jak2 mutation status. <i>Blood</i> , 2007, 109, 2310-2313.	1.4	295
22	Revised response criteria for myelofibrosis: International Working Group-Myeloproliferative Neoplasms Research and Treatment (IWG-MRT) and European LeukemiaNet (ELN) consensus report. <i>Blood</i> , 2013, 122, 1395-1398.	1.4	286
23	JAK2 V617F mutational status predicts progression to large splenomegaly and leukemic transformation in primary myelofibrosis. <i>Blood</i> , 2007, 110, 4030-4036.	1.4	233
24	A prognostic model to predict survival in 867 World Health Organizationâ€defined essential thrombocythemia at diagnosis: a study by the International Working Group on Myelofibrosis Research and Treatment. <i>Blood</i> , 2012, 120, 1197-1201.	1.4	222
25	Revised response criteria for polycythemia vera and essential thrombocythemia: an ELN and IWG-MRT consensus project. <i>Blood</i> , 2013, 121, 4778-4781.	1.4	219
26	Characteristics and clinical correlates of MPL 515W>L/K mutation in essential thrombocythemia. <i>Blood</i> , 2008, 112, 844-847.	1.4	216
27	Thrombosis in primary myelofibrosis: incidence and risk factors. <i>Blood</i> , 2010, 115, 778-782.	1.4	216
28	Polycythemia vera and essential thrombocythemia: 2015 update on diagnosis, riskâ€stratification and management. <i>American Journal of Hematology</i> , 2015, 90, 162-173.	4.1	213
29	Leukocyte-platelet interaction in patients with essential thrombocythemia and polycythemia vera. <i>Experimental Hematology</i> , 2005, 33, 523-530.	0.4	212
30	Polycythemia vera and essential thrombocythemia: 2021 update on diagnosis, riskâ€stratification and management. <i>American Journal of Hematology</i> , 2020, 95, 1599-1613.	4.1	204
31	Polycythemia vera and essential thrombocythemia: 2019 update on diagnosis, riskâ€stratification and management. <i>American Journal of Hematology</i> , 2019, 94, 133-143.	4.1	177
32	V617F JAK-2 mutation in patients with essential thrombocythemia: relation to platelet, granulocyte, and plasma hemostatic and inflammatory molecules. <i>Experimental Hematology</i> , 2007, 35, 702-711.	0.4	169
33	Leukocytosis and Risk Stratification Assessment in Essential Thrombocythemia. <i>Journal of Clinical Oncology</i> , 2008, 26, 2732-2736.	1.6	169
34	Polycythemia vera and essential thrombocythemia: 2017 update on diagnosis, riskâ€stratification, and management. <i>American Journal of Hematology</i> , 2017, 92, 94-108.	4.1	168
35	Inflammation and thrombosis in essential thrombocythemia and polycythemia vera: different role of C-reactive protein and pentraxin 3. <i>Haematologica</i> , 2011, 96, 315-318.	3.5	160
36	A unified definition of clinical resistance and intolerance to hydroxycarbamide in polycythaemia vera and primary myelofibrosis: results of a European LeukemiaNet (ELN) consensus process. <i>British Journal of Haematology</i> , 2010, 148, 961-963.	2.5	144

#	ARTICLE	IF	CITATIONS
37	Perspectives on thrombosis in essential thrombocythemia and polycythemia vera: is leukocytosis a causative factor?. <i>Blood</i> , 2009, 114, 759-763.	1.4	137
38	Presentation and outcome of patients with 2016 WHO diagnosis of prefibrotic and overt primary myelofibrosis. <i>Blood</i> , 2017, 129, 3227-3236.	1.4	137
39	Thrombin generation and activated protein C resistance in patients with essential thrombocythemia and polycythemia vera. <i>Blood</i> , 2008, 112, 4061-4068.	1.4	136
40	Masked polycythemia Vera (mPV): Results of an international study. <i>American Journal of Hematology</i> , 2014, 89, 52-54.	4.1	130
41	Pegylated interferon alfa-2a for polycythemia vera or essential thrombocythemia resistant or intolerant to hydroxyurea. <i>Blood</i> , 2019, 134, 1498-1509.	1.4	123
42	In contemporary patients with polycythemia vera, rates of thrombosis and risk factors delineate a new clinical epidemiology. <i>Blood</i> , 2014, 124, 3021-3023.	1.4	112
43	Postsurgery outcomes in patients with polycythemia vera and essential thrombocythemia: a retrospective survey. <i>Blood</i> , 2008, 111, 666-671.	1.4	106
44	Hydroxyurea-related toxicity in 3,411 patients with Ph ⁻ negative MPN. <i>American Journal of Hematology</i> , 2012, 87, 552-554.	4.1	105
45	Leukocytosis and thrombosis in essential thrombocythemia and polycythemia vera: a systematic review and meta-analysis. <i>Blood Advances</i> , 2019, 3, 1729-1737.	5.2	105
46	Initial bone marrow reticulin fibrosis in polycythemia vera exerts an impact on clinical outcome. <i>Blood</i> , 2012, 119, 2239-2241.	1.4	90
47	JAK2V617F allele burden and thrombosis: A direct comparison in essential thrombocythemia and polycythemia vera. <i>Experimental Hematology</i> , 2009, 37, 1016-1021.	0.4	89
48	Essential thrombocythemia treatment algorithm 2018. <i>Blood Cancer Journal</i> , 2018, 8, 2.	6.2	85
49	White blood cell counts and thrombosis in polycythemia vera: a subanalysis of the CYTO-PV study. <i>Blood</i> , 2015, 126, 560-561.	1.4	82
50	Epidemiology and clinical relevance of mutations in postpolycythemia vera and postessential thrombocythemia myelofibrosis: A study on 359 patients of the AGIMM group. <i>American Journal of Hematology</i> , 2016, 91, 681-686.	4.1	80
51	Calreticulin mutation does not modify the IPSET score for predicting the risk of thrombosis among 1150 patients with essential thrombocythemia. <i>Blood</i> , 2014, 124, 2611-2612.	1.4	79
52	Ropeginterferon alfa-2b versus phlebotomy in low-risk patients with polycythaemia vera (Low-PV) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	4.6	79
53	Platelet-induced thrombin generation by the calibrated automated thrombogram assay is increased in patients with essential thrombocythemia and polycythemia vera. <i>American Journal of Hematology</i> , 2011, 86, 337-342.	4.1	78
54	Discriminating between essential thrombocythemia and masked polycythemia vera in <i>JAK2</i> mutated patients. <i>American Journal of Hematology</i> , 2014, 89, 588-590.	4.1	75

#	ARTICLE	IF	CITATIONS
55	Efficacy and safety of long-term use of hydroxyurea in young patients with essential thrombocythemia and a high risk of thrombosis. <i>Blood</i> , 2003, 101, 3749-3749.	1.4	70
56	High mortality rate in COVID-19 patients with myeloproliferative neoplasms after abrupt withdrawal of ruxolitinib. <i>Leukemia</i> , 2021, 35, 485-493.	7.2	70
57	Second cancer in Philadelphia negative myeloproliferative neoplasms (MPN-K). A nested case-control study. <i>Leukemia</i> , 2019, 33, 1996-2005.	7.2	67
58	Polycythemia vera treatment algorithm 2018. <i>Blood Cancer Journal</i> , 2018, 8, 3.	6.2	65
59	Masked polycythemia vera diagnosed according to WHO and BCSH classification. <i>American Journal of Hematology</i> , 2014, 89, 199-202.	4.1	64
60	Management of Philadelphia negative chronic myeloproliferative disorders in pregnancy. <i>Blood Reviews</i> , 2008, 22, 235-245.	5.7	60
61	A reappraisal of the benefitâ€risk profile of hydroxyurea in polycythemia vera: A propensityâ€matched study. <i>American Journal of Hematology</i> , 2017, 92, 1131-1136.	4.1	57
62	Polycythemia vera: historical oversights, diagnostic details, and therapeutic views. <i>Leukemia</i> , 2021, 35, 3339-3351.	7.2	57
63	Hydroxyurea in essential thrombocythemia: rate and clinical relevance of responses by European LeukemiaNet criteria. <i>Blood</i> , 2010, 116, 1051-1055.	1.4	56
64	Symptomatic Profiles of Patients With Polycythemia Vera: Implications of Inadequately Controlled Disease. <i>Journal of Clinical Oncology</i> , 2016, 34, 151-159.	1.6	56
65	Hydroxyurea prevents arterial and late venous thrombotic recurrences in patients with myeloproliferative neoplasms but fails in the splanchnic venous district. Pooled analysis of 1500 cases. <i>Blood Cancer Journal</i> , 2018, 8, 112.	6.2	55
66	Splanchnic vein thromboses associated with myeloproliferative neoplasms: An international, retrospective study on 518 cases. <i>American Journal of Hematology</i> , 2020, 95, 156-166.	4.1	53
67	Ruxolitinib for essential thrombocythemia refractory to or intolerant of hydroxyurea: long-term phase 2 study results. <i>Blood</i> , 2017, 130, 1768-1771.	1.4	52
68	Nitric oxide derivatives and soluble plasma selectins in patients with myeloproliferative neoplasms. <i>Thrombosis and Haemostasis</i> , 2010, 104, 151-156.	3.4	51
69	Pregnancy complications predict thrombotic events in young women with essential thrombocythemia. <i>American Journal of Hematology</i> , 2014, 89, 306-309.	4.1	50
70	Leukocytosis as an important risk factor for arterial thrombosis in WHOâ€defined early/prefibrotic myelofibrosis: An international study of 264 patients. <i>American Journal of Hematology</i> , 2012, 87, 669-672.	4.1	49
71	Leukocytosis is a risk factor for recurrent arterial thrombosis in young patients with polycythemia vera and essential thrombocythemia. <i>American Journal of Hematology</i> , 2010, 85, 97-100.	4.1	48
72	A lower intensity of treatment may underlie the increased risk of thrombosis in young patients with masked polycythaemia vera. <i>British Journal of Haematology</i> , 2014, 167, 541-546.	2.5	47

#	ARTICLE	IF	CITATIONS
73	Prognostic impact of bone marrow fibrosis in primary myelofibrosis. A study of the AGIMM group on 490 patients. <i>American Journal of Hematology</i> , 2016, 91, 918-922.	4.1	47
74	Splanchnic vein thrombosis in myeloproliferative neoplasms: treatment algorithm 2018. <i>Blood Cancer Journal</i> , 2018, 8, 64.	6.2	47
75	JAK2V617F variant allele frequency >50% identifies patients with polycythemia vera at high risk for venous thrombosis. <i>Blood Cancer Journal</i> , 2021, 11, 199.	6.2	47
76	Appropriate management of polycythaemia vera with cytoreductive drug therapy: European LeukemiaNet 2021 recommendations. <i>Lancet Haematology</i> , 2022, 9, e301-e311.	4.6	46
77	The effect of arterial hypertension on thrombosis in low-risk polycythemia vera. <i>American Journal of Hematology</i> , 2017, 92, E5-E6.	4.1	45
78	Ruxolitinib for the prevention of thrombosis in polycythemia vera: a systematic review and meta-analysis. <i>Blood Advances</i> , 2020, 4, 380-386.	5.2	45
79	A randomized phase 3 trial of interferon- β vs hydroxyurea in polycythemia vera and essential thrombocythemia. <i>Blood</i> , 2022, 139, 2931-2941.	1.4	45
80	Antithrombotic therapy for venous thromboembolism in myeloproliferative neoplasms. <i>Blood Cancer Journal</i> , 2018, 8, 65.	6.2	44
81	Myeloproliferative Disease in Pregnancy and Other Management Issues. <i>Hematology American Society of Hematology Education Program</i> , 2006, 2006, 246-252.	2.5	42
82	Cerebral vein thrombosis in patients with Philadelphia-negative myeloproliferative neoplasms: An European LeukemiaNet study. <i>American Journal of Hematology</i> , 2014, 89, E200-5.	4.1	42
83	Safety and efficacy of ruxolitinib in splanchnic vein thrombosis associated with myeloproliferative neoplasms. <i>American Journal of Hematology</i> , 2017, 92, 187-195.	4.1	41
84	Myeloproliferative neoplasms: Morphology and clinical practice. <i>American Journal of Hematology</i> , 2016, 91, 430-433.	4.1	39
85	Essential Thrombocythemia and Polycythemia Vera: Focus on Clinical Practice. <i>Mayo Clinic Proceedings</i> , 2015, 90, 1283-1293.	3.0	38
86	Validation of the IPSET score for thrombosis in patients with prefibrotic myelofibrosis. <i>Blood Cancer Journal</i> , 2020, 10, 21.	6.2	35
87	Second cancers in MPN: Survival analysis from an international study. <i>American Journal of Hematology</i> , 2020, 95, 295-301.	4.1	34
88	Direct oral anticoagulants for myeloproliferative neoplasms: results from an international study on 442 patients. <i>Leukemia</i> , 2021, 35, 2989-2993.	7.2	34
89	Impact of ruxolitinib on survival of patients with myelofibrosis in the real world: update of the ERNEST Study. <i>Blood Advances</i> , 2022, 6, 373-375.	5.2	34
90	European LeukemiaNet study on the reproducibility of bone marrow features in masked polycythemia vera and differentiation from essential thrombocythemia. <i>American Journal of Hematology</i> , 2017, 92, 1062-1067.	4.1	33

#	ARTICLE	IF	CITATIONS
91	Clinical outcomes under hydroxyurea treatment in polycythemia vera: a systematic review and meta-analysis. <i>Haematologica</i> , 2019, 104, 2391-2399.	3.5	33
92	Prefibrotic myelofibrosis: treatment algorithm 2018. <i>Blood Cancer Journal</i> , 2018, 8, 104.	6.2	32
93	Interim Analysis of the Myeloproliferative Disorders Research Consortium (MPD-RC) 112 Global Phase III Trial of Front Line Pegylated Interferon Alpha-2a Vs. Hydroxyurea in High Risk Polycythemia Vera and Essential Thrombocythemia. <i>Blood</i> , 2016, 128, 479-479.	1.4	32
94	Value of cytogenetic abnormalities in post-polycythemia vera and post-essential thrombocythemia myelofibrosis: a study of the MYSEC project. <i>Haematologica</i> , 2018, 103, e392-e394.	3.5	31
95	Lymphoproliferative disorders in patients with chronic myeloproliferative neoplasms: A systematic review. <i>American Journal of Hematology</i> , 2018, 93, 698-703.	4.1	31
96	Neutrophil-to-lymphocyte ratio is a novel predictor of venous thrombosis in polycythemia vera. <i>Blood Cancer Journal</i> , 2022, 12, 28.	6.2	31
97	Evidence- and consensus-based recommendations for phlebotomy in polycythemia vera. <i>Leukemia</i> , 2018, 32, 2077-2081.	7.2	30
98	Blood tests may predict early primary myelofibrosis in patients presenting with essential thrombocythemia. <i>American Journal of Hematology</i> , 2012, 87, 203-204.	4.1	29
99	Identifying and addressing unmet clinical needs in Ph-neg classical myeloproliferative neoplasms: A consensus-based SIE, SIES, GITMO position paper. <i>Leukemia Research</i> , 2014, 38, 155-160.	0.8	28
100	Molecular biomarkers of thrombosis in myeloproliferative neoplasms. <i>Thrombosis Research</i> , 2016, 140, S71-S75.	1.7	28
101	Diagnostic impact of the 2016 revised WHO criteria for polycythemia vera. <i>American Journal of Hematology</i> , 2017, 92, 417-419.	4.1	26
102	Benefit-risk profile of cytoreductive drugs along with antiplatelet and antithrombotic therapy after transient ischemic attack or ischemic stroke in myeloproliferative neoplasms. <i>Blood Cancer Journal</i> , 2018, 8, 25.	6.2	26
103	Among classic myeloproliferative neoplasms, essential thrombocythemia is associated with the greatest risk of venous thromboembolism during COVID-19. <i>Blood Cancer Journal</i> , 2021, 11, 21.	6.2	26
104	Addressing and proposing solutions for unmet clinical needs in the management of myeloproliferative neoplasm-associated thrombosis: A consensus-based position paper. <i>Blood Cancer Journal</i> , 2019, 9, 61.	6.2	25
105	No correlation of intensity of phlebotomy regimen with risk of thrombosis in polycythemia vera: evidence from European Collaboration on Low-Dose Aspirin in Polycythemia Vera and Cytoreductive Therapy in Polycythemia Vera clinical trials. <i>Haematologica</i> , 2017, 102, e219-e221.	3.5	21
106	Thrombosis in myeloproliferative neoplasms during cytoreductive and antithrombotic drug treatment. <i>Research and Practice in Thrombosis and Haemostasis</i> , 2022, 6, e12657.	2.3	21
107	The potential role of hematocrit control on symptom burden among polycythemia vera patients: Insights from the CYTO-PV and MPN-SAF patient cohorts. <i>Leukemia and Lymphoma</i> , 2017, 58, 1481-1487.	1.3	20
108	Incidence of solid tumors in polycythemia vera treated with phlebotomy with or without hydroxyurea: ECLAP follow-up data. <i>Blood Cancer Journal</i> , 2018, 8, 5.	6.2	20

#	ARTICLE	IF	CITATIONS
109	Different effect of hydroxyurea and phlebotomy on prevention of arterial and venous thrombosis in Polycythemia Vera. <i>Blood Cancer Journal</i> , 2018, 8, 124.	6.2	20
110	Patterns of presentation and thrombosis outcome in patients with polycythemia vera strictly defined by WHO's criteria and stratified by calendar period of diagnosis. <i>American Journal of Hematology</i> , 2015, 90, 434-437.	4.1	19
111	A multistate model of survival prediction and event monitoring in prefibrotic myelofibrosis. <i>Blood Cancer Journal</i> , 2020, 10, 100.	6.2	19
112	The new WHO classification for essential thrombocythemia calls for revision of available evidences. <i>Blood Cancer Journal</i> , 2020, 10, 22.	6.2	19
113	Arterial thrombosis in Philadelphia-negative myeloproliferative neoplasms predicts second cancer: a case-control study. <i>Blood</i> , 2020, 135, 381-386.	1.4	18
114	Deciphering the individual contribution of absolute neutrophil and monocyte counts to thrombosis risk in polycythemia vera and essential thrombocythemia. <i>American Journal of Hematology</i> , 2022, 97, E35.	4.1	18
115	Unmet clinical needs in the management of CALR-mutated essential thrombocythaemia: a consensus-based proposal from the European LeukemiaNet. <i>Lancet Haematology</i> , 2021, 8, e658-e665.	4.6	17
116	Second primary malignancies in postpolycythemia vera and postessential thrombocythemia myelofibrosis: A study on 2233 patients. <i>Cancer Medicine</i> , 2019, 8, 4089-4092.	2.8	16
117	Evidence-based management of polycythemia vera. <i>Best Practice and Research in Clinical Haematology</i> , 2006, 19, 483-493.	1.7	15
118	ACE inhibitors and cytoreductive therapy in polycythemia vera. <i>Blood</i> , 2017, 129, 1226-1227.	1.4	14
119	Phenotype variability of patients with post polycythemia vera and post essential thrombocythemia myelofibrosis is associated with the time to progression from polycythemia vera and essential thrombocythemia. <i>Leukemia Research</i> , 2018, 69, 100-102.	0.8	13
120	Cerebral venous thrombosis and myeloproliferative neoplasms: A three-center study of 74 consecutive cases. <i>American Journal of Hematology</i> , 2021, 96, 1580-1586.	4.1	13
121	Extreme thrombocytosis in low-risk essential thrombocythemia: Retrospective review of vascular events and treatment strategies. <i>American Journal of Hematology</i> , 2021, 96, E182-E184.	4.1	11
122	Long-term follow-up of recovered MPN patients with COVID-19. <i>Blood Cancer Journal</i> , 2021, 11, 115.	6.2	9
123	Refining prognostication of thrombosis in <i>ET</i> . <i>American Journal of Hematology</i> , 2016, 91, 361-363.	4.1	8
124	Impact of bone marrow fibrosis grade in post-polycythemia vera and post-essential thrombocythemia myelofibrosis: A study of the MYSEC group. <i>American Journal of Hematology</i> , 2020, 95, E1-E3.	4.1	8
125	Feasibility of Randomised Clinical Trials in Rare Diseases: The Case of Polycythemia Vera. <i>Leukemia and Lymphoma</i> , 1996, 22, 121-127.	1.3	7
126	From leeches to interferon: should cytoreduction be prescribed for all patients with polycythemia vera?. <i>Leukemia</i> , 2020, 34, 2837-2839.	7.2	7

#	ARTICLE	IF	CITATIONS
127	Prevalence and risk factors for Pulmonary Hypertension associated with chronic Myeloproliferative Neoplasms. <i>European Journal of Haematology</i> , 2021, 106, 250-259.	2.2	7
128	Second versus first wave of COVID-19 in patients with MPN. <i>Leukemia</i> , 2022, 36, 897-900.	7.2	7
129	Treatment indications and choice of a platelet-lowering agent in essential thrombocythemia. <i>Psychophysiology</i> , 2003, 2, 248-56.	1.1	7
130	An agenda for future research projects in polycythemia vera and essential thrombocythemia. <i>Haematologica</i> , 2020, 105, 1999-2003.	3.5	6
131	Three-month mortality in permanently bedridden medical non-oncologic patients. The BECLAP study (permanently BEdridden, creatinine CLearance, albumin, previous hospital admissions study). <i>European Journal of Internal Medicine</i> , 2020, 72, 60-66.	2.2	5
132	Philadelphia-Negative Myeloproliferative Neoplasms Around the COVID-19 Pandemic. <i>Current Hematologic Malignancy Reports</i> , 2021, 16, 455-463.	2.3	5
133	Leukocytosis and thrombosis in polycythemia vera: can clinical trials settle the debate?. <i>Blood Advances</i> , 2019, 3, 3951-3952.	5.2	4
134	Towards a Better Understanding of Epidemiology, Survival and Treatment in Myeloproliferative Neoplasms: Results of the European Leukemianet Registry (ERNEST study). <i>Blood</i> , 2014, 124, 1849-1849.	1.4	4
135	A JAK2V617F Variant Allele Frequency Greater Than 50% Identifies Patients with Polycythemia Vera at High Risk for Venous Thrombosis. <i>Blood</i> , 2021, 138, 237-237.	1.4	4
136	1.5 million platelet count limit at essential thrombocythemia diagnosis: correlations and relevance to vascular events. <i>Blood Advances</i> , 2022, 6, 3835-3839.	5.2	4
137	Targeting myeloid cells to prevent recurrent stroke in general population: the lesson of hydroxyurea in myeloproliferative neoplasms. <i>Blood Cancer Journal</i> , 2018, 8, 103.	6.2	3
138	Comments on pre-fibrotic myelofibrosis and how should it be managed. <i>British Journal of Haematology</i> , 2019, 186, 358-360.	2.5	3
139	Response to "Questions arising on phlebotomy in polycythemia vera: prophylactic measures to reduce thromboembolic events require patient-focused decisions" by Heidel et al.. <i>Leukemia</i> , 2018, 32, 2727-2728.	7.2	2
140	Illustrated State of the Art Capsules of the ISTH 2021 Congress. <i>Research and Practice in Thrombosis and Haemostasis</i> , 2021, 5, e12532.	2.3	2
141	Frequency of Thrombosis Is Higher in MPN Patients Who Develop Second Cancer Than in Controls. <i>Blood</i> , 2019, 134, 4170-4170.	1.4	2
142	Symptom Burden in "Low Risk PV" Frequently Is Problematic and May Justify Earlier Intervention with Cytoreductive Therapy: An MPN-QOL Study Group Study. <i>Blood</i> , 2020, 136, 47-48.	1.4	2
143	Reply to: Second primary malignancies in myeloproliferative neoplasms and the role of aspirin. <i>Leukemia</i> , 2020, 34, 1208-1209.	7.2	1
144	Response to: Ruxolitinib withdrawal due to the COVID-19. <i>Leukemia</i> , 2021, 35, 1219-1219.	7.2	1

#	ARTICLE	IF	CITATIONS
145	Neutrophil-to-Lymphocyte Ratio (NLR) Is a Risk Factor for Venous Thrombosis in Polycythemia Vera. Blood, 2021, 138, 1499-1499.	1.4	1
146	Finding the needle by modeling the haystack: Pulmonary embolism in an emergency patient with cardiorespiratory manifestations. Expert Systems With Applications, 2022, 189, 116066.	7.6	0