
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8496580/publications.pdf Version: 2024-02-01



TIZIANO RADRIII

#	Article	IF	CITATIONS
1	Finding the needle by modeling the haystack: Pulmonary embolism in an emergency patient with cardiorespiratory manifestations. Expert Systems With Applications, 2022, 189, 116066.	7.6	0
2	Impact of ruxolitinib on survival of patients with myelofibrosis in the real world: update of the ERNEST Study. Blood Advances, 2022, 6, 373-375.	5.2	34
3	Deciphering the individual contribution of absolute neutrophil and monocyte counts to thrombosis risk in polycythemia vera and essential thrombocythemia. American Journal of Hematology, 2022, 97, E35.	4.1	18
4	Second versus first wave of COVID-19 in patients with MPN. Leukemia, 2022, 36, 897-900.	7.2	7
5	A randomized phase 3 trial of interferon-α vs hydroxyurea in polycythemia vera and essential thrombocythemia. Blood, 2022, 139, 2931-2941.	1.4	45
6	Thrombosis in myeloproliferative neoplasms during cytoreductive and antithrombotic drug treatment. Research and Practice in Thrombosis and Haemostasis, 2022, 6, e12657.	2.3	21
7	Neutrophil-to-lymphocyte ratio is a novel predictor of venous thrombosis in polycythemia vera. Blood Cancer Journal, 2022, 12, 28.	6.2	31
8	1.5 million platelet count limit at essential thrombocythemia diagnosis: correlations and relevance to vascular events. Blood Advances, 2022, 6, 3835-3839.	5.2	4
9	Appropriate management of polycythaemia vera with cytoreductive drug therapy: European LeukemiaNet 2021 recommendations. Lancet Haematology,the, 2022, 9, e301-e311.	4.6	46
10	International Consensus Classification of Myeloid Neoplasms and Acute Leukemias: integrating morphologic, clinical, and genomic data. Blood, 2022, 140, 1200-1228.	1.4	814
11	Prevalence and risk factors for Pulmonary Hypertension associated with chronic Myeloproliferative Neoplasms. European Journal of Haematology, 2021, 106, 250-259.	2.2	7
12	High mortality rate in COVID-19 patients with myeloproliferative neoplasms after abrupt withdrawal of ruxolitinib. Leukemia, 2021, 35, 485-493.	7.2	70
13	Response to: Ruxolitinib withdrawal due to the COVID-19. Leukemia, 2021, 35, 1219-1219.	7.2	1
14	Among classic myeloproliferative neoplasms, essential thrombocythemia is associated with the greatest risk of venous thromboembolism during COVID-19. Blood Cancer Journal, 2021, 11, 21.	6.2	26
15	Ropeginterferon alfa-2b versus phlebotomy in low-risk patients with polycythaemia vera (Low-PV) Tj ETQq1 1	0.784314 rg 4.6	;BT 49verlock
16	Extreme thrombocytosis in lowâ€risk essential thrombocythemia: Retrospective review of vascular events and treatment strategies. American Journal of Hematology, 2021, 96, E182-E184.	4.1	11
17	Direct oral anticoagulants for myeloproliferative neoplasms: results from an international study on 442 patients. Leukemia, 2021, 35, 2989-2993.	7.2	34
18	Long-term follow-up of recovered MPN patients with COVID-19. Blood Cancer Journal, 2021, 11, 115.	6.2	9

#	Article	IF	CITATIONS
19	Illustrated Stateâ€ofâ€theâ€Art Capsules of the ISTH 2021 Congress. Research and Practice in Thrombosis and Haemostasis, 2021, 5, e12532.	2.3	2
20	Unmet clinical needs in the management of CALR-mutated essential thrombocythaemia: a consensus-based proposal from the European LeukemiaNet. Lancet Haematology,the, 2021, 8, e658-e665.	4.6	17
21	Polycythemia vera: historical oversights, diagnostic details, and therapeutic views. Leukemia, 2021, 35, 3339-3351.	7.2	57
22	Philadelphia-Negative Myeloproliferative Neoplasms Around the COVID-19 Pandemic. Current Hematologic Malignancy Reports, 2021, 16, 455-463.	2.3	5
23	Cerebral venous thrombosis and myeloproliferative neoplasms: A threeâ€center study of 74 consecutive cases. American Journal of Hematology, 2021, 96, 1580-1586.	4.1	13
24	Neutrophil-to-Lymphocyte Ratio (NLR) Is a Risk Factor for Venous Thrombosis in Polycythemia Vera. Blood, 2021, 138, 1499-1499.	1.4	1
25	A JAK2V617F Variant Allele Frequency Greater Than 50% Identifies Patients with Polycythemia Vera at High Risk for Venous Thrombosis. Blood, 2021, 138, 237-237.	1.4	4
26	JAK2V617F variant allele frequency >50% identifies patients with polycythemia vera at high risk for venous thrombosis. Blood Cancer Journal, 2021, 11, 199.	6.2	47
27	Reply to: Second primary malignancies in myeloproliferative neoplasms and the role of aspirin. Leukemia, 2020, 34, 1208-1209.	7.2	1
28	Splanchnic vein thromboses associated with myeloproliferative neoplasms: An international, retrospective study on 518 cases. American Journal of Hematology, 2020, 95, 156-166.	4.1	53
29	Impact of bone marrow fibrosis grade in postâ€polycythemia vera and postâ€essential thrombocythemia myelofibrosis: A study of the MYSEC group. American Journal of Hematology, 2020, 95, E1-E3.	4.1	8
30	Second cancers in MPN: Survival analysis from an international study. American Journal of Hematology, 2020, 95, 295-301.	4.1	34
31	Three-month mortality in permanently bedridden medical non-oncologic patients. The BECLAP study (permanently BEdridden, creatinine CLearance, albumin, previous hospital admissions study). European Journal of Internal Medicine, 2020, 72, 60-66.	2.2	5
32	A multistate model of survival prediction and event monitoring in prefibrotic myelofibrosis. Blood Cancer Journal, 2020, 10, 100.	6.2	19
33	From leeches to interferon: should cytoreduction be prescribed for all patients with polycythemia vera?. Leukemia, 2020, 34, 2837-2839.	7.2	7
34	Polycythemia vera and essential thrombocythemia: 2021 update on diagnosis, riskâ€ s tratification and management. American Journal of Hematology, 2020, 95, 1599-1613.	4.1	204
35	An agenda for future research projects in polycythemia vera and essential thrombocythemia. Haematologica, 2020, 105, 1999-2003.	3.5	6
36	Validation of the IPSET score for thrombosis in patients with prefibrotic myelofibrosis. Blood Cancer Journal, 2020, 10, 21.	6.2	35

#	Article	IF	CITATIONS
37	The new WHO classification for essential thrombocythemia calls for revision of available evidences. Blood Cancer Journal, 2020, 10, 22.	6.2	19
38	Arterial thrombosis in Philadelphia-negative myeloproliferative neoplasms predicts second cancer: a case-control study. Blood, 2020, 135, 381-386.	1.4	18
39	Ruxolitinib for the prevention of thrombosis in polycythemia vera: a systematic review and meta-analysis. Blood Advances, 2020, 4, 380-386.	5.2	45
40	Symptom Burden in "Low Risk PV" Frequently Is Problematic and May Justify Earlier Intervention with Cytoreductive Therapy: An MPN-QOL Study Group Study. Blood, 2020, 136, 47-48.	1.4	2
41	Addressing and proposing solutions for unmet clinical needs in the management of myeloproliferative neoplasm-associated thrombosis: A consensus-based position paper. Blood Cancer Journal, 2019, 9, 61.	6.2	25
42	Pegylated interferon alfa-2a for polycythemia vera or essential thrombocythemia resistant or intolerant to hydroxyurea. Blood, 2019, 134, 1498-1509.	1.4	123
43	Second primary malignancies in postpolycythemia vera and postessential thrombocythemia myelofibrosis: A study on 2233 patients. Cancer Medicine, 2019, 8, 4089-4092.	2.8	16
44	Second cancer in Philadelphia negative myeloproliferative neoplasms (MPN-K). A nested case-control study. Leukemia, 2019, 33, 1996-2005.	7.2	67
45	Clinical outcomes under hydroxyurea treatment in polycythemia vera: a systematic review and meta-analysis. Haematologica, 2019, 104, 2391-2399.	3.5	33
46	Comments on preâ€fibrotic myelofibrosis and how should it be managed. British Journal of Haematology, 2019, 186, 358-360.	2.5	3
47	Leukocytosis and thrombosis in essential thrombocythemia and polycythemia vera: a systematic review and meta-analysis. Blood Advances, 2019, 3, 1729-1737.	5.2	105
48	Leukocytosis and thrombosis in polycythemia vera: can clinical trials settle the debate?. Blood Advances, 2019, 3, 3951-3952.	5.2	4
49	Polycythemia vera and essential thrombocythemia: 2019 update on diagnosis, riskâ€ s tratification and management. American Journal of Hematology, 2019, 94, 133-143.	4.1	177
50	Frequency of Thrombosis Is Higher in MPN Patients Who Develop Second Cancer Than in Controls. Blood, 2019, 134, 4170-4170.	1.4	2
51	Philadelphia chromosome-negative classical myeloproliferative neoplasms: revised management recommendations from European LeukemiaNet. Leukemia, 2018, 32, 1057-1069.	7.2	415
52	Value of cytogenetic abnormalities in post-polycythemia vera and post-essential thrombocythemia myelofibrosis: a study of the MYSEC project. Haematologica, 2018, 103, e392-e394.	3.5	31
53	Lymphoproliferative disorders in patients with chronic myeloproliferative neoplasms: A systematic review. American Journal of Hematology, 2018, 93, 698-703.	4.1	31
54	Incidence of solid tumors in polycythemia vera treated with phlebotomy with or without hydroxyurea: ECLAP follow-up data. Blood Cancer Journal, 2018, 8, 5.	6.2	20

#	Article	IF	CITATIONS
55	The 2016 WHO classification and diagnostic criteria for myeloproliferative neoplasms: document summary and in-depth discussion. Blood Cancer Journal, 2018, 8, 15.	6.2	404
56	Essential thrombocythemia treatment algorithm 2018. Blood Cancer Journal, 2018, 8, 2.	6.2	85
57	Polycythemia vera treatment algorithm 2018. Blood Cancer Journal, 2018, 8, 3.	6.2	65
58	Phenotype variability of patients with post polycythemia vera and post essential thrombocythemia myelofibrosis is associated with the time to progression from polycythemia vera and essential thrombocythemia. Leukemia Research, 2018, 69, 100-102.	0.8	13
59	Benefit-risk profile of cytoreductive drugs along with antiplatelet and antithrombotic therapy after transient ischemic attack or ischemic stroke in myeloproliferative neoplasms. Blood Cancer Journal, 2018, 8, 25.	6.2	26
60	MIPSS70: Mutation-Enhanced International Prognostic Score System for Transplantation-Age Patients With Primary Myelofibrosis. Journal of Clinical Oncology, 2018, 36, 310-318.	1.6	373
61	Different effect of hydroxyurea and phlebotomy on prevention of arterial and venous thrombosis in Polycythemia Vera. Blood Cancer Journal, 2018, 8, 124.	6.2	20
62	Targeting myeloid cells to prevent recurrent stroke in general population: the lesson of hydroxyurea in myeloproliferative neoplasms. Blood Cancer Journal, 2018, 8, 103.	6.2	3
63	Hydroxyurea prevents arterial and late venous thrombotic recurrences in patients with myeloproliferative neoplasms but fails in the splanchnic venous district. Pooled analysis of 1500 cases. Blood Cancer Journal, 2018, 8, 112.	6.2	55
64	Prefibrotic myelofibrosis: treatment algorithm 2018. Blood Cancer Journal, 2018, 8, 104.	6.2	32
65	Response to "Questions arising on phlebotomy in polycythemia vera: prophylactic measures to reduce thromboembolic events require patient-focused decisions―by Heidel et al Leukemia, 2018, 32, 2727-2728.	7.2	2
66	Evidence- and consensus-based recommendations for phlebotomy in polycythemia vera. Leukemia, 2018, 32, 2077-2081.	7.2	30
67	Splanchnic vein thrombosis in myeloproliferative neoplasms: treatment algorithm 2018. Blood Cancer Journal, 2018, 8, 64.	6.2	47
68	Antithrombotic therapy for venous thromboembolism in myeloproliferative neoplasms. Blood Cancer Journal, 2018, 8, 65.	6.2	44
69	No correlation of intensity of phlebotomy regimen with risk of thrombosis in polycythemia vera: evidence from European Collaboration on Low-Dose Aspirin in Polycythemia Vera and Cytoreductive Therapy in Polycythemia Vera clinical trials. Haematologica, 2017, 102, e219-e221.	3.5	21
70	Diagnostic impact of the 2016 revised who criteria for polycythemia vera. American Journal of Hematology, 2017, 92, 417-419.	4.1	26
71	Presentation and outcome of patients with 2016 WHO diagnosis of prefibrotic and overt primary myelofibrosis. Blood, 2017, 129, 3227-3236.	1.4	137
72	ACE inhibitors and cytoreductive therapy in polycythemia vera. Blood, 2017, 129, 1226-1227.	1.4	14

#	Article	IF	CITATIONS
73	Polycythemia vera and essential thrombocythemia: 2017 update on diagnosis, riskâ€stratification, and management. American Journal of Hematology, 2017, 92, 94-108.	4.1	168
74	Ruxolitinib for essential thrombocythemia refractory to or intolerant of hydroxyurea: long-term phase 2 study results. Blood, 2017, 130, 1768-1771.	1.4	52
75	European LeukemiaNet study on the reproducibility of bone marrow features in masked polycythemia vera and differentiation from essential thrombocythemia. American Journal of Hematology, 2017, 92, 1062-1067.	4.1	33
76	A reappraisal of the benefitâ€risk profile of hydroxyurea in polycythemia vera: A propensityâ€matched study. American Journal of Hematology, 2017, 92, 1131-1136.	4.1	57
77	The potential role of hematocrit control on symptom burden among polycythemia vera patients: Insights from the CYTO-PV and MPN-SAF patient cohorts. Leukemia and Lymphoma, 2017, 58, 1481-1487.	1.3	20
78	The effect of arterial hypertension on thrombosis in lowâ€risk polycythemia vera. American Journal of Hematology, 2017, 92, E5-E6.	4.1	45
79	Safety and efficacy of ruxolitinib in splanchnic vein thrombosis associated with myeloproliferative neoplasms. American Journal of Hematology, 2017, 92, 187-195.	4.1	41
80	Prognostic impact of bone marrow fibrosis in primary myelofibrosis. A study of the AGIMM group on 490 patients. American Journal of Hematology, 2016, 91, 918-922.	4.1	47
81	Refining prognostication of thrombosis in <scp>ET</scp> . American Journal of Hematology, 2016, 91, 361-363.	4.1	8
82	Molecular biomarkers of thrombosis in myeloproliferative neoplasms. Thrombosis Research, 2016, 140, S71-S75.	1.7	28
83	Myeloproliferative neoplasms: Morphology and clinical practice. American Journal of Hematology, 2016, 91, 430-433.	4.1	39
84	Epidemiology and clinical relevance of mutations in postpolycythemia vera and postessential thrombocythemia myelofibrosis: A study on 359 patients of the AGIMM group. American Journal of Hematology, 2016, 91, 681-686.	4.1	80
85	Symptomatic Profiles of Patients With Polycythemia Vera: Implications of Inadequately Controlled Disease. Journal of Clinical Oncology, 2016, 34, 151-159.	1.6	56
86	Interim Analysis of the Myeloproliferative Disorders Research Consortium (MPD-RC) 112 Global Phase III Trial of Front Line Pegylated Interferon Alpha-2a Vs. Hydroxyurea in High Risk Polycythemia Vera and Essential Thrombocythemia. Blood, 2016, 128, 479-479.	1.4	32
87	Patterns of presentation and thrombosis outcome in patients with polycythemia vera strictly defined by WHOâ€criteria and stratified by calendar period of diagnosis. American Journal of Hematology, 2015, 90, 434-437.	4.1	19
88	White blood cell counts and thrombosis in polycythemia vera: a subanalysis of the CYTO-PV study. Blood, 2015, 126, 560-561.	1.4	82
89	Polycythemia vera and essential thrombocythemia: 2015 update on diagnosis, riskâ€stratification and management. American Journal of Hematology, 2015, 90, 162-173.	4.1	213
90	Essential Thrombocythemia and Polycythemia Vera: Focus on Clinical Practice. Mayo Clinic Proceedings, 2015, 90, 1283-1293.	3.0	38

#	Article	IF	CITATIONS
91	Masked polycythemia vera diagnosed according to WHO and BCSH classification. American Journal of Hematology, 2014, 89, 199-202.	4.1	64
92	Cerebral vein thrombosis in patients with <scp>P</scp> hiladelphiaâ€negative myeloproliferative neoplasms An <scp>E</scp> uropean <scp>L</scp> eukemia <scp>N</scp> et study. American Journal of Hematology, 2014, 89, E200-5.	4.1	42
93	A lower intensity of treatment may underlie the increased risk of thrombosis in young patients with masked polycythaemia vera. British Journal of Haematology, 2014, 167, 541-546.	2.5	47
94	Discriminating between essential thrombocythemia and masked polycythemia vera in <i>JAK2</i> mutated patients. American Journal of Hematology, 2014, 89, 588-590.	4.1	75
95	Masked polycythemia Vera (mPV): Results of an international study. American Journal of Hematology, 2014, 89, 52-54.	4.1	130
96	Pregnancy complications predict thrombotic events in young women with essential thrombocythemia. American Journal of Hematology, 2014, 89, 306-309.	4.1	50
97	Identifying and addressing unmet clinical needs in Ph-neg classical myeloproliferative neoplasms: A consensus-based SIE, SIES, GITMO position paper. Leukemia Research, 2014, 38, 155-160.	0.8	28
98	Long-term survival and blast transformation in molecularly annotated essential thrombocythemia, polycythemia vera, and myelofibrosis. Blood, 2014, 124, 2507-2513.	1.4	575
99	In contemporary patients with polycythemia vera, rates of thrombosis and risk factors delineate a new clinical epidemiology. Blood, 2014, 124, 3021-3023.	1.4	112
100	Calreticulin mutation does not modify the IPSET score for predicting the risk of thrombosis among 1150 patients with essential thrombocythemia. Blood, 2014, 124, 2611-2612.	1.4	79
101	Towards a Better Understanding of Epidemiology, Survival and Treatment in Myeloproliferative Neoplasms: Results of the European Leukemianet Registry (ERNEST study). Blood, 2014, 124, 1849-1849.	1.4	4
102	Revised response criteria for myelofibrosis: International Working Group-Myeloproliferative Neoplasms Research and Treatment (IWG-MRT) and European LeukemiaNet (ELN) consensus report. Blood, 2013, 122, 1395-1398.	1.4	286
103	Myeloproliferative neoplasms and thrombosis. Blood, 2013, 122, 2176-2184.	1.4	303
104	Cardiovascular Events and Intensity of Treatment in Polycythemia Vera. New England Journal of Medicine, 2013, 368, 22-33.	27.0	664
105	Revised response criteria for polycythemia vera and essential thrombocythemia: an ELN and IWG-MRT consensus project. Blood, 2013, 121, 4778-4781.	1.4	219
106	Myeloproliferative Neoplasm (MPN) Symptom Assessment Form Total Symptom Score: Prospective International Assessment of an Abbreviated Symptom Burden Scoring System Among Patients With MPNs. Journal of Clinical Oncology, 2012, 30, 4098-4103.	1.6	344
107	Initial bone marrow reticulin fibrosis in polycythemia vera exerts an impact on clinical outcome. Blood, 2012, 119, 2239-2241.	1.4	90
108	A prognostic model to predict survival in 867 World Health Organization–defined essential thrombocythemia at diagnosis: a study by the International Working Group on Myelofibrosis Research and Treatment. Blood, 2012, 120, 1197-1201.	1.4	222

#	Article	IF	CITATIONS
109	JAK Inhibition with Ruxolitinib versus Best Available Therapy for Myelofibrosis. New England Journal of Medicine, 2012, 366, 787-798.	27.0	1,543
110	Development and validation of an International Prognostic Score of thrombosis in World Health Organization–essential thrombocythemia (IPSET-thrombosis). Blood, 2012, 120, 5128-5133.	1.4	461
111	Hydroxyureaâ€related toxicity in 3,411 patients with Ph'â€negative MPN. American Journal of Hematology, 2012, 87, 552-554.	4.1	105
112	Leukocytosis as an important risk factor for arterial thrombosis in WHOâ€defined early/prefibrotic myelofibrosis: An international study of 264 patients. American Journal of Hematology, 2012, 87, 669-672.	4.1	49
113	Blood tests may predict early primary myelofibrosis in patients presenting with essential thrombocythemia. American Journal of Hematology, 2012, 87, 203-204.	4.1	29
114	Risk factors for arterial and venous thrombosis in WHO-defined essential thrombocythemia: an international study of 891 patients. Blood, 2011, 117, 5857-5859.	1.4	376
115	Philadelphia-Negative Classical Myeloproliferative Neoplasms: Critical Concepts and Management Recommendations From European LeukemiaNet. Journal of Clinical Oncology, 2011, 29, 761-770.	1.6	724
116	Plateletâ€induced thrombin generation by the calibrated automated thrombogram assay is increased in patients with essential thrombocythemia and polycythemia vera. American Journal of Hematology, 2011, 86, 337-342.	4.1	78
117	Inflammation and thrombosis in essential thrombocythemia and polycythemia vera: different role of C-reactive protein and pentraxin 3. Haematologica, 2011, 96, 315-318.	3.5	160
118	Survival and Disease Progression in Essential Thrombocythemia Are Significantly Influenced by Accurate Morphologic Diagnosis: An International Study. Journal of Clinical Oncology, 2011, 29, 3179-3184.	1.6	441
119	Leukocytosis is a risk factor for recurrent arterial thrombosis in young patients with polycythemia vera and essential thrombocythemia. American Journal of Hematology, 2010, 85, 97-100.	4.1	48
120	Hydroxyurea in essential thrombocythemia: rate and clinical relevance of responses by European LeukemiaNet criteria. Blood, 2010, 116, 1051-1055.	1.4	56
121	A unified definition of clinical resistance and intolerance to hydroxycarbamide in polycythaemia vera and primary myelofibrosis: results of a European LeukemiaNet (ELN) consensus process. British Journal of Haematology, 2010, 148, 961-963.	2.5	144
122	Nitric oxide derivatives and soluble plasma selectins in patients with myeloproliferative neoplasms. Thrombosis and Haemostasis, 2010, 104, 151-156.	3.4	51
123	Thrombosis in primary myelofibrosis: incidence and risk factors. Blood, 2010, 115, 778-782.	1.4	216
124	JAK2V617F allele burden and thrombosis: A direct comparison in essential thrombocythemia and polycythemia vera. Experimental Hematology, 2009, 37, 1016-1021.	0.4	89
125	Perspectives on thrombosis in essential thrombocythemia and polycythemia vera: is leukocytosis a causative factor?. Blood, 2009, 114, 759-763.	1.4	137
126	Management of Philadelphia negative chronic myeloproliferative disorders in pregnancy. Blood Reviews, 2008, 22, 235-245.	5.7	60

#	Article	IF	CITATIONS
127	Leukocytosis and Risk Stratification Assessment in Essential Thrombocythemia. Journal of Clinical Oncology, 2008, 26, 2732-2736.	1.6	169
128	Recurrent thrombosis in patients with polycythemia vera and essential thrombocythemia: incidence, risk factors, and effect of treatments. Haematologica, 2008, 93, 372-380.	3.5	316
129	Postsurgery outcomes in patients with polycythemia vera and essential thrombocythemia: a retrospective survey. Blood, 2008, 111, 666-671.	1.4	106
130	Characteristics and clinical correlates of MPL 515W>L/K mutation in essential thrombocythemia. Blood, 2008, 112, 844-847.	1.4	216
131	Thrombin generation and activated protein C resistance in patients with essential thrombocythemia and polycythemia vera. Blood, 2008, 112, 4061-4068.	1.4	136
132	Leukocytosis as a major thrombotic risk factor in patients with polycythemia vera. Blood, 2007, 109, 2446-2452.	1.4	356
133	Leukocytosis is a risk factor for thrombosis in essential thrombocythemia: interaction with treatment, standard risk factors, and Jak2 mutation status. Blood, 2007, 109, 2310-2313.	1.4	295
134	Clinical profile of homozygous JAK2 617V>F mutation in patients with polycythemia vera or essential thrombocythemia. Blood, 2007, 110, 840-846.	1.4	419
135	JAK2 V617F mutational status predicts progression to large splenomegaly and leukemic transformation in primary myelofibrosis. Blood, 2007, 110, 4030-4036.	1.4	233
136	V617F JAK-2 mutation in patients with essential thrombocythemia: relation to platelet, granulocyte, and plasma hemostatic and inflammatory molecules. Experimental Hematology, 2007, 35, 702-711.	0.4	169
137	Evidence-based management of polycythemia vera. Best Practice and Research in Clinical Haematology, 2006, 19, 483-493.	1.7	15
138	Myeloproliferative Disease in Pregnancy and Other Management Issues. Hematology American Society of Hematology Education Program, 2006, 2006, 246-252.	2.5	42
139	Acute leukemia in polycythemia vera: an analysis of 1638 patients enrolled in a prospective observational study. Blood, 2005, 105, 2664-2670.	1.4	389
140	Leukocyte-platelet interaction in patients with essential thrombocythemia and polycythemia vera. Experimental Hematology, 2005, 33, 523-530.	0.4	212
141	Vascular and Neoplastic Risk in a Large Cohort of Patients With Polycythemia Vera. Journal of Clinical Oncology, 2005, 23, 2224-2232.	1.6	631
142	Efficacy and Safety of Low-Dose Aspirin in Polycythemia Vera. New England Journal of Medicine, 2004, 350, 114-124.	27.0	911
143	Efficacy and safety of long-term use of hydroxyurea in young patients with essential thrombocythemia and a high risk of thrombosis. Blood, 2003, 101, 3749-3749.	1.4	70
144	Treatment indications and choice of a platelet-lowering agent in essential thrombocythemia. Psychophysiology, 2003, 2, 248-56.	1.1	7

#	Article	IF	CITATIONS
145	Feasibility of Randomised Clinical Trials in Rare Diseases: The Case of Polycythemia Vera. Leukemia and Lymphoma, 1996, 22, 121-127.	1.3	7
146	Hydroxyurea for Patients with Essential Thrombocythemia and a High Risk of Thrombosis. New England Journal of Medicine, 1995, 332, 1132-1137.	27.0	787