

Jeremy Fauconnier

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8496796/jeremy-fauconnier-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

56
papers

2,406
citations

30
h-index

48
g-index

59
ext. papers

2,778
ext. citations

7
avg, IF

4.23
L-index

#	Paper	IF	Citations
56	Endothelial Cell Indoleamine 2, 3-Dioxygenase 1 Alters Cardiac Function After Myocardial Infarction Through Kynurenine. <i>Circulation</i> , 2021 , 143, 566-580	16.7	10
55	Cyclic AMP-binding protein Epac1 acts as a metabolic sensor to promote cardiomyocyte lipotoxicity. <i>Cell Death and Disease</i> , 2021 , 12, 824	9.8	1
54	Colchicine and myocardial infarction: A review. <i>Archives of Cardiovascular Diseases</i> , 2020 , 113, 652-659	2.7	11
53	Interplay between Triadin and Calsequestrin in the Pathogenesis of CPVT in the Mouse. <i>Molecular Therapy</i> , 2020 , 28, 171-179	11.7	11
52	Low-dose colchicine prevents sympathetic denervation after myocardial ischemia-reperfusion: a new potential protective mechanism. <i>Future Science OA</i> , 2020 , 7, FSO656	2.7	4
51	Metformin Reverses the Enhanced Myocardial SR/ER-Mitochondria Interaction and Impaired Complex I-Driven Respiration in Dystrophin-Deficient Mice. <i>Frontiers in Cell and Developmental Biology</i> , 2020 , 8, 609493	5.7	10
50	Reply concerning "Colchicine in coronary artery disease: Role of anti-inflammatory medications redefined": Prime time for anti-inflammatory agents for the management of cardiovascular diseases. <i>International Journal of Cardiology</i> , 2018 , 254, 52	3.2	
49	ER-mitochondria cross-talk is regulated by the Ca sensor NCS1 and is impaired in Wolfram syndrome. <i>Science Signaling</i> , 2018 , 11,	8.8	48
48	Multifunctional Mitochondrial Epac1 Controls Myocardial Cell Death. <i>Circulation Research</i> , 2017 , 120, 645-657	15.7	57
47	Interest of colchicine in the treatment of acute myocardial infarct responsible for heart failure in a mouse model. <i>International Journal of Cardiology</i> , 2017 , 240, 347-353	3.2	31
46	ER stress disturbs SR/ER-mitochondria Ca transfer: Implications in Duchenne muscular dystrophy. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2017 , 1863, 2229-2239	6.9	19
45	Anti-inflammatory drugs as promising cardiovascular treatments. <i>Expert Review of Cardiovascular Therapy</i> , 2017 , 15, 109-125	2.5	13
44	Non-enzymatic oxidized metabolite of DHA, 4(RS)-4-F-neuroprostane protects the heart against reperfusion injury. <i>Free Radical Biology and Medicine</i> , 2017 , 102, 229-239	7.8	33
43	The energy disruptor metformin targets mitochondrial integrity via modification of calcium flux in cancer cells. <i>Scientific Reports</i> , 2017 , 7, 5040	4.9	36
42	Disruption of calcium transfer from ER to mitochondria links alterations of mitochondria-associated ER membrane integrity to hepatic insulin resistance. <i>Diabetologia</i> , 2016 , 59, 614-23	10.3	85
41	Carnitine deficiency induces a short QT syndrome. <i>Heart Rhythm</i> , 2016 , 13, 165-74	6.7	36
40	Increase in Cardiac Ischemia-Reperfusion Injuries in Opa1+/- Mouse Model. <i>PLoS ONE</i> , 2016 , 11, e0164066	3.7	37

39	The Role of Reactive Oxygen Species in β Adrenergic Signaling in Cardiomyocytes from Mice with the Metabolic Syndrome. <i>PLoS ONE</i> , 2016 , 11, e0167090	3.7	14
38	The Complex QT/RR Relationship in Mice. <i>Scientific Reports</i> , 2016 , 6, 25388	4.9	14
37	Activation of Sonic hedgehog signaling in ventricular cardiomyocytes exerts cardioprotection against ischemia reperfusion injuries. <i>Scientific Reports</i> , 2015 , 5, 7983	4.9	39
36	Involvement of Cyclophilin D and Calcium in Isoflurane-induced Preconditioning. <i>Anesthesiology</i> , 2015 , 123, 1374-84	4.3	10
35	Emergence of Orai3 activity during cardiac hypertrophy. <i>Cardiovascular Research</i> , 2015 , 105, 248-59	9.9	28
34	Palmitoyl-carnitine increases RyR2 oxidation and sarcoplasmic reticulum Ca ²⁺ leak in cardiomyocytes: Role of adenine nucleotide translocase. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2015 , 1852, 749-58	6.9	33
33	TNF- β mediated caspase-8 activation induces ROS production and TRPM2 activation in adult ventricular myocytes. <i>Cardiovascular Research</i> , 2014 , 103, 90-9	9.9	51
32	β Adrenergic blockade combined with subcutaneous B-type natriuretic peptide: a promising approach to reduce ventricular arrhythmia in heart failure?. <i>Heart</i> , 2014 , 100, 833-41	5.1	12
31	Atomic force and electron microscopic-based study of sarcolemmal surface of living cardiomyocytes unveils unexpected mitochondrial shift in heart failure. <i>Journal of Molecular and Cellular Cardiology</i> , 2014 , 74, 162-72	5.8	22
30	Reactive Oxygen Species and Muscular Dystrophy 2014 , 3055-3079		3
29	Depressing mitochondria-reticulum interactions protects cardiomyocytes from lethal hypoxia-reoxygenation injury. <i>Circulation</i> , 2013 , 128, 1555-65	16.7	159
28	Type 2 ryanodine receptor: a novel therapeutic target in myocardial ischemia/reperfusion. <i>Pharmacology & Therapeutics</i> , 2013 , 138, 323-32	13.9	31
27	Subendocardial increase in reactive oxygen species production affects regional contractile function in ischemic heart failure. <i>Antioxidants and Redox Signaling</i> , 2013 , 18, 1009-20	8.4	20
26	STIM1 and Orai in cardiac hypertrophy and vascular proliferative diseases. <i>Frontiers in Bioscience - Scholar</i> , 2013 , 5, 766-73	2.4	10
25	Cysteinyl leukotriene signaling through perinuclear CysLT(1) receptors on vascular smooth muscle cells transduces nuclear calcium signaling and alterations of gene expression. <i>Journal of Molecular Medicine</i> , 2012 , 90, 1223-31	5.5	18
24	AMPK activation stimulates autophagy and ameliorates muscular dystrophy in the mdx mouse diaphragm. <i>American Journal of Pathology</i> , 2012 , 181, 583-92	5.8	151
23	Absence of triadin, a protein of the calcium release complex, is responsible for cardiac arrhythmia with sudden death in human. <i>Human Molecular Genetics</i> , 2012 , 21, 2759-67	5.6	199
22	Regulation of cAMP homeostasis by the efflux protein MRP4 in cardiac myocytes. <i>FASEB Journal</i> , 2012 , 26, 1009-17	0.9	54

21	Functional evidence for an active role of B-type natriuretic peptide in cardiac remodelling and pro-arrhythmogenicity. <i>Cardiovascular Research</i> , 2012 , 95, 59-68	9.9	24
20	Mitochondrial production of reactive oxygen species contributes to the β -adrenergic stimulation of mouse cardiomyocytes. <i>Journal of Physiology</i> , 2011 , 589, 1791-801	3.9	92
19	Carbon monoxide exposure enhances arrhythmia after cardiac stress: involvement of oxidative stress. <i>Basic Research in Cardiology</i> , 2011 , 106, 1235-46	11.8	21
18	Ryanodine receptor leak mediated by caspase-8 activation leads to left ventricular injury after myocardial ischemia-reperfusion. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 13258-63	11.5	77
17	Critical role for stromal interaction molecule 1 in cardiac hypertrophy. <i>Circulation</i> , 2011 , 124, 796-805	16.7	124
16	Enhanced cardiomyocyte Ca^{2+} cycling precedes terminal AV-block in mitochondrial cardiomyopathy Mterf3 KO mice. <i>Antioxidants and Redox Signaling</i> , 2011 , 15, 2455-64	8.4	9
15	Thyroid hormone receptor alpha can control action potential duration in mouse ventricular myocytes through the KCNE1 ion channel subunit. <i>Acta Physiologica</i> , 2010 , 198, 133-42	5.6	12
14	Leaky RyR2 trigger ventricular arrhythmias in Duchenne muscular dystrophy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 1559-64	11.5	163
13	Cardiomyocytes hypertrophic status after myocardial infarction determines distinct types of arrhythmia: role of the ryanodine receptor. <i>Progress in Biophysics and Molecular Biology</i> , 2010 , 103, 71-80	4.7	9
12	T cell-mediated inflammation in adipose tissue does not cause insulin resistance in hyperlipidemic mice. <i>Circulation Research</i> , 2009 , 104, 961-8	15.7	37
11	ATP/UTP activate cation-permeable channels with TRPC3/7 properties in rat cardiomyocytes. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2008 , 295, H21-8	5.2	34
10	Insulin potentiates TRPC3-mediated cation currents in normal but not in insulin-resistant mouse cardiomyocytes. <i>Cardiovascular Research</i> , 2007 , 73, 376-85	9.9	40
9	Effects of palmitate on Ca^{2+} handling in adult control and ob/ob cardiomyocytes: impact of mitochondrial reactive oxygen species. <i>Diabetes</i> , 2007 , 56, 1136-42	0.9	91
8	Ca^{2+} -induced Ca^{2+} entry: how the L-type Ca^{2+} channel remodels its own signalling pathway in cardiac cells. <i>Progress in Biophysics and Molecular Biology</i> , 2006 , 90, 118-35	4.7	47
7	The role of Ca^{2+} influx for insulin-mediated glucose uptake in skeletal muscle. <i>Diabetes</i> , 2006 , 55, 2077-83	8.9	69
6	Frequency-dependent and proarrhythmogenic effects of FK-506 in rat ventricular cells. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2005 , 288, H778-86	5.2	26
5	Ca^{2+} -dependent reduction of IK1 in rat ventricular cells: a novel paradigm for arrhythmia in heart failure?. <i>Cardiovascular Research</i> , 2005 , 68, 204-12	9.9	44
4	Insulin and inositol 1,4,5-trisphosphate trigger abnormal cytosolic Ca^{2+} transients and reveal mitochondrial Ca^{2+} handling defects in cardiomyocytes of ob/ob mice. <i>Diabetes</i> , 2005 , 54, 2375-81	0.9	67

- | | | |
|---|---|--------|
| 3 | FKBP12.6 overexpression decreases Ca ²⁺ spark amplitude but enhances [Ca ²⁺] _i transient in rat cardiac myocytes. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2004 , 287, H1987-93 ⁵⁻² | 45 |
| 2 | Ca ²⁺ current-mediated regulation of action potential by pacing rate in rat ventricular myocytes. <i>Cardiovascular Research</i> , 2003 , 57, 670-80 | 9.9 32 |
| 1 | SR33805, a Ca ²⁺ antagonist with length-dependent Ca ²⁺ -sensitizing properties in cardiac myocytes. <i>British Journal of Pharmacology</i> , 2003 , 139, 99-108 | 8.6 25 |