

Leah H Rubin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8497548/publications.pdf>

Version: 2024-02-01

163
papers

4,959
citations

76326

40
h-index

123424

61
g-index

167
all docs

167
docs citations

167
times ranked

5839
citing authors

#	ARTICLE	IF	CITATIONS
1	Peripheral oxytocin is associated with reduced symptom severity in schizophrenia. <i>Schizophrenia Research</i> , 2010, 124, 13-21.	2.0	200
2	Female advantage in verbal memory. <i>Neurology</i> , 2016, 87, 1916-1924.	1.1	163
3	Effects of menstrual cycle phase and oral contraceptive use on verbal memory. <i>Hormones and Behavior</i> , 2008, 54, 286-293.	2.1	140
4	Better verbal memory in women than men in MCI despite similar levels of hippocampal atrophy. <i>Neurology</i> , 2016, 86, 1368-1376.	1.1	131
5	Cognitive function in women with HIV. <i>Neurology</i> , 2015, 84, 231-240.	1.1	125
6	Guidelines for the evaluation and treatment of perimenopausal depression: summary and recommendations. <i>Menopause</i> , 2018, 25, 1069-1085.	2.0	122
7	HIV, Depression, and Cognitive Impairment in the Era of Effective Antiretroviral Therapy. <i>Current HIV/AIDS Reports</i> , 2019, 16, 82-95.	3.1	115
8	Objective hot flashes are negatively related to verbal memory performance in midlife women. <i>Menopause</i> , 2008, 15, 848-856.	2.0	110
9	Cognition in perimenopause. <i>Menopause</i> , 2013, 20, 511-517.	2.0	110
10	Does the Female Advantage in Verbal Memory Contribute to Underestimating Alzheimer's Disease Pathology in Women versus Men?. <i>Journal of Alzheimer's Disease</i> , 2017, 56, 947-957.	2.6	110
11	Guidelines for the Evaluation and Treatment of Perimenopausal Depression: Summary and Recommendations. <i>Journal of Women's Health</i> , 2019, 28, 117-134.	3.3	96
12	Sex-specific associations between peripheral oxytocin and emotion perception in schizophrenia. <i>Schizophrenia Research</i> , 2011, 130, 266-270.	2.0	84
13	Cognitive trajectories over 4 years among HIV-infected women with optimal viral suppression. <i>Neurology</i> , 2017, 89, 1594-1603.	1.1	84
14	Association of Football Subconcussive Head Impacts With Ocular Near Point of Convergence. <i>JAMA Ophthalmology</i> , 2016, 134, 763.	2.5	83
15	Reduced Levels of Vasopressin and Reduced Behavioral Modulation of Oxytocin in Psychotic Disorders. <i>Schizophrenia Bulletin</i> , 2014, 40, 1374-1384.	4.3	82
16	Interaction between oxytocin receptor DNA methylation and genotype is associated with risk of postpartum depression in women without depression in pregnancy. <i>Frontiers in Genetics</i> , 2015, 6, 243.	2.3	82
17	Emotion recognition deficits in schizophrenia-spectrum disorders and psychotic bipolar disorder: Findings from the Bipolar-Schizophrenia Network on Intermediate Phenotypes (B-SNIP) study. <i>Schizophrenia Research</i> , 2014, 158, 105-112.	2.0	77
18	Multivariate relationships between peripheral inflammatory marker subtypes and cognitive and brain structural measures in psychosis. <i>Molecular Psychiatry</i> , 2021, 26, 3430-3443.	7.9	75

#	ARTICLE	IF	CITATIONS
19	Monocyte Activation Is Associated With Worse Cognitive Performance in HIV-Infected Women With Virologic Suppression. <i>Journal of Infectious Diseases</i> , 2017, 215, 114-121.	4.0	72
20	Cognitive burden of anticholinergic medications in psychotic disorders. <i>Schizophrenia Research</i> , 2017, 190, 129-135.	2.0	71
21	Differences in Cognitive Function Between Women and Men With HIV. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018, 79, 101-107.	2.1	70
22	Menstrual cycle effects on cortisol responsivity and emotional retrieval following a psychosocial stressor. <i>Hormones and Behavior</i> , 2015, 74, 201-208.	2.1	67
23	Saccade Adaptation Abnormalities Implicate Dysfunction of Cerebellar-Dependent Learning Mechanisms in Autism Spectrum Disorders (ASD). <i>PLoS ONE</i> , 2013, 8, e63709.	2.5	66
24	HIV and Recent Illicit Drug Use Interact to Affect Verbal Memory in Women. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2013, 63, 67-76.	2.1	62
25	CCR2 on CD14 ⁺ CD16 ⁺ monocytes is a biomarker of HIV-associated neurocognitive disorders. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , 2014, 1, e36.	6.0	61
26	Peripheral vasopressin but not oxytocin relates to severity of acute psychosis in women with acutely-ill untreated first-episode psychosis. <i>Schizophrenia Research</i> , 2013, 146, 138-143.	2.0	60
27	Microglial activation is inversely associated with cognition in individuals living with HIV on effective antiretroviral therapy. <i>Aids</i> , 2018, 32, 1661-1667.	2.2	60
28	Pursuit eye movements as an intermediate phenotype across psychotic disorders: Evidence from the B-SNIP study. <i>Schizophrenia Research</i> , 2015, 169, 326-333.	2.0	56
29	The association of perceived stress and verbal memory is greater in HIV-infected versus HIV-uninfected women. <i>Journal of NeuroVirology</i> , 2015, 21, 422-432.	2.1	55
30	Subconcussive Impact-Dependent Increase in Plasma S100 β Levels in Collegiate Football Players. <i>Journal of Neurotrauma</i> , 2017, 34, 2254-2260.	3.4	55
31	Sex Differences in Neurocognitive Function in Adults with HIV: Patterns, Predictors, and Mechanisms. <i>Current Psychiatry Reports</i> , 2019, 21, 94.	4.5	54
32	Perinatal Depressive Symptoms in HIV-Infected Versus HIV-Uninfected Women: A Prospective Study from Preconception to Postpartum. <i>Journal of Women's Health</i> , 2011, 20, 1287-1295.	3.3	53
33	Association Between Altered Somatosensation, Pain, and Knee Stability in Patients With Severe Knee Osteoarthritis. <i>Clinical Journal of Pain</i> , 2012, 28, 589-594.	1.9	53
34	Objective cognitive performance is related to subjective memory complaints in midlife women with moderate to severe vasomotor symptoms. <i>Menopause</i> , 2013, 20, 1236-1242.	2.0	53
35	Effects of stellate ganglion block on vasomotor symptoms. <i>Menopause</i> , 2014, 21, 807-814.	2.0	53
36	Investigation of menopausal stage and symptoms on cognition in human immunodeficiency virus-infected women. <i>Menopause</i> , 2014, 21, 997-1006.	2.0	52

#	ARTICLE	IF	CITATIONS
37	Sex differences in HIV-associated cognitive impairment. <i>Aids</i> , 2018, 32, 2719-2726.	2.2	50
38	NFL blood levels are moderated by subconcussive impacts in a cohort of college football players. <i>Brain Injury</i> , 2019, 33, 456-462.	1.2	50
39	Sex and Diagnosis-Specific Associations Between DNA Methylation of the Oxytocin Receptor Gene With Emotion Processing and Temporal-Limbic and Prefrontal Brain Volumes in Psychotic Disorders. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2016, 1, 141-151.	1.5	45
40	Depressive symptoms are increased in the early perimenopausal stage in ethnically diverse human immunodeficiency virus-infected and human immunodeficiency virus-uninfected women. <i>Menopause</i> , 2012, 19, 1215-1223.	2.0	41
41	Crack cocaine use impairs anterior cingulate and prefrontal cortex function in women with HIV infection. <i>Journal of NeuroVirology</i> , 2014, 20, 352-361.	2.1	40
42	Post-traumatic stress is associated with verbal learning, memory, and psychomotor speed in HIV-infected and HIV-uninfected women. <i>Journal of NeuroVirology</i> , 2016, 22, 159-169.	2.1	39
43	Untangling the Gordian knot of HIV, stress, and cognitive impairment. <i>Neurobiology of Stress</i> , 2016, 4, 44-54.	4.0	38
44	Cognitive Burden of Common Non-antiretroviral Medications in HIV-Infected Women. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018, 79, 83-91.	2.1	38
45	Psychiatric morbidity following electrical injury and its effects on cognitive functioning. <i>General Hospital Psychiatry</i> , 2009, 31, 360-366.	2.4	37
46	Sex Difference in Cognitive Response to Antipsychotic Treatment in First Episode Schizophrenia. <i>Neuropsychopharmacology</i> , 2008, 33, 290-297.	5.4	36
47	Lateralized Response Timing Deficits in Autism. <i>Biological Psychiatry</i> , 2009, 66, 393-397.	1.3	36
48	Methods for Handling Missing Data in the Behavioral Neurosciences: Don't Throw the Baby Rat out with the Bath Water. <i>Journal of Undergraduate Neuroscience Education: JUNE: A Publication of FUN, Faculty for Undergraduate Neuroscience</i> , 2007, 5, A71-7.	0.0	35
49	Aging and Neurocognitive Functioning in HIV-Infected Women: a Review of the Literature Involving the Women's Interagency HIV Study. <i>Current HIV/AIDS Reports</i> , 2016, 13, 399-411.	3.1	34
50	Cortisol reactivity and emotional memory after psychosocial stress in oral contraceptive users. <i>Journal of Neuroscience Research</i> , 2017, 95, 126-135.	2.9	33
51	Evidence of a sex-dependent restrictive epigenome in schizophrenia. <i>Journal of Psychiatric Research</i> , 2015, 65, 87-94.	3.1	32
52	Prefrontal cortical volume loss is associated with stress-related deficits in verbal learning and memory in HIV-infected women. <i>Neurobiology of Disease</i> , 2016, 92, 166-174.	4.4	30
53	The current understanding of overlap between characteristics of HIV-associated neurocognitive disorders and Alzheimer's disease. <i>Journal of NeuroVirology</i> , 2019, 25, 661-672.	2.1	30
54	Acute Changes in Plasma Total Tau Levels Are Independent of Subconcussive Head Impacts in College Football Players. <i>Journal of Neurotrauma</i> , 2018, 35, 260-266.	3.4	29

#	ARTICLE	IF	CITATIONS
55	Midlife adiposity predicts cognitive decline in the prospective Multicenter AIDS Cohort Study. <i>Neurology</i> , 2019, 93, e261-e271.	1.1	28
56	Neuropsychological and Intellectual Differences Between Types of Murderers. <i>Criminal Justice and Behavior</i> , 2013, 40, 933-948.	1.8	27
57	Perceived and posttraumatic stress is associated with decreased learning, memory, and fluency in HIV-infected women. <i>Aids</i> , 2017, 31, 2393-2401.	2.2	27
58	Variability in C-reactive protein is associated with cognitive impairment in women living with and without HIV: a longitudinal study. <i>Journal of NeuroVirology</i> , 2018, 24, 41-51.	2.1	27
59	Sex differences in associations of arginine vasopressin and oxytocin with resting-state functional brain connectivity. <i>Journal of Neuroscience Research</i> , 2017, 95, 576-586.	2.9	26
60	Lifetime antiretroviral exposure and neurocognitive impairment in HIV. <i>Journal of NeuroVirology</i> , 2020, 26, 743-753.	2.1	26
61	Effects of sex, menstrual cycle phase, and endogenous hormones on cognition in schizophrenia. <i>Schizophrenia Research</i> , 2015, 166, 269-275.	2.0	25
62	Elevated Depressive Symptoms Are a Stronger Predictor of Executive Dysfunction in HIV-Infected Women Than in Men. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019, 81, 274-283.	2.1	25
63	Plasma inflammatory biomarkers link to diffusion tensor imaging metrics in virally suppressed HIV-infected individuals. <i>Aids</i> , 2020, 34, 203-213.	2.2	25
64	Genetic predictor of working memory and prefrontal function in women with HIV. <i>Journal of NeuroVirology</i> , 2015, 21, 81-91.	2.1	24
65	Working memory impairment in probands with schizoaffective disorder and first degree relatives of schizophrenia probands extend beyond deficits predicted by generalized neuropsychological impairment. <i>Schizophrenia Research</i> , 2015, 166, 310-315.	2.0	23
66	Peripheral oxytocin and vasopressin are associated with clinical symptom severity and cognitive functioning in midlife women with chronic schizophrenia. <i>Schizophrenia Research</i> , 2018, 195, 409-411.	2.0	23
67	Stellate ganglion blockade and verbal memory in midlife women: Evidence from a randomized trial. <i>Maturitas</i> , 2016, 92, 123-129.	2.4	22
68	High Availability of the $\alpha 7$ -Nicotinic Acetylcholine Receptor in Brains of Individuals with Mild Cognitive Impairment: A Pilot Study Using ^{18}F -ASEM PET. <i>Journal of Nuclear Medicine</i> , 2020, 61, 423-426.	5.0	22
69	Neuropsychological Features of Indigent Murder Defendants and Death Row Inmates in Relation to Homicidal Aspects of Their Crimes. <i>Archives of Clinical Neuropsychology</i> , 2010, 25, 1-13.	0.5	21
70	Relationship of plasma oxytocin levels to baseline symptoms and symptom changes during three weeks of daily oxytocin administration in people with schizophrenia. <i>Schizophrenia Research</i> , 2016, 172, 165-168.	2.0	21
71	Peripheral oxytocin and vasopressin modulates regional brain activity differently in men and women with schizophrenia. <i>Schizophrenia Research</i> , 2018, 202, 173-179.	2.0	20
72	Frailty in medically complex individuals with chronic HIV. <i>Aids</i> , 2019, 33, 1603-1611.	2.2	20

#	ARTICLE	IF	CITATIONS
73	Cognitive changes during the menopausal transition: a longitudinal study in women with and without HIV. <i>Menopause</i> , 2021, 28, 360-368.	2.0	20
74	Verbal Learning Strategy Following Mild Traumatic Brain Injury. <i>Journal of the International Neuropsychological Society</i> , 2011, 17, 709-719.	1.8	19
75	Human immunodeficiency virus (HIV) modulates the associations between insulin resistance and cognition in the current combination antiretroviral therapy (cART) era: a study of the Women's Interagency HIV Study (WIHS). <i>Journal of NeuroVirology</i> , 2015, 21, 415-421.	2.1	19
76	Liver Fibrosis Linked to Cognitive Performance in HIV and Hepatitis C. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2016, 72, 266-273.	2.1	19
77	Cross-sectional analysis of cognitive function using multivariate normative comparisons in men with HIV disease. <i>Aids</i> , 2019, 33, 2115-2124.	2.2	19
78	Use of ¹⁸ F-ASEM PET to Determine the Availability of the α 7-Nicotinic Acetylcholine Receptor in Recent-Onset Psychosis. <i>Journal of Nuclear Medicine</i> , 2019, 60, 241-243.	5.0	19
79	Psychotic Domestic Murder: Neuropsychological Differences Between Homicidal and Nonhomicidal Schizophrenic Men. <i>Journal of Family Violence</i> , 2012, 27, 105-113.	3.3	18
80	Sex Influences the Accuracy of Subjective Memory Complaint Reporting in Older Adults. <i>Journal of Alzheimer's Disease</i> , 2018, 61, 1163-1178.	2.6	18
81	Cognitive Trajectory Phenotypes in Human Immunodeficiency Virus-Infected Patients. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2019, 82, 61-70.	2.1	18
82	Weight and Body Mass Index Change After Switching to Integrase Inhibitors or Tenofovir Alafenamide Among Women Living with HIV. <i>AIDS Research and Human Retroviruses</i> , 2021, 37, 461-467.	1.1	18
83	Elevated stress is associated with prefrontal cortex dysfunction during a verbal memory task in women with HIV. <i>Journal of NeuroVirology</i> , 2016, 22, 840-851.	2.1	17
84	Sex differences in HIV effects on visual memory among substance-dependent individuals. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2017, 39, 574-586.	1.3	17
85	<i>APOE</i> genotypes as a risk factor for age-dependent accumulation of cerebrovascular disease in older adults. <i>Alzheimer's and Dementia</i> , 2019, 15, 258-266.	0.8	17
86	Remitted depression and cognition in HIV: The role of cortisol and inflammation. <i>Psychoneuroendocrinology</i> , 2020, 114, 104609.	2.7	17
87	Hot flashes are associated with altered brain function during a memory task. <i>Menopause</i> , 2020, 27, 269-277.	2.0	17
88	Genome-wide association study accounting for anticholinergic burden to examine cognitive dysfunction in psychotic disorders. <i>Neuropsychopharmacology</i> , 2021, 46, 1802-1810.	5.4	17
89	Risperidone-associated prolactin elevation and markers of bone turnover during acute treatment. <i>Therapeutic Advances in Psychopharmacology</i> , 2012, 2, 95-102.	2.7	15
90	Regressing to Prior Response Preference After Set Switching Implicates Striatal Dysfunction Across Psychotic Disorders: Findings From the B-SNIP Study. <i>Schizophrenia Bulletin</i> , 2015, 41, 940-950.	4.3	15

#	ARTICLE	IF	CITATIONS
91	Sex Differences in the Patterns and Predictors of Cognitive Function in HIV. <i>Frontiers in Neurology</i> , 2020, 11, 551921.	2.4	15
92	Associations between Antiretroviral Drugs on Depressive Symptomatology in Homogenous Subgroups of Women with HIV. <i>Journal of NeuroImmune Pharmacology</i> , 2021, 16, 181-194.	4.1	15
93	Explaining intra-individual variability in social behavior through idiographic assessment: The case of humor. <i>Journal of Research in Personality</i> , 2008, 42, 1229-1242.	1.7	14
94	17 β -Estradiol up-regulates UDP-glucuronosyltransferase 1A9 expression via estrogen receptor β . <i>Acta Pharmaceutica Sinica B</i> , 2016, 6, 504-509.	12.0	14
95	Carotid Artery Stiffness and Cognitive Decline Among Women With or at Risk for HIV Infection. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018, 78, 338-347.	2.1	14
96	Heterogeneity in neurocognitive change trajectories among people with HIV starting antiretroviral therapy in Rakai, Uganda. <i>Journal of NeuroVirology</i> , 2019, 25, 800-813.	2.1	14
97	Brief Report: Low-Dose Hydrocortisone Has Acute Enhancing Effects on Verbal Learning in HIV-Infected Men. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2017, 75, e65-e70.	2.1	13
98	A single low dose of hydrocortisone enhances cognitive functioning in HIV-infected women. <i>Aids</i> , 2018, 32, 1983-1993.	2.2	13
99	Use of Nonantiretroviral Medications That May Impact Neurocognition: Patterns and Predictors in a Large, Long-Term HIV Cohort Study. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018, 78, 202-208.	2.1	12
100	CYP2D6 Protein Level Is the Major Contributor to Interindividual Variability in CYP2D6-Mediated Drug Metabolism in Healthy Human Liver Tissue. <i>Clinical Pharmacology and Therapeutics</i> , 2018, 104, 974-982.	4.7	12
101	Relationship of Interferon- β to Cognitive Function in Midlife Women with Schizophrenia. <i>Psychiatric Quarterly</i> , 2018, 89, 937-946.	2.1	12
102	Current Challenges and Solutions in Research and Clinical Care of Older Persons Living with HIV: Findings Presented at the 9th International Workshop on HIV and Aging. <i>AIDS Research and Human Retroviruses</i> , 2019, 35, 985-998.	1.1	12
103	Smooth pursuit eye movement deficits as a biomarker for psychotic features in bipolar disorder: Findings from the PARDIP study. <i>Bipolar Disorders</i> , 2020, 22, 602-611.	1.9	12
104	Physiologic vasomotor symptoms are associated with verbal memory dysfunction in breast cancer survivors. <i>Menopause</i> , 2020, 27, 1209-1219.	2.0	12
105	Cognitive Intra-individual Variability in HIV: an Integrative Review. <i>Neuropsychology Review</i> , 2022, 32, 855-876.	4.9	12
106	Neurocognitive Complications of HIV Infection in Women: Insights from the WIHS Cohort. <i>Current Topics in Behavioral Neurosciences</i> , 2019, 50, 175-191.	1.7	11
107	Higher circulating intermediate monocytes are associated with cognitive function in women with HIV. <i>JCI Insight</i> , 2021, 6, .	5.0	11
108	Initiation of the Hypothalamic-Pituitary-Gonadal Axis in Young Girls Undergoing Central Precocious Puberty Exerts Remodeling Effects on the Prefrontal Cortex. <i>Frontiers in Psychiatry</i> , 2019, 10, 332.	2.6	10

#	ARTICLE	IF	CITATIONS
109	Patterns and Predictors of Cognitive Function Among Virally Suppressed Women With HIV. <i>Frontiers in Neurology</i> , 2021, 12, 604984.	2.4	10
110	Psychosocial Stress Alters the Immune Response and Results in Higher Viral Load During Acute Simian Immunodeficiency Virus Infection in a Pigtailed Macaque Model of Human Immunodeficiency Virus. <i>Journal of Infectious Diseases</i> , 2021, 224, 2113-2121.	4.0	10
111	Short-term binge drinking, marijuana, and recreational drug use trajectories in a prospective cohort of people living with HIV at the start of COVID-19 mitigation efforts in the United States. <i>Drug and Alcohol Dependence</i> , 2022, 231, 109233.	3.2	10
112	Immunometabolic Reprogramming in Response to HIV Infection Is Not Fully Normalized by Suppressive Antiretroviral Therapy. <i>Viruses</i> , 2022, 14, 1313.	3.3	10
113	Impaired insulin sensitivity is associated with worsening cognition in HIV-infected patients. <i>Neurology</i> , 2019, 92, e1344-e1353.	1.1	9
114	Impaired Cognition Predicts Falls Among Women With and Without HIV Infection. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2020, 83, 301-309.	2.1	9
115	Plasma Lipidomic Profiles and Risk of Diabetes: 2 Prospective Cohorts of HIV-Infected and HIV-Uninfected Individuals. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e999-e1010.	3.6	9
116	Sex-specific associations between cerebrospinal fluid inflammatory marker levels and cognitive function in antiretroviral treated people living with HIV in rural Uganda. <i>Brain, Behavior, and Immunity</i> , 2021, 93, 111-118.	4.1	9
117	Integrase Strand Transfer Inhibitor Start or Switch Impacts Learning in Women With HIV. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2021, 86, 593-599.	2.1	9
118	Legacy effect on neuropsychological function in HIV-infected men on combination antiretroviral therapy. <i>Aids</i> , 2022, 36, 19-27.	2.2	9
119	Early Inflammatory Signatures Predict Subsequent Cognition in Long-Term Virally Suppressed Women With HIV. <i>Frontiers in Integrative Neuroscience</i> , 2020, 14, 20.	2.1	8
120	Associations between Antiretrovirals and Cognitive Function in Women with HIV. <i>Journal of NeuroImmune Pharmacology</i> , 2021, 16, 195-206.	4.1	8
121	Neurocognitive Effects of Antiretroviral Initiation Among People Living With HIV in Rural Uganda. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2020, 84, 534-542.	2.1	8
122	Inflammation subtypes in psychosis and their relationships with genetic risk for psychiatric and cardiometabolic disorders. <i>Brain, Behavior, & Immunity - Health</i> , 2022, 22, 100459.	2.5	8
123	Neuropsychological changes in efavirenz switch regimens. <i>Aids</i> , 2019, 33, 1307-1314.	2.2	7
124	Tablet-Based Cognitive Impairment Screening for Adults With HIV Seeking Clinical Care: Observational Study. <i>JMIR Mental Health</i> , 2021, 8, e25660.	3.3	7
125	Investigating the separate and interactive associations of trauma and depression on neurocognition in urban dwelling adults. <i>Journal of Psychiatric Research</i> , 2017, 89, 6-13.	3.1	6
126	Investigating the separate and interactive associations of trauma and depression on brain structure: implications for cognition and aging. <i>International Journal of Geriatric Psychiatry</i> , 2017, 32, 1190-1199.	2.7	6

#	ARTICLE	IF	CITATIONS
127	Construct and Criterion-Related Validity of the Clinical Frailty Scale in Persons With HIV. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2021, 88, 110-116.	2.1	6
128	Determinants of Cytochrome P450 2D6 <sc>mRNA</sc> Levels in Healthy Human Liver Tissue. <i>Clinical and Translational Science</i> , 2019, 12, 416-423.	3.1	5
129	Food insecurity and neurocognitive function among women living with or at risk for HIV in the United States. <i>American Journal of Clinical Nutrition</i> , 2020, 112, 1280-1286.	4.7	5
130	Large Mitochondrial DNA Deletions in HIV Sensory Neuropathy. <i>Neurology</i> , 2021, 97, e156-e165.	1.1	5
131	Psychosocial Resources and Emotions in Women Living With HIV Who Have Cognitive Impairment: Applying the Socio-Emotional Adaptation Theory. <i>Research and Theory for Nursing Practice</i> , 2020, 34, 49-64.	0.4	5
132	Degree of Polypharmacy and Cognitive Function in Older Women with HIV. <i>AIDS Research and Human Retroviruses</i> , 2022, 38, 571-579.	1.1	5
133	Elucidating postpartum depression through statistics. <i>Lancet Psychiatry</i> , the, 2015, 2, 6-8.	7.4	4
134	A Bayesian nonparametric approach for inferring drug combination effects on mental health in people with HIV. <i>Biometrics</i> , 2022, 78, 988-1000.	1.4	4
135	The Effect of Intranasal Oxytocin on Measures of Social Cognition in Schizophrenia: A Negative Report. <i>Journal of Psychiatry and Brain Science</i> , 2019, 4, .	0.5	4
136	Body Mass Index and Leptin Are Related to Cognitive Performance Over 10 Years in Women With and Without HIV Infection. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e1126-e1135.	3.6	4
137	Longitudinal multivariate normative comparisons. <i>Statistics in Medicine</i> , 2021, 40, 1440-1452.	1.6	4
138	Polypharmacy Is Associated With Falls in Women With and Without HIV. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2022, 90, 351-359.	2.1	4
139	HIV diagnosed after 50 years of age. <i>Cmaj</i> , 2020, 192, E255-E255.	2.0	3
140	Association between (GT) _n Promoter Polymorphism and Recovery from Concussion: A Pilot Study. <i>Journal of Neurotrauma</i> , 2020, 37, 1204-1210.	3.4	3
141	Starting or Switching to an Integrase Inhibitor-Based Regimen Affects PTSD Symptoms in Women with HIV. <i>AIDS and Behavior</i> , 2021, 25, 225-236.	2.7	3
142	Long-term consequences of interpersonal violence experiences on treatment engagement and health status in people living with HIV. <i>Aids</i> , 2021, 35, 801-809.	2.2	3
143	Real-time facial emotion recognition deficits across the psychosis spectrum: A B-SNIP Study. <i>Schizophrenia Research</i> , 2022, 243, 489-499.	2.0	3
144	Higher buccal mitochondrial DNA and mitochondrial common deletion number are associated with markers of neurodegeneration and inflammation in cerebrospinal fluid. <i>Journal of NeuroVirology</i> , 2022, 28, 281-290.	2.1	3

#	ARTICLE	IF	CITATIONS
145	Longitudinal 5-year prediction of cognitive impairment among men with HIV disease. <i>Aids</i> , 2021, 35, 889-898.	2.2	2
146	Assessment, prevalence, and correlates of frailty among middle-aged adults with HIV in rural Uganda. <i>Journal of NeuroVirology</i> , 2021, 27, 487-492.	2.1	2
147	Dietary intake is associated with neuropsychological impairment in women with HIV. <i>American Journal of Clinical Nutrition</i> , 2021, 114, 378-389.	4.7	2
148	Working HAND in HAND: Central Nervous System Complications in People with Human Immunodeficiency Virus. <i>Clinical Infectious Diseases</i> , 2022, 74, 1314-1314.	5.8	2
149	92. Peripheral Oxytocin and Vasopressin Modulates Regional Brain Activity Differently in Men and Women With Schizophrenia. <i>Schizophrenia Bulletin</i> , 2017, 43, S50-S50.	4.3	1
150	Deficient single item maintenance following intact updating in schizophrenia. <i>Schizophrenia Research</i> , 2018, 195, 353-356.	2.0	1
151	Factors Predicting Detrimental Change in Declarative Memory Among Women With HIV: A Study of Heterogeneity in Cognition. <i>Frontiers in Psychology</i> , 2020, 11, 548521.	2.1	1
152	Catechol-O-methyltransferase genotype differentially contributes to the flexibility and stability of cognitive sets in patients with psychotic disorders and their first-degree relatives. <i>Schizophrenia Research</i> , 2020, 223, 236-241.	2.0	1
153	Evaluation of a screening tool for the identification of neurological disorders in rural Uganda. <i>Journal of the Neurological Sciences</i> , 2021, 421, 117273.	0.6	1
154	Plasma microRNAs are associated with domain-specific cognitive function in people with HIV. <i>Aids</i> , 2021, 35, 1795-1804.	2.2	1
155	Improvement in depressive symptoms after antiretroviral therapy initiation in people with HIV in Rakai, Uganda. <i>Journal of NeuroVirology</i> , 2021, 27, 519-530.	2.1	1
156	Sex-specific effects of low-dose hydrocortisone on threat detection in HIV. <i>Journal of NeuroVirology</i> , 2021, 27, 716-726.	2.1	1
157	Overweight, Obesity, and Neuropsychological Performance: Results From the Women's Interagency HIV Study. <i>Innovation in Aging</i> , 2021, 5, 175-175.	0.1	1
158	23.4 PET-BASED PRECISION NEUROIMAGING OF THE ALPHA7 NICOTINIC ACETYLCHOLINE RECEPTOR IN PATIENTS WITH RECENT ONSET OF PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2019, 45, S127-S127.	4.3	0
159	Neural dynamics of attention in HIV: A cognitive aging phenotype?. <i>EBioMedicine</i> , 2020, 62, 103114.	6.1	0
160	Anterior Default Mode Network Mediates the Relationship Between Systemic Inflammation and Cognition in Idiopathic Psychosis. <i>Biological Psychiatry</i> , 2021, 89, S259.	1.3	0
161	GlycA is associated with neuropsychological impairment in men with HIV. <i>Aids</i> , 2022, 36, 156-159.	2.2	0
162	Class-based antiretroviral exposure and cognition among women living with HIV (WLWH). <i>AIDS Research and Human Retroviruses</i> , 2022, , .	1.1	0

#	ARTICLE	IF	CITATIONS
163	Integrase Inhibitors are Associated with Neuropsychiatric Symptoms in Women with HIV. Journal of NeuroImmune Pharmacology, 2022, , 1.	4.1	0